

US EPA ARCHIVE DOCUMENT

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

SCHOOL	PARAMETER	VALUE	SAMPLE DATE
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.740	Aug/29/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.120	Sep/04/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.410	Sep/10/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.530	Sep/16/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.020	Sep/28/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.725	Oct/04/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.010	Oct/10/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.280	Oct/16/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.470	Dec/03/2009
Abraham Lincoln Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.040	Dec/09/2009
Charles Russell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.290	Jan/20/2010
Charles Russell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.010	Jan/26/2010
Charles Russell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.619	Feb/01/2010
Charles Russell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.596	Feb/07/2010
Charles Russell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.252	Feb/13/2010
Charles Russell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.723	Feb/19/2010
Chicora Elementary School	Acrolein (Micrograms/cubic meter (25 C))	10.300	Oct/10/2009
Chicora Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.413	Oct/16/2009
Chicora Elementary School	Acrolein (Micrograms/cubic meter (25 C))	11.100	Oct/28/2009
Chicora Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.110	Nov/03/2009
Chicora Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.010	Nov/18/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	2.360	Oct/22/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	1.930	Oct/28/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	1.690	Nov/03/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	1.790	Nov/09/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	0.502	Nov/15/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	0.920	Nov/21/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	0.518	Dec/10/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	0.840	Dec/14/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	1.030	Dec/17/2009
Clairton Educational Center	Acrolein (Micrograms/cubic meter (25 C))	0.330	Dec/21/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	1.090	Oct/28/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	1.200	Nov/03/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.920	Nov/09/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.752	Dec/03/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.613	Dec/07/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	1.020	Dec/09/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.892	Dec/10/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.603	Dec/16/2009
Colvin Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.567	Dec/21/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.590	Aug/20/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.920	Aug/23/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.050	Sep/04/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.654	Sep/28/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.401	Oct/04/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.998	Oct/28/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.883	Nov/03/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.594	Nov/09/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.460	Nov/12/2009
Concord Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.431	Nov/18/2009
Crabbe School	Acrolein (Micrograms/cubic meter (25 C))	2.680	Jan/20/2010
Crabbe School	Acrolein (Micrograms/cubic meter (25 C))	0.918	Jan/26/2010
Crabbe School	Acrolein (Micrograms/cubic meter (25 C))	0.849	Feb/01/2010
Crabbe School	Acrolein (Micrograms/cubic meter (25 C))	0.688	Feb/13/2010
Crabbe School	Acrolein (Micrograms/cubic meter (25 C))	0.830	Feb/19/2010
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.350	Sep/04/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.190	Sep/10/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.920	Sep/16/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.400	Sep/22/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.693	Sep/28/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.230	Oct/16/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.010	Oct/22/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.180	Oct/28/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.883	Nov/03/2009
Elm Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.720	Nov/09/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	6.010	Jul/30/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	4.590	Aug/05/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	5.280	Aug/06/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	4.700	Aug/11/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	4.380	Aug/17/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	5.800	Aug/25/2009

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

SCHOOL	PARAMETER	VALUE	SAMPLE DATE
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	2.730	Sep/04/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	2.000	Sep/10/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	7.300	Sep/16/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	2.590	Sep/22/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	1.920	Sep/28/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	0.908	Oct/04/2009
Enterprise High School	Acrolein (Micrograms/cubic meter (25 C))	1.290	Oct/10/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.840	Aug/05/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.260	Aug/11/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.100	Aug/17/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.050	Aug/23/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.310	Aug/29/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.440	Sep/04/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.880	Sep/10/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.160	Sep/16/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.750	Sep/22/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.740	Sep/28/2009
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.710	Jan/29/2010
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.915	Feb/04/2010
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.040	Feb/07/2010
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.590	Feb/10/2010
Felton Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.580	Feb/16/2010
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.640	Oct/22/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.070	Oct/28/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	2.130	Nov/03/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.030	Nov/09/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	0.668	Nov/18/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.490	Nov/24/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.390	Dec/09/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	0.314	Dec/10/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.350	Dec/14/2009
Follansbee Middle School - Jefferson Primary School	Acrolein (Micrograms/cubic meter (25 C))	1.630	Dec/15/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.340	Aug/23/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	2.840	Aug/29/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	2.260	Sep/04/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.760	Sep/10/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.080	Sep/16/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.280	Sep/22/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.250	Sep/28/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.010	Oct/10/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.530	Oct/16/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.410	Oct/22/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.140	Oct/28/2009
Harriet Tubman Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.649	Nov/03/2009
Hatcher School	Acrolein (Micrograms/cubic meter (25 C))	3.460	Jan/20/2010
Hatcher School	Acrolein (Micrograms/cubic meter (25 C))	1.240	Jan/26/2010
Hatcher School	Acrolein (Micrograms/cubic meter (25 C))	0.619	Feb/01/2010
Hatcher School	Acrolein (Micrograms/cubic meter (25 C))	0.321	Feb/13/2010
Hatcher School	Acrolein (Micrograms/cubic meter (25 C))	0.622	Feb/19/2010
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.853	Sep/28/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.996	Oct/04/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.569	Oct/10/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.567	Oct/16/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.230	Oct/22/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.837	Nov/03/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.430	Nov/09/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	6.810	Nov/15/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.220	Dec/03/2009
Jefferson Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.840	Dec/09/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	2.620	Sep/16/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	1.250	Sep/22/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	2.080	Sep/28/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	1.530	Oct/04/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	0.367	Oct/10/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	1.020	Oct/16/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	1.950	Oct/22/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	1.430	Nov/03/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	0.796	Nov/09/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	0.344	Nov/12/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	0.892	Nov/18/2009
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	1.070	Nov/24/2009

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

SCHOOL	PARAMETER	VALUE	SAMPLE DATE
Lapwai High School	Acrolein (Micrograms/cubic meter (25 C))	0.422	Dec/09/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.500	Aug/05/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.010	Aug/11/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.710	Aug/17/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.120	Aug/29/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.500	Sep/16/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.973	Sep/22/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.840	Oct/16/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.600	Oct/22/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.693	Oct/28/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.966	Nov/03/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.360	Nov/09/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.230	Nov/12/2009
Lewis Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.780	Nov/18/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	4.860	Aug/17/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	2.680	Sep/16/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	1.560	Sep/22/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	0.950	Oct/04/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	0.470	Oct/10/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	1.910	Oct/22/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	1.630	Oct/28/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	0.980	Nov/09/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	0.489	Nov/15/2009
Life Skills of Trumbull County - Academy of Arts and Humanities	Acrolein (Micrograms/cubic meter (25 C))	1.010	Nov/27/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	3.170	Aug/23/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	6.770	Aug/29/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	1.090	Sep/04/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	2.640	Sep/10/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	1.670	Sep/16/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	2.500	Sep/22/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.617	Sep/28/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.670	Oct/04/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.796	Oct/10/2009
Lincoln Elementary	Acrolein (Micrograms/cubic meter (25 C))	0.523	Oct/16/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.904	Oct/28/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.580	Nov/03/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.615	Nov/09/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.150	Nov/15/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.947	Dec/03/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.661	Dec/09/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.897	Dec/15/2009
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	5.440	Jan/13/2010
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	14.800	Jan/19/2010
Mabel Holmes Middle School	Acrolein (Micrograms/cubic meter (25 C))	10.300	Jan/21/2010
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.070	Aug/05/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.370	Aug/11/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.540	Aug/29/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.270	Sep/04/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.757	Sep/10/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.420	Sep/16/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.540	Sep/22/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.800	Sep/24/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.328	Oct/16/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.890	Oct/22/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.170	Oct/28/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.530	Nov/03/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.303	Nov/08/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.580	Nov/12/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.734	Nov/18/2009
North Birmingham Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.789	Nov/24/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.867	Oct/22/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.840	Oct/28/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.200	Nov/03/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.130	Nov/09/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.670	Nov/23/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.996	Nov/30/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.915	Dec/03/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.869	Dec/07/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.713	Dec/09/2009
NW Harlee Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.516	Dec/15/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	1.150	Oct/22/2009

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

SCHOOL	PARAMETER	VALUE	SAMPLE DATE
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	0.844	Oct/28/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	1.360	Nov/03/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	0.603	Nov/09/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	1.730	Nov/15/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	1.840	Nov/27/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	0.236	Dec/21/2009
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	19.500	Jan/19/2010
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	4.240	Jan/21/2010
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	0.000	Jan/25/2010
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	0.895	Jan/27/2010
Paulsboro High School	Acrolein (Micrograms/cubic meter (25 C))	0.482	Feb/01/2010
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	0.750	Oct/22/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	1.130	Oct/28/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	1.730	Oct/30/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	0.482	Nov/03/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	1.550	Nov/09/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	0.617	Nov/12/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	0.622	Nov/18/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	1.110	Nov/24/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	0.420	Nov/30/2009
Riggins School	Acrolein (Micrograms/cubic meter (25 C))	0.528	Dec/03/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	1.110	Oct/28/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	2.200	Nov/02/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	1.380	Nov/23/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	1.150	Nov/30/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	0.539	Dec/03/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	1.770	Dec/07/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	0.668	Dec/14/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	0.750	Dec/21/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	1.020	Dec/22/2009
San Jacinto Elementary School - Deer Park Junior High School	Acrolein (Micrograms/cubic meter (25 C))	14.200	Jan/11/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.230	Oct/22/2009
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.620	Oct/25/2009
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.830	Oct/28/2009
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	3.850	Jan/20/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	6.970	Jan/23/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.420	Jan/26/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	2.320	Jan/29/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.670	Feb/04/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.860	Feb/07/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.770	Feb/10/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.330	Feb/16/2010
Santa Anita Christian Academy	Acrolein (Micrograms/cubic meter (25 C))	1.720	Feb/19/2010
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.660	Oct/22/2009
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.420	Oct/28/2009
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.430	Jan/26/2010
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.320	Jan/29/2010
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.590	Feb/04/2010
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.930	Feb/07/2010
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.550	Feb/10/2010
Soto Street Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.540	Feb/16/2010
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	1.120	Aug/23/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	2.680	Sep/04/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	1.140	Oct/10/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	0.376	Oct/16/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	1.670	Oct/22/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	0.360	Oct/28/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	1.100	Nov/03/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	2.080	Nov/09/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	1.270	Nov/15/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	0.020	Nov/21/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	0.681	Nov/24/2009
South Allegheny Middle/High School	Acrolein (Micrograms/cubic meter (25 C))	0.000	Nov/30/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.380	Aug/17/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.399	Aug/23/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.500	Sep/16/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.697	Sep/22/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.720	Sep/28/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.782	Oct/04/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	5.510	Oct/10/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.390	Oct/16/2009

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

SCHOOL	PARAMETER	VALUE	SAMPLE DATE
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.647	Oct/22/2009
Spain Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.727	Oct/28/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.711	Sep/28/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.140	Oct/06/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.642	Oct/10/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.521	Oct/16/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.090	Oct/22/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.040	Oct/28/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.509	Nov/03/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.100	Nov/09/2009
St. Helens Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.454	Nov/15/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.300	Sep/28/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.140	Oct/04/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	4.770	Oct/16/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.040	Oct/28/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	2.500	Nov/03/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.344	Dec/14/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.989	Dec/17/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	0.236	Dec/21/2009
Sto-Rox Elementary School - Sto-Rox Middle School	Acrolein (Micrograms/cubic meter (25 C))	1.050	Jan/06/2010
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.510	Sep/04/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.820	Sep/10/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.040	Sep/16/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.920	Sep/22/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.470	Sep/28/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.000	Sep/30/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.400	Oct/04/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.766	Oct/10/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.500	Oct/13/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.551	Oct/16/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.180	Oct/22/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.952	Oct/28/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.571	Nov/03/2009
Sunnyside Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.910	Nov/09/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	4.040	Aug/05/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.330	Aug/11/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.580	Aug/17/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.490	Aug/23/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.410	Aug/29/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.840	Sep/04/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.700	Sep/10/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.340	Sep/16/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.947	Sep/22/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.120	Sep/28/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.677	Oct/04/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.973	Oct/10/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.931	Oct/16/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.200	Oct/22/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.580	Oct/28/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.670	Nov/01/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.200	Nov/03/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.849	Nov/09/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.440	Nov/12/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.516	Nov/18/2009
Tarrant Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.769	Nov/24/2009
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.920	Oct/28/2009
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.392	Dec/02/2009
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.430	Dec/08/2009
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.400	Jan/07/2010
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	3.880	Jan/14/2010
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.826	Jan/25/2010
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.220	Feb/01/2010
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.551	Feb/11/2010
Temple Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.688	Feb/16/2010
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.780	Aug/29/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.150	Sep/22/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.590	Oct/16/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.959	Oct/22/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.730	Oct/28/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.930	Nov/03/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	8.490	Nov/09/2009

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.

SCHOOL	PARAMETER	VALUE	SAMPLE DATE
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.551	Nov/12/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.649	Nov/18/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.900	Nov/24/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.280	Nov/30/2009
Toledo Elementary School	Acrolein (Micrograms/cubic meter (25 C))	1.110	Dec/03/2009
Whitwell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	2.840	Jan/20/2010
Whitwell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.642	Feb/01/2010
Whitwell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.780	Feb/07/2010
Whitwell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.344	Feb/13/2010
Whitwell Elementary School	Acrolein (Micrograms/cubic meter (25 C))	0.734	Feb/19/2010
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	1.500	Oct/21/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	2.360	Oct/27/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	0.710	Nov/02/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	0.562	Nov/08/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	1.060	Nov/19/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	1.010	Nov/24/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	0.372	Nov/30/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	1.060	Dec/03/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	0.392	Dec/09/2009
Young Scholars Academy	Acrolein (Micrograms/cubic meter (25 C))	0.945	Dec/15/2009

The acrolein data contained in this table are considered unreliable and should not be used for any analysis.