

US EPA ARCHIVE DOCUMENT

ARIZONA COTTON RESEARCH AND PROTECTION
COUNCIL PINK BOLLWORM ERADICATION JULY, 16-22 2006

BOLL SAMPLING DATA

FIELD#	COTTON TYPE	#BOLLS	BOLLS INFESTED	LARVAE	% INFESTATION	SAMPLE
24	BT	0	0	0	-	NO BOLLS
28	NON-BT	0	0	0	-	NO BOLLS
76	NON-BT	0	0	0	-	NO BOLLS
77	BT	0	0	0	-	NO BOLLS
80	BT	0	0	0	-	NO BOLLS
81	NON-BT	0	0	0	-	NO BOLLS
119	BT	0	0	0	-	NO BOLLS
139	NON-BT	0	0	0	-	NO BOLLS
171	NON-BT	0	0	0	-	WET
172	BT	0	0	0	-	WET
189	NON-BT	0	0	0	-	NO BOLLS
190	NON-BT	0	0	0	-	NO BOLLS
355	NON-BT	0	0	0	-	NO BOLLS
357	BT	0	0	0	-	NO BOLLS
783	BT	100	0	0	0	
784	NON-BT	100	0	0	0	
853	BT	100	0	0	0	
854	NON-BT	100	0	0	0	
1019	NON-BT	100	0	0	0	
1042	NON-BT	100	0	0	0	
1063	BT	100	0	0	0	
1065	BT	100	0	0	0	
1783	NON-BT	100	1	1	0.01	
1795	BT	100	0	0	0	
1964	NON-BT	100	0	0	0	
1966	BT	100	0	0	0	
2315	NON-BT	125	0	0	0	

FIELD#	COTTON TYPE	#BOLLS	BOLLS INFESTED	LARVAE	% INFESTATION	SAMPLE
2326	BT	100	0	0	0	
2501	NON-BT	100	0	0	0	
2506	BT	100	0	0	0	
4232	NON-BT	100	0	0	0	
4234	BT	0	0	0	-	NO BOLLS
4236	NON-BT	100	0	0	0	
4250	BT	100	0	0	0	
4570	BT	100	0	0	0	
4579	NON-BT	100	0	0	0	
4580	NON-BT	100	0	0	0	
4581	BT	100	0	0	0	
4609	NON-BT	100	0	0	0	
4615	BT	100	0	0	0	
4618	NON-BT	100	0	0	0	
4623	BT	0	0	0	-	WET
4625	NON-BT	0	0	0	-	NO BOLLS
PERCENT TOTAL BOLL INFESTATION					<u>0.04%</u>	