

CHAPTER

8

References

Adams, D.D. 1991. Sampling Sediment Pore Water *In: CRC Handbook of Techniques for Sediment Sampling*. Mudroch, A and MacKnight, S.D. (eds.). CRC Press, Inc., Boca Raton, FL.

Adams, W.U., R.A. Kimerle, and R.G. Mosher. 1985. Aquatic safety assessment of chemicals sorbed to sediments. *Aquatic Toxicol. and Hazard Assessment, Seventh Symposium, ASTM STP 854*, ASTM, Philadelphia, PA. pp. 429-453.

Allredge, J.R. 1987. Sample size for monitoring of toxic chemical sites. *Environmental Monitoring and Assessment*. 9:143-154.

Allen, T., 1975. Particle Size Measurement. John Wiley & Sons, New York, 452 pp.

Allen, H.E., G. Fu and B. Deng. 1993. Analysis of acid-volatile sulfide (AVS) and simultaneously extracted metals (SEM) for the estimation of potential toxicity in aquatic sediments. *Environmental Toxicology and Chemistry* 12:1441-1453.

American Public Health Association (APHA). 1995. Standard Methods for the Examination of Water and Wastewater. 18th ed, Washington, D.C.

ASTM. 2000a. E 1391 - 94 Standard guide for collection, storage, characterization, and manipulation of sediments for toxicological testing. p. 768-788. *In: 2000 ASTM Standards on Environmental Sampling, Vol. 11.05 Conshohocken, PA.*

ASTM. 2000b. D4687 Guide for general planning of waste sampling. *In 2000 ASTM Standards on Environmental Sampling, Vol. 11.04 Conshohocken, PA.*

ASTM. 2000c. D4387. Standard guide for selecting grab sampling devices for collecting benthic macroinvertebrates. *In: 2000 ASTM Standards on Environmental Sampling, Vol. 11.05 Conshohocken, PA.*

ASTM. 2000d. D4823-95. Guide for core-sampling submerged, unconsolidated sediments. *In: 2000 ASTM Standards on Environmental Sampling, Vol. 11.05 Conshohocken, PA.*

ASTM. 2000e. D3976-92 Standard practice for preparation of sediment samples for chemical analysis, pp.163-165, *In: 2000 ASTM Standards on Environmental Sampling, Conshohocken, PA.*

ASTM. 2000f. E729-96 Standard guide for conducting acute toxicity tests with fishes, macroinvertebrates, and amphipods. p. 218-238. *In: 2000 Annual Book of ASTM Standards, Vol. 11.05, Conshohocken, PA.*

ASTM. 2000g. D1426-93 Standard test methods for ammonia nitrogen in water, pp. 151-155. *In: 2000 ASTM Standards on Environmental Sampling, Vol. 11.04 Conshohocken, PA.*

- ASTM. 2000h. D1067-92 Standard test methods for acidity and alkalinity of water, pp. 82-88. *In: 2000 ASTM Standards on Environmental Sampling*, Vol. 11.04 Conshohocken, PA.
- ASTM. 2000i. D1126-92 Standard test method for hardness in water, pp.107-109. *In: 2000 ASTM Standards on Environmental Sampling*, Vol. 11.04 Conshohocken, PA.
- Ankley, G.T. and Schubauer-Berigan. 1994. Comparison of techniques for the isolation of pore water for sediment toxicity testing. *Archives of Environmental Contamination & Toxicology* 27:507-512.
- Ankley, G.T., A. Katko and J.W. Arthur. 1990. Identification of ammonia as a major sediment-associated toxicant in the lower Fox River and Green Bay, Wisconsin. *Environmental Toxicology and Chemistry* 9:313-322.
- Ankley, G.T., M.K. Schubauer-Berigan, and J.R. Dierkes. 1991. Predicting the toxicity of bulk sediments to aquatic organisms with aqueous test fractions: Pore water vs. elutriate. *Environmental Toxicology and Chemistry* 10:925-939.
- Ankley, G.T., S.A. Collyard, P.D. Monson, and P.A. Kosian. 1994. Influence of ultraviolet light on the toxicity of sediments contaminated with polycyclic aromatic hydrocarbons. *Environmental Toxicology and Chemistry* 11:1791-1796.
- Ankley, G.T., D.M. DiToro, D.J. Hansen, and W.J. Berry. 1996. Technical basis and proposal for deriving sediment quality criteria for metals. *Environmental Toxicology and Chemistry* 15: 2056-2066.
- Axelman, J., N. Carina, D. Broman, and N. Kristoffer, 1999: Accumulation of polycyclic aromatic hydrocarbons in semipermeable membrane devices and caged mussels (*Mytilus edulis* l.) In relation to water column phase distribution. *Environmental Toxicology and Chemistry* 18(11):2454-2461
- Barbour, M.T., J. Gerritsen, B.D. Snyder, J.B. Stribling. 1999. Rapid bioassessment protocols for use in streams and wadeable rivers: periphyton, benthic macroinvertebrates, and fish, 2nd ed. EPA 841-B-99-002. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Barth, D.E. and T. Starks. 1985. Sediment sampling quality assurance user's guide. Prepared for Environmental Monitoring Systems Laboratory, U.S. Environmental Protection Agency, 99 p.
- Bascomb, C.L. 1964. Rapid method for the determination of cation exchange capacity of calcareous and non-calcareous soils. *J. Sci. Food Agric.* 15: 821-823.
- Bates, RG. 1981. The modern meaning of pH. *CRC Critical Reviews in Analytical Chemistry* 10:247.
- Baudo, R. 1990. Sediment Sampling, Mapping and Data Analysis. *In: J.P. Giesy and H. Muntau (eds.), Sediments: Chemistry and Toxicity of In-Place Pollutants*. Lewis Publishers, Inc., Chelsea, MI, pp. 15-60.
- Becker, D.S. and T.C. Ginn. 1990. Effects of sediment holding time on sediment toxicity. Prepared by PTI Environmental Services, Inc. for the U.S. EPA, Region 10 Office of Puget Sound, Seattle, WA. EOA 910/9-90-009.
- Bender, M., W. Martin, J. Hess, F. Sayles, L. Ball, and C. Lambert. 1987. A whole-core squeezer for interfacial pore-water sampling. *Limnology and Oceanography* 32:1214-1225.

- Bennett ER, C.D. Metcalfe, and T.L. Metcalfe. 1996. Semi-permeable membrane devices (SPMDs) for monitoring organic contaminants in the Otonabee River, Ontario. *Chemosphere* 33:363-375.
- Berner, R.A. 1963. Electrode studies of hydrogen sulphide in marine sediments. *Geochimica et Cosmochimica Acta*. 27:563.
- Berry, W.J., M.G. Cantwell, P.A. Edwards, J.R. Serbst and D.J. Hansen. 1999. Predicting toxicity of sediments spiked with silver. *Environmental Toxicology and Chemistry* 18:40-48.
- Besser, J.M., J.A. Kubitz, C.G. Ingersoll, W.E. Braselton, and J.P. Giesy. 1995. Influences of copper bioaccumulation, growth, and survival of the midge *Chironomus tentaus* in metal-contaminated sediments. *Journal of Aquatic Ecosystem Health* 4:157-168.
- Birge, W.J., Black, J., Westerman, S. and Francis, P. 1987. Toxicity of sediment-associated metals to freshwater organisms: Biomonitoring procedures. In: Fate and Effects of Sediment-Bound Chemicals, Aquatic Systems. Pergamon Press, NY, pp. 199-218.
- Bischoff, J.L., R.E. Greer, and A.O. Luistro. 1970. Composition of interstitial waters of marine sediments: Temperature of squeezing effect. *Science* 167:1245-1246.
- Black, C. A. (ed.) 1965. Methods of Soil Analysis. American Society of Agronomy, Agronomy Monograph No. 9, Madison, WI.
- Boehm, P.D., D.S Page, E.S. Gilfillan, W.A Stubblefield,. and E.J Harner. 1995. Shoreline Ecology Program for Prince William Sound, Alaska, Following the Exxon Valdez Oil Spill: Part 2—Chemistry and Toxicology. *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters, ASTM STP 1219*, Peter G. Wells, James N. Butler, and Jane S. Hughes, Eds., American Society for Testing and Materials, Philadelphia, PA.
- Bollinger, R., H. Brandl, P. Hohener, K.W. Hanselmann, and R. Bachofen. 1992. Squeeze-water analysis for the determination of microbial metabolites in lake sediments-comparison of methods. *Limnology and Oceanography* 37:448-455.
- Borga, P., T. Elowson and K. Liukko. 1996. Environmental loads from water-sprinkled softwood timber: 2: influence of tree species and water characterizations on wastewater discharges. *Environmental Toxicology and Chemistry*. 15: 1445-1454
- Bottomly, E.Z. and I.L. Bayly. 1984. A sediment pore water sampler used in root zone studies of the submerged macrophyte, *Myriophyllum spicatum*. *Limnology and Oceanography* 29:671-673.
- Bower and Holm-Hansen. 1980. *Canadian Journal of Fisheries and Aquatic Sciences* 37:794-798.
- Bray, J.T., O.P. Bricker, and B.N. Troup. 1973. Phosphate in interstitial waters of anoxic sediments: Oxidation effects during sampling procedure. *Science* 180:1362-1364.
- Bregnard, T. B-A., P Höhener, A. Häner and J. Zeyer. 1996. Degradation of weathered diesel fuel by microorganisms from a contaminated aquifer in aerobic microcosms. *Environmental Toxicology and Chemistry* 15:299-307.
- Brinkman, A.G., W. van Raaphorst, and L. Lijklema. 1982. In situ sampling of interstitial water from lake sediments. *Hydrobiologia* 92:659-663.

- Brownawell, B.J., and J.W. Farrington. 1986. Biogeochemistry of PCBs in interstitial waters of a coastal marine sediment. *Geochimica et Cosmochimica Acta*. 50:157-169.
- Brumbaugh, W.G., C.G. Ingersoll, N.E. Kemble, T.W. May and J.L. Zajicek. 1994. Chemical characterization of sediments and pore water from the Upper Clark Fork River and Milltown Reservoir, Montana. *Environmental Toxicology and Chemistry* 13:1971-1973.
- Buchanan, J.B. 1984. Sediment analysis. In: *Methods for the Study of Marine Benthos*. N.A. Holme and A.D. McIntyre (eds). Blackwell Scientific Publications, Boston, MA, pp. 41-65.
- Bufflap, W.E. and H.E. Allen. 1995. Sediment pore water collection methods: A review. *Water Research* 29:165-177.
- Burgess, R.M., M.G. Cantwell, M.C. Pelletier, K.T. Ho, J.R. Serbst, H.F. Cook, and A. Kuhn. 2000. Development of a toxicity identification evaluation procedure for characterizing metal toxicity in marine sediments. *Environmental Toxicology and Chemistry* 19(4):982-991.
- Burgess, R.M. and R.A. McKinney. 1997. Effects of sediment homogenization on interstitial water PCB geochemistry. *Archives of Environmental Contamination & Toxicology* 33:125-129.
- Burgess, R.M. 1996. Enrichment of marine sediment colloids with polychlorinated biphenyls: Trends resulting from PCB solubility and chlorination. *Environmental Science and Technology* 30(8):2556-2566.
- Burgess, R.M., K.A. Schweitzer, R.A. McKinney and D.K. Phelps. 1993. Contaminated marine sediments: water column and interstitial toxic effects. *Environmental Toxicology and Chemistry* 12:127-138.
- Burton, G.A. Jr. 1991. Assessment of freshwater sediment toxicity. *Environmental Toxicology and Chemistry* 10:1585-1627.
- Burton, G.A. Jr. 1992. Sediment collection and processing: factors affecting realism. In: G.A. Burton, Jr. (ed.), *Sediment Toxicity Assessment*. Lewis Publishers, Chelsea, MI, pp. 37-67.
- Burton GA, Jr., Rowland CD, Greenberg MS, Lavoie DR, Nordstrom JF, Eggert LM. 2001. A tiered, weight-of-evidence approach for evaluating aquatic ecosystems. *Aquatic Ecosystem Health and Management* (in press).
- Burton, G.A. Jr., C. Rowland, D. Lavoie, and N. Nordstrom. 1999. Assessment of In Situ Stressors and Sediment Toxicity in the Lower Housatonic River. Final Report to R.F. Weston., Manchester, NH.
- Burton, G.A., Jr., B.L. Stemmer, K.L. Winks, P.E. Ross, and L.C. Burnett. 1989. A multitrophic level evaluation of sediment toxicity in Waukegan and Indiana Harbors. *Environmental Toxicology and Chemistry* 8:1057-1066.
- Cairns, M.A., A.V. Nebeker, J.H. Gakstatter, and W.L. Griffis. 1984. Toxicity of copper-spiked sediments to freshwater invertebrates. *Environmental Toxicology and Chemistry* 3:435-445.

- Call, D. J., N. Christine, T.P. Polkinghorne, L.T. Markee, D.L. Brooke, J.W. Geiger, K. Gorsuch, and N. Robillard, 1999: Silver toxicity to *Chironomus tentans* in two freshwater sediments. *Environmental Toxicology and Chemistry* 18(1):30-39.
- Carignan, R. 1984. Interstitial water sampling by dialysis: Methodological notes. *Limnology and Oceanography* 29:667-670.
- Carignan, R. and D.R.S. Lean. 1991. Regeneration of dissolved substances in a seasonally anoxic lake: The relative importance of processes occurring in the water column and in the sediments. *Limnology and Oceanography* 36:683-703.
- Carignan, R., F. Rapin, and A. Tessier. 1985. Sediment Pore water sampling for metal analysis: A comparison of techniques. *Geochimica et Cosmochimica Acta*. 49:2493-2497.
- Carignan, R., S. St. Pierre, and R. Gachter. 1994. Use of diffusion samplers in oligotrophic lake sediments: Effects of free oxygen in sampler material. *Limnology and Oceanography* 39:468-474.
- Carlton, R.G., and R.G. Wetzel. 1985. A box corer for studying metabolism of epipellic microorganisms in sediment under in situ conditions. *Limnology and Oceanography* 30:422.
- Carr, R.S. 1998. Marine and estuarine porewater toxicity testing. In: Wells, PG, K. Lee, C. Blaise, eds. *Microscale testing in aquatic toxicology: advances, techniques, and practice*. CRC Press, Boca Raton, FL., p. 523-538.
- Carr, R.S. and D.C. Chapman. 1992. Comparison of solid-phase and pore-water approaches for assessing the quality of marine and estuarine sediments. *Chemical Ecology* 7:19-30.
- Carr, R.S. and D.C. Chapman. 1995. Comparison of methods for conducting marine and estuarine sediment porewater toxicity tests - Extraction, storage, and handling techniques. *Archives of Environmental Contamination & Toxicology* 28:69-77.
- Carr, R.S., J.W. Williams, and C.T.B. Fragata. 1989. Development and evaluation of a novel marine sediment pore water toxicity test with the polychaete *Dinophilus gyrociliatus*. *Environmental Toxicology and Chemistry* 8:533-543.
- Chao, T.T. and L. Zhou. 1983. Extraction techniques for selective dissolution of amorphous iron oxides from soils and sediments. *Soil Science Society of America Journal* 47:225-232.
- Chin, Y., and P.M. Gschwend. 1991. The abundance, distribution, and configuration of pore water organic colloids in recent sediment. *Geochimica et Cosmochimica Acta*. 55:1309-1317.
- Clark, J.R., J.M. Patrick, J.C. Moore, and J. Forester. 1986. Accumulation of sediment-bound PCBs by fiddler crabs. *Bulletin of Environmental Contamination and Toxicology* 36:571-578.
- Clark, J.R., J.M. Patrick, Jr., J.C. Moore, and E.M. Loes. 1987. Waterborne and sediment-source toxicities of six organic chemicals to grass shrimp (*Palaemonetes pugio*) and Amphioxus (*Branchiostoma caribaeum*). *Archives of Environmental Contamination & Toxicology* 16:401-407.
- Cole, F.A., B.L. Boese, R.C. Schwatz, J.D. Lanberson and T.H. Dewit. 2000. Effects of storage on the toxicity of sediments spiked with fluoranthene to the amphipod, *Rhepoxynius abronius*. *Environmental Toxicology and Chemistry* 19(3):744-748.

- Crececius, E.A., E.A. Jenne and J.S. Anthony. 1987. Sediment quality criteria for metals: optimization of extraction methods for determining the quantity of sorbents and adsorbed metals in sediments. Report prepared by Battelle for U.S. Environmental Protection Agency, Criteria and Standards Division, Washington, D.C.
- Crevello,, P.D., J.M. Rine, and D.E. Lanesky. 1981. A method for impregnating unconsolidated cores and slabs of calcareous and terrigenous muds. *Journal of Sediment Petrology* 51:658-660.
- Crossland, N.O., and C.J.M. Wolff. 1985. Fate and biological effects of pentachlorophenol in outdoor ponds. *Environmental Toxicology and Chemistry* 4:73-86.
- Daniels, S.A., M. Munawar, and C.I. Mayfield. 1989. An improved elutriation technique for the bioassessment of sediment contaminants. *Hydrobiologia* 188/189:619-631.
- Day, P. R. 1965. Particle Fractionation and Particle-Size Analysis. pp. 562-566 *In: Hydrometer Method of Particle Size Analysis. Monograph No. 9 American Society of Agronomy, Madison, WI.*
- Day, K.E., R.S. Kirby, and T.B. Reynoldson. 1995. The effect of manipulations on freshwater sediments on responses of benthic invertebrates in whole-sediment toxicity tests. *Environmental Toxicology and Chemistry* 14:1333-1343.
- Defoe, D.L and G.T. Ankley. 1998. Influence of storage time on toxicity of freshwater sediments to benthic macroinvertebrates. *Environmental Pollution* In Press.
- Dewitt, T.H., R.J. Ozretich, R.C. Swartz, J.O. Lamberson, D.W. Schults, G.R. Ditsworth, J.K. Jones, L. Hoselton, and L.M. Smith. 1992. The influence of organic matter quality on the toxicity and partitioning of sediment-associated fluoranthene. *Environmental Toxicology and Chemistry* 11(2):197-208.
- Dewitt, T.H., R.C. Swartz, and J.O. Lamberson. 1989. Measuring the acute toxicity of estuarine sediments. *Environmental Toxicology and Chemistry* 8:1035-1048.
- Diamond, J., A. Richardson, and C. Daley. 1999. Ecological effects of sediment-associated contaminants in inner Burlington Harbor, Lake Champlain. In: T. Manley and P. Manley (eds.). *Lake Champlain in Transition: From Research Toward Restoration. American Geophysical Union, Washington, D.C.* pp. 261-276.
- Dillon, T.M., D.W. Moore, and A.S. Jarvis. 1994. The effects of storage temperature and time on sediment toxicity. *Archives of Environmental Contamination & Toxicology* 27:51-53.
- Di Toro, D.M., Mahony, J.H., Hansen, D.J., Scott, K.J., Hicks, M.B., Mayr, S.M., and Redmond, M. 1990. Toxicity of cadmium in sediments: The role of acid volatile sulfides. *Environmental Toxicology and Chemistry* 9:1487-1502.
- Di Toro, D.M., C.S. Zarba, D.J. Hansen, W.J. Berry, R.C. Swartz, C.E. Cowan, S.P. Pavlou, H.E. Allen, N.A. Thomas, and P.R. Paquin. 1991. Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning. *Environmental Toxicology and Chemistry* 10:1541-1583.
- Ditsworth G.R., D.W. Schults, and J.K.P. Jones. 1990. Preparation of benthic substrates for sediment toxicity testing. *Environmental Toxicology and Chemistry* 9:1523-1529.

- Doig, L., K. Liber. 2000. Dialysis minipeeper for measuring porewater metal concentrations in laboratory sediment toxicity and bioavailability tests. *Environmental Toxicology and Chemistry* 19:2882-2889.
- Driscoll SK and P.F. Landrum. 1997. A comparison of equilibrium partitioning and critical body residue approaches for predicting toxicity of sediment-associated fluoranthene to freshwater amphipods. *Environmental Toxicology and Chemistry* 16:2179-2186
- Duncan, G. A., and G.G. Lattaie. 1979. Size Analysis Procedures Used in the Sedimentology Laboratory, NWRI Manual. National Water Research Institute, Canada Centre for Inland Waters.
- Environment Canada. 1994. Guidance document on collection and preparation of sediments for physicochemical characterization and biological testing. Environmental Protection Series. Report EPS 1/RM/29, December 1994, 132 pp.
- Environment Canada. 1995. Guidance Document on Measurement of Toxicity Test Precision Using Control Sediments Spiked with a Reference Toxicant. Report EPS 1/RM/30.
- Electrical Power Research Institute (EPRI). 1986. Speciation of selenium and arsenic in natural waters and sediments. Prepared by Battelle Pacific Northwest Laboratories. Vol. 2. EPRI EA-4641.
- EPRI. 1999. *Review of Sediment Removal and Remediation Technologies at MGP and Other Contaminated Sites*, EPRI, Palo Alto, CA, and Northeast Utilities, Berlin, CT: 1999. TR-113106.
- EPRI. 2000. MARS model, Beta v.1, 2000.
- Ferraro, S.P., F.A. Cole, W.A. DeBen, and R.C. Swartz. 1989. Power-cost efficiency of eight macrobenthic sampling schemes in Puget Sound, Washington, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 46(10):2157-2165.
- Ferraro, S.P., R.C. Swartz, F.A. Cole, and W.A. DeBen. 1994. Optimum macrobenthic sampling protocol for detecting pollution impacts in the southern California Bight. *Environmental Monitoring and Assessment* 29:127-153.
- Flegel, A.R., R.W. Risebrough, B. Anderson, J. Hunt, S. Anderson, J. Oliver, M. Stephenson, and R. Pickard. 1994. San Francisco Estuary Pilot Regional Monitoring Program Sediment Studies, San Francisco Bay Regional Water Quality Control Board/State Water Resources Control Board, Oakland, CA.
- Fleming, R. and S. Nixon. 1996. Sediment Toxicity Tests. Interim Report No. DoE, Contract 8864. Department of Environment. Buckinghamshire, England.
- Folk, R.L. 1968. Petrology of sedimentary rocks. Hemphill Publishing Co., Austin, TX. 172 p.
- Francis, P.C., W. Birge, and J. Black. 1984. Effects of cadmium-enriched sediment on fish and amphibian embryo-larval stages. *Ecotoxicology and Environmental Safety* 8:378-387.
- Frazier, B.E., T.J. Naimo, and M.B. Sandheinrich. 1996. Temporal and vertical distribution of total ammonia nitrogen and un-ionized ammonia nitrogen in sediment pore water from the upper Mississippi River. *Environmental Toxicology and Chemistry* 15:92-99.

- Fredette, T.J., J.E. Clausner, D.A. Nelson, E.B. Hands, T. Miller-Way, J.A. Adair, V.A. Sotler, and F.J. Anders. 1990. "Selected Tools and Techniques for Physical and Biological Monitoring of Aquatic Dredged Material Disposal Sites", Technical Report, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS. D-90-11.
- Froelich, P.M., G.P. Klinkhammer, M.L. Bender, N.A. Luedtke, G.R. Heath, D. Cullen, P. Dauphin, D. Hammond, B. Hartmann, and V. Maynard. 1979. Early oxidation of organic matter in pelagic sediments of the eastern equatorial Atlantic: Suboxic diagenesis. *Geochimica et Cosmochimica Acta* 43:1075-1090.
- Gambrell, R.P., R.A. Khalid and W.H. Patrick, Jr. 1976. Physicochemical parameters that regulate mobilization and immobilization of toxic heavy metals. Proceedings on Speciality Conference on Dredging and Its Environmental Effects, Mobile, AL (New York: American Society of Civil Engineering).
- Gee, G.W. and J.W. Bauder. 1986. Particle-size analysis. In: A. Klute (ed.), *Methods of Soil Analysis*, 2nd ed. Part 1. Physical and Mineralogical Methods. American Society of Agronomy, Madison, WI, pp. 383-411.
- Giesy, J.P., R.L. Graney, J.L. Newstead, C.J. Rosiu, A. Benda, R.G. Kreis, Jr, and F.J. Horvath. 1988. Comparison of three sediment bioassay methods using Detroit River sediments. *Environmental Toxicology and Chemistry* 7:483-493.
- Giesy, J.P., C.J. Rosiu, R.L. Graney, and M.G. Henry. 1990. Benthic invertebrate bioassays with toxic sediment and pore water. *Environmental Toxicology and Chemistry* 9:233-248.
- Gilek, M., M. Björk, D. Broman, N. Kautsky and C. Näf. 1996. Enhanced accumulation of PCB congeners by Baltic Sea blue mussels, *Mytilus edulis*, with increased algae enrichment. *Environmental Toxicology and Chemistry* 15:1597-1605.
- Gillfillan, E.S., Page, D.S., Harner, E.J., Boehm, P.D., "Shoreline Ecology Program For Prince William Sound, Alaska, Following the *Exxon Valdez* Oil Spill: Part 3–Biology," *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters*, ASTM STP 1219, Peter G. Wells, James N. Butler, and Jane S. Hughes, Eds., American Society for Testing and Materials, Philadelphia, PA, 1995.
- Gillfillan, E.S., Harner, E.J., O'Reilly, J.E., Page, D.S., and Burns, W.A. 1999. A Comparison of Shoreline Assessment Study Designs Used for the *Exxon Valdez* Oil Spill. Elsevier Science Ltd. pubs., Great Britain, 1999. *Marine Pollution Bulletin* 38(5):380-388.
- Ginsburg, R.N., H.A. Bernard, R.A. Moody, and E.E. Daigle. 1966. The shell method of impregnating cores of unconsolidated sediments. *Journal of Sediment Petrology* 36:1118-1125.
- GLNPO 1994. Assessment and remediation of Contaminated Sediments (ARCS) Program. Assessment Guidance Document. EPA 905-B94-002, Great Lakes National Program Office, Chicago, III.
- Golterman, H.L., P.G. Sly and R.L. Thomas. 1983. Study of the Relationship between Water Quality and Sediment Transport, UNESCO, Mayenne, France.

Gonzalez, A.M. 1995. A laboratory formulated sediment incorporating synthetic acid volatile sulfide. Abstr. PH135, p. 310. Annu. Meet. Society for Environmental Toxicology and Chemistry, Vancouver, B.C.

Green, R.H., "Power Analysis and Practical Strategies for Environmental Monitoring," *Environ. Res.*, 50: 195-205 (1989).

Guigné, J.Y., N. Rudavina, P.H. Hunt, and J.S. Ford. 1991. An acoustic parametric array for measuring the thickness and stratigraphy of contaminated sediments. *Journal of Great Lakes Research* 17(1): 120-131.

Gustafsson, O., F. Haghesta, C. Chan, J. MacFarlane, and P.M. Gschwend. 1997. Quantification of the dilute sedimentary soot phase: Implication for PAH speciation and bioavailability. *Environmental Science and Technology* 31(1):203-209.

Häkenson, L. 1984. Sediment sampling in different aquatic environments: Statistical Aspects. *Water Resource Research*. 20:41-46.

Hedges, J.I. and J.H. Stern. 1984. Carbon and nitrogen determination of carbonate-containing solids. *Limnology and Oceanography* 29:657-663.

Harkey, G.A, P.F. Landrum, and S.J. Kaine. 1994. Comparison of whole-sediment elutriate, and pore-water exposures for use in assessing sediment-associated organic contaminants in bioassays. *Environmental Toxicology and Chemistry* 13:1315-1329.

Hedges, J.I. and J.H. Stern. 1984. Carbon and nitrogen determination of carbonate-containing solids. *Limnology and Oceanography* 29:657-663.

Hermann, R. 1996. The daily changing pattern of hydrogen peroxide in New Zealand surface waters. *Environmental Toxicology and Chemistry* 15:652-662.

Hesslein, R.H. 1976. An *in-situ* sampler for close interval pore water studies. 21: 912-914.

Ho, K.T., A. Kuhn, M.C. Pelletier, R.M. Burgess, and A. Helmstetter. 1999. Use of *ulva lactuca* to distinguish pH-dependent toxicants in marine waters and sediments. *Environmental Toxicology and Chemistry* 18(2):207-212.

Ho, K.T., R. McKinney, A. Kuhn, M. Pelletier, and R. Burgess. 1997. Identification of acute toxicants in New Bedford Harbor sediments. *Environmental Toxicology and Chemistry* 16(3):551-558.

Hoffman, E. 1998. Tributyltin analysis: Clarification of interstitial water extraction methods and sample storage - Interim. DMMP Clarification Paper, Dredged Material Management Program, USEPA Region 10, Seattle, WA.

Hoke, R. A., J. P. Giesy, G. R. Ankley, J. L. Newsted and J. Adams. 1990. Toxicity of sediments from Western Lake Erie and Maumee River at Toledo, Ohio, 1987: implications for current dredged material disposal practices. *Journal of Great Lakes Research* 16:457-470.

Holland, A.F. 1985. Long-term variation of macrobenthos in a mesohaline region of the Chesapeake Bay. *Estuaries* 8(2a):93-113

- Hoss, S., M. Haitzer, W. Traunspurger and C.E.W. Steinberg. 1999. Growth and fertility of *Caenorhabditis elegans* (Nematoda) in unpolluted freshwater sediments: Response to particle size distribution and organic content. *Environmental Toxicology and Chemistry* 18(12):2921-2925.
- Howes, B.L., J.W.H. Dacey, and S.G. Wakeham. 1985. Effects of sampling technique on measurements of porewater constituents in salt marsh sediments. *Limnology and Oceanography* 30:221-227.
- Huckins, J.N, M.Q. Ruvwefwn, F.K. Mnuqwwe. 1990. Semipermeable membrane devices containing model lipid: a new approach to monitoring the bioavailability of lipophilic contaminants and estimating their bioconcentration potential. *Chemosphere* 20:533-552.
- Hulbert, M.H., and M.P. Brindel. 1975. Effects of sample handling on the composition of marine sedimentary pore water. *Geological Society of America, Bulletin* 86:109-110.
- Ingersoll, C.G. 1995. Sediment Tests. In: G.M. Rand (ed.), *Fundamentals of Aquatic Toxicology*, 2nd Edition. Taylor and Francis, Washington, D.C. pp. 231-255.
- Ingersoll, C.G. and M.K. Nelson. 1990. Testing sediment toxicity with *Hyaella azteca* (Amphipoda) and *Chironomis riparius* (Diptera), pp. 93-109, In: *Aquatic Toxicology and Risk Assessment*, vol. 13, W.G. Landis and W.H. van der Schalie (Eds.) ASTM STP 1096, American Society for Testing and Materials, Philadelphia, PA.
- Ingersoll, C.G., D.R. Buckler, E.A. Crecelius, and T.W. La Point. 1993. U.S. Fish and Wildlife Service and Battelle final report for the U.S. EPA GLNPO assessment and remediation of contaminated sediment (ARCS) project: Biological assessment of contaminated Great Lakes sediment. EPA-905-R93-006, Chicago, IL.
- International Joint Commission (IJC). 1988. Procedures for the assessment of contaminated sediment problems in the great lakes. IJC, Windsor, Ont., Canada. p. 140.
- ITFM. 1995. The strategy for improving water quality monitoring in the United States. Final Report of the Intergovernmental Task on Monitoring Water Quality, US Geological Survey, Office of Water Data Coordination, Reston, VA, OFR 95-742.
- Jackson, M. L. 1958. *Soil Chemical Analysis*. Prentice-Hall, Inc., Englewood Cliffs, NJ.
- Jahnke, R.A. 1988. A simple, reliable, and inexpensive pore-water sampler. *Limnology and Oceanography* 33:483-487.
- Jenne, E.A. and J.M. Zachara. 1984. Factors influencing the sorption of metals. *Fate and Effects of Sediment-bound Chemicals in Aquatic Systems*. Pergamon Press, NY pp 83-98.
- Johns, D.M., R. Gutjahr-Gobell, and P. Schauer. 1985. Use of bioenergetics to investigate the impact of dredged material on benthic species: A laboratory study with polychaetes and Black Rock Harbor material. Field Verification Program. Prepared for EPA and USCOE, monitored by WES, Vicksburg, MI.
- Johns, D.M., R.A. Pastorok, and T.C. Ginn. 1991. A sublethal sediment toxicity test using juvenile *Neanthes* sp. (Polychaeta: Nereidae), pp. 280-293, In: *Aquatic Toxicology and Risk Assessment*, vol.

14, M.A. Mayes and M.G. Barron (Eds.) ASTM STP 1124, American Society for Testing and Materials. Philadelphia, PA.

Kalil, E.K., and M. Goldhaker. 1973. A sediment squeezer for removal of pore waters without air contact. *Journal of Sediment Petrology* 43:554-557.

Kaplan, I., S.T. Lu, R.P. Lee and G. Warrick. 1996. Polycyclic hydrocarbon biomarkers confirm selective incorporation of petroleum in soil and kangaroo rat liver samples near an oil well blowout site in the western San Joaquin Valley, California. *Environmental Toxicology and Chemistry* 15:696-707.

Karickhoff, S.W., and K.R. Morris. 1985a. Sorption dynamics of hydrophobic pollutants in sediment suspensions. *Environmental Toxicology and Chemistry* 4:469-479.

Karickhoff S.W., and K.R. Morris. 1985b. Sorption of hydrophobic pollutants in natural sediments. *Analysis, Chemistry, Biology* 2:193-205.

Keilty, T.J., D.S. White, and P.F. Landrum. 1988a. Short-term lethality and sediment avoidance assays with endrin-contaminated sediment and two oligochaetes from Lake Michigan. *Archives of Environmental Contamination & Toxicology* 17:95-101.

Keilty, T.J., D.S. White, and P.F. Landrum. 1988b. Sublethal responses to endrin in sediment by *Stylodrilus heringianus* (Lumbriculidae) as measured by a ¹³⁷Cesium marker layer technique. *Aquatic Toxicology* 13:227-250.

Keith, L. H. 1993. Principles of Environmental Sampling. ACS Professional Reference Book, American Chemical Society, 458 pp.

Kemble, N.E., J.M. Besserr, W.G. Brumbaugh, E.L. Brunson, T.J. Canfield, J.J. Coyle, F.J. Dwyer, J.F. Fairchild, C.G. Ingersoll, T.W. La Point, J.C. Meadows, D.P. Mondo, B.C. Poulton, D.F. Woodward, and J.L. Zajicek. 1993. Sediment toxicology, pp. 2-1 to 2-100, In: Effects of Metal-Contaminated Sediment, Water, and Diet on Aquatic Organisms, C.G. Ingersoll, W.C. Brumbaugh, A.M. Farag, T.W. La Point, and D.F. Woodward (Eds.), May 10, 1993, U.S. Environmental Protection Agency, Helena, MT.

Kemble, N.E., W.G. Brumbaugh, E.L. Brenson, F.J. Dwyer, G. Ingersoll, D.P. Monda, and D.F. Woodward. 1994. Toxicity of metal contaminated sediments from the Upper Clark Fork River Mountain, to aquatic invertebrates in laboratory exposures. *Environmental Toxicology and Chemistry* 13:1985-1997.

Kemble, N. E., F. J. Dwyer, C. G. Ingersoll, T.D. Dawson, and T. J. Norberg-King, 1999. Tolerance of freshwater test organisms to formulated sediments for use as control materials in whole-sediment toxicity tests. *Environmental Toxicology and Chemistry* 18:222-230.

Kemp, A.L.W., H.A. Saville, C.B. Gray, and A. Mudrochova. 1971. A simple corer and method for sampling the mud-water interface. *Limnology and Oceanography* 16:689.

Kersten, M. and U. Forstner. 1987. Cadmium associations in freshwater and marine sediment. Cadmium in the Aquatic Environment, John Wiley & Sons, New York. pp. 51-88.

- Klemm, D.J., P.A. Lewis, F. Fulk, and J.M. Lazorchak. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. US Environmental Protection Agency, EPA-600-4-90-030, Environmental Monitoring and Support Laboratory, Cincinnati, OH
- Klute, A. Ed. 1986. Methods of Soil Analysis. Part 1. Physical and Mineralogical Methods, 2nd ed. American Society of Agronomy, Madison, WI, USA.
- Knezovich, J.P., and F.L. Harrison. 1988. The bioavailability of sediment-sorbed chlorobenzenes to larvae of the midge *chironomus decorus*. *Ecotoxicology and Environmental Safety* 15:226-241.
- Knezovitch, J.P. and F.L. Harrison. 1987. A new method for determining the concentration of volatile organic compounds in sediment interstitial water. *Bulletin of Environmental Contamination and Toxicology* 38:937-940.
- Kosian, P.A., C.W. West, M.S. Pasha, J.S. Cox, D.R. Mount, R.J. Huggett, and G.T. Ankley. 1999. Use of nonpolar resin for reduction of fluoranthene bioavailability in sediment. *Environmental Toxicology and Chemistry* 18(2):201-206.
- Kratochvil, B. and J.K. Taylor, "Sampling for chemical Analysis," *Anal. Chem.*, 53: 924A-938A (1981).
- Kristensen, E. and T.H. Blackburn. 1987. The fate of organic carbon and nitrogen in experimental marine sediment systems: Influence of bioturbation and anoxia. *Journal of Marine Research* 45:231-257.
- Kriukov, P.A., and F.T. Manheim. 1982. Extractions and investigative techniques for study of interstitial waters of unconsolidated sediments: A review. *The Dynamic Environment of the Ocean Floor.*, K.A. Fanning and F.T. Manheim (Eds.). Lexington Books, Washington D.C. pp. 3-26.
- Landrum, P.F. and W.R. Faust. 1991. Effect of variation in sediment composition on the uptake rate coefficient for selected PCB and PAH congeners by the amphipod, *Diporeia sp.*, pp. 263-279, *In: Aquatic Toxicology and Risk Assessment*, vol. 14, M.A. Mayes and M.G. Barron (Eds.) ASTM STP 1124, American Society for Testing and Materials. Philadelphia, PA.
- Landrum, P.F., S.R. Nihart, B.J. Eadie, and L.R. Herche. 1987. Reduction in bioavailability of organic contaminants to the amphipod *Pontoporeia hoyi* by dissolved organic matter of sediment interstitial waters. *Environmental Toxicology and Chemistry* 6:11-20.
- Landrum, P.F., B.J. Eadie, and W.R. Faust. 1992. Variation in the bioavailability of polycyclic aromatic hydrocarbons to the amphipod *Diporeia* (spp.) with sediment aging. *Environmental Toxicology and Chemistry* 11:1197-1208.
- Leonard, E. 1991. Standard operating procedures for total organic carbon analysis of sediment samples. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory, Duluth, MN.
- Leonard, E.N., D.R. Mount, and G.T. Ankley. 1999. Modification of metal partitioning by supplementing acid volatile sulfide in freshwater sediments. *Environmental Toxicology and Chemistry* 18(5):858-864.

- Leppard, G. G. 1986. The Fibrillar Matrix Component of Lacustrine Biofilms. *Water Research* 20:697-702.
- Leppard, G. G., J. Buffle, R.R. De Vitore, and D. Poreet. 1988. The Ultrastructure and Physical Characteristics of a Distinctive Colloidal Iron Particulate Isolated from a Small Eutrophic Lake. *Archives Hydrobiology* 113:405-424.
- Long, E.R., M.F. Buchman, S.M. Bay, R.J. Breteler, R.S. Carr, P.M. Chapman, J.E. Hose, A.L. Lissner, J. Scott, and D.A. Wolfe. 1990. Comparative evaluation of five toxicity tests with sediments from San Francisco Bay and Tomales Bay, California. *Environmental Toxicology and Chemistry* 9:1193-1214
- Long, E.R., D.D. MacDonald, S.L. Smith, F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management* 19(1):81-97.
- Long, E.R., A. Robertson, D.A. Wolfe, J. Hameedi, and G.M. Sloane. 1996. Estimates of the spatial extent of sediment toxicity in major U.S. estuaries. *Environmental Science and Technology* 30:3585-3592.
- Lydy, M.J., K.A. Bruner, K.A. Fry, and S.W. Fisher. 1990. Effects of sediment and the route of exposure on the toxicity and accumulation of neutral lipophilic and moderately water soluble metabolizable compounds in the midge, *Chironomus riparius*, pp. 140-164, *In: Aquatic Toxicology and Risk Assessment*, vol. 13, W.G. Landis and W.H. van der Schalie (Eds.) ASTM STP 1096, American Society for Testing and Materials. Philadelphia, PA.
- Lyons, W.B., J. Gaudette, and G. Smith. 1979. Pore water sampling in anoxic carbonate sediments: Oxidation Artifacts. *Nature* 277:48-49.
- MacDonald, L.H., A.W. Smart, and R.C. Wissmar. 1991. Monitoring Guidelines to Evaluate effects of Forestry Activities on Streams in the Pacific Northwest and Alaska EPA 910/9-01-001. USEPA Region 10, Seattle, WA.
- MacLeod, W., Jr., D. Brown, A. Friedman, O. Maynes and R. Pierce. 1985. Standard analytical procedures of the NOAA National Analytical Facility, 1984-85, extractable toxic organic compounds. Prepared for the NOAA National Status and Trends Program. NOAA Technical Memorandum NMFS F/NWC-64.
- Mangelsdorf, P.C. and T.R.S. Wilson. 1969. Potassium enrichments in interstitial waters of recent marine sediments. *Science* 165:171.
- Mayer, L.M. 1976. Chemical water sampling in lakes and sediments with dialysis bags. *Limnology and Oceanography* 21:909.
- McCave, I. M., and Jarvis, J. 1973. Use of the Model T Coulter Counter in Size Analysis of Fine to Coarse Sand. *Sedimentology* 20:305-315.
- McLeese, D. W., Metcalfe, C. D., and Pezzack, D. S. 1980. Uptake of PCB's from Sediment by *Nereis virens* and *Crangon septemspinosa*. *Archives of Environmental Contamination & Toxicology* 9:507-518.

- Metro. 1981. (Revised 1983). Analytical support and data validity: organics. Prepared for Toxicant Pretreatment Planning Study. Municipality of Metropolitan Seattle, Seattle, WA.
- Milton, J.S., J.J. Corbet, and P.M. McTeer, *Introduction to Statistics*, D.C. Heath and Company, Toronto, Ontario, 517 p. (1986)
- Moore, D.W., T.M. Dillon, and E.W. Gamble. 1996. Long-term storage of sediments: Implications for sediment toxicity testing. *Environmental Pollution* 89:341-342.
- Morris, J.C. and W. Stumm. 1967. Redox equilibria and measurements in the aquatic environment. *Advances in Chemistry Series* 67:270.
- Mudroch, A. and S.D. MacKnight. 1994. CRC Handbook of Techniques for Aquatic Sediment Sampling, 2nd Ed., CRC Press, Boca Raton, FL, 210 pp.
- Mudroch, A. and J.M. Azcue. 1995. *Manual of Aquatic Sediment Sampling*. CRC/Lewis, Boca Raton, FL.
- Muir, D.C.G, N.D. Griff, B.E. Townsend, D.A. Matner, and W.L. Lockhart. 1982. Comparison of the uptake and bioconcentration of fluridone and terbutryn by rainbow trout and *Chironomus tentans* in sediment and water systems. *Archives of Environmental Contamination & Toxicology* 11:595-602.
- Murray, J.W., V. Grunamanis and W.M. Smethie, Jr. 1978. Interstitial water chemistry in the sediments of Saanich Inlet. *Geochimica et Cosmochimica Acta*. 42:1011-1026.
- Myers, D.E. 1988. Some aspects of multivariate geostastical analysis. In: C. F. Chung (ed) *Quantitative Analysis of Mineral and Energy Resources*, D. Reidel Publishing Co., Dordrecht, Germany, pp 669-687
- National Oceanic and Atmospheric Administration (NOAA). 1991. NOAA diving manual: diving for science and technology. Prepared by U.S. Department of Commerce, NOAA, Office of Undersea Research. Publication number VM981.U6228.
- Nebecker, A.V., S.T. Onjukka, M.A. Cairns, and D.F. Kraweztk. 1986. Survival of *Daphnia magna* and *Hyalella azteca* in cadmium spiked water. *Environmental Toxicology and Chemistry* 5:933-938.
- Nelson, M.K., P.F. Landrum, G.A. Burton, Jr., S.J. Klaine, E.A. Crecelius, T.D. Byl, D.C. Gossiaux, V.N. Tsymbal, L. Cleveland, C.G. Ingersoll, and G. Sasson-Brickson. 1993. Toxicity of contaminated sediments in dilution series with control sediments. *Chemosphere* 27:1789-1812.
- Nelson, D.W. and L.E. Sommers. 1996. Total carbon, organic carbon, and organic matter. In: *Methods of Soil Analysis: Part 3 Chemical Methods*, D.L. Sparks et al. (eds.). Soil Science Society of America, Inc. Madison, WI.
- Nkedi-Kizza, P., P.S.C. Rao, A.G. Hornsby. 1985. Influence of organic cosolvents on sorption of hydrophobic organic chemicals by soils. *Environmental Science and Technology* 19:975-979.
- Northcott, G.L. and K.C. Jones. 2000. Spiking hydrophobic organic compounds into soil and sediment: a review and critique of adopted procedures. *Environmental Toxicology and Chemistry* 19:2418-2430.

O'Donnel, J.R., B.M. Kaplan, and H.E. Allen. 1985. Bioavailability of trace metals in natural waters. Aquatic Toxicol. And Hazard Assessment: Seventh symposium. ASTM STP 854, ASTM, Philadelphia, PA. pp. 485-501.

O'Neill, E.J., C.A. Monti, P.H. Prichard, A.W. Bourquin, and D.G. Ahearn. 1985. Effects of Lugworms and seagrass on kepone (chlordecone) distribution in sediment-water laboratory systems. *Environmental Toxicology and Chemistry* 4:453-458.

Page, A. L., Miller, R. H., and Keeney, D. R. (eds.). 1982. Methods of Soil Analysis Parts 1 and 2. Amer. Soc. Agron., Madison, WI.

Page, D.S., P.D. Boehm, G.S. Douglas, and A.E Bence. 1995a. Identification of Hydrocarbon Sources in the Benthic Sediments of Prince William Sound and the Gulf of Alaska Following the Exxon Valdez Oil Spill. *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters, ASTM STP 1219*, Peter G. Wells, James N. Butler, and Jane S. Hughes, Eds., American Society for Testing and Materials, Philadelphia, PA.

Page, D.S., E.S Gilfillan, P.D Boehm, and E.J Harner. 1995b. Shoreline Ecology Program for Prince William Sound, Alaska, Following the Exxon Valdez Oil Spill: Part I—Study Design and Methods. *Exxon Valdez Oil Spill: Fate and Effects in Alaskan Waters, ASTM STP 1219*, James N. Butler, and Jane S. Hughes, Eds., American Society for Testing and Materials, Philadelphia, PA.

Pascoe, G.A. and J. A. DalSoglio. 1994. Planning and implementation of a comprehensive ecological risk assessment at the Milltown Reservoir-Clark Fork River superfund site, Montana. *Environmental Toxicology and Chemistry* 13:1943-1956.

Patrick, W. H. Jr. 1958. Modification of Method Particle Size Analyses. Proceedings of the Soil Science Society of America 4:366-367.

Phillips, B.M., B.S. Anderson, and J.W. Hunt. 1997. Measurement and distribution of interstitial and overlying water ammonia and hydrogen sulfide in sediment toxicity tests. *Marine Environmental Research* 44(2):117-126.

Plumb, R. H., 1981. Procedures for Handling and Chemical Analysis of Sediment and Water Samples. Environmental Protection Agency/Corps of Engineers Technical Committee on Criteria for Dredged and Fill Material, Contract EPA-4805572010.

Prichard, P.H., C.A. Monti, E.J. O'Neill, J.P. Connolly, D.G. Ahearn. 1986. Movement of kepone (chlordecone) across an undisturbed sediment-water interface in laboratory systems. *Environmental Toxicology and Chemistry* 5:667-673.

Puget Sound Estuary Program (PSEP). 1997a. Recommended guidelines for sampling marine sediment, water column, and tissue in Puget Sound. U.S. Environmental Protection Agency, Region 10, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA.

PSEP. 1987b. Recommended Guidelines for Measuring Metals in Puget Sound Water, Sediment, and Tissue Samples. Prepared for U.S. Environmental Protection Agency Region 10, Office of Puget Sound, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA. Water Quality Authority, Olympia, WA.

- PSEP. 1987c. Recommended Guidelines for Measuring Organic Compounds in Puget Sound Sediment, and Tissue Samples. Prepared for U.S. Environmental Protection Agency Region 10, Office of Puget Sound, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA. Water Quality Authority, Olympia, WA.
- PSEP. 1996. Recommended Guidelines for measuring selected environmental variables in Puget Sound. Prepared for U.S. Environmental Protection Agency Region 10, Office of Puget Sound, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA. Water Quality Authority, Olympia, WA.
- PSEP. 1995. Recommended guidelines for conducting laboratory bioassays on Puget Sound sediments. Prepared for U.S. Environmental Protection Agency Region 10, Office of Puget Sound, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA. Water Quality Authority, Olympia, WA.
- Reeburgh, W.S. 1967. An improved interstitial water sampler. *Limnology and Oceanography* 12:163-165.
- Resendes, J., W.Y. Shiu, and D. Mackay. 1992. Sensing the fugacity of hydrophobic organic chemicals in aqueous systems. *Environmental Science and Technology* 26:2381-2387.
- Ribeiro, R., R. Margalho, F. Goncalves, and A. Soares. 1994. Abstr. HC07, p. 224. Annu. Meet. Soc. *Environmental Toxicology and Chemistry*, Denver, CO.
- Robinson, A.M., J.O. Lamberson, F.A. Cole, and R.C. Swartz. 1988. Effects of culture conditions on the sensitivity of a phoxocephalid amphipod, *Rhepoxynius abronius*, to cadmium in sediment. *Environmental Toxicology and Chemistry* 7:953-959.
- Rosenfeld, J.K. 1979. Ammonia absorption in nearshore anoxic sediments. *Limnology and Oceanography* 24:356-364.
- Ross, P.E., and M.S. Henebry. 1989. Use of four microbial tests to assess the ecotoxicological hazard of contaminated sediments. *Toxicity Assessment* 4:1-21.
- Rukavina, N. A. and Duncan, G. A. 1970. F.A.S.T.- Fast Analysis of Sediment Texture. Proceedings of the Conference on Great Lakes Research, pp. 274-281.
- Saager, P.M., J-P Sweerts, and H.J Ellermeijer. 1990. A simple pore-water sampler for coarse, sandy sediments of low porosity. *Limnology and Oceanography* 35:747-751.
- Sanford, R. B., and D.J.P. Swift. 1971. Comparisons of Sieving and Settling Techniques for Size Analysis, Using a Benthos Rapid Sediment Analyzer. *Sedimentology* 17:257-264.
- Santschi, P.H., J. Lenhart, and B.D. Honeyman. 1997. Heterogeneous processes affecting trace contaminant distribution in estuaries: The role of natural organic matter. *Marine Chemistry* 58:99-125.
- Sarda, N. and G.A. Burton Jr. 1995. Ammonia variation in sediments: Spatial, temporal and method-related effects. *Environmental Toxicology and Chemistry* 14:1499-1506.

- Sasson-Brickson, G. and G.A. Burton, Jr. 1991. In situ and laboratory sediment toxicity testing with *Ceriodaphnia dubia*. *Environmental Toxicology and Chemistry* 10:201-207.
- Sawyer, L.N. and G.A. Burton, Jr. 1994. Validation of various formulated sediment recipes for use in toxicity assessments. Abstr. HC06, p. 224. Annual Meeting of the Society for Environmental Toxicology and Chemistry. Denver, CO.
- Sayles, F.L., T.R.S. Wilson, D.N. Hume, and P.C. Mangelsdorf Jr. 1973. In situ sampler for marine sedimentary pore waters: Evidence for potassium depletion and calcium enrichment. *Science* 180:154-156.
- Schlekat, C.E., K.J. Scott, R.C. Swartz, B Albrecht, L. Anrim, K. Doe, S. Douglas, J.A. Ferretti, D.J. Hansen, D.W. Moore, C. Mueller, and A. Tang. 1995. Interlaboratory comparison of a 10-day sediment toxicity test method using *Ampelisca Abdita*, *Eohaustorius Estuarius*, and *Leptocheirus Plumulosus*. *ET&C*, 14:2163-2174.
- Schubauer-Berigan, M.K. and G.T. Ankley. 1991. The contribution of ammonia, metals and nonpolar organic compounds to the toxicity of sediment interstitial water from an Illinois River tributary. *Environmental Toxicology and Chemistry* 10:925-939.
- Schults, D.W. S.P. Ferraro, L.M. Smith, F.A. Roberts, and C.K. Poindexter. 1992. A comparison of methods for collecting interstitial water for trace organic compounds and metals analyses. *Water Research* 26:989-995.
- Schuytema, G.S., P.O. Nelson, K.W. Malueg, A.V. Nebeker, D.F. Krawczyk, A.K. Ratcliff, and J.H. Gakstatter. 1984. Toxicity of cadmium in water and sediment to *Daphnia magna*. *Environmental Toxicology and Chemistry* 3:293-308.
- SETAC. 2001. Porewater Toxicity Testing: Biological, Chemical, and Ecological Considerations with a Review of Methods and Applications, and Recommendations for Future areas of Research. SETAC Technical Workshop. Society for Environmental Toxicology and Chemistry, Pensacola, FL.
- Sijm, R.T.H., M. Haller, and S.M. Schrap. 1997. Influence of storage on sediment characteristics and drying sediment on sorption coefficients of organic contaminants. *Bulletin of Environmental Contamination and Toxicology* 58:961-968.
- Simon, N.S., M.M. Kennedy, and C.S. Massoni. 1985. Evaluation and use of a diffusion controlled sampler for determining chemical and dissolved oxygen gradients at the sediment-water interface. *Hydrobiologia* 126:135-141.
- Singer, J. K., Anderson, J. B., Ledbetter, M. T., McCave, I. N., Jones, K. P. N., and Wright, R. 1988. An Assessment of Analytical Techniques for the Size Analysis of Fine-Grained Sediments. *Journal of Sediment Petrology* 58:534-543.
- Skalski, C. and G. A. Burton. 1991. Laboratory and In Situ Sediment Toxicity Evaluations Using Early Life Stages of *Pimephales promelas*. M.S. thesis. Wright State University, Dayton, OH.
- Solomon, K.R, Ankley G.T, Baudo R, Burton G.A, Ingersoll C.G, Lick W, Luoma S, MacDonald DD, Reynoldson TB, Swartz RC, Warren-Hicks WJ. 1997. Work group summary report on methodological uncertainty in sediment ecological risk assessment. In: Ingersoll CG, Dillon T,

Biddinger RG (editors). Ecological risk assessment of contaminated sediment. Pensacola FL: SETAC Press. p 271-296.

Stemmer, B.L., G.A. Burton, Jr., and S. Leibfritz-Frederick. 1990a. Effects of sediment test variables on selenium toxicity to *Daphnia magna*. *Environmental Toxicology and Chemistry* 9:381-389.

Stemmer, B.L., G.A. Burton, Jr., and S. Leibfritz-Frederick. 1990b. Effect of sediment spatial variance and collection method on Cladoceran toxicity and indigenous microbial activity determinations. *Environmental Toxicology and Chemistry* 9:1035-1044.

Stephenson, R.R., and D.F. Kane. 1984. Persistence and effects of chemicals in small enclosures in ponds. *Arch. Environmental Toxicology and Chemistry* 13:313-326.

Sternberg, R. W., and J.S. Creager. 1961. Comparative Efficiencies of Size Analysis by Hydrometer and Pipette Methods. *Journal of Sediment Petrology* 31:96-100.

Stewart, A.R., and D.F. Malley. 1999. Effect of metal mixture (Cu, Zn, Pb, and Ni) on cadmium partitioning in littoral sediments and its accumulation by the freshwater macrophyte *Eriocaulon septangilare*. *Environmental Toxicology and Chemistry* 18(3):436-447.

Swartz, R.S., D.W. Schults, T.H. DeWitt, G.R. Ditsworth, and J.O. Lamberson. 1990. Toxicity of fluoranthene in sediment to marine amphipods: A test of the equilibrium partitioning approach to sediment quality criteria. *Environmental Toxicology and Chemistry* 9:1071-1080.

Swift, D.J.P., J.R. Schubel, and R.W. Sheldon. 1972. Size analysis of fine-grained suspended sediments: A review. *Journal of Sedimentary Petrology* 42:122-134.

Tatem, H.E. 1986. Bioaccumulation of polychlorinated biphenyls and metals from contaminated sediment by freshwater prawns, *Macrobracium rosenbergii*, and clams, *Corbicula fluminea*. *Archives of Environmental Contamination & Toxicology* 15:171-183.

Thurston, R.V., R.C. Russo and G.A. Vinogradov. 1981. Ammonia toxicity to fishes. Effect of pH on the toxicity of the unionized ammonia species. *Environmental Science and Technology* 15:837-840.

Tinsley, I.J. 1979. Chemical Concepts in Pollution Behavior. Wiley-Interscience, New York, p. 92.

Troup, B.N., O.P. Bricker, and J.T. Bray. 1974. Oxidation effect on the analysis of iron in the interstitial water of recent anoxic sediments. *Nature* 249:237.

Truax, D.D., A. Shindala and H. Sartain. 1995. Comparison of two sediment oxygen demand measurement techniques. *Journal of Environmental Engineering*, September, pp. 619-624.

Tye, R., R. Jepsen and W. Lick. 1996. Effects of colloids, flocculation, particle size, and organic matter on the adsorption of hexachlorobenzene to sediments. *Environmental Toxicology and Chemistry* 15:643-651.

Uchrin, C.G. and W.K. Ahlert. 1985. In situ sediment oxygen demand determinations in the Passaic River (NJ) during the late summer/early fall 1983. *Water Resources* 19:1141-1144.

U.S. Army Corps of Engineers. 1976. Ecological evaluation of proposed discharge of dredged or fill material into navigable waters. Miscellaneous Paper D-76-17, Waterways Experiment Station, Vicksburg, MS.

U.S. Environmental Protection Agency. 1979. Chemistry Laboratory Manual for Bottom Sediments and Elutriate Testing. EPA-905-4-79-014 (NTIS PB 294596) EPA Region V, Chicago, IL.

U.S. Environmental Protection Agency. 1983. Methods for the chemical analysis of water and wastes. EPA 600/4-79-020. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, OH. 460pp.

U.S. Environmental Protection Agency. 1986a. Occupational health and safety manual. Office of Administration, Washington, DC.

U.S. Environmental Protection Agency. 1986b. Test methods for evaluating solid waste (SW-846): physical/chemical methods. U.S. Environmental Protection Agency, Office of Solid Waste, Washington, DC.

U.S. Environmental Protection Agency. 1987. Quality Assurance/Quality Control (QA/QC) for 301(h) Monitoring Programs: Guidance on Field and Laboratory Methods. U.S. EPA 430/9-86-004.

U.S. Environmental Protection Agency. 1991. Methods for measuring the acute toxicity of effluents and receiving waters to freshwater and marine organisms. Fourth edition. EPA-600/4-90/027F, Cincinnati, OH.

U.S. Environmental Protection Agency. 1993. U.S. EPA Contract Laboratory Program - statement of work for organic analysis, multi-media, multi-concentration. Document ILMO1.0-ILMO-1.9, 1993. U.S. Environmental Protection Agency, Washington, DC.

U.S. Environmental Protection Agency. 1994. Methods for measuring the toxicity of sediment-associated contaminants with estuarine and marine amphipods. EPA-600/R-94/025, Narragansett, RI.

U.S. Environmental Protection Agency. 1995. QA/QC Guidance for Sampling and analysis of sediments, water, and tissues for dredged material evaluations (chemical evaluations). EPA 832-B-95-002. Office of Water, Washington, D.C.

U.S. Environmental Protection Agency. 1996. Eco Update *Ecotox Thresholds*. EPA 540-F-95-0380

U.S. Environmental Protection Agency. 1997a. The incidence and severity of sediment contamination in surface waters of the United States. Volume 1: National Sediment Quality Survey. EPA 823-R-97-006. Office of Science and Technology, Washington, DC.

U.S. Environmental Protection Agency. 1997b. EPA Diving safety manual - August, 1997. Prepared by the Office of Administration and Resource Management, Safety, Health, and Environmental Management Division.

U.S. Environmental Protection Agency. 1997f. Ecological Risk Assessment Guidance for Superfund: Process for Designing and Conducting Ecological Risk Assessments. EPA 540-R-97-006.

U.S. Environmental Protection Agency. 1998. Contaminated sediment management strategy. EPA 823-R-98-001. Office of Water, Washington, DC.

- U.S. Environmental Protection Agency. 1999. 1999 Update of Ambient Water Quality Criteria for Ammonia. EPA-823-F-99-013, Office of Water, Washington, DC.
- U.S. Environmental Protection Agency. 2000a. Guidance for the Data Quality Objectives Process. EPA QA/G-4. EPA/600/R-96/055. Office of Environmental Information, Washington, D.C.
- U.S. Environmental Protection Agency. 2000b. Guidance for Choosing a Sampling Design for Environmental Data Collection.
- U.S. Environmental Protection Agency. 2000c. Estuarine and Near Coastal Marine Waters: Bioassessment and Biocriteria Technical Guidance. EPA-822-B-00-004.
- U.S. Environmental Protection Agency. 2000d. Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates. Second Edition. EPA/600/R-99/064, Duluth, MN.
- U.S. Environmental Protection Agency. 2000e. Guidance in the Use and Development of a Quality Assurance Project Plan. EPA QA/G-5S, Office of Environmental Information, Washington, D.C. In Press.
- U.S. Environmental Protection Agency/Army Corps of Engineers. 1991. Evaluation of dredged material proposed for ocean disposal: Testing manual. EPA-503/8-91/001, Office of Water, Waterways Experiment Station, Vicksburg, MS.
- U.S. Environmental Protection Agency/ Army Corps of Engineers. 1998. Evaluation of dredged material proposed for discharge in waters of the U.S. - testing manual. EPA-823-B-98-004, Washington, DC.
- U.S. Geological Survey. 1969. Techniques of Water-Resources Investigations of the U.S.G.S. Chp. C1, Harold P. Guy, p. 58, Laboratory Theory and Methods for Sediment Analysis; Book 5, Laboratory Analysis, U.S.G.S. Arlington, VA.
- Vanderploeg, H. A. 1981. Effect of the Algal Length/Aperture Length Ratio on Coulter Analyses of Lake Seston. *Canadian Journal of Fisheries & Aquatic Science* 38:912-916.
- Vecchi, M., T.B. Reynoldson, A. Pasteris and G. Bonomi. 1999. Toxicity of copper-spiked sediments to *Tubifex tubifex* (Oligochaeta, Tubificidae): Comparison of the 28-day reproductive bioassay with an early-life-stage bioassay. *Environmental Toxicology and Chemistry* 18(6):1144-1148.
- Warwick, R.M., and K.R. Clarke. 1991. A comparison of some methods for analyzing changes in benthic community structure. *Journal of the Marine Biological Association of the United Kingdom* 71:225-244.
- Walters, D.B. and C.W. Jameson. 1984. Health and safety for toxicity testing. Butterworth Publications, Woburn, MA.
- Washington Department of Ecology (WDE). 1995. Sediment Sampling Analysis Plan Appendix: Guidance on the Development of Sediment Sampling and Analysis Plans Meeting the Requirements of the Sediment Management Standards. Ecology Publication No. 95-XXX, Washington Department of Ecology, Seattle, WA.

- Waters, D.B. (Ed.). 1980. Safe handling of chemical carcinogens, mutagens, teratogens and highly toxic substances. Ann Arbor Science, Ann Arbor, MI.
- Watson, P.G., and T.E. Frickers. 1990. A multilevel, in situ pore-water sampler for use in intertidal sediments and laboratory microcosms. *Limnology and Oceanography* 35:1381-1389.
- Watson, P.G., P. Frickers, and C. Goodchild. 1985. Spatial and seasonal variations in the chemistry of sediment interstitial waters in the Tamar estuary. *Estuaries and Coastal Shelf Science*. 21:105-119.
- Watzin, M., A. McIntosh, E. Brown, R. Lacey, D. Lester, K. Newbrough, and A. Williams. 1997. Assessing sediment quality in heterogeneous environments: a case study of a small urban harbor in Lake Champlain, Vermont USA. *Environmental Toxicology and Chemistry* 16:2125-2135.
- Webster, G.R.B., M.R. Servos, G.G. Choudhry, L.P. Sarna, and G.C.G. Muir. 1990. Methods for dissolving hydrophobics in water for studies of their interactions with dissolved organic matter. Advances in Chemistry Series, Presented at the 193rd National Meeting of the American Chemical Society, Division of Environmental Chemistry. Extended Abstracts. 28:191-192.
- Weliky, K., E. Suess and C.A. Ungerer. 1983. Problems with accurate carbon measurements in marine sediments and particulate in seawater: a new approach. *Limnology and Oceanography* 28:1252-1259.
- West, R.J. and S.J. Gonsior. 1996. Biodegradation of triethanolamine. *Environmental Toxicology and Chemistry* 15:472-480.
- Whitfield, M. 1969. Eh as an operational parameter in estuarine studies. *Limnology and Oceanography* 14:547.
- Whitfield, M. 1978. The Hydrolysis of Ammonium Ions in Sea Water--Experimental Confirmation of Predicted Constants at One Atmosphere Pressure. *Journal of the Marine Biological Association of the United Kingdom* 58:781-787.
- Winger, P.V. and P.J. Lassier. 1991. A vacuum-operated porewater extractor for estuarine and freshwater sediments. *Archives of Environmental Contamination & Toxicology* 21:321-324.
- Word, J.Q., J.A. Ward, L.M. Franklin, V.I. Cullinan, and S.L. Kiesser. 1987. Evaluation of the equilibrium partitioning theory for estimating the toxicity of the nonpolar organic compound DDT to the sediment dwelling amphipod *Rhepoxynius abronius*. Battelle/Marine Research Laboratory Report, Task 1, WA56, Sequim, WA. 60pp.
- Wright, L.D., D.B. Prior, C.H. Hobbs, R.J. Byrne, J.D. Boon, L.C. Schaffner, and M.O. Green. 1987. Spatial variability of bottom types in the lower Chesapeake Bay and adjoining estuaries and inner shelf. *Estuarine, Coastal, and Shelf Sciences* 24:765-784.
- Yamamuro, M. and H. Kayanne. 1995. Rapid direct determination of organic carbon and nitrogen in carbonate-bearing sediments with a Yanaco MT-5 CHN analyzer. *Limnology and Oceanography* 40:1001-1005.

Yee, S., M. Van Rikxoort, and D. McLeay. 1992. The effect of holding time on *Eohaustorius washingtonianus* during ten-day sediment bioassays and reference toxicant tests. Report prepared for Environment Canada and the Inter-Governmental Aquatic Toxicity Group, North Vancouver, BC 53p.