

US EPA ARCHIVE DOCUMENT



This document contains the pages 155 to 310 of the 310-page Appendix B from the 2004 Holland America Oosterdam Data report. Appendix B contains data on Raw Flow Data from Accommodations, Influent and Effluent Graywater Systems, Influent and Effluent Sewage/Graywater Treatment System, and the Final Combined Effluent collected onboard the Oosterdam September 14 through September 24, 2004. The report and all the appendices for this sampling event can be downloaded from http://www.epa.gov/owow/oceans/cruise_ships/oosterdam.html

Holland America Oosterdam
2004 Analytical Results
Appendix B
Pages 155 through 310

March 2006

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.14.2004	13.15	0.0892	CU M/MI	165.72	CU M
SP11		09.14.2004	13.2	0.12088	CU M/MI	166	CU M
SP11		09.14.2004	13.25	0.14223	CU M/MI	166.7	CU M
SP11		09.14.2004	13.3	0	CU M/MI	167.25	CU M
SP11		09.14.2004	13.35	0.14086	CU M/MI	167.61	CU M
SP11		09.14.2004	13.4	0	CU M/MI	167.82	CU M
SP11		09.14.2004	13.45	0	CU M/MI	168.21	CU M
SP11		09.14.2004	13.5	0	CU M/MI	167.66	CU M
SP11		09.14.2004	13.55	0	CU M/MI	167.81	CU M
SP11		09.14.2004	14	0.13922	CU M/MI	167.77	CU M
SP11		09.14.2004	14.05	0.12092	CU M/MI	167.56	CU M
SP11		09.14.2004	14.1	0	CU M/MI	167.68	CU M
SP11		09.14.2004	14.15	0.13859	CU M/MI	167.79	CU M
SP11		09.14.2004	14.2	0.13838	CU M/MI	168.49	CU M
SP11		09.14.2004	14.25	0.14041	CU M/MI	168.62	CU M
SP11		09.14.2004	14.3	0.14086	CU M/MI	169.32	CU M
SP11		09.14.2004	14.35	0.13759	CU M/MI	169.6	CU M
SP11		09.14.2004	14.4	0.14005	CU M/MI	170.3	CU M
SP11		09.14.2004	14.45	0.06309	CU M/MI	171	CU M
SP11		09.14.2004	14.5	0.14211	CU M/MI	171.31	CU M
SP11		09.14.2004	14.55	0.14311	CU M/MI	171.52	CU M
SP11		09.14.2004	15	0	CU M/MI	172.19	CU M
SP11		09.14.2004	15.05	0.14219	CU M/MI	172.31	CU M
SP11		09.14.2004	15.1	0.1428	CU M/MI	172.44	CU M
SP11		09.14.2004	15.15	0	CU M/MI	172.66	CU M
SP11		09.14.2004	15.2	0	CU M/MI	172.73	CU M
SP11		09.14.2004	15.25	0.1432	CU M/MI	173	CU M
SP11		09.14.2004	15.3	0	CU M/MI	173.34	CU M
SP11		09.14.2004	15.35	0.14247	CU M/MI	173.85	CU M
SP11		09.14.2004	15.4	0	CU M/MI	173.67	CU M
SP11		09.14.2004	15.45	0	CU M/MI	174.05	CU M
SP11		09.14.2004	15.5	0.14132	CU M/MI	174.4	CU M
SP11		09.14.2004	15.55	0.14215	CU M/MI	175.1	CU M
SP11		09.14.2004	16	0.14152	CU M/MI	175.02	CU M
SP11		09.14.2004	16.05	0.14323	CU M/MI	175.01	CU M
SP11		09.14.2004	16.1	0	CU M/MI	175.22	CU M
SP11		09.14.2004	16.15	0.0673	CU M/MI	175.64	CU M
SP11		09.14.2004	16.2	0.14321	CU M/MI	175.86	CU M
SP11		09.14.2004	16.25	0.14082	CU M/MI	176.07	CU M
SP11		09.14.2004	16.3	0.14118	CU M/MI	176.77	CU M
SP11		09.14.2004	16.35	0.09968	CU M/MI	176.94	CU M
SP11		09.14.2004	16.4	0	CU M/MI	177.63	CU M
SP11		09.14.2004	16.45	0.14116	CU M/MI	177.86	CU M
SP11		09.14.2004	16.5	0.14206	CU M/MI	177.84	CU M
SP11		09.14.2004	16.55	0.14328	CU M/MI	177.86	CU M
SP11		09.14.2004	17	0	CU M/MI	178.22	CU M
SP11		09.14.2004	17.05	0.14297	CU M/MI	178.66	CU M
SP11		09.14.2004	17.1	0	CU M/MI	178.84	CU M
SP11		09.14.2004	17.15	0	CU M/MI	179.15	CU M
SP11		09.14.2004	17.2	0.14249	CU M/MI	179.51	CU M
SP11		09.14.2004	17.25	0	CU M/MI	179.99	CU M
SP11		09.14.2004	17.3	0.14248	CU M/MI	180.35	CU M
SP11		09.14.2004	17.35	0	CU M/MI	180.42	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.14.2004	17.4	0	CU M/MI	180.53	CU M
SP11		09.14.2004	17.45	0.14331	CU M/MI	181.05	CU M
SP11		09.14.2004	17.5	0.13635	CU M/MI	181.04	CU M
SP11		09.14.2004	17.55	0	CU M/MI	181.44	CU M
SP11		09.14.2004	18	0.14168	CU M/MI	181.84	CU M
SP11		09.14.2004	18.05	0	CU M/MI	182.12	CU M
SP11		09.14.2004	18.1	0	CU M/MI	182.45	CU M
SP11		09.14.2004	18.15	0.14244	CU M/MI	182.34	CU M
SP11		09.14.2004	18.2	0	CU M/MI	182.56	CU M
SP11		09.14.2004	18.25	0	CU M/MI	182.96	CU M
SP11		09.14.2004	18.3	0.14292	CU M/MI	183.09	CU M
SP11		09.14.2004	18.4	0.24249	CU M/MI	183.82	CU M
SP11		09.14.2004	18.45	0.20238	CU M/MI	184.3	CU M
SP11		09.14.2004	18.5	0	CU M/MI	185.36	CU M
SP11		09.14.2004	18.55	0.24015	CU M/MI	185.88	CU M
SP11		09.14.2004	19	0.03163	CU M/MI	187.05	CU M
SP11		09.14.2004	19.05	0.2399	CU M/MI	187.7	CU M
SP11		09.14.2004	19.1	0.24131	CU M/MI	188.5	CU M
SP11		09.14.2004	19.15	0	CU M/MI	188.94	CU M
SP11		09.14.2004	19.2	0.00861	CU M/MI	189.89	CU M
SP11		09.14.2004	19.25	0.2616	CU M/MI	190.55	CU M
SP11		09.14.2004	19.3	0.26365	CU M/MI	191.86	CU M
SP11		09.14.2004	19.35	0.25663	CU M/MI	192.49	CU M
SP11		09.14.2004	19.4	0.26198	CU M/MI	193.8	CU M
SP11		09.14.2004	19.45	0.26337	CU M/MI	194.53	CU M
SP11		09.14.2004	19.5	0.00481	CU M/MI	195.47	CU M
SP11		09.14.2004	19.55	0.26201	CU M/MI	196.26	CU M
SP11		09.14.2004	20	0.26139	CU M/MI	196.83	CU M
SP11		09.14.2004	20.05	0.09175	CU M/MI	198.13	CU M
SP11		09.14.2004	20.1	0.2622	CU M/MI	198.87	CU M
SP11		09.14.2004	20.15	0.0329	CU M/MI	200.12	CU M
SP11		09.14.2004	20.2	0.26127	CU M/MI	200.4	CU M
SP11		09.14.2004	20.25	0.02907	CU M/MI	201.65	CU M
SP11		09.14.2004	20.3	0.26258	CU M/MI	202.31	CU M
SP11		09.14.2004	20.35	0.00428	CU M/MI	203.11	CU M
SP11		09.14.2004	20.4	0.26228	CU M/MI	203.72	CU M
SP11		09.14.2004	20.45	0.26462	CU M/MI	205.03	CU M
SP11		09.14.2004	20.5	0.00483	CU M/MI	205.61	CU M
SP11		09.14.2004	20.55	0.2634	CU M/MI	206.75	CU M
SP11		09.14.2004	21	0.26319	CU M/MI	207.41	CU M
SP11		09.14.2004	21.05	0.00656	CU M/MI	208.53	CU M
SP11		09.14.2004	21.1	0.26229	CU M/MI	209.36	CU M
SP11		09.14.2004	21.15	0.26357	CU M/MI	209.91	CU M
SP11		09.14.2004	21.2	0.0057	CU M/MI	211	CU M
SP11		09.14.2004	21.25	0.02162	CU M/MI	211.81	CU M
SP11		09.14.2004	21.3	0.26297	CU M/MI	212.33	CU M
SP11		09.14.2004	21.35	0.00461	CU M/MI	213.16	CU M
SP11		09.14.2004	21.4	0.26148	CU M/MI	214.16	CU M
SP11		09.14.2004	21.45	0.26189	CU M/MI	214.93	CU M
SP11		09.14.2004	21.5	0.0776	CU M/MI	215.66	CU M
SP11		09.14.2004	21.55	0.00912	CU M/MI	216.8	CU M
SP11		09.14.2004	22	0.1729	CU M/MI	217.55	CU M
SP11		09.14.2004	22.05	0.26027	CU M/MI	218.11	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.14.2004	22.1	0.26041	CU M/MI	218.85	CU M
SP11		09.14.2004	22.15	0.26289	CU M/MI	220.16	CU M
SP11		09.14.2004	22.2	0.00488	CU M/MI	221.07	CU M
SP11		09.14.2004	22.25	0.01375	CU M/MI	221.92	CU M
SP11		09.14.2004	22.3	0.26234	CU M/MI	222.57	CU M
SP11		09.14.2004	22.35	0.26018	CU M/MI	223.02	CU M
SP11		09.14.2004	22.4	0.14552	CU M/MI	224.33	CU M
SP11		09.14.2004	22.45	0.2631	CU M/MI	225.09	CU M
SP11		09.14.2004	22.5	0.26383	CU M/MI	226.41	CU M
SP11		09.14.2004	22.55	0.00417	CU M/MI	226.96	CU M
SP11		09.14.2004	23	0.26306	CU M/MI	227.4	CU M
SP11		09.14.2004	23.05	0.00656	CU M/MI	228.53	CU M
SP11		09.14.2004	23.1	0.26116	CU M/MI	229.41	CU M
SP11		09.14.2004	23.15	0.07083	CU M/MI	230.7	CU M
SP11		09.14.2004	23.2	0.26074	CU M/MI	231.3	CU M
SP11		09.14.2004	23.25	0.25655	CU M/MI	231.91	CU M
SP11		09.14.2004	23.3	0.00451	CU M/MI	232.69	CU M
SP11		09.14.2004	23.35	0.26438	CU M/MI	233.41	CU M
SP11		09.14.2004	23.4	0.26377	CU M/MI	234.72	CU M
SP11		09.14.2004	23.45	0.26292	CU M/MI	235.4	CU M
SP11		09.14.2004	23.5	0.00477	CU M/MI	236.23	CU M
SP11		09.14.2004	23.55	0.26228	CU M/MI	237.27	CU M
SP11		09.15.2004	0	0.2633	CU M/MI	237.83	CU M
SP11		09.15.2004	0.05	0.00468	CU M/MI	238.82	CU M
SP11		09.15.2004	0.1	0.26372	CU M/MI	239.95	CU M
SP11		09.15.2004	0.15	0.22598	CU M/MI	240.27	CU M
SP11		09.15.2004	0.2	0.00877	CU M/MI	241.42	CU M
SP11		09.15.2004	0.25	0.26296	CU M/MI	242.26	CU M
SP11		09.15.2004	0.3	0.00471	CU M/MI	242.66	CU M
SP11		09.15.2004	0.35	0.26259	CU M/MI	243.73	CU M
SP11		09.15.2004	0.4	0.26098	CU M/MI	244.46	CU M
SP11		09.15.2004	0.45	0.00465	CU M/MI	245.47	CU M
SP11		09.15.2004	0.5	0.26391	CU M/MI	246.2	CU M
SP11		09.15.2004	0.55	0.24915	CU M/MI	246.75	CU M
SP11		09.15.2004	1	0.00412	CU M/MI	247.67	CU M
SP11		09.15.2004	1.05	0.26223	CU M/MI	248.02	CU M
SP11		09.15.2004	1.1	0.26513	CU M/MI	249.33	CU M
SP11		09.15.2004	1.15	0.26382	CU M/MI	250.65	CU M
SP11		09.15.2004	1.2	0.25919	CU M/MI	251.07	CU M
SP11		09.15.2004	1.25	0.00446	CU M/MI	252.09	CU M
SP11		09.15.2004	1.3	0.26339	CU M/MI	253.12	CU M
SP11		09.15.2004	1.35	0.26389	CU M/MI	253.65	CU M
SP11		09.15.2004	1.4	0.2496	CU M/MI	254.24	CU M
SP11		09.15.2004	1.45	0.26368	CU M/MI	255.56	CU M
SP11		09.15.2004	1.5	0.25292	CU M/MI	256.31	CU M
SP11		09.15.2004	1.55	0.0054	CU M/MI	257.4	CU M
SP11		09.15.2004	2	0.26235	CU M/MI	257.84	CU M
SP11		09.15.2004	2.05	0.00455	CU M/MI	258.42	CU M
SP11		09.15.2004	2.1	0.26381	CU M/MI	258.84	CU M
SP11		09.15.2004	2.15	0.00446	CU M/MI	259.49	CU M
SP11		09.15.2004	2.2	0.26404	CU M/MI	260.76	CU M
SP11		09.15.2004	2.25	0.26429	CU M/MI	262.08	CU M
SP11		09.15.2004	2.3	0.24365	CU M/MI	262.97	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.15.2004	2.35	0.08665	CU M/MI	264.27	CU M
SP11		09.15.2004	2.4	0.26206	CU M/MI	264.96	CU M
SP11		09.15.2004	2.45	0.26177	CU M/MI	265.5	CU M
SP11		09.15.2004	2.5	0.03764	CU M/MI	266.76	CU M
SP11		09.15.2004	2.55	0.26263	CU M/MI	267.4	CU M
SP11		09.15.2004	3	0.00423	CU M/MI	268.06	CU M
SP11		09.15.2004	3.05	0.00726	CU M/MI	268.93	CU M
SP11		09.15.2004	3.1	0.2633	CU M/MI	269.64	CU M
SP11		09.15.2004	3.15	0.23319	CU M/MI	269.94	CU M
SP11		09.15.2004	3.2	0.26321	CU M/MI	271.25	CU M
SP11		09.15.2004	3.25	0.26109	CU M/MI	271.53	CU M
SP11		09.15.2004	3.3	0.16957	CU M/MI	272.15	CU M
SP11		09.15.2004	3.35	0.00601	CU M/MI	273.24	CU M
SP11		09.15.2004	3.4	0.26257	CU M/MI	274.08	CU M
SP11		09.15.2004	3.45	0.26176	CU M/MI	274.83	CU M
SP11		09.15.2004	3.5	0.26264	CU M/MI	276.14	CU M
SP11		09.15.2004	3.55	0.26134	CU M/MI	276.82	CU M
SP11		09.15.2004	4	0.2635	CU M/MI	277.7	CU M
SP11		09.15.2004	4.05	0.02774	CU M/MI	278.95	CU M
SP11		09.15.2004	4.1	0.26541	CU M/MI	279.86	CU M
SP11		09.15.2004	4.15	0.00675	CU M/MI	281	CU M
SP11		09.15.2004	4.2	0.26428	CU M/MI	282	CU M
SP11		09.15.2004	4.25	0.00448	CU M/MI	282.08	CU M
SP11		09.15.2004	4.3	0.00467	CU M/MI	282.67	CU M
SP11		09.15.2004	4.35	0.26867	CU M/MI	282.98	CU M
SP11		09.15.2004	4.4	0.00487	CU M/MI	283.79	CU M
SP11		09.15.2004	4.45	0.00581	CU M/MI	284.51	CU M
SP11		09.15.2004	4.5	0.27518	CU M/MI	285.1	CU M
SP11		09.15.2004	4.55	0.00469	CU M/MI	285.2	CU M
SP11		09.15.2004	5	0.04759	CU M/MI	285.94	CU M
SP11		09.15.2004	5.05	0.00464	CU M/MI	285.98	CU M
SP11		09.15.2004	5.1	0	CU M/MI	287.45	CU M
SP11		09.15.2004	5.15	4.20189	CU M/MI	288.22	CU M
SP11		09.15.2004	5.2	0.27316	CU M/MI	292.95	CU M
SP11		09.15.2004	5.25	0.00451	CU M/MI	293.04	CU M
SP11		09.15.2004	5.3	0.00443	CU M/MI	293.06	CU M
SP11		09.15.2004	5.35	0.00428	CU M/MI	293.08	CU M
SP11		09.15.2004	5.4	0.00488	CU M/MI	293.11	CU M
SP11		09.15.2004	5.45	0.00491	CU M/MI	293.13	CU M
SP11		09.15.2004	5.5	0.00487	CU M/MI	293.16	CU M
SP11		09.15.2004	5.55	0.0052	CU M/MI	293.18	CU M
SP11		09.15.2004	6	0.00495	CU M/MI	293.21	CU M
SP11		09.15.2004	6.05	0.00474	CU M/MI	293.23	CU M
SP11		09.15.2004	6.1	0.00514	CU M/MI	293.25	CU M
SP11		09.15.2004	6.15	0.00499	CU M/MI	293.28	CU M
SP11		09.15.2004	6.2	0.00498	CU M/MI	293.3	CU M
SP11		09.15.2004	6.25	0.00524	CU M/MI	293.33	CU M
SP11		09.15.2004	6.3	0.00513	CU M/MI	293.36	CU M
SP11		09.15.2004	6.35	0.00498	CU M/MI	293.38	CU M
SP11		09.15.2004	6.4	0.00532	CU M/MI	293.41	CU M
SP11		09.15.2004	6.45	0.00511	CU M/MI	293.43	CU M
SP11		09.15.2004	6.5	0.00529	CU M/MI	293.46	CU M
SP11		09.15.2004	6.55	0.00519	CU M/MI	293.49	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.15.2004	7	0.00551	CU M/MI	293.51	CU M
SP11		09.15.2004	7.05	0.00523	CU M/MI	293.54	CU M
SP11		09.15.2004	7.1	0.00528	CU M/MI	293.57	CU M
SP11		09.15.2004	7.15	0.00538	CU M/MI	293.6	CU M
SP11		09.15.2004	7.2	0.00594	CU M/MI	293.62	CU M
SP11		09.15.2004	7.25	0.23638	CU M/MI	294.41	CU M
SP11		09.15.2004	7.3	0.11715	CU M/MI	295.59	CU M
SP11		09.15.2004	7.35	0.24613	CU M/MI	296.41	CU M
SP11		09.15.2004	7.4	0.24642	CU M/MI	297.64	CU M
SP11		09.15.2004	7.45	0.24514	CU M/MI	298.88	CU M
SP11		09.15.2004	7.5	0.24511	CU M/MI	300.11	CU M
SP11		09.15.2004	7.55	0.01025	CU M/MI	305.61	CU M
SP11		09.15.2004	8	0.00458	CU M/MI	305.64	CU M
SP11		09.15.2004	8.05	0.00456	CU M/MI	305.66	CU M
SP11		09.15.2004	8.1	0.00448	CU M/MI	305.68	CU M
SP11		09.15.2004	8.15	0.00462	CU M/MI	305.7	CU M
SP11		09.15.2004	8.2	0.00477	CU M/MI	305.73	CU M
SP11		09.15.2004	8.25	0.00455	CU M/MI	305.75	CU M
SP11		09.15.2004	8.3	0.00466	CU M/MI	305.77	CU M
SP11		09.15.2004	8.35	0.00486	CU M/MI	305.8	CU M
SP11		09.15.2004	8.4	0.00479	CU M/MI	305.82	CU M
SP11		09.15.2004	8.45	0.25746	CU M/MI	306.72	CU M
SP11		09.15.2004	8.5	0.25931	CU M/MI	308.02	CU M
SP11		09.15.2004	8.55	0.26035	CU M/MI	309.32	CU M
SP11		09.15.2004	9	0.26156	CU M/MI	310.62	CU M
SP11		09.15.2004	9.05	0.26208	CU M/MI	311.92	CU M
SP11		09.15.2004	9.1	0.26303	CU M/MI	313.24	CU M
SP11		09.15.2004	9.15	0.26177	CU M/MI	314.55	CU M
SP11		09.15.2004	9.2	0.24158	CU M/MI	315.44	CU M
SP11		09.15.2004	9.25	0.26097	CU M/MI	316.75	CU M
SP11		09.15.2004	9.3	0.26108	CU M/MI	318.05	CU M
SP11		09.15.2004	9.35	0.26249	CU M/MI	319.36	CU M
SP11		09.15.2004	9.4	0.26141	CU M/MI	320.67	CU M
SP11		09.15.2004	9.45	0.26108	CU M/MI	321.97	CU M
SP11		09.15.2004	9.5	0.26164	CU M/MI	323.28	CU M
SP11		09.15.2004	9.55	0.24725	CU M/MI	324.57	CU M
SP11		09.15.2004	10	0	CU M/MI	325.19	CU M
SP11		09.15.2004	10.05	0.24582	CU M/MI	326.31	CU M
SP11		09.15.2004	10.1	0.24599	CU M/MI	327	CU M
SP11		09.15.2004	10.15	0.24477	CU M/MI	328.23	CU M
SP11		09.15.2004	10.2	0.21798	CU M/MI	328.77	CU M
SP11		09.15.2004	10.25	0	CU M/MI	329.53	CU M
SP11		09.15.2004	10.3	0.24532	CU M/MI	330.09	CU M
SP11		09.15.2004	10.35	0.24411	CU M/MI	330.91	CU M
SP11		09.15.2004	10.4	0	CU M/MI	331.51	CU M
SP11		09.15.2004	10.45	0.24636	CU M/MI	332.63	CU M
SP11		09.15.2004	10.5	0	CU M/MI	333.12	CU M
SP11		09.15.2004	10.55	0.00104	CU M/MI	333.12	CU M
SP11		09.15.2004	11	0.25964	CU M/MI	333.82	CU M
SP11		09.15.2004	11.05	0.25802	CU M/MI	335.12	CU M
SP11		09.15.2004	11.1	0.25929	CU M/MI	336.42	CU M
SP11		09.15.2004	11.15	0.25942	CU M/MI	337.71	CU M
SP11		09.15.2004	11.2	0.03315	CU M/MI	338.95	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.15.2004	11.25	0.25833	CU M/MI	339.46	CU M
SP11		09.15.2004	11.3	0.004	CU M/MI	340.31	CU M
SP11		09.15.2004	11.35	0.25828	CU M/MI	341.4	CU M
SP11		09.15.2004	11.4	0.13435	CU M/MI	342.68	CU M
SP11		09.15.2004	11.45	0.25644	CU M/MI	343.41	CU M
SP11		09.15.2004	11.5	0.25808	CU M/MI	344.69	CU M
SP11		09.15.2004	11.55	0.00372	CU M/MI	345.54	CU M
SP11		09.15.2004	12	0.25763	CU M/MI	346.71	CU M
SP11		09.15.2004	12.05	0.2231	CU M/MI	347.18	CU M
SP11		09.15.2004	12.1	0.25857	CU M/MI	348.46	CU M
SP11		09.15.2004	12.15	0.25603	CU M/MI	349.19	CU M
SP11		09.15.2004	12.2	0.004	CU M/MI	350.2	CU M
SP11		09.15.2004	12.25	0.25816	CU M/MI	351.18	CU M
SP11		09.15.2004	12.3	0.00371	CU M/MI	351.92	CU M
SP11		09.15.2004	12.35	0.25793	CU M/MI	353.15	CU M
SP11		09.15.2004	12.4	0.25691	CU M/MI	353.82	CU M
SP11		09.15.2004	12.45	0.00363	CU M/MI	354.6	CU M
SP11		09.15.2004	12.5	0.2582	CU M/MI	355.73	CU M
SP11		09.15.2004	12.55	0.00375	CU M/MI	356.33	CU M
SP11		09.15.2004	13	0.13719	CU M/MI	357.48	CU M
SP11		09.15.2004	13.05	0.25776	CU M/MI	358.35	CU M
SP11		09.15.2004	13.1	0.00371	CU M/MI	358.67	CU M
SP11		09.15.2004	13.15	0.00464	CU M/MI	359.47	CU M
SP11		09.15.2004	13.2	0.25894	CU M/MI	360.2	CU M
SP11		09.15.2004	13.25	0.00461	CU M/MI	361.27	CU M
SP11		09.15.2004	13.3	0.25951	CU M/MI	362.11	CU M
SP11		09.15.2004	13.35	0.25518	CU M/MI	362.66	CU M
SP11		09.15.2004	13.4	0.03169	CU M/MI	363.89	CU M
SP11		09.15.2004	13.45	0.25992	CU M/MI	364.56	CU M
SP11		09.15.2004	13.5	0.01921	CU M/MI	365.81	CU M
SP11		09.15.2004	13.55	0.26008	CU M/MI	366.51	CU M
SP11		09.15.2004	14	0.11129	CU M/MI	367.79	CU M
SP11		09.15.2004	14.05	0.2572	CU M/MI	368.59	CU M
SP11		09.15.2004	14.1	0.25744	CU M/MI	369.88	CU M
SP11		09.15.2004	14.15	0.25953	CU M/MI	371.17	CU M
SP11		09.15.2004	14.2	0.25719	CU M/MI	371.91	CU M
SP11		09.15.2004	14.25	0.25869	CU M/MI	372.76	CU M
SP11		09.15.2004	14.3	0.25767	CU M/MI	374.05	CU M
SP11		09.15.2004	14.35	0.00323	CU M/MI	375.04	CU M
SP11		09.15.2004	14.4	0.25689	CU M/MI	376.13	CU M
SP11		09.15.2004	14.45	0.25757	CU M/MI	377.42	CU M
SP11		09.15.2004	14.5	0.25782	CU M/MI	378.27	CU M
SP11		09.15.2004	14.55	0.25897	CU M/MI	379.57	CU M
SP11		09.15.2004	15	0.25745	CU M/MI	380.3	CU M
SP11		09.15.2004	15.05	0.01697	CU M/MI	381.5	CU M
SP11		09.15.2004	15.1	0.25994	CU M/MI	382.12	CU M
SP11		09.15.2004	15.15	0.25827	CU M/MI	382.78	CU M
SP11		09.15.2004	15.2	0.25861	CU M/MI	384.08	CU M
SP11		09.15.2004	15.25	0.00374	CU M/MI	384.89	CU M
SP11		09.15.2004	15.3	0.25858	CU M/MI	386.11	CU M
SP11		09.15.2004	15.35	0.13531	CU M/MI	387.4	CU M
SP11		09.15.2004	15.4	0.25906	CU M/MI	388.27	CU M
SP11		09.15.2004	15.45	0.25807	CU M/MI	389.57	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.15.2004	15.5	0.25841	CU M/MI	390.33	CU M
SP11		09.15.2004	15.55	0.00303	CU M/MI	391.03	CU M
SP11		09.15.2004	16	0.04179	CU M/MI	392.25	CU M
SP11		09.15.2004	16.05	0.2588	CU M/MI	393.11	CU M
SP11		09.15.2004	16.1	0.25666	CU M/MI	394.4	CU M
SP11		09.15.2004	16.15	0.00342	CU M/MI	395.14	CU M
SP11		09.15.2004	16.2	0.00422	CU M/MI	396.1	CU M
SP11		09.15.2004	16.25	0.25927	CU M/MI	397	CU M
SP11		09.15.2004	16.3	0.25974	CU M/MI	397.68	CU M
SP11		09.15.2004	16.35	0.14665	CU M/MI	398.42	CU M
SP11		09.15.2004	16.4	0.01178	CU M/MI	399.62	CU M
SP11		09.15.2004	16.45	0.25956	CU M/MI	400.13	CU M
SP11		09.15.2004	16.5	0.25796	CU M/MI	401.42	CU M
SP11		09.15.2004	16.55	0.132	CU M/MI	402.05	CU M
SP11		09.15.2004	17	0.25845	CU M/MI	402.92	CU M
SP11		09.15.2004	17.05	0.25829	CU M/MI	404.21	CU M
SP11		09.15.2004	17.1	0.00409	CU M/MI	405.27	CU M
SP11		09.15.2004	17.15	0.26018	CU M/MI	406.18	CU M
SP11		09.15.2004	17.2	0.05934	CU M/MI	407.45	CU M
SP11		09.15.2004	17.25	0.25873	CU M/MI	408.22	CU M
SP11		09.15.2004	17.3	0.25912	CU M/MI	409.51	CU M
SP11		09.15.2004	18.05	0.00467	CU M/MI	416.05	CU M
SP11		09.15.2004	18.1	0.25876	CU M/MI	416.72	CU M
SP11		09.15.2004	18.15	0.25784	CU M/MI	417.58	CU M
SP11		09.15.2004	18.2	0.25891	CU M/MI	418.88	CU M
SP11		09.15.2004	18.25	0.25764	CU M/MI	419.56	CU M
SP11		09.15.2004	18.3	0.25847	CU M/MI	420.85	CU M
SP11		09.15.2004	18.35	0.26119	CU M/MI	421.65	CU M
SP11		09.15.2004	18.4	0.00378	CU M/MI	422.3	CU M
SP11		09.15.2004	18.45	0.00521	CU M/MI	423.33	CU M
SP11		09.15.2004	18.5	0.25884	CU M/MI	424.26	CU M
SP11		09.15.2004	18.55	0.00395	CU M/MI	425.23	CU M
SP11		09.15.2004	19	0.26024	CU M/MI	426.18	CU M
SP11		09.15.2004	19.05	0.25569	CU M/MI	426.93	CU M
SP11		09.15.2004	19.1	0.26095	CU M/MI	428.24	CU M
SP11		09.15.2004	19.15	0.26189	CU M/MI	429.02	CU M
SP11		09.15.2004	19.2	0.25876	CU M/MI	429.46	CU M
SP11		09.15.2004	19.25	0.00396	CU M/MI	430.45	CU M
SP11		09.15.2004	19.3	0.12298	CU M/MI	431.38	CU M
SP11		09.15.2004	19.35	0.26031	CU M/MI	432.25	CU M
SP11		09.15.2004	19.4	0.00346	CU M/MI	432.93	CU M
SP11		09.15.2004	19.45	0.0039	CU M/MI	433.74	CU M
SP11		09.15.2004	19.5	0.00396	CU M/MI	434.41	CU M
SP11		09.15.2004	19.55	0.26192	CU M/MI	435.34	CU M
SP11		09.15.2004	20	0.0035	CU M/MI	436	CU M
SP11		09.15.2004	20.05	0.22093	CU M/MI	437.08	CU M
SP11		09.15.2004	20.1	0.25836	CU M/MI	437.58	CU M
SP11		09.15.2004	20.15	0.25721	CU M/MI	438.29	CU M
SP11		09.15.2004	20.2	0.00338	CU M/MI	438.94	CU M
SP11		09.15.2004	20.25	0.26042	CU M/MI	440.14	CU M
SP11		09.15.2004	20.3	0.25631	CU M/MI	440.57	CU M
SP11		09.15.2004	20.35	0.00376	CU M/MI	441.39	CU M
SP11		09.15.2004	20.4	0.25763	CU M/MI	442.17	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.15.2004	20.45	0.00375	CU M/MI	442.85	CU M
SP11		09.15.2004	20.5	0.25637	CU M/MI	443.73	CU M
SP11		09.15.2004	20.55	0.2488	CU M/MI	444.32	CU M
SP11		09.15.2004	21	0.00358	CU M/MI	445.22	CU M
SP11		09.15.2004	21.05	0.25504	CU M/MI	445.87	CU M
SP11		09.15.2004	21.1	0.00365	CU M/MI	446.33	CU M
SP11		09.15.2004	21.15	0.00362	CU M/MI	447.06	CU M
SP11		09.15.2004	21.2	0.25521	CU M/MI	447.73	CU M
SP11		09.15.2004	21.25	0.25315	CU M/MI	448.39	CU M
SP11		09.15.2004	21.3	0.25656	CU M/MI	449.68	CU M
SP11		09.15.2004	21.35	0.2556	CU M/MI	450.41	CU M
SP11		09.15.2004	21.4	0.00568	CU M/MI	451.49	CU M
SP11		09.15.2004	21.45	0.25486	CU M/MI	452.29	CU M
SP11		09.15.2004	21.5	0.00417	CU M/MI	453	CU M
SP11		09.15.2004	21.55	0.25823	CU M/MI	454.23	CU M
SP11		09.15.2004	22	0.25404	CU M/MI	454.91	CU M
SP11		09.15.2004	22.05	0.00412	CU M/MI	455.76	CU M
SP11		09.15.2004	22.1	0.25774	CU M/MI	456.6	CU M
SP11		09.15.2004	22.15	0.23514	CU M/MI	457.25	CU M
SP11		09.15.2004	22.2	0.25717	CU M/MI	458.53	CU M
SP11		09.15.2004	22.25	0.0041	CU M/MI	459.44	CU M
SP11		09.15.2004	22.3	0.23938	CU M/MI	459.9	CU M
SP11		09.15.2004	22.35	0.25698	CU M/MI	461.18	CU M
SP11		09.15.2004	22.4	0.01513	CU M/MI	462.35	CU M
SP11		09.15.2004	22.45	0.25702	CU M/MI	463.12	CU M
SP11		09.15.2004	22.5	0.25328	CU M/MI	463.44	CU M
SP11		09.15.2004	22.55	0.00465	CU M/MI	464.47	CU M
SP11		09.15.2004	23	0.2555	CU M/MI	465.35	CU M
SP11		09.15.2004	23.05	0.25505	CU M/MI	465.83	CU M
SP11		09.15.2004	23.1	0.0039	CU M/MI	466.53	CU M
SP11		09.15.2004	23.15	0.25451	CU M/MI	467.56	CU M
SP11		09.15.2004	23.2	0.00397	CU M/MI	468.34	CU M
SP11		09.15.2004	23.25	0.25686	CU M/MI	469.55	CU M
SP11		09.15.2004	23.3	0.25318	CU M/MI	470.04	CU M
SP11		09.15.2004	23.35	0.0045	CU M/MI	470.85	CU M
SP11		09.15.2004	23.4	0.05606	CU M/MI	471.85	CU M
SP11		09.15.2004	23.45	0.25333	CU M/MI	472.52	CU M
SP11		09.15.2004	23.5	0.2566	CU M/MI	473.13	CU M
SP11		09.15.2004	23.55	0.00531	CU M/MI	474.16	CU M
SP11		09.16.2004	0	0.23791	CU M/MI	474.39	CU M
SP11		09.16.2004	0.05	0.25607	CU M/MI	475.67	CU M
SP11		09.16.2004	0.1	0.19515	CU M/MI	476.18	CU M
SP11		09.16.2004	0.15	0.0203	CU M/MI	477.41	CU M
SP11		09.16.2004	0.2	0.2572	CU M/MI	477.92	CU M
SP11		09.16.2004	0.25	0.09304	CU M/MI	479.2	CU M
SP11		09.16.2004	0.3	0.25642	CU M/MI	479.97	CU M
SP11		09.16.2004	0.35	0.25613	CU M/MI	481.25	CU M
SP11		09.16.2004	0.4	0.25561	CU M/MI	481.81	CU M
SP11		09.16.2004	0.45	0.00443	CU M/MI	482.38	CU M
SP11		09.16.2004	0.5	0.25413	CU M/MI	483.49	CU M
SP11		09.16.2004	0.55	0.25708	CU M/MI	484.13	CU M
SP11		09.16.2004	1	0.25815	CU M/MI	485.42	CU M
SP11		09.16.2004	1.05	0.25817	CU M/MI	486.18	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.16.2004	1.1	0.25558	CU M/MI	486.72	CU M
SP11		09.16.2004	1.15	0.01478	CU M/MI	487.9	CU M
SP11		09.16.2004	1.2	0.25719	CU M/MI	488.68	CU M
SP11		09.16.2004	1.25	0.2569	CU M/MI	489.54	CU M
SP11		09.16.2004	1.3	0.00438	CU M/MI	489.96	CU M
SP11		09.16.2004	1.35	0.00866	CU M/MI	490.99	CU M
SP11		09.16.2004	1.4	0.25472	CU M/MI	491.77	CU M
SP11		09.16.2004	1.45	0.23598	CU M/MI	492.39	CU M
SP11		09.16.2004	1.5	0.00583	CU M/MI	493.44	CU M
SP11		09.16.2004	1.55	0.25748	CU M/MI	493.98	CU M
SP11		09.16.2004	2	0.20147	CU M/MI	494.66	CU M
SP11		09.16.2004	2.05	0.00527	CU M/MI	495.7	CU M
SP11		09.16.2004	2.1	0.25567	CU M/MI	496.41	CU M
SP11		09.16.2004	2.15	0.24132	CU M/MI	496.92	CU M
SP11		09.16.2004	2.2	0.00468	CU M/MI	497.94	CU M
SP11		09.16.2004	2.25	0.2535	CU M/MI	498.86	CU M
SP11		09.16.2004	2.3	0.00402	CU M/MI	499.51	CU M
SP11		09.16.2004	2.35	0.08272	CU M/MI	500.56	CU M
SP11		09.16.2004	2.4	0.25514	CU M/MI	501.22	CU M
SP11		09.16.2004	2.45	0.00454	CU M/MI	501.68	CU M
SP11		09.16.2004	2.5	0.25419	CU M/MI	502.85	CU M
SP11		09.16.2004	2.55	0.11699	CU M/MI	503.35	CU M
SP11		09.16.2004	3	0.2562	CU M/MI	504.21	CU M
SP11		09.16.2004	3.05	0.25583	CU M/MI	504.95	CU M
SP11		09.16.2004	3.1	0.00407	CU M/MI	505.75	CU M
SP11		09.16.2004	3.15	0.00484	CU M/MI	506.55	CU M
SP11		09.16.2004	3.2	0.00835	CU M/MI	507.4	CU M
SP11		09.16.2004	3.25	0.25488	CU M/MI	508.08	CU M
SP11		09.16.2004	3.3	0.23909	CU M/MI	508.78	CU M
SP11		09.16.2004	3.35	0.25351	CU M/MI	510.05	CU M
SP11		09.16.2004	3.4	0.25439	CU M/MI	510.69	CU M
SP11		09.16.2004	3.45	0.00426	CU M/MI	511.21	CU M
SP11		09.16.2004	3.5	0.03251	CU M/MI	512.16	CU M
SP11		09.16.2004	3.55	0.25418	CU M/MI	512.74	CU M
SP11		09.16.2004	4	0.00438	CU M/MI	513.43	CU M
SP11		09.16.2004	4.05	0.01174	CU M/MI	514.41	CU M
SP11		09.16.2004	4.1	0.25504	CU M/MI	514.98	CU M
SP11		09.16.2004	4.15	0.25402	CU M/MI	515.57	CU M
SP11		09.16.2004	4.2	0.24774	CU M/MI	516.16	CU M
SP11		09.16.2004	4.25	0.00437	CU M/MI	517.08	CU M
SP11		09.16.2004	4.3	0.10332	CU M/MI	517.94	CU M
SP11		09.16.2004	4.35	0.00916	CU M/MI	518.67	CU M
SP11		09.16.2004	4.4	0.253	CU M/MI	519.29	CU M
SP11		09.16.2004	4.45	0.16831	CU M/MI	519.82	CU M
SP11		09.16.2004	4.5	0.00561	CU M/MI	520.86	CU M
SP11		09.16.2004	4.55	0.08136	CU M/MI	521.64	CU M
SP11		09.16.2004	5	0.25427	CU M/MI	522.09	CU M
SP11		09.16.2004	5.05	0.15796	CU M/MI	522.77	CU M
SP11		09.16.2004	5.1	0.25467	CU M/MI	524.02	CU M
SP11		09.16.2004	5.15	0.00492	CU M/MI	524.78	CU M
SP11		09.16.2004	5.2	0.25636	CU M/MI	526	CU M
SP11		09.16.2004	5.25	0.258	CU M/MI	526.62	CU M
SP11		09.16.2004	5.3	0.00866	CU M/MI	527.75	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.16.2004	5.35	0.25398	CU M/MI	528.62	CU M
SP11		09.16.2004	5.4	0.00459	CU M/MI	529.21	CU M
SP11		09.16.2004	5.45	0.00527	CU M/MI	530.06	CU M
SP11		09.16.2004	5.5	0.2546	CU M/MI	530.87	CU M
SP11		09.16.2004	5.55	0.20489	CU M/MI	531.25	CU M
SP11		09.16.2004	6	0.02669	CU M/MI	532.45	CU M
SP11		09.16.2004	6.05	0.23507	CU M/MI	532.63	CU M
SP11		09.16.2004	6.1	0.00508	CU M/MI	533.66	CU M
SP11		09.16.2004	6.15	0.25497	CU M/MI	534.5	CU M
SP11		09.16.2004	6.2	0.2537	CU M/MI	535.06	CU M
SP11		09.16.2004	6.25	0.00458	CU M/MI	535.78	CU M
SP11		09.16.2004	6.3	0.00486	CU M/MI	536.65	CU M
SP11		09.16.2004	6.35	0.25198	CU M/MI	537.17	CU M
SP11		09.16.2004	6.4	0.00455	CU M/MI	537.42	CU M
SP11		09.16.2004	6.45	0.00411	CU M/MI	538.29	CU M
SP11		09.16.2004	6.5	0.25351	CU M/MI	539.17	CU M
SP11		09.16.2004	6.55	0.25265	CU M/MI	539.91	CU M
SP11		09.16.2004	7	0.06545	CU M/MI	541.15	CU M
SP11		09.16.2004	7.05	0.25167	CU M/MI	541.91	CU M
SP11		09.16.2004	7.1	0.2532	CU M/MI	542.52	CU M
SP11		09.16.2004	7.15	0.25381	CU M/MI	543.14	CU M
SP11		09.16.2004	7.2	0.00461	CU M/MI	544.04	CU M
SP11		09.16.2004	7.25	0.25156	CU M/MI	545.04	CU M
SP11		09.16.2004	7.3	0.25066	CU M/MI	545.57	CU M
SP11		09.16.2004	7.35	0.00465	CU M/MI	546.21	CU M
SP11		09.16.2004	7.4	0.25275	CU M/MI	547.05	CU M
SP11		09.16.2004	7.45	0.02825	CU M/MI	548.25	CU M
SP11		09.16.2004	7.5	0.25284	CU M/MI	548.79	CU M
SP11		09.16.2004	7.55	0.23409	CU M/MI	549.31	CU M
SP11		09.16.2004	8	0.00457	CU M/MI	550.04	CU M
SP11		09.16.2004	8.05	0.0055	CU M/MI	550.97	CU M
SP11		09.16.2004	8.1	0.25508	CU M/MI	551.76	CU M
SP11		09.16.2004	8.15	0.00457	CU M/MI	552.46	CU M
SP11		09.16.2004	8.2	0.00502	CU M/MI	553.24	CU M
SP11		09.16.2004	8.25	0.25298	CU M/MI	553.77	CU M
SP11		09.16.2004	8.3	0.08656	CU M/MI	554.4	CU M
SP11		09.16.2004	8.35	0.25179	CU M/MI	555.64	CU M
SP11		09.16.2004	8.4	0.25177	CU M/MI	556.27	CU M
SP11		09.16.2004	8.45	0.25166	CU M/MI	556.81	CU M
SP11		09.16.2004	8.5	0.02965	CU M/MI	558.01	CU M
SP11		09.16.2004	8.55	0.25097	CU M/MI	558.69	CU M
SP11		09.16.2004	9	0.23363	CU M/MI	559.2	CU M
SP11		09.16.2004	9.05	0.00449	CU M/MI	560.07	CU M
SP11		09.16.2004	9.1	0.23268	CU M/MI	560.57	CU M
SP11		09.16.2004	9.15	0.25673	CU M/MI	561.84	CU M
SP11		09.16.2004	9.2	0.25411	CU M/MI	562.41	CU M
SP11		09.16.2004	9.25	0.00552	CU M/MI	563.47	CU M
SP11		09.16.2004	9.3	0.25407	CU M/MI	564.41	CU M
SP11		09.16.2004	9.35	0.2475	CU M/MI	564.84	CU M
SP11		09.16.2004	9.4	0.00464	CU M/MI	565.46	CU M
SP11		09.16.2004	9.45	0.00829	CU M/MI	566.29	CU M
SP11		09.16.2004	9.5	0.25562	CU M/MI	566.88	CU M
SP11		09.16.2004	9.55	0.00414	CU M/MI	567.67	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.16.2004	10	0.25663	CU M/MI	568.81	CU M
SP11		09.16.2004	10.05	0.25646	CU M/MI	569.57	CU M
SP11		09.16.2004	10.1	0.00468	CU M/MI	570.35	CU M
SP11		09.16.2004	10.15	0.02026	CU M/MI	571.23	CU M
SP11		09.16.2004	10.2	0.25534	CU M/MI	571.69	CU M
SP11		09.16.2004	10.25	0.17792	CU M/MI	572.08	CU M
SP11		09.16.2004	10.3	0.07856	CU M/MI	573.32	CU M
SP11		09.16.2004	10.35	0.25276	CU M/MI	573.81	CU M
SP11		09.16.2004	10.4	0.25214	CU M/MI	574.66	CU M
SP11		09.16.2004	10.45	0.00474	CU M/MI	575.33	CU M
SP11		09.16.2004	10.5	0.25389	CU M/MI	576.21	CU M
SP11		09.16.2004	10.55	0.25094	CU M/MI	576.84	CU M
SP11		09.16.2004	11	0.24451	CU M/MI	577.5	CU M
SP11		09.16.2004	11.05	0.00454	CU M/MI	578.44	CU M
SP11		09.16.2004	11.1	0.25164	CU M/MI	579.48	CU M
SP11		09.16.2004	11.15	0.25065	CU M/MI	580.18	CU M
SP11		09.16.2004	11.2	0.00453	CU M/MI	580.64	CU M
SP11		09.16.2004	11.25	0.00471	CU M/MI	581.23	CU M
SP11		09.16.2004	11.3	0.25145	CU M/MI	581.95	CU M
SP11		09.16.2004	11.35	0.24548	CU M/MI	582.57	CU M
SP11		09.16.2004	11.4	0.00422	CU M/MI	583.4	CU M
SP11		09.16.2004	11.45	0.01601	CU M/MI	584.37	CU M
SP11		09.16.2004	11.5	0.24957	CU M/MI	585.19	CU M
SP11		09.16.2004	11.55	0.24754	CU M/MI	585.76	CU M
SP11		09.16.2004	12	0.00502	CU M/MI	586.72	CU M
SP11		09.16.2004	12.05	0.25152	CU M/MI	587.59	CU M
SP11		09.16.2004	12.1	0.00432	CU M/MI	588.6	CU M
SP11		09.16.2004	12.15	0.23632	CU M/MI	589.26	CU M
SP11		09.16.2004	12.2	0.25182	CU M/MI	590.51	CU M
SP11		09.16.2004	12.25	0.25038	CU M/MI	591.77	CU M
SP11		09.16.2004	12.3	0.25283	CU M/MI	592.52	CU M
SP11		09.16.2004	12.35	0.25263	CU M/MI	593.78	CU M
SP11		09.16.2004	12.4	0.25311	CU M/MI	594.34	CU M
SP11		09.16.2004	12.45	0.18889	CU M/MI	594.79	CU M
SP11		09.16.2004	12.5	0.2514	CU M/MI	596.04	CU M
SP11		09.16.2004	12.55	0.25129	CU M/MI	596.84	CU M
SP11		09.16.2004	13	0.00481	CU M/MI	597.83	CU M
SP11		09.16.2004	13.05	0.25134	CU M/MI	598.79	CU M
SP11		09.16.2004	13.1	0.25411	CU M/MI	600.05	CU M
SP11		09.16.2004	13.15	0.00472	CU M/MI	600.77	CU M
SP11		09.16.2004	13.2	0.00539	CU M/MI	601.71	CU M
SP11		09.16.2004	13.25	0.25215	CU M/MI	602.65	CU M
SP11		09.16.2004	13.3	0.00551	CU M/MI	603.1	CU M
SP11		09.16.2004	13.35	0.25242	CU M/MI	604.18	CU M
SP11		09.16.2004	13.4	0.25265	CU M/MI	605.44	CU M
SP11		09.16.2004	13.45	0.03526	CU M/MI	606.65	CU M
SP11		09.16.2004	13.5	0.25065	CU M/MI	607.34	CU M
SP11		09.16.2004	13.55	0.25213	CU M/MI	608.6	CU M
SP11		09.16.2004	14	0.25019	CU M/MI	609.26	CU M
SP11		09.16.2004	14.05	0.2516	CU M/MI	609.92	CU M
SP11		09.16.2004	14.1	0.00478	CU M/MI	610.74	CU M
SP11		09.16.2004	14.15	0.25246	CU M/MI	611.72	CU M
SP11		09.16.2004	14.2	0.25363	CU M/MI	612.37	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.16.2004	14.25	0.04568	CU M/MI	613.61	CU M
SP11		09.16.2004	14.3	0.25392	CU M/MI	614.34	CU M
SP11		09.16.2004	14.35	0.00486	CU M/MI	615.29	CU M
SP11		09.16.2004	14.4	0.25118	CU M/MI	616.43	CU M
SP11		09.16.2004	14.45	0.00434	CU M/MI	617.23	CU M
SP11		09.16.2004	14.5	0.25272	CU M/MI	617.82	CU M
SP11		09.16.2004	14.55	0.03902	CU M/MI	619.04	CU M
SP11		09.16.2004	15	0.2512	CU M/MI	619.79	CU M
SP11		09.16.2004	15.05	0.2508	CU M/MI	620.4	CU M
SP11		09.16.2004	15.1	0.25367	CU M/MI	621.66	CU M
SP11		09.16.2004	15.15	0.24995	CU M/MI	622.48	CU M
SP11		09.16.2004	15.2	0.25338	CU M/MI	623.74	CU M
SP11		09.16.2004	15.25	0.00483	CU M/MI	624.38	CU M
SP11		09.16.2004	15.3	0.25336	CU M/MI	625.5	CU M
SP11		09.16.2004	15.35	0.00458	CU M/MI	626.41	CU M
SP11		09.16.2004	15.4	0.25303	CU M/MI	627.42	CU M
SP11		09.16.2004	15.45	0.25207	CU M/MI	627.84	CU M
SP11		09.16.2004	15.5	0.00483	CU M/MI	628.65	CU M
SP11		09.16.2004	15.55	0.25257	CU M/MI	629.72	CU M
SP11		09.16.2004	16	0.25117	CU M/MI	630.41	CU M
SP11		09.16.2004	16.05	0.00576	CU M/MI	631.44	CU M
SP11		09.16.2004	16.1	0.25342	CU M/MI	632.53	CU M
SP11		09.16.2004	16.15	0.00442	CU M/MI	633.24	CU M
SP11		09.16.2004	16.2	0.25296	CU M/MI	634.46	CU M
SP11		09.16.2004	16.25	0.00518	CU M/MI	635.35	CU M
SP11		09.16.2004	16.3	0.25257	CU M/MI	636.3	CU M
SP11		09.16.2004	16.35	0.25334	CU M/MI	636.98	CU M
SP11		09.16.2004	16.4	0.25092	CU M/MI	638.24	CU M
SP11		09.16.2004	16.45	0.24836	CU M/MI	638.98	CU M
SP11		09.16.2004	16.5	0.00527	CU M/MI	639.99	CU M
SP11		09.16.2004	16.55	0.25471	CU M/MI	641.04	CU M
SP11		09.16.2004	17	0.2522	CU M/MI	642.3	CU M
SP11		09.16.2004	17.05	0.24396	CU M/MI	642.92	CU M
SP11		09.16.2004	17.1	0.00604	CU M/MI	643.89	CU M
SP11		09.16.2004	17.15	0.25357	CU M/MI	644.58	CU M
SP11		09.16.2004	17.2	0.25188	CU M/MI	645.09	CU M
SP11		09.16.2004	17.25	0.23296	CU M/MI	645.94	CU M
SP11		09.16.2004	17.3	0.25537	CU M/MI	647.21	CU M
SP11		09.16.2004	17.35	0.23998	CU M/MI	647.96	CU M
SP11		09.16.2004	17.4	0.25482	CU M/MI	649.22	CU M
SP11		09.16.2004	17.45	0.25322	CU M/MI	650.49	CU M
SP11		09.16.2004	17.5	0.25531	CU M/MI	651.18	CU M
SP11		09.16.2004	17.55	0.00529	CU M/MI	651.85	CU M
SP11		09.16.2004	18	0.01099	CU M/MI	652.88	CU M
SP11		09.16.2004	18.05	0.25285	CU M/MI	653.47	CU M
SP11		09.16.2004	18.1	0.00507	CU M/MI	654.37	CU M
SP11		09.16.2004	18.15	0.25338	CU M/MI	655.51	CU M
SP11		09.16.2004	18.2	0.05616	CU M/MI	656.09	CU M
SP11		09.16.2004	18.25	0.2533	CU M/MI	657.33	CU M
SP11		09.16.2004	18.3	0.25328	CU M/MI	658.03	CU M
SP11		09.16.2004	18.35	0.00512	CU M/MI	658.82	CU M
SP11		09.16.2004	18.4	0.06953	CU M/MI	659.94	CU M
SP11		09.16.2004	18.45	0.25392	CU M/MI	660.31	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.16.2004	18.5	0.25489	CU M/MI	661.17	CU M
SP11		09.16.2004	18.55	0.00905	CU M/MI	662.3	CU M
SP11		09.16.2004	19	0.25394	CU M/MI	663.06	CU M
SP11		09.16.2004	19.05	0.00507	CU M/MI	663.96	CU M
SP11		09.16.2004	19.1	0.0063	CU M/MI	664.86	CU M
SP11		09.16.2004	19.15	0.25297	CU M/MI	665.82	CU M
SP11		09.16.2004	19.2	0.22721	CU M/MI	666.23	CU M
SP11		09.16.2004	19.25	0.0049	CU M/MI	667.05	CU M
SP11		09.16.2004	19.3	0.25432	CU M/MI	668.26	CU M
SP11		09.16.2004	19.35	0.25623	CU M/MI	668.74	CU M
SP11		09.16.2004	19.4	0.00509	CU M/MI	669.61	CU M
SP11		09.16.2004	19.45	0.02338	CU M/MI	670.58	CU M
SP11		09.16.2004	19.5	0.25839	CU M/MI	671.29	CU M
SP11		09.16.2004	19.55	0.25416	CU M/MI	672.57	CU M
SP11		09.16.2004	20	0.25548	CU M/MI	673.29	CU M
SP11		09.16.2004	20.05	0.00525	CU M/MI	674.08	CU M
SP11		09.16.2004	20.1	0.23762	CU M/MI	674.77	CU M
SP11		09.16.2004	20.15	0.00503	CU M/MI	675.25	CU M
SP11		09.16.2004	20.2	0.2581	CU M/MI	676.2	CU M
SP11		09.16.2004	20.25	0.25345	CU M/MI	676.97	CU M
SP11		09.16.2004	20.3	0.25569	CU M/MI	678.25	CU M
SP11		09.16.2004	20.35	0.15173	CU M/MI	678.84	CU M
SP11		09.16.2004	20.4	0.00913	CU M/MI	679.93	CU M
SP11		09.16.2004	20.45	0.25823	CU M/MI	680.74	CU M
SP11		09.16.2004	20.5	0.23893	CU M/MI	681.39	CU M
SP11		09.16.2004	20.55	0.00509	CU M/MI	682.24	CU M
SP11		09.16.2004	21	0.25731	CU M/MI	683.25	CU M
SP11		09.16.2004	21.05	0.24816	CU M/MI	683.99	CU M
SP11		09.16.2004	21.1	0.01913	CU M/MI	685.2	CU M
SP11		09.16.2004	21.15	0.25527	CU M/MI	686.04	CU M
SP11		09.16.2004	21.2	0.01181	CU M/MI	687.19	CU M
SP11		09.16.2004	21.25	0.25472	CU M/MI	687.67	CU M
SP11		09.16.2004	21.3	0.00509	CU M/MI	688.27	CU M
SP11		09.16.2004	21.35	0.23705	CU M/MI	688.99	CU M
SP11		09.16.2004	21.4	0.00538	CU M/MI	689.56	CU M
SP11		09.16.2004	21.45	0.01169	CU M/MI	690.39	CU M
SP11		09.16.2004	21.5	0.25255	CU M/MI	690.62	CU M
SP11		09.16.2004	21.55	0.00509	CU M/MI	691.04	CU M
SP11		09.16.2004	22	0.25397	CU M/MI	691.58	CU M
SP11		09.16.2004	22.05	0.23533	CU M/MI	691.89	CU M
SP11		09.16.2004	22.1	0.00538	CU M/MI	692.44	CU M
SP11		09.16.2004	22.15	0.25536	CU M/MI	692.86	CU M
SP11		09.16.2004	22.2	0.0051	CU M/MI	693.28	CU M
SP11		09.16.2004	22.25	0.00488	CU M/MI	693.93	CU M
SP11		09.16.2004	22.3	0.25234	CU M/MI	694.75	CU M
SP11		09.16.2004	22.35	0.25473	CU M/MI	696.03	CU M
SP11		09.16.2004	22.4	0.25509	CU M/MI	696.57	CU M
SP11		09.16.2004	22.45	0.00478	CU M/MI	697.44	CU M
SP11		09.16.2004	22.5	0.25605	CU M/MI	698.46	CU M
SP11		09.16.2004	22.55	0.25266	CU M/MI	699.08	CU M
SP11		09.16.2004	23	0.25467	CU M/MI	700.35	CU M
SP11		09.16.2004	23.05	0.25639	CU M/MI	701.13	CU M
SP11		09.16.2004	23.1	0.25508	CU M/MI	702.41	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.16.2004	23.15	0.09565	CU M/MI	702.83	CU M
SP11		09.16.2004	23.2	0.00538	CU M/MI	703.4	CU M
SP11		09.16.2004	23.25	0.06811	CU M/MI	704.38	CU M
SP11		09.16.2004	23.3	0.2571	CU M/MI	705.28	CU M
SP11		09.16.2004	23.35	0.20473	CU M/MI	706.04	CU M
SP11		09.16.2004	23.4	0.25745	CU M/MI	707.31	CU M
SP11		09.16.2004	23.45	0.25408	CU M/MI	708.07	CU M
SP11		09.16.2004	23.5	0.00525	CU M/MI	708.97	CU M
SP11		09.16.2004	23.55	0.01756	CU M/MI	709.78	CU M
SP11		09.17.2004	0	0.2576	CU M/MI	710.27	CU M
SP11		09.17.2004	0.05	0.23194	CU M/MI	710.92	CU M
SP11		09.17.2004	0.1	0.25655	CU M/MI	712.19	CU M
SP11		09.17.2004	0.15	0.22485	CU M/MI	712.8	CU M
SP11		09.17.2004	0.2	0.00557	CU M/MI	713.82	CU M
SP11		09.17.2004	0.25	0.25556	CU M/MI	714.62	CU M
SP11		09.17.2004	0.3	0.25556	CU M/MI	715.31	CU M
SP11		09.17.2004	0.35	0.00529	CU M/MI	716.22	CU M
SP11		09.17.2004	0.4	0.02935	CU M/MI	717.24	CU M
SP11		09.17.2004	0.45	0.07954	CU M/MI	717.31	CU M
SP11		09.17.2004	0.5	0.25563	CU M/MI	718.18	CU M
SP11		09.17.2004	0.55	0.00548	CU M/MI	718.87	CU M
SP11		09.17.2004	1	0.01792	CU M/MI	719.99	CU M
SP11		09.17.2004	1.05	0.25601	CU M/MI	720.74	CU M
SP11		09.17.2004	1.1	0.2552	CU M/MI	721.25	CU M
SP11		09.17.2004	1.15	0.00303	CU M/MI	722.04	CU M
SP11		09.17.2004	1.2	0.03054	CU M/MI	723.22	CU M
SP11		09.17.2004	1.25	0.25368	CU M/MI	723.69	CU M
SP11		09.17.2004	1.3	0.25169	CU M/MI	724.17	CU M
SP11		09.17.2004	1.35	0.06475	CU M/MI	725.43	CU M
SP11		09.17.2004	1.4	0.25603	CU M/MI	725.82	CU M
SP11		09.17.2004	1.45	0.00556	CU M/MI	726.38	CU M
SP11		09.17.2004	1.5	0.23439	CU M/MI	726.72	CU M
SP11		09.17.2004	1.55	0	CU M/MI	727.01	CU M
SP11		09.17.2004	2	0.22976	CU M/MI	727.16	CU M
SP11		09.17.2004	2.05	0	CU M/MI	727.53	CU M
SP11		09.17.2004	2.1	0.23299	CU M/MI	727.98	CU M
SP11		09.17.2004	2.15	0	CU M/MI	728.34	CU M
SP11		09.17.2004	2.2	0.07413	CU M/MI	728.8	CU M
SP11		09.17.2004	2.25	0	CU M/MI	728.8	CU M
SP11		09.17.2004	2.3	0.23656	CU M/MI	729.2	CU M
SP11		09.17.2004	2.35	0	CU M/MI	729.43	CU M
SP11		09.17.2004	2.4	0	CU M/MI	730.15	CU M
SP11		09.17.2004	2.45	0.21647	CU M/MI	730.3	CU M
SP11		09.17.2004	2.5	0	CU M/MI	731.17	CU M
SP11		09.17.2004	2.55	0.08981	CU M/MI	731.15	CU M
SP11		09.17.2004	3	0.23334	CU M/MI	732.3	CU M
SP11		09.17.2004	3.05	0.23297	CU M/MI	732.72	CU M
SP11		09.17.2004	3.1	0.23221	CU M/MI	733.89	CU M
SP11		09.17.2004	3.15	0.23363	CU M/MI	734.65	CU M
SP11		09.17.2004	3.2	0.08134	CU M/MI	734.73	CU M
SP11		09.17.2004	3.25	0	CU M/MI	735.4	CU M
SP11		09.17.2004	3.3	0.23179	CU M/MI	736.04	CU M
SP11		09.17.2004	3.35	0.23085	CU M/MI	736.7	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.17.2004	3.4	0	CU M/MI	737.17	CU M
SP11		09.17.2004	3.45	0	CU M/MI	738.03	CU M
SP11		09.17.2004	3.5	0.23335	CU M/MI	738.34	CU M
SP11		09.17.2004	3.55	0	CU M/MI	738.69	CU M
SP11		09.17.2004	4	0.23184	CU M/MI	739.09	CU M
SP11		09.17.2004	4.05	0	CU M/MI	739.36	CU M
SP11		09.17.2004	4.1	0	CU M/MI	740.29	CU M
SP11		09.17.2004	4.15	0.23042	CU M/MI	740.74	CU M
SP11		09.17.2004	4.2	0.2281	CU M/MI	741.34	CU M
SP11		09.17.2004	4.25	0	CU M/MI	742.19	CU M
SP11		09.17.2004	4.3	0.21476	CU M/MI	742.45	CU M
SP11		09.17.2004	4.35	0.00162	CU M/MI	743.49	CU M
SP11		09.17.2004	4.4	0.23474	CU M/MI	744.08	CU M
SP11		09.17.2004	4.45	0	CU M/MI	744.87	CU M
SP11		09.17.2004	4.5	0.23265	CU M/MI	745.63	CU M
SP11		09.17.2004	4.55	0.23218	CU M/MI	746.08	CU M
SP11		09.17.2004	5	0	CU M/MI	746.94	CU M
SP11		09.17.2004	5.05	0.23846	CU M/MI	747.78	CU M
SP11		09.17.2004	5.1	0.23783	CU M/MI	748.28	CU M
SP11		09.17.2004	5.15	0	CU M/MI	749.1	CU M
SP11		09.17.2004	5.2	0.24204	CU M/MI	749.73	CU M
SP11		09.17.2004	5.25	0.23337	CU M/MI	750.05	CU M
SP11		09.17.2004	5.3	0.00163	CU M/MI	751.08	CU M
SP11		09.17.2004	5.35	0.2379	CU M/MI	751.71	CU M
SP11		09.17.2004	5.4	0.23785	CU M/MI	752.22	CU M
SP11		09.17.2004	5.45	0	CU M/MI	753.04	CU M
SP11		09.17.2004	5.5	0.00016	CU M/MI	753.91	CU M
SP11		09.17.2004	5.55	0	CU M/MI	753.91	CU M
SP11		09.17.2004	6	0.00027	CU M/MI	754.33	CU M
SP11		09.17.2004	6.05	0	CU M/MI	754.33	CU M
SP11		09.17.2004	6.1	0.2387	CU M/MI	754.94	CU M
SP11		09.17.2004	6.15	0.23732	CU M/MI	755.47	CU M
SP11		09.17.2004	6.2	0.23885	CU M/MI	756.25	CU M
SP11		09.17.2004	6.25	0	CU M/MI	757.22	CU M
SP11		09.17.2004	6.3	0.23637	CU M/MI	758.05	CU M
SP11		09.17.2004	6.35	0.23613	CU M/MI	758.56	CU M
SP11		09.17.2004	6.4	0.23623	CU M/MI	759.75	CU M
SP11		09.17.2004	6.45	0.23832	CU M/MI	760.25	CU M
SP11		09.17.2004	6.5	0	CU M/MI	760.67	CU M
SP11		09.17.2004	6.55	0.20393	CU M/MI	760.71	CU M
SP11		09.17.2004	7	0	CU M/MI	761.31	CU M
SP11		09.17.2004	7.05	0.23804	CU M/MI	762.39	CU M
SP11		09.17.2004	7.1	0.22898	CU M/MI	762.86	CU M
SP11		09.17.2004	7.15	0.00396	CU M/MI	763.91	CU M
SP11		09.17.2004	7.2	0.23689	CU M/MI	764.63	CU M
SP11		09.17.2004	7.25	0.22033	CU M/MI	764.87	CU M
SP11		09.17.2004	7.3	0	CU M/MI	765.46	CU M
SP11		09.17.2004	7.35	0	CU M/MI	766.13	CU M
SP11		09.17.2004	7.4	0.08655	CU M/MI	766.69	CU M
SP11		09.17.2004	7.45	0	CU M/MI	766.71	CU M
SP11		09.17.2004	7.5	0.23645	CU M/MI	767.07	CU M
SP11		09.17.2004	7.55	0	CU M/MI	767.34	CU M
SP11		09.17.2004	8	0	CU M/MI	767.33	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.17.2004	8.05	0	CU M/MI	767.9	CU M
SP11		09.17.2004	8.1	0.2387	CU M/MI	768.33	CU M
SP11		09.17.2004	8.15	0	CU M/MI	768.37	CU M
SP11		09.17.2004	8.2	0	CU M/MI	768.36	CU M
SP11		09.17.2004	8.25	0.23737	CU M/MI	769.39	CU M
SP11		09.17.2004	8.3	0.19916	CU M/MI	769.96	CU M
SP11		09.17.2004	8.35	0	CU M/MI	770.87	CU M
SP11		09.17.2004	8.4	0.23878	CU M/MI	771.73	CU M
SP11		09.17.2004	8.45	0	CU M/MI	772.07	CU M
SP11		09.17.2004	8.5	0.2383	CU M/MI	773.02	CU M
SP11		09.17.2004	8.55	0.23764	CU M/MI	773.61	CU M
SP11		09.17.2004	9	0	CU M/MI	774.49	CU M
SP11		09.17.2004	9.05	0.23634	CU M/MI	775.17	CU M
SP11		09.17.2004	9.1	0.23419	CU M/MI	775.65	CU M
SP11		09.17.2004	9.15	0	CU M/MI	776.51	CU M
SP11		09.17.2004	9.2	0.23707	CU M/MI	777.43	CU M
SP11		09.17.2004	9.25	0.23828	CU M/MI	777.87	CU M
SP11		09.17.2004	9.3	0	CU M/MI	778.29	CU M
SP11		09.17.2004	9.35	0.23681	CU M/MI	779.11	CU M
SP11		09.17.2004	9.4	0.2261	CU M/MI	779.78	CU M
SP11		09.17.2004	11.55	0.23568	CU M/MI	799.17	CU M
SP11		09.17.2004	12	0.22603	CU M/MI	800.37	CU M
SP11		09.17.2004	12.05	0.24083	CU M/MI	801.02	CU M
SP11		09.17.2004	12.1	0	CU M/MI	801.18	CU M
SP11		09.17.2004	12.15	0.24112	CU M/MI	802.17	CU M
SP11		09.17.2004	12.2	0.22406	CU M/MI	803.37	CU M
SP11		09.17.2004	12.25	0.23924	CU M/MI	804.08	CU M
SP11		09.17.2004	12.3	0.23764	CU M/MI	804.52	CU M
SP11		09.17.2004	12.35	0	CU M/MI	805.38	CU M
SP11		09.17.2004	12.4	0.24044	CU M/MI	806.29	CU M
SP11		09.17.2004	12.45	0	CU M/MI	807.01	CU M
SP11		09.17.2004	12.5	0.24291	CU M/MI	808.08	CU M
SP11		09.17.2004	12.55	0.24127	CU M/MI	808.74	CU M
SP11		09.17.2004	13	0.24328	CU M/MI	809.94	CU M
SP11		09.17.2004	13.05	0.24334	CU M/MI	810.54	CU M
SP11		09.17.2004	13.1	0	CU M/MI	811.41	CU M
SP11		09.17.2004	13.15	0.24071	CU M/MI	812.3	CU M
SP11		09.17.2004	13.2	0.24065	CU M/MI	812.92	CU M
SP11		09.17.2004	13.25	0.24032	CU M/MI	814.12	CU M
SP11		09.17.2004	13.3	0.24142	CU M/MI	814.88	CU M
SP11		09.17.2004	13.35	0.05042	CU M/MI	816.06	CU M
SP11		09.17.2004	13.4	0.24047	CU M/MI	816.74	CU M
SP11		09.17.2004	13.45	0.23802	CU M/MI	817.25	CU M
SP11		09.17.2004	13.5	0	CU M/MI	818.16	CU M
SP11		09.17.2004	13.55	0.24182	CU M/MI	818.96	CU M
SP11		09.17.2004	14	0	CU M/MI	819.29	CU M
SP11		09.17.2004	14.05	0.02129	CU M/MI	820.16	CU M
SP11		09.17.2004	14.1	0.24224	CU M/MI	820.71	CU M
SP11		09.17.2004	14.15	0.22597	CU M/MI	821.27	CU M
SP11		09.17.2004	14.2	0.23948	CU M/MI	822.07	CU M
SP11		09.17.2004	14.25	0	CU M/MI	823.01	CU M
SP11		09.17.2004	14.3	0.01191	CU M/MI	823.81	CU M
SP11		09.17.2004	14.35	0.24011	CU M/MI	824.28	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.17.2004	14.4	0.23779	CU M/MI	825.48	CU M
SP11		09.17.2004	14.45	0.23969	CU M/MI	826.24	CU M
SP11		09.17.2004	14.5	0	CU M/MI	827.18	CU M
SP11		09.17.2004	14.55	0.24258	CU M/MI	827.97	CU M
SP11		09.17.2004	15	0.20204	CU M/MI	828.49	CU M
SP11		09.17.2004	15.05	0.24021	CU M/MI	829.68	CU M
SP11		09.17.2004	15.1	0.23254	CU M/MI	830.3	CU M
SP11		09.17.2004	15.15	0.00052	CU M/MI	831.22	CU M
SP11		09.17.2004	15.2	0.24259	CU M/MI	831.95	CU M
SP11		09.17.2004	15.25	0.2423	CU M/MI	832.62	CU M
SP11		09.17.2004	15.3	0	CU M/MI	833.53	CU M
SP11		09.17.2004	15.35	0.24149	CU M/MI	834.38	CU M
SP11		09.17.2004	15.4	0.24107	CU M/MI	834.96	CU M
SP11		09.17.2004	15.45	0.24016	CU M/MI	835.76	CU M
SP11		09.17.2004	15.5	0.00117	CU M/MI	836.79	CU M
SP11		09.17.2004	15.55	0.23757	CU M/MI	837.43	CU M
SP11		09.17.2004	16	0	CU M/MI	838.17	CU M
SP11		09.17.2004	16.05	0.23907	CU M/MI	839.28	CU M
SP11		09.17.2004	16.1	0.24054	CU M/MI	839.82	CU M
SP11		09.17.2004	16.15	0.09113	CU M/MI	841.01	CU M
SP11		09.17.2004	16.2	0.24046	CU M/MI	841.75	CU M
SP11		09.17.2004	16.25	0	CU M/MI	842.48	CU M
SP11		09.17.2004	16.3	0	CU M/MI	843.21	CU M
SP11		09.17.2004	16.35	0.24288	CU M/MI	843.99	CU M
SP11		09.17.2004	16.4	0	CU M/MI	844.81	CU M
SP11		09.17.2004	16.45	0.04692	CU M/MI	845.85	CU M
SP11		09.17.2004	16.5	0.23824	CU M/MI	846.25	CU M
SP11		09.17.2004	16.55	0.23967	CU M/MI	847.45	CU M
SP11		09.17.2004	17	0	CU M/MI	848.19	CU M
SP11		09.17.2004	17.05	0.23851	CU M/MI	848.66	CU M
SP11		09.17.2004	17.1	0.24094	CU M/MI	849.86	CU M
SP11		09.17.2004	17.15	0.24004	CU M/MI	850.44	CU M
SP11		09.17.2004	17.2	0.11335	CU M/MI	851.15	CU M
SP11		09.17.2004	17.25	0.23728	CU M/MI	852.33	CU M
SP11		09.17.2004	17.3	0	CU M/MI	852.89	CU M
SP11		09.17.2004	17.35	0.24198	CU M/MI	854.04	CU M
SP11		09.17.2004	17.4	0.23881	CU M/MI	854.81	CU M
SP11		09.17.2004	17.45	0	CU M/MI	855.7	CU M
SP11		09.17.2004	17.5	0.02735	CU M/MI	856.66	CU M
SP11		09.17.2004	17.55	0.23656	CU M/MI	857.04	CU M
SP11		09.17.2004	18	0.17744	CU M/MI	857.62	CU M
SP11		09.17.2004	18.05	0.24133	CU M/MI	858.8	CU M
SP11		09.17.2004	18.1	0.00426	CU M/MI	859.86	CU M
SP11		09.17.2004	18.15	0.23844	CU M/MI	860.69	CU M
SP11		09.17.2004	18.2	0.23802	CU M/MI	861.39	CU M
SP11		09.17.2004	18.25	0	CU M/MI	862.11	CU M
SP11		09.17.2004	18.3	0.24003	CU M/MI	862.58	CU M
SP11		09.17.2004	18.35	0.06956	CU M/MI	863.76	CU M
SP11		09.17.2004	18.4	0.2374	CU M/MI	864.16	CU M
SP11		09.17.2004	18.45	0.239	CU M/MI	865.35	CU M
SP11		09.17.2004	18.5	0.2373	CU M/MI	866	CU M
SP11		09.17.2004	18.55	0	CU M/MI	866.68	CU M
SP11		09.17.2004	19	0.24079	CU M/MI	867.3	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.17.2004	19.05	0.23772	CU M/MI	868.49	CU M
SP11		09.17.2004	19.1	0.23471	CU M/MI	869.07	CU M
SP11		09.17.2004	19.15	0.02755	CU M/MI	870.21	CU M
SP11		09.17.2004	19.2	0.23757	CU M/MI	870.9	CU M
SP11		09.17.2004	19.25	0.14542	CU M/MI	871.55	CU M
SP11		09.17.2004	19.3	0.2404	CU M/MI	872.72	CU M
SP11		09.17.2004	19.35	0.23831	CU M/MI	873.35	CU M
SP11		09.17.2004	19.4	0	CU M/MI	874.29	CU M
SP11		09.17.2004	19.45	0.2387	CU M/MI	875.26	CU M
SP11		09.17.2004	19.5	0.23755	CU M/MI	875.87	CU M
SP11		09.17.2004	19.55	0.23583	CU M/MI	876.66	CU M
SP11		09.17.2004	20	0.04878	CU M/MI	877.84	CU M
SP11		09.17.2004	20.05	0.23716	CU M/MI	878.58	CU M
SP11		09.17.2004	20.1	0.23667	CU M/MI	879.05	CU M
SP11		09.17.2004	20.15	0	CU M/MI	879.65	CU M
SP11		09.17.2004	20.2	0.23944	CU M/MI	880.73	CU M
SP11		09.17.2004	20.25	0.23254	CU M/MI	881.34	CU M
SP11		09.17.2004	20.3	0.23881	CU M/MI	882.54	CU M
SP11		09.17.2004	20.35	0	CU M/MI	883.24	CU M
SP11		09.17.2004	20.4	0.0423	CU M/MI	884.26	CU M
SP11		09.17.2004	20.45	0.23824	CU M/MI	884.95	CU M
SP11		09.17.2004	20.5	0	CU M/MI	885.72	CU M
SP11		09.17.2004	20.55	0.2375	CU M/MI	886.59	CU M
SP11		09.17.2004	21	0	CU M/MI	886.63	CU M
SP11		09.17.2004	21.05	0	CU M/MI	887.21	CU M
SP11		09.17.2004	21.1	0.23814	CU M/MI	887.76	CU M
SP11		09.17.2004	21.15	0	CU M/MI	888.63	CU M
SP11		09.17.2004	21.2	0.23767	CU M/MI	889.63	CU M
SP11		09.17.2004	21.25	0.23609	CU M/MI	890.42	CU M
SP11		09.17.2004	21.3	0.23849	CU M/MI	891.06	CU M
SP11		09.17.2004	21.35	0	CU M/MI	891.32	CU M
SP11		09.17.2004	21.4	0	CU M/MI	891.89	CU M
SP11		09.17.2004	21.45	0.23794	CU M/MI	892.26	CU M
SP11		09.17.2004	21.5	0.22226	CU M/MI	892.55	CU M
SP11		09.17.2004	21.55	0.00181	CU M/MI	893.6	CU M
SP11		09.17.2004	22	0.23859	CU M/MI	894.29	CU M
SP11		09.17.2004	22.05	0.19328	CU M/MI	894.97	CU M
SP11		09.17.2004	22.1	0.23895	CU M/MI	896.16	CU M
SP11		09.17.2004	22.15	0.23858	CU M/MI	896.83	CU M
SP11		09.17.2004	22.2	0.23458	CU M/MI	897.42	CU M
SP11		09.17.2004	22.25	0.24129	CU M/MI	898.61	CU M
SP11		09.17.2004	22.3	0.00112	CU M/MI	899.63	CU M
SP11		09.17.2004	22.35	0.23885	CU M/MI	900.48	CU M
SP11		09.17.2004	22.4	0.23834	CU M/MI	901.05	CU M
SP11		09.17.2004	22.45	0	CU M/MI	902	CU M
SP11		09.17.2004	22.5	0.06403	CU M/MI	902.95	CU M
SP11		09.17.2004	22.55	0.23714	CU M/MI	903.76	CU M
SP11		09.17.2004	23	0	CU M/MI	904.33	CU M
SP11		09.17.2004	23.05	0.23831	CU M/MI	905.35	CU M
SP11		09.17.2004	23.1	0.23699	CU M/MI	906.03	CU M
SP11		09.17.2004	23.15	0.24041	CU M/MI	907.23	CU M
SP11		09.17.2004	23.2	0.23802	CU M/MI	907.98	CU M
SP11		09.17.2004	23.25	0.23809	CU M/MI	909.18	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.17.2004	23.3	0.23586	CU M/MI	909.89	CU M
SP11		09.17.2004	23.35	0	CU M/MI	910.57	CU M
SP11		09.17.2004	23.4	0.23809	CU M/MI	911.47	CU M
SP11		09.17.2004	23.45	0.23934	CU M/MI	912.04	CU M
SP11		09.17.2004	23.5	0	CU M/MI	912.97	CU M
SP11		09.17.2004	23.55	0.23843	CU M/MI	913.66	CU M
SP11		09.18.2004	0	0.23958	CU M/MI	914.3	CU M
SP11		09.18.2004	0.05	0	CU M/MI	915	CU M
SP11		09.18.2004	0.1	0	CU M/MI	915.59	CU M
SP11		09.18.2004	0.15	0.23712	CU M/MI	915.98	CU M
SP11		09.18.2004	0.2	0	CU M/MI	916.93	CU M
SP11		09.18.2004	0.25	0	CU M/MI	917.74	CU M
SP11		09.18.2004	0.3	0.23729	CU M/MI	918.56	CU M
SP11		09.18.2004	0.35	0.23736	CU M/MI	919.24	CU M
SP11		09.18.2004	0.4	0.19333	CU M/MI	919.81	CU M
SP11		09.18.2004	0.45	0.00035	CU M/MI	920.81	CU M
SP11		09.18.2004	0.5	0.24079	CU M/MI	921.37	CU M
SP11		09.18.2004	0.55	0.23846	CU M/MI	921.93	CU M
SP11		09.18.2004	1	0.23715	CU M/MI	923.12	CU M
SP11		09.18.2004	1.05	0.23713	CU M/MI	923.77	CU M
SP11		09.18.2004	1.1	0.18238	CU M/MI	924.11	CU M
SP11		09.18.2004	1.15	0	CU M/MI	924.75	CU M
SP11		09.18.2004	1.2	0.00086	CU M/MI	925.69	CU M
SP11		09.18.2004	1.25	0.2394	CU M/MI	926.48	CU M
SP11		09.18.2004	1.3	0	CU M/MI	927.33	CU M
SP11		09.18.2004	1.35	0.23968	CU M/MI	928.19	CU M
SP11		09.18.2004	1.4	0.17939	CU M/MI	928.54	CU M
SP11		09.18.2004	1.45	0	CU M/MI	929.26	CU M
SP11		09.18.2004	1.5	0.22546	CU M/MI	929.77	CU M
SP11		09.18.2004	1.55	0.2391	CU M/MI	930.96	CU M
SP11		09.18.2004	2	0.23215	CU M/MI	931.47	CU M
SP11		09.18.2004	2.05	0	CU M/MI	932.35	CU M
SP11		09.18.2004	2.1	0.2397	CU M/MI	933.34	CU M
SP11		09.18.2004	2.15	0.23933	CU M/MI	933.94	CU M
SP11		09.18.2004	2.2	0	CU M/MI	934.63	CU M
SP11		09.18.2004	2.25	0.00152	CU M/MI	935.45	CU M
SP11		09.18.2004	2.3	0.23945	CU M/MI	936.04	CU M
SP11		09.18.2004	2.35	0.23873	CU M/MI	936.76	CU M
SP11		09.18.2004	2.4	0.19889	CU M/MI	937.36	CU M
SP11		09.18.2004	2.45	0	CU M/MI	938.19	CU M
SP11		09.18.2004	2.5	0.23985	CU M/MI	938.87	CU M
SP11		09.18.2004	2.55	0.2397	CU M/MI	939.59	CU M
SP11		09.18.2004	3	0	CU M/MI	940.46	CU M
SP11		09.18.2004	3.05	0.00077	CU M/MI	941.13	CU M
SP11		09.18.2004	3.1	0.23966	CU M/MI	941.98	CU M
SP11		09.18.2004	3.15	0	CU M/MI	942.18	CU M
SP11		09.18.2004	3.2	0.0708	CU M/MI	942.83	CU M
SP11		09.18.2004	3.25	0.24068	CU M/MI	943.65	CU M
SP11		09.18.2004	3.3	0	CU M/MI	944.49	CU M
SP11		09.18.2004	3.35	0.01872	CU M/MI	945.41	CU M
SP11		09.18.2004	3.4	0.24052	CU M/MI	946.1	CU M
SP11		09.18.2004	3.45	0.20233	CU M/MI	946.68	CU M
SP11		09.18.2004	3.5	0	CU M/MI	947.32	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11		09.18.2004	3.55	0.24026	CU M/MI	948.25	CU M
SP11		09.18.2004	4	0.20474	CU M/MI	948.85	CU M
SP11		09.18.2004	4.05	0.24033	CU M/MI	950.04	CU M
SP11		09.18.2004	4.1	0.24062	CU M/MI	950.64	CU M
SP11		09.18.2004	4.15	0	CU M/MI	951.2	CU M
SP11		09.18.2004	4.2	0	CU M/MI	951.89	CU M
SP11		09.18.2004	4.25	0.24189	CU M/MI	952.99	CU M
SP11		09.18.2004	4.3	0.23995	CU M/MI	953.62	CU M
SP11		09.18.2004	4.35	0.00782	CU M/MI	954.71	CU M
SP11		09.18.2004	4.4	0.24118	CU M/MI	955.43	CU M
SP11		09.18.2004	4.45	0	CU M/MI	955.83	CU M
SP11		09.18.2004	4.5	0.23887	CU M/MI	956.49	CU M
SP11		09.18.2004	4.55	0.17812	CU M/MI	957.12	CU M
SP11		09.18.2004	5	0	CU M/MI	958.02	CU M
SP11		09.18.2004	5.05	0.00101	CU M/MI	958.89	CU M
SP11		09.18.2004	5.1	0.24049	CU M/MI	959.66	CU M
SP11		09.18.2004	5.15	0	CU M/MI	960.23	CU M
SP11		09.18.2004	5.2	0.00366	CU M/MI	961.1	CU M
SP11		09.18.2004	5.25	0.24371	CU M/MI	961.86	CU M
SP11		09.18.2004	5.3	0.19837	CU M/MI	962.48	CU M
SP11		09.18.2004	5.35	0.00507	CU M/MI	963.57	CU M
SP11		09.18.2004	5.4	0.24415	CU M/MI	964.21	CU M
SP11		09.18.2004	5.45	0.24191	CU M/MI	964.82	CU M
SP11		09.18.2004	5.5	0.23131	CU M/MI	965.44	CU M
SP11		09.18.2004	5.55	0	CU M/MI	965.99	CU M
SP11	Day 1	09.18.2004	6	0.00835	CU M/MI	967.03	CU M
SP11	Day 1	09.18.2004	6.05	0.24432	CU M/MI	967.68	CU M
SP11	Day 1	09.18.2004	6.1	0.24285	CU M/MI	968.35	CU M
SP11	Day 1	09.18.2004	6.15	0	CU M/MI	968.94	CU M
SP11	Day 1	09.18.2004	6.2	0.2436	CU M/MI	969.53	CU M
SP11	Day 1	09.18.2004	6.25	0.00114	CU M/MI	970.56	CU M
SP11	Day 1	09.18.2004	6.3	0.24305	CU M/MI	971.01	CU M
SP11	Day 1	09.18.2004	6.35	0.00022	CU M/MI	971.61	CU M
SP11	Day 1	09.18.2004	6.4	0.01413	CU M/MI	972.64	CU M
SP11	Day 1	09.18.2004	6.45	0.24175	CU M/MI	973.26	CU M
SP11	Day 1	09.18.2004	6.5	0.2373	CU M/MI	973.84	CU M
SP11	Day 1	09.18.2004	6.55	0	CU M/MI	974.79	CU M
SP11	Day 1	09.18.2004	7	0.10156	CU M/MI	975.67	CU M
SP11	Day 1	09.18.2004	7.05	0.24208	CU M/MI	976.17	CU M
SP11	Day 1	09.18.2004	7.1	0.24294	CU M/MI	976.63	CU M
SP11	Day 1	09.18.2004	7.15	0.00277	CU M/MI	977.7	CU M
SP11	Day 1	09.18.2004	7.2	0.24046	CU M/MI	978.36	CU M
SP11	Day 1	09.18.2004	7.25	0	CU M/MI	979.16	CU M
SP11	Day 1	09.18.2004	7.3	0.24365	CU M/MI	980.04	CU M
SP11	Day 1	09.18.2004	7.35	0.24254	CU M/MI	980.72	CU M
SP11	Day 1	09.18.2004	7.4	0.23841	CU M/MI	981.2	CU M
SP11	Day 1	09.18.2004	7.45	0.00284	CU M/MI	982.28	CU M
SP11	Day 1	09.18.2004	7.5	0.22433	CU M/MI	982.36	CU M
SP11	Day 1	09.18.2004	7.55	0.24025	CU M/MI	983.57	CU M
SP11	Day 1	09.18.2004	8	0.20593	CU M/MI	984.15	CU M
SP11	Day 1	09.18.2004	8.05	0	CU M/MI	985	CU M
SP11	Day 1	09.18.2004	8.1	0.24169	CU M/MI	985.96	CU M
SP11	Day 1	09.18.2004	8.15	0.24064	CU M/MI	986.37	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 1	09.18.2004	8.2	0	CU M/MI	987.1	CU M
SP11	Day 1	09.18.2004	8.25	0.24313	CU M/MI	988.2	CU M
SP11	Day 1	09.18.2004	8.3	0	CU M/MI	988.68	CU M
SP11	Day 1	09.18.2004	8.35	0.00607	CU M/MI	989.66	CU M
SP11	Day 1	09.18.2004	8.4	0.24215	CU M/MI	990.37	CU M
SP11	Day 1	09.18.2004	8.45	0.23938	CU M/MI	991.01	CU M
SP11	Day 1	09.18.2004	8.5	0	CU M/MI	991.69	CU M
SP11	Day 1	09.18.2004	8.55	0.243	CU M/MI	992.72	CU M
SP11	Day 1	09.18.2004	9	0.24311	CU M/MI	993.34	CU M
SP11	Day 1	09.18.2004	9.05	0	CU M/MI	993.89	CU M
SP11	Day 1	09.18.2004	9.1	0	CU M/MI	994.62	CU M
SP11	Day 1	09.18.2004	9.15	0.24198	CU M/MI	995.48	CU M
SP11	Day 1	09.18.2004	9.2	0.07285	CU M/MI	995.99	CU M
SP11	Day 1	09.18.2004	9.25	0	CU M/MI	996.33	CU M
SP11	Day 1	09.18.2004	9.3	0.24386	CU M/MI	997.4	CU M
SP11	Day 1	09.18.2004	9.35	0.24159	CU M/MI	998.02	CU M
SP11	Day 1	09.18.2004	9.4	0	CU M/MI	998.58	CU M
SP11	Day 1	09.18.2004	9.45	0.0021	CU M/MI	999.51	CU M
SP11	Day 1	09.18.2004	9.5	0.24187	CU M/MI	1000.15	CU M
SP11	Day 1	09.18.2004	9.55	0.02624	CU M/MI	1001.31	CU M
SP11	Day 1	09.18.2004	10	0.24412	CU M/MI	1001.8	CU M
SP11	Day 1	09.18.2004	10.05	0	CU M/MI	1002.73	CU M
SP11	Day 1	09.18.2004	10.1	0.24323	CU M/MI	1003.66	CU M
SP11	Day 1	09.18.2004	10.15	0.23353	CU M/MI	1004.43	CU M
SP11	Day 1	09.18.2004	10.2	0.23926	CU M/MI	1005.64	CU M
SP11	Day 1	09.18.2004	10.25	0.24319	CU M/MI	1006.43	CU M
SP11	Day 1	09.18.2004	10.3	0.2409	CU M/MI	1007.63	CU M
SP11	Day 1	09.18.2004	10.35	0.23974	CU M/MI	1008.34	CU M
SP11	Day 1	09.18.2004	10.4	0.03999	CU M/MI	1009.53	CU M
SP11	Day 1	09.18.2004	10.45	0.23952	CU M/MI	1010.33	CU M
SP11	Day 1	09.18.2004	10.5	0.23938	CU M/MI	1010.82	CU M
SP11	Day 1	09.18.2004	10.55	0	CU M/MI	1011.24	CU M
SP11	Day 1	09.18.2004	11	0.24056	CU M/MI	1012.33	CU M
SP11	Day 1	09.18.2004	11.05	0	CU M/MI	1013.3	CU M
SP11	Day 1	09.18.2004	11.1	0.24171	CU M/MI	1014.2	CU M
SP11	Day 1	09.18.2004	11.15	0	CU M/MI	1015.08	CU M
SP11	Day 1	09.18.2004	11.2	0.24088	CU M/MI	1016.1	CU M
SP11	Day 1	09.18.2004	11.25	0.2397	CU M/MI	1016.7	CU M
SP11	Day 1	09.18.2004	11.3	0.00029	CU M/MI	1017.74	CU M
SP11	Day 1	09.18.2004	11.35	0.24405	CU M/MI	1018.65	CU M
SP11	Day 1	09.18.2004	11.4	0.00075	CU M/MI	1019.7	CU M
SP11	Day 1	09.18.2004	11.45	0.24317	CU M/MI	1020.49	CU M
SP11	Day 1	09.18.2004	11.5	0.24582	CU M/MI	1021.14	CU M
SP11	Day 1	09.18.2004	11.55	0.00683	CU M/MI	1022.26	CU M
SP11	Day 1	09.18.2004	12	0	CU M/MI	1022.72	CU M
SP11	Day 1	09.18.2004	12.05	0.24133	CU M/MI	1023.77	CU M
SP11	Day 1	09.18.2004	12.1	0	CU M/MI	1024.55	CU M
SP11	Day 1	09.18.2004	12.15	0.24302	CU M/MI	1025.65	CU M
SP11	Day 1	09.18.2004	12.2	0.24089	CU M/MI	1026.31	CU M
SP11	Day 1	09.18.2004	12.25	0	CU M/MI	1027.2	CU M
SP11	Day 1	09.18.2004	12.3	0.24407	CU M/MI	1027.91	CU M
SP11	Day 1	09.18.2004	12.35	0.24212	CU M/MI	1028.67	CU M
SP11	Day 1	09.18.2004	12.4	0.00603	CU M/MI	1029.78	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 1	09.18.2004	12.45	0.24212	CU M/MI	1030.65	CU M
SP11	Day 1	09.18.2004	12.5	0.24088	CU M/MI	1031.39	CU M
SP11	Day 1	09.18.2004	12.55	0.24347	CU M/MI	1032.61	CU M
SP11	Day 1	09.18.2004	13	0.24159	CU M/MI	1033.33	CU M
SP11	Day 1	09.18.2004	13.05	0.24407	CU M/MI	1034.04	CU M
SP11	Day 1	09.18.2004	13.1	0.24165	CU M/MI	1035.26	CU M
SP11	Day 1	09.18.2004	13.15	0.24018	CU M/MI	1035.96	CU M
SP11	Day 1	09.18.2004	13.2	0.22768	CU M/MI	1036.76	CU M
SP11	Day 1	09.18.2004	13.25	0.00001	CU M/MI	1037.81	CU M
SP11	Day 1	09.18.2004	13.3	0.24406	CU M/MI	1038.58	CU M
SP11	Day 1	09.18.2004	13.35	0.19228	CU M/MI	1039.34	CU M
SP11	Day 1	09.18.2004	13.4	0.24169	CU M/MI	1040.55	CU M
SP11	Day 1	09.18.2004	13.45	0.24214	CU M/MI	1041.33	CU M
SP11	Day 1	09.18.2004	13.5	0.24226	CU M/MI	1042.54	CU M
SP11	Day 1	09.18.2004	13.55	0.24468	CU M/MI	1043.37	CU M
SP11	Day 1	09.18.2004	14	0.19529	CU M/MI	1043.77	CU M
SP11	Day 1	09.18.2004	14.05	0.2413	CU M/MI	1044.98	CU M
SP11	Day 1	09.18.2004	14.1	0.24243	CU M/MI	1045.73	CU M
SP11	Day 1	09.18.2004	14.15	0.08789	CU M/MI	1046.93	CU M
SP11	Day 1	09.18.2004	14.2	0.24358	CU M/MI	1047.65	CU M
SP11	Day 1	09.18.2004	14.25	0	CU M/MI	1048.11	CU M
SP11	Day 1	09.18.2004	14.3	0.24049	CU M/MI	1049.24	CU M
SP11	Day 1	09.18.2004	14.35	0.23874	CU M/MI	1050.09	CU M
SP11	Day 1	09.18.2004	14.4	0.25498	CU M/MI	1051.36	CU M
SP11	Day 1	09.18.2004	14.45	0.21476	CU M/MI	1052.15	CU M
SP11	Day 1	09.18.2004	14.5	0.25703	CU M/MI	1053.42	CU M
SP11	Day 1	09.18.2004	14.55	0.25559	CU M/MI	1054.17	CU M
SP11	Day 1	09.18.2004	15	0.00213	CU M/MI	1054.9	CU M
SP11	Day 1	09.18.2004	15.05	0.25681	CU M/MI	1056.14	CU M
SP11	Day 1	09.18.2004	15.1	0.03173	CU M/MI	1057.37	CU M
SP11	Day 1	09.18.2004	15.15	0.10924	CU M/MI	1058.19	CU M
SP11	Day 1	09.18.2004	15.2	0.25626	CU M/MI	1058.8	CU M
SP11	Day 1	09.18.2004	15.25	0.2386	CU M/MI	1059.47	CU M
SP11	Day 1	09.18.2004	15.3	0.00518	CU M/MI	1060.38	CU M
SP11	Day 1	09.18.2004	15.35	0.25538	CU M/MI	1061.26	CU M
SP11	Day 1	09.18.2004	15.4	0.01794	CU M/MI	1062.46	CU M
SP11	Day 1	09.18.2004	15.45	0.25695	CU M/MI	1063.18	CU M
SP11	Day 1	09.18.2004	15.5	0.25675	CU M/MI	1063.81	CU M
SP11	Day 1	09.18.2004	15.55	0.2553	CU M/MI	1064.66	CU M
SP11	Day 1	09.18.2004	16	0.25864	CU M/MI	1065.95	CU M
SP11	Day 1	09.18.2004	16.05	0.00529	CU M/MI	1066.62	CU M
SP11	Day 1	09.18.2004	16.1	0.25954	CU M/MI	1067.85	CU M
SP11	Day 1	09.18.2004	16.15	0.2559	CU M/MI	1068.66	CU M
SP11	Day 1	09.18.2004	16.2	0.08794	CU M/MI	1069.37	CU M
SP11	Day 1	09.18.2004	16.25	0.25774	CU M/MI	1070.63	CU M
SP11	Day 1	09.18.2004	16.3	0.24653	CU M/MI	1071.4	CU M
SP11	Day 1	09.18.2004	16.35	0.25427	CU M/MI	1072.68	CU M
SP11	Day 1	09.18.2004	16.4	0.25667	CU M/MI	1073.2	CU M
SP11	Day 1	09.18.2004	16.45	0.04903	CU M/MI	1074.45	CU M
SP11	Day 1	09.18.2004	16.5	0.25454	CU M/MI	1075.24	CU M
SP11	Day 1	09.18.2004	16.55	0.00661	CU M/MI	1076.27	CU M
SP11	Day 1	09.18.2004	17	0.03335	CU M/MI	1077.25	CU M
SP11	Day 1	09.18.2004	17.05	0.2537	CU M/MI	1077.85	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 1	09.18.2004	17.1	0.00616	CU M/MI	1078.88	CU M
SP11	Day 1	09.18.2004	17.15	0.26003	CU M/MI	1079.98	CU M
SP11	Day 1	09.18.2004	17.2	0.25536	CU M/MI	1080.64	CU M
SP11	Day 1	09.18.2004	17.4	0.24118	CU M/MI	1084.64	CU M
SP11	Day 1	09.18.2004	17.45	0.25544	CU M/MI	1085.94	CU M
SP11	Day 1	09.18.2004	17.5	0.25739	CU M/MI	1086.61	CU M
SP11	Day 1	09.18.2004	17.55	0.00531	CU M/MI	1087.48	CU M
SP11	Day 1	09.18.2004	18	0.25704	CU M/MI	1088.67	CU M
SP11	Day 1	09.18.2004	18.05	0.25349	CU M/MI	1089.28	CU M
SP11	Day 1	09.18.2004	18.1	0.2561	CU M/MI	1090.56	CU M
SP11	Day 1	09.18.2004	18.15	0.2539	CU M/MI	1091.18	CU M
SP11	Day 1	09.18.2004	18.2	0.00566	CU M/MI	1092.1	CU M
SP11	Day 1	09.18.2004	18.25	0.25637	CU M/MI	1093.21	CU M
SP11	Day 1	09.18.2004	18.3	0.25753	CU M/MI	1094.06	CU M
SP11	Day 1	09.18.2004	18.35	0.00694	CU M/MI	1095.13	CU M
SP11	Day 1	09.18.2004	18.4	0.25732	CU M/MI	1095.98	CU M
SP11	Day 1	09.18.2004	18.45	0.00608	CU M/MI	1097.05	CU M
SP11	Day 1	09.18.2004	18.5	0.25968	CU M/MI	1098.01	CU M
SP11	Day 1	09.18.2004	18.55	0.25505	CU M/MI	1098.59	CU M
SP11	Day 1	09.18.2004	19	0.00507	CU M/MI	1099.42	CU M
SP11	Day 1	09.18.2004	19.05	0.25466	CU M/MI	1100.51	CU M
SP11	Day 1	09.18.2004	19.1	0.24708	CU M/MI	1101.22	CU M
SP11	Day 1	09.18.2004	19.15	0.25731	CU M/MI	1102.5	CU M
SP11	Day 1	09.18.2004	19.2	0.25555	CU M/MI	1103.16	CU M
SP11	Day 1	09.18.2004	19.25	0.24074	CU M/MI	1103.97	CU M
SP11	Day 1	09.18.2004	19.3	0.05276	CU M/MI	1105.22	CU M
SP11	Day 1	09.18.2004	19.35	0.25662	CU M/MI	1105.99	CU M
SP11	Day 1	09.18.2004	19.4	0.00594	CU M/MI	1107.04	CU M
SP11	Day 1	09.18.2004	19.45	0.05473	CU M/MI	1107.94	CU M
SP11	Day 1	09.18.2004	19.5	0.25405	CU M/MI	1108.8	CU M
SP11	Day 1	09.18.2004	19.55	0.25516	CU M/MI	1110.08	CU M
SP11	Day 1	09.18.2004	20	0.0053	CU M/MI	1110.92	CU M
SP11	Day 1	09.18.2004	20.05	0.00718	CU M/MI	1111.94	CU M
SP11	Day 1	09.18.2004	20.1	0.25645	CU M/MI	1112.7	CU M
SP11	Day 1	09.18.2004	20.15	0.25653	CU M/MI	1113.98	CU M
SP11	Day 1	09.18.2004	20.2	0.2406	CU M/MI	1114.66	CU M
SP11	Day 1	09.18.2004	20.25	0.0061	CU M/MI	1115.5	CU M
SP11	Day 1	09.18.2004	20.3	0.00551	CU M/MI	1115.53	CU M
SP11	Day 1	09.18.2004	20.35	0.0054	CU M/MI	1116.17	CU M
SP11	Day 1	09.18.2004	20.4	0.00546	CU M/MI	1116.84	CU M
SP11	Day 1	09.18.2004	20.45	0.25438	CU M/MI	1117.7	CU M
SP11	Day 1	09.18.2004	20.5	0.25532	CU M/MI	1118.47	CU M
SP11	Day 1	09.18.2004	20.55	0.00564	CU M/MI	1119.46	CU M
SP11	Day 1	09.18.2004	21	0.25779	CU M/MI	1120.62	CU M
SP11	Day 1	09.18.2004	21.05	0.00637	CU M/MI	1121.66	CU M
SP11	Day 1	09.18.2004	21.1	0.24045	CU M/MI	1122.33	CU M
SP11	Day 1	09.18.2004	21.15	0.00554	CU M/MI	1123.33	CU M
SP11	Day 1	09.18.2004	21.2	0.25649	CU M/MI	1124.26	CU M
SP11	Day 1	09.18.2004	21.25	0.0593	CU M/MI	1125.53	CU M
SP11	Day 1	09.18.2004	21.3	0.25807	CU M/MI	1126.4	CU M
SP11	Day 1	09.18.2004	21.35	0.25699	CU M/MI	1127	CU M
SP11	Day 1	09.18.2004	21.4	0.2565	CU M/MI	1128.29	CU M
SP11	Day 1	09.18.2004	21.45	0.0704	CU M/MI	1129.56	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 1	09.18.2004	21.5	0.25537	CU M/MI	1130.31	CU M
SP11	Day 1	09.18.2004	21.55	0.00533	CU M/MI	1131.01	CU M
SP11	Day 1	09.18.2004	22	0.0338	CU M/MI	1132.1	CU M
SP11	Day 1	09.18.2004	22.05	0.25903	CU M/MI	1132.89	CU M
SP11	Day 1	09.18.2004	22.1	0.00504	CU M/MI	1133.83	CU M
SP11	Day 1	09.18.2004	22.15	0.25716	CU M/MI	1134.98	CU M
SP11	Day 1	09.18.2004	22.2	0.23287	CU M/MI	1135.51	CU M
SP11	Day 1	09.18.2004	22.25	0.14656	CU M/MI	1136.78	CU M
SP11	Day 1	09.18.2004	22.3	0.07608	CU M/MI	1137.46	CU M
SP11	Day 1	09.18.2004	22.35	0.25794	CU M/MI	1138.34	CU M
SP11	Day 1	09.18.2004	22.4	0.23371	CU M/MI	1139.54	CU M
SP11	Day 1	09.18.2004	22.45	0.23226	CU M/MI	1139.97	CU M
SP11	Day 1	09.18.2004	22.5	0.15576	CU M/MI	1140.64	CU M
SP11	Day 1	09.18.2004	22.55	0.2357	CU M/MI	1141.81	CU M
SP11	Day 1	09.18.2004	23	0.23647	CU M/MI	1142.45	CU M
SP11	Day 1	09.18.2004	23.05	0.22287	CU M/MI	1142.95	CU M
SP11	Day 1	09.18.2004	23.1	0.23957	CU M/MI	1144.16	CU M
SP11	Day 1	09.18.2004	23.15	0.24382	CU M/MI	1144.84	CU M
SP11	Day 1	09.18.2004	23.2	0.0083	CU M/MI	1145.95	CU M
SP11	Day 1	09.18.2004	23.25	0.23957	CU M/MI	1146.69	CU M
SP11	Day 1	09.18.2004	23.3	0.23399	CU M/MI	1147.31	CU M
SP11	Day 1	09.18.2004	23.35	0	CU M/MI	1148.18	CU M
SP11	Day 1	09.18.2004	23.4	0.24173	CU M/MI	1149.08	CU M
SP11	Day 1	09.18.2004	23.45	0.24153	CU M/MI	1149.53	CU M
SP11	Day 1	09.18.2004	23.5	0.06175	CU M/MI	1150.72	CU M
SP11	Day 1	09.18.2004	23.55	0.24216	CU M/MI	1151.52	CU M
SP11	Day 1	09.19.2004	0	0	CU M/MI	1152.36	CU M
SP11	Day 1	09.19.2004	0.05	0.24383	CU M/MI	1153.37	CU M
SP11	Day 1	09.19.2004	0.1	0.23436	CU M/MI	1154.05	CU M
SP11	Day 1	09.19.2004	0.15	0.24043	CU M/MI	1155.25	CU M
SP11	Day 1	09.19.2004	0.2	0.24018	CU M/MI	1155.85	CU M
SP11	Day 1	09.19.2004	0.25	0.23936	CU M/MI	1157.05	CU M
SP11	Day 1	09.19.2004	0.3	0	CU M/MI	1157.61	CU M
SP11	Day 1	09.19.2004	0.35	0	CU M/MI	1158.37	CU M
SP11	Day 1	09.19.2004	0.4	0.24358	CU M/MI	1159.3	CU M
SP11	Day 1	09.19.2004	0.45	0.00534	CU M/MI	1160.4	CU M
SP11	Day 1	09.19.2004	0.5	0.23979	CU M/MI	1161.16	CU M
SP11	Day 1	09.19.2004	0.55	0.24215	CU M/MI	1161.84	CU M
SP11	Day 1	09.19.2004	1	0.24326	CU M/MI	1163.05	CU M
SP11	Day 1	09.19.2004	1.05	0	CU M/MI	1163.81	CU M
SP11	Day 1	09.19.2004	1.1	0.24283	CU M/MI	1164.54	CU M
SP11	Day 1	09.19.2004	1.15	0.24006	CU M/MI	1165.75	CU M
SP11	Day 1	09.19.2004	1.2	0.23917	CU M/MI	1166.96	CU M
SP11	Day 1	09.19.2004	1.25	0.24277	CU M/MI	1167.49	CU M
SP11	Day 1	09.19.2004	1.3	0.22639	CU M/MI	1168.15	CU M
SP11	Day 1	09.19.2004	1.35	0.24242	CU M/MI	1169.36	CU M
SP11	Day 1	09.19.2004	1.4	0.24393	CU M/MI	1169.99	CU M
SP11	Day 1	09.19.2004	1.45	0.24204	CU M/MI	1171.21	CU M
SP11	Day 1	09.19.2004	1.5	0.22012	CU M/MI	1171.72	CU M
SP11	Day 1	09.19.2004	1.55	0	CU M/MI	1172.6	CU M
SP11	Day 1	09.19.2004	2	0.2441	CU M/MI	1173.61	CU M
SP11	Day 1	09.19.2004	2.05	0	CU M/MI	1174.3	CU M
SP11	Day 1	09.19.2004	2.1	0.24769	CU M/MI	1175.26	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 1	09.19.2004	2.15	0.22752	CU M/MI	1175.95	CU M
SP11	Day 1	09.19.2004	2.2	0.24191	CU M/MI	1177.17	CU M
SP11	Day 1	09.19.2004	2.25	0.24097	CU M/MI	1177.71	CU M
SP11	Day 1	09.19.2004	2.3	0.245	CU M/MI	1178.5	CU M
SP11	Day 1	09.19.2004	2.35	0.24261	CU M/MI	1179.72	CU M
SP11	Day 1	09.19.2004	2.4	0.24452	CU M/MI	1180.35	CU M
SP11	Day 1	09.19.2004	2.45	0.24464	CU M/MI	1181.57	CU M
SP11	Day 1	09.19.2004	2.5	0.19017	CU M/MI	1182.31	CU M
SP11	Day 1	09.19.2004	2.55	0.00001	CU M/MI	1183.29	CU M
SP11	Day 1	09.19.2004	3	0.24115	CU M/MI	1184.16	CU M
SP11	Day 1	09.19.2004	3.05	0.24284	CU M/MI	1185.38	CU M
SP11	Day 1	09.19.2004	3.1	0.16843	CU M/MI	1186.11	CU M
SP11	Day 1	09.19.2004	3.15	0	CU M/MI	1187.01	CU M
SP11	Day 1	09.19.2004	3.2	0.2444	CU M/MI	1188.03	CU M
SP11	Day 1	09.19.2004	3.25	0.24144	CU M/MI	1189.24	CU M
SP11	Day 1	09.19.2004	3.3	0.24438	CU M/MI	1190.46	CU M
SP11	Day 1	09.19.2004	3.35	0.24585	CU M/MI	1191.13	CU M
SP11	Day 1	09.19.2004	3.4	0	CU M/MI	1191.73	CU M
SP11	Day 1	09.19.2004	3.45	0.24587	CU M/MI	1192.54	CU M
SP11	Day 1	09.19.2004	3.5	0.22322	CU M/MI	1193.76	CU M
SP11	Day 1	09.19.2004	3.55	0.24375	CU M/MI	1194.38	CU M
SP11	Day 1	09.19.2004	4	0.24346	CU M/MI	1195.6	CU M
SP11	Day 1	09.19.2004	4.05	0.24464	CU M/MI	1196.29	CU M
SP11	Day 1	09.19.2004	4.1	0	CU M/MI	1196.87	CU M
SP11	Day 1	09.19.2004	4.15	0.2449	CU M/MI	1197.45	CU M
SP11	Day 1	09.19.2004	4.2	0.24302	CU M/MI	1198.06	CU M
SP11	Day 1	09.19.2004	4.25	0.24145	CU M/MI	1199.28	CU M
SP11	Day 1	09.19.2004	4.3	0.24169	CU M/MI	1199.99	CU M
SP11	Day 1	09.19.2004	4.35	0	CU M/MI	1200.92	CU M
SP11	Day 1	09.19.2004	4.4	0.24555	CU M/MI	1201.84	CU M
SP11	Day 1	09.19.2004	4.45	0.22924	CU M/MI	1202.51	CU M
SP11	Day 1	09.19.2004	5.05	0.24279	CU M/MI	1206.15	CU M
SP11	Day 1	09.19.2004	5.1	0	CU M/MI	1206.87	CU M
SP11	Day 1	09.19.2004	5.15	0.24512	CU M/MI	1208.02	CU M
SP11	Day 1	09.19.2004	5.2	0.00092	CU M/MI	1209.08	CU M
SP11	Day 1	09.19.2004	5.25	0.24624	CU M/MI	1209.94	CU M
SP11	Day 1	09.19.2004	5.3	0.24455	CU M/MI	1210.49	CU M
SP11	Day 1	09.19.2004	5.35	0	CU M/MI	1211.32	CU M
SP11	Day 1	09.19.2004	5.4	0.24363	CU M/MI	1212.31	CU M
SP11	Day 1	09.19.2004	5.45	0.23696	CU M/MI	1212.93	CU M
SP11	Day 1	09.19.2004	5.5	0.00494	CU M/MI	1214.03	CU M
SP11	Day 1	09.19.2004	5.55	0.24241	CU M/MI	1214.87	CU M
SP11	Day 2	09.19.2004	6	0.24132	CU M/MI	1215.6	CU M
SP11	Day 2	09.19.2004	6.05	0.24139	CU M/MI	1216.81	CU M
SP11	Day 2	09.19.2004	6.1	0.24266	CU M/MI	1217.48	CU M
SP11	Day 2	09.19.2004	6.15	0.00043	CU M/MI	1218.49	CU M
SP11	Day 2	09.19.2004	6.2	0	CU M/MI	1219.1	CU M
SP11	Day 2	09.19.2004	6.25	0.243	CU M/MI	1220.15	CU M
SP11	Day 2	09.19.2004	6.3	0.24507	CU M/MI	1221.37	CU M
SP11	Day 2	09.19.2004	6.35	0.15479	CU M/MI	1222.13	CU M
SP11	Day 2	09.19.2004	6.4	0.2444	CU M/MI	1223.32	CU M
SP11	Day 2	09.19.2004	6.45	0.2436	CU M/MI	1224.54	CU M
SP11	Day 2	09.19.2004	6.5	0	CU M/MI	1224.99	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 2	09.19.2004	6.55	0	CU M/MI	1225.67	CU M
SP11	Day 2	09.19.2004	7	0.24311	CU M/MI	1226.61	CU M
SP11	Day 2	09.19.2004	7.05	0.18351	CU M/MI	1227.24	CU M
SP11	Day 2	09.19.2004	7.1	0.24067	CU M/MI	1228.44	CU M
SP11	Day 2	09.19.2004	7.15	0.24019	CU M/MI	1229.64	CU M
SP11	Day 2	09.19.2004	7.2	0.24018	CU M/MI	1230.3	CU M
SP11	Day 2	09.19.2004	7.25	0	CU M/MI	1231.21	CU M
SP11	Day 2	09.19.2004	7.3	0.00756	CU M/MI	1232.06	CU M
SP11	Day 2	09.19.2004	7.35	0.22551	CU M/MI	1232.3	CU M
SP11	Day 2	09.19.2004	7.4	0.24024	CU M/MI	1233.51	CU M
SP11	Day 2	09.19.2004	7.45	0	CU M/MI	1234.22	CU M
SP11	Day 2	09.19.2004	7.5	0.24252	CU M/MI	1235.36	CU M
SP11	Day 2	09.19.2004	7.55	0.23803	CU M/MI	1235.93	CU M
SP11	Day 2	09.19.2004	8	0	CU M/MI	1236.74	CU M
SP11	Day 2	09.19.2004	8.05	0.24429	CU M/MI	1237.73	CU M
SP11	Day 2	09.19.2004	8.1	0.23833	CU M/MI	1238.43	CU M
SP11	Day 2	09.19.2004	8.15	0.23961	CU M/MI	1239.64	CU M
SP11	Day 2	09.19.2004	8.2	0.24586	CU M/MI	1240.86	CU M
SP11	Day 2	09.19.2004	8.25	0.24266	CU M/MI	1241.28	CU M
SP11	Day 2	09.19.2004	8.3	0.24184	CU M/MI	1241.78	CU M
SP11	Day 2	09.19.2004	8.35	0.24454	CU M/MI	1243	CU M
SP11	Day 2	09.19.2004	8.4	0.2428	CU M/MI	1243.58	CU M
SP11	Day 2	09.19.2004	8.45	0.14388	CU M/MI	1244.79	CU M
SP11	Day 2	09.19.2004	8.5	0.24178	CU M/MI	1245.38	CU M
SP11	Day 2	09.19.2004	8.55	0.06486	CU M/MI	1245.98	CU M
SP11	Day 2	09.19.2004	9	0.24247	CU M/MI	1246.8	CU M
SP11	Day 2	09.19.2004	9.05	0.24482	CU M/MI	1248.01	CU M
SP11	Day 2	09.19.2004	9.1	0	CU M/MI	1248.86	CU M
SP11	Day 2	09.19.2004	9.15	0.24207	CU M/MI	1249.73	CU M
SP11	Day 2	09.19.2004	9.2	0.24315	CU M/MI	1250.35	CU M
SP11	Day 2	09.19.2004	9.25	0.0051	CU M/MI	1251.45	CU M
SP11	Day 2	09.19.2004	9.3	0.24207	CU M/MI	1252.32	CU M
SP11	Day 2	09.19.2004	9.35	0.24323	CU M/MI	1253.54	CU M
SP11	Day 2	09.19.2004	9.4	0.24052	CU M/MI	1254.27	CU M
SP11	Day 2	09.19.2004	9.45	0.00051	CU M/MI	1255.28	CU M
SP11	Day 2	09.19.2004	9.5	0.24298	CU M/MI	1256.18	CU M
SP11	Day 2	09.19.2004	9.55	0.00723	CU M/MI	1257.28	CU M
SP11	Day 2	09.19.2004	10	0.24399	CU M/MI	1257.92	CU M
SP11	Day 2	09.19.2004	10.05	0	CU M/MI	1258.45	CU M
SP11	Day 2	09.19.2004	10.1	0	CU M/MI	1259.24	CU M
SP11	Day 2	09.19.2004	10.15	0	CU M/MI	1259.73	CU M
SP11	Day 2	09.19.2004	10.2	0.24296	CU M/MI	1260.78	CU M
SP11	Day 2	09.19.2004	10.25	0.08504	CU M/MI	1261.98	CU M
SP11	Day 2	09.19.2004	10.3	0.24197	CU M/MI	1262.54	CU M
SP11	Day 2	09.19.2004	10.35	0	CU M/MI	1262.99	CU M
SP11	Day 2	09.19.2004	10.4	0.24562	CU M/MI	1263.71	CU M
SP11	Day 2	09.19.2004	10.45	0.2458	CU M/MI	1264.17	CU M
SP11	Day 2	09.19.2004	10.5	0.00101	CU M/MI	1265.19	CU M
SP11	Day 2	09.19.2004	10.55	0.24322	CU M/MI	1265.97	CU M
SP11	Day 2	09.19.2004	11	0.24301	CU M/MI	1266.44	CU M
SP11	Day 2	09.19.2004	11.05	0.04219	CU M/MI	1267.62	CU M
SP11	Day 2	09.19.2004	11.1	0.24316	CU M/MI	1268.34	CU M
SP11	Day 2	09.19.2004	11.15	0.16243	CU M/MI	1268.93	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 2	09.19.2004	11.2	0.24298	CU M/MI	1270.13	CU M
SP11	Day 2	09.19.2004	11.25	0.24253	CU M/MI	1270.85	CU M
SP11	Day 2	09.19.2004	11.3	0	CU M/MI	1271.36	CU M
SP11	Day 2	09.19.2004	11.35	0	CU M/MI	1272.16	CU M
SP11	Day 2	09.19.2004	11.4	0.06411	CU M/MI	1273.07	CU M
SP11	Day 2	09.19.2004	11.45	0.24328	CU M/MI	1273.89	CU M
SP11	Day 2	09.19.2004	11.5	0.24428	CU M/MI	1274.56	CU M
SP11	Day 2	09.19.2004	11.55	0.2038	CU M/MI	1275.05	CU M
SP11	Day 2	09.19.2004	12	0.03954	CU M/MI	1276.23	CU M
SP11	Day 2	09.19.2004	12.05	0.24544	CU M/MI	1276.89	CU M
SP11	Day 2	09.19.2004	12.1	0	CU M/MI	1277.62	CU M
SP11	Day 2	09.19.2004	12.15	0.24266	CU M/MI	1278.69	CU M
SP11	Day 2	09.19.2004	12.2	0.24185	CU M/MI	1279.37	CU M
SP11	Day 2	09.19.2004	12.25	0.24523	CU M/MI	1280.6	CU M
SP11	Day 2	09.19.2004	12.3	0.24402	CU M/MI	1281.34	CU M
SP11	Day 2	09.19.2004	12.35	0	CU M/MI	1282.18	CU M
SP11	Day 2	09.19.2004	12.4	0.24588	CU M/MI	1283.12	CU M
SP11	Day 2	09.19.2004	12.45	0	CU M/MI	1283.98	CU M
SP11	Day 2	09.19.2004	12.5	0.24476	CU M/MI	1285.07	CU M
SP11	Day 2	09.19.2004	12.55	0.24122	CU M/MI	1285.76	CU M
SP11	Day 2	09.19.2004	13	0	CU M/MI	1286.62	CU M
SP11	Day 2	09.19.2004	13.05	0.2436	CU M/MI	1286.95	CU M
SP11	Day 2	09.19.2004	13.1	0.24572	CU M/MI	1288.17	CU M
SP11	Day 2	09.19.2004	13.15	0.00017	CU M/MI	1289.19	CU M
SP11	Day 2	09.19.2004	13.2	0.24499	CU M/MI	1289.98	CU M
SP11	Day 2	09.19.2004	13.25	0.2436	CU M/MI	1290.55	CU M
SP11	Day 2	09.19.2004	13.3	0.2425	CU M/MI	1291.78	CU M
SP11	Day 2	09.19.2004	13.35	0.24339	CU M/MI	1292.4	CU M
SP11	Day 2	09.19.2004	13.4	0.24617	CU M/MI	1293.63	CU M
SP11	Day 2	09.19.2004	13.45	0.24288	CU M/MI	1294.26	CU M
SP11	Day 2	09.19.2004	13.5	0.03896	CU M/MI	1295.45	CU M
SP11	Day 2	09.19.2004	13.55	0.2432	CU M/MI	1296.22	CU M
SP11	Day 2	09.19.2004	14	0.24516	CU M/MI	1297.44	CU M
SP11	Day 2	09.19.2004	14.05	0.24458	CU M/MI	1298.12	CU M
SP11	Day 2	09.19.2004	14.1	0.24404	CU M/MI	1299.34	CU M
SP11	Day 2	09.19.2004	14.15	0.24244	CU M/MI	1299.88	CU M
SP11	Day 2	09.19.2004	14.2	0.24404	CU M/MI	1300.69	CU M
SP11	Day 2	09.19.2004	14.25	0.00166	CU M/MI	1301.77	CU M
SP11	Day 2	09.19.2004	14.3	0.24456	CU M/MI	1302.58	CU M
SP11	Day 2	09.19.2004	14.35	0.24524	CU M/MI	1303.2	CU M
SP11	Day 2	09.19.2004	14.4	0.01809	CU M/MI	1304.36	CU M
SP11	Day 2	09.19.2004	14.45	0.24477	CU M/MI	1304.81	CU M
SP11	Day 2	09.19.2004	14.5	0.22262	CU M/MI	1305.47	CU M
SP11	Day 2	09.19.2004	14.55	0.24239	CU M/MI	1306.69	CU M
SP11	Day 2	09.19.2004	15	0	CU M/MI	1307.6	CU M
SP11	Day 2	09.19.2004	15.05	0.26274	CU M/MI	1308.59	CU M
SP11	Day 2	09.19.2004	15.1	0.2539	CU M/MI	1309.27	CU M
SP11	Day 2	09.19.2004	15.15	0.00624	CU M/MI	1310.27	CU M
SP11	Day 2	09.19.2004	15.2	0.26288	CU M/MI	1311.19	CU M
SP11	Day 2	09.19.2004	15.25	0.00589	CU M/MI	1312.13	CU M
SP11	Day 2	09.19.2004	15.3	0.2636	CU M/MI	1312.93	CU M
SP11	Day 2	09.19.2004	15.35	0.00604	CU M/MI	1313.83	CU M
SP11	Day 2	09.19.2004	15.4	0.00693	CU M/MI	1314.71	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 2	09.19.2004	15.45	0.25942	CU M/MI	1315.85	CU M
SP11	Day 2	09.19.2004	15.5	0.26226	CU M/MI	1316.6	CU M
SP11	Day 2	09.19.2004	15.55	0.26008	CU M/MI	1317.9	CU M
SP11	Day 2	09.19.2004	16	0.26064	CU M/MI	1318.65	CU M
SP11	Day 2	09.19.2004	16.05	0.00606	CU M/MI	1319.22	CU M
SP11	Day 2	09.19.2004	16.1	0.06909	CU M/MI	1320.32	CU M
SP11	Day 2	09.19.2004	16.2	0.25395	CU M/MI	1321.8	CU M
SP11	Day 2	09.19.2004	16.25	0.00679	CU M/MI	1322.87	CU M
SP11	Day 2	09.19.2004	16.3	0.26378	CU M/MI	1323.97	CU M
SP11	Day 2	09.19.2004	16.35	0.26034	CU M/MI	1324.6	CU M
SP11	Day 2	09.19.2004	16.4	0.00673	CU M/MI	1325.69	CU M
SP11	Day 2	09.19.2004	16.45	0.25678	CU M/MI	1326.59	CU M
SP11	Day 2	09.19.2004	16.5	0.25209	CU M/MI	1327.25	CU M
SP11	Day 2	09.19.2004	16.55	0.2581	CU M/MI	1328.55	CU M
SP11	Day 2	09.19.2004	17	0.06172	CU M/MI	1329.29	CU M
SP11	Day 2	09.19.2004	17.05	0.25859	CU M/MI	1330.18	CU M
SP11	Day 2	09.19.2004	17.1	0.25989	CU M/MI	1331.47	CU M
SP11	Day 2	09.19.2004	17.15	0.21979	CU M/MI	1332.23	CU M
SP11	Day 2	09.19.2004	17.2	0.25784	CU M/MI	1333.51	CU M
SP11	Day 2	09.19.2004	17.25	0.0061	CU M/MI	1333.6	CU M
SP11	Day 2	09.19.2004	17.3	0.00518	CU M/MI	1334.34	CU M
SP11	Day 2	09.19.2004	17.35	0.17531	CU M/MI	1334.9	CU M
SP11	Day 2	09.19.2004	17.4	0.19547	CU M/MI	1334.97	CU M
SP11	Day 2	09.19.2004	17.45	0.01488	CU M/MI	1336.15	CU M
SP11	Day 2	09.19.2004	17.5	0.25817	CU M/MI	1336.91	CU M
SP11	Day 2	09.19.2004	17.55	0.02342	CU M/MI	1338.14	CU M
SP11	Day 2	09.19.2004	18	0.26139	CU M/MI	1338.94	CU M
SP11	Day 2	09.19.2004	18.05	0.01511	CU M/MI	1340.13	CU M
SP11	Day 2	09.19.2004	18.1	0.25821	CU M/MI	1340.92	CU M
SP11	Day 2	09.19.2004	18.15	0.00636	CU M/MI	1341.74	CU M
SP11	Day 2	09.19.2004	18.2	0.26151	CU M/MI	1342.81	CU M
SP11	Day 2	09.19.2004	18.25	0.25974	CU M/MI	1343.6	CU M
SP11	Day 2	09.19.2004	18.3	0.25655	CU M/MI	1344.47	CU M
SP11	Day 2	09.19.2004	18.35	0.25791	CU M/MI	1345.19	CU M
SP11	Day 2	09.19.2004	18.4	0.26	CU M/MI	1346.48	CU M
SP11	Day 2	09.19.2004	18.45	0.25335	CU M/MI	1347.22	CU M
SP11	Day 2	09.19.2004	18.5	0.25856	CU M/MI	1348.51	CU M
SP11	Day 2	09.19.2004	18.55	0.25781	CU M/MI	1349.27	CU M
SP11	Day 2	09.19.2004	19	0.00607	CU M/MI	1350.2	CU M
SP11	Day 2	09.19.2004	19.05	0.01879	CU M/MI	1350.8	CU M
SP11	Day 2	09.19.2004	19.1	0.00609	CU M/MI	1350.83	CU M
SP11	Day 2	09.19.2004	19.15	0.2593	CU M/MI	1351.79	CU M
SP11	Day 2	09.19.2004	19.2	0.25735	CU M/MI	1352.56	CU M
SP11	Day 2	09.19.2004	19.25	0.22267	CU M/MI	1353.25	CU M
SP11	Day 2	09.19.2004	19.3	0.26109	CU M/MI	1354.54	CU M
SP11	Day 2	09.19.2004	19.35	0.00736	CU M/MI	1355.64	CU M
SP11	Day 2	09.19.2004	19.4	0.25854	CU M/MI	1356.57	CU M
SP11	Day 2	09.19.2004	19.45	0.25597	CU M/MI	1357.26	CU M
SP11	Day 2	09.19.2004	19.5	0.25987	CU M/MI	1358.56	CU M
SP11	Day 2	09.19.2004	19.55	0.26073	CU M/MI	1359.42	CU M
SP11	Day 2	09.19.2004	20	0.01411	CU M/MI	1360.61	CU M
SP11	Day 2	09.19.2004	20.05	0.25789	CU M/MI	1361.18	CU M
SP11	Day 2	09.19.2004	20.1	0.25879	CU M/MI	1361.93	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 2	09.19.2004	20.15	0.25914	CU M/MI	1363.23	CU M
SP11	Day 2	09.19.2004	20.2	0.2551	CU M/MI	1364.52	CU M
SP11	Day 2	09.19.2004	20.25	0.25901	CU M/MI	1365.35	CU M
SP11	Day 2	09.19.2004	20.3	0.00599	CU M/MI	1366.12	CU M
SP11	Day 2	09.19.2004	20.35	0.00571	CU M/MI	1366.73	CU M
SP11	Day 2	09.19.2004	20.4	0.25419	CU M/MI	1366.95	CU M
SP11	Day 2	09.19.2004	20.45	0.00591	CU M/MI	1367.62	CU M
SP11	Day 2	09.19.2004	20.5	0.25788	CU M/MI	1368.82	CU M
SP11	Day 2	09.19.2004	20.55	0.00602	CU M/MI	1369.63	CU M
SP11	Day 2	09.19.2004	21	0.0058	CU M/MI	1370.26	CU M
SP11	Day 2	09.19.2004	21.05	0.25864	CU M/MI	1370.79	CU M
SP11	Day 2	09.19.2004	21.1	0.25668	CU M/MI	1371.35	CU M
SP11	Day 2	09.19.2004	21.15	0.00607	CU M/MI	1372.39	CU M
SP11	Day 2	09.19.2004	21.2	0.26048	CU M/MI	1373.31	CU M
SP11	Day 2	09.19.2004	21.25	0.25776	CU M/MI	1374.18	CU M
SP11	Day 2	09.19.2004	21.3	0.22328	CU M/MI	1375.48	CU M
SP11	Day 2	09.19.2004	21.35	0.25959	CU M/MI	1376.26	CU M
SP11	Day 2	09.19.2004	21.4	0.10989	CU M/MI	1377.56	CU M
SP11	Day 2	09.19.2004	21.45	0.25838	CU M/MI	1378.22	CU M
SP11	Day 2	09.19.2004	21.5	0.21823	CU M/MI	1378.78	CU M
SP11	Day 2	09.19.2004	21.55	0.03562	CU M/MI	1380.01	CU M
SP11	Day 2	09.19.2004	22	0.26181	CU M/MI	1380.72	CU M
SP11	Day 2	09.19.2004	22.05	0.01916	CU M/MI	1381.92	CU M
SP11	Day 2	09.19.2004	22.1	0.25901	CU M/MI	1382.68	CU M
SP11	Day 2	09.19.2004	22.15	0.00634	CU M/MI	1383.56	CU M
SP11	Day 2	09.19.2004	22.2	0.26332	CU M/MI	1384.78	CU M
SP11	Day 2	09.19.2004	22.25	0.00659	CU M/MI	1385.76	CU M
SP11	Day 2	09.19.2004	22.3	0.25998	CU M/MI	1386.7	CU M
SP11	Day 2	09.19.2004	22.35	0.23833	CU M/MI	1387.25	CU M
SP11	Day 2	09.19.2004	22.4	0.03316	CU M/MI	1388.48	CU M
SP11	Day 2	09.19.2004	22.45	0.24663	CU M/MI	1388.86	CU M
SP11	Day 2	09.19.2004	22.5	0.25775	CU M/MI	1390.15	CU M
SP11	Day 2	09.19.2004	22.55	0.00818	CU M/MI	1391.25	CU M
SP11	Day 2	09.19.2004	23	0.25927	CU M/MI	1392.22	CU M
SP11	Day 2	09.19.2004	23.05	0.01872	CU M/MI	1393.43	CU M
SP11	Day 2	09.19.2004	23.1	0.25894	CU M/MI	1394.26	CU M
SP11	Day 2	09.19.2004	23.15	0.25741	CU M/MI	1394.84	CU M
SP11	Day 2	09.19.2004	23.2	0.2378	CU M/MI	1395.58	CU M
SP11	Day 2	09.19.2004	23.25	0.01059	CU M/MI	1396.73	CU M
SP11	Day 2	09.19.2004	23.3	0.25863	CU M/MI	1397.43	CU M
SP11	Day 2	09.19.2004	23.35	0.2594	CU M/MI	1398.2	CU M
SP11	Day 2	09.19.2004	23.4	0.14979	CU M/MI	1398.94	CU M
SP11	Day 2	09.19.2004	23.45	0.26017	CU M/MI	1400.22	CU M
SP11	Day 2	09.19.2004	23.5	0.25395	CU M/MI	1400.87	CU M
SP11	Day 2	09.19.2004	23.55	0.25773	CU M/MI	1402.16	CU M
SP11	Day 2	09.20.2004	0	0.25792	CU M/MI	1402.82	CU M
SP11	Day 2	09.20.2004	0.05	0.00741	CU M/MI	1403.85	CU M
SP11	Day 2	09.20.2004	0.1	0.25931	CU M/MI	1404.97	CU M
SP11	Day 2	09.20.2004	0.15	0.2578	CU M/MI	1405.56	CU M
SP11	Day 2	09.20.2004	0.2	0.21123	CU M/MI	1406.26	CU M
SP11	Day 2	09.20.2004	0.25	0.26046	CU M/MI	1407.55	CU M
SP11	Day 2	09.20.2004	0.3	0.25665	CU M/MI	1408.43	CU M
SP11	Day 2	09.20.2004	0.35	0.13984	CU M/MI	1409.72	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 2	09.20.2004	0.4	0.25587	CU M/MI	1410.42	CU M
SP11	Day 2	09.20.2004	0.45	0.26185	CU M/MI	1411.13	CU M
SP11	Day 2	09.20.2004	0.5	0.26031	CU M/MI	1412.43	CU M
SP11	Day 2	09.20.2004	0.55	0.24684	CU M/MI	1413.19	CU M
SP11	Day 2	09.20.2004	1	0.00582	CU M/MI	1414.18	CU M
SP11	Day 2	09.20.2004	1.05	0.26167	CU M/MI	1415.01	CU M
SP11	Day 2	09.20.2004	1.1	0.25781	CU M/MI	1415.75	CU M
SP11	Day 2	09.20.2004	1.15	0.01163	CU M/MI	1416.91	CU M
SP11	Day 2	09.20.2004	1.2	0.25828	CU M/MI	1417.91	CU M
SP11	Day 2	09.20.2004	1.25	0.25755	CU M/MI	1418.78	CU M
SP11	Day 2	09.20.2004	1.3	0.25999	CU M/MI	1420.07	CU M
SP11	Day 2	09.20.2004	1.35	0.25652	CU M/MI	1420.57	CU M
SP11	Day 2	09.20.2004	1.4	0.00629	CU M/MI	1421.32	CU M
SP11	Day 2	09.20.2004	1.45	0.2608	CU M/MI	1422.51	CU M
SP11	Day 2	09.20.2004	1.5	0.00582	CU M/MI	1423.35	CU M
SP11	Day 2	09.20.2004	1.55	0.04156	CU M/MI	1424.36	CU M
SP11	Day 2	09.20.2004	2	0.25729	CU M/MI	1425.08	CU M
SP11	Day 2	09.20.2004	2.05	0.00879	CU M/MI	1426.23	CU M
SP11	Day 2	09.20.2004	2.1	0.2604	CU M/MI	1427.16	CU M
SP11	Day 2	09.20.2004	2.15	0.26239	CU M/MI	1427.83	CU M
SP11	Day 2	09.20.2004	2.2	0.22728	CU M/MI	1428.41	CU M
SP11	Day 2	09.20.2004	2.25	0.00615	CU M/MI	1429.28	CU M
SP11	Day 2	09.20.2004	2.3	0.26023	CU M/MI	1430.29	CU M
SP11	Day 2	09.20.2004	2.35	0.25791	CU M/MI	1430.78	CU M
SP11	Day 2	09.20.2004	2.4	0.25765	CU M/MI	1432.08	CU M
SP11	Day 2	09.20.2004	2.45	0.00584	CU M/MI	1432.5	CU M
SP11	Day 2	09.20.2004	2.5	0.24845	CU M/MI	1433.34	CU M
SP11	Day 2	09.20.2004	2.55	0.26093	CU M/MI	1434.64	CU M
SP11	Day 2	09.20.2004	3	0.25801	CU M/MI	1435.37	CU M
SP11	Day 2	09.20.2004	3.05	0.21195	CU M/MI	1435.98	CU M
SP11	Day 2	09.20.2004	3.1	0.26133	CU M/MI	1437.26	CU M
SP11	Day 2	09.20.2004	3.15	0.25996	CU M/MI	1438.05	CU M
SP11	Day 2	09.20.2004	3.2	0.00606	CU M/MI	1438.92	CU M
SP11	Day 2	09.20.2004	3.25	0.25881	CU M/MI	1440.11	CU M
SP11	Day 2	09.20.2004	3.3	0.2581	CU M/MI	1440.77	CU M
SP11	Day 2	09.20.2004	3.35	0.11902	CU M/MI	1442.07	CU M
SP11	Day 2	09.20.2004	3.4	0.2582	CU M/MI	1442.77	CU M
SP11	Day 2	09.20.2004	3.45	0.18321	CU M/MI	1443.43	CU M
SP11	Day 2	09.20.2004	3.55	0.25943	CU M/MI	1445.4	CU M
SP11	Day 2	09.20.2004	4	0.00577	CU M/MI	1446.27	CU M
SP11	Day 2	09.20.2004	4.05	0.00654	CU M/MI	1446.84	CU M
SP11	Day 2	09.20.2004	4.1	0.05717	CU M/MI	1447.7	CU M
SP11	Day 2	09.20.2004	4.15	0.25892	CU M/MI	1448.59	CU M
SP11	Day 2	09.20.2004	4.2	0.25677	CU M/MI	1449.89	CU M
SP11	Day 2	09.20.2004	4.25	0.00628	CU M/MI	1450.32	CU M
SP11	Day 2	09.20.2004	4.3	0.25867	CU M/MI	1451.55	CU M
SP11	Day 2	09.20.2004	4.35	0.25562	CU M/MI	1452.15	CU M
SP11	Day 2	09.20.2004	4.4	0.00614	CU M/MI	1453.11	CU M
SP11	Day 2	09.20.2004	4.45	0.26093	CU M/MI	1454.07	CU M
SP11	Day 2	09.20.2004	4.5	0.00594	CU M/MI	1455.04	CU M
SP11	Day 2	09.20.2004	4.55	0.25863	CU M/MI	1456.03	CU M
SP11	Day 2	09.20.2004	5	0.26153	CU M/MI	1456.71	CU M
SP11	Day 2	09.20.2004	5.05	0.02869	CU M/MI	1457.95	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 2	09.20.2004	5.1	0.25876	CU M/MI	1458.82	CU M
SP11	Day 2	09.20.2004	5.15	0.00585	CU M/MI	1459.43	CU M
SP11	Day 2	09.20.2004	5.2	0.10708	CU M/MI	1460.62	CU M
SP11	Day 2	09.20.2004	5.25	0.2572	CU M/MI	1460.98	CU M
SP11	Day 2	09.20.2004	5.3	0.25725	CU M/MI	1462.26	CU M
SP11	Day 2	09.20.2004	5.35	0.24761	CU M/MI	1462.58	CU M
SP11	Day 2	09.20.2004	5.4	0.03515	CU M/MI	1463.82	CU M
SP11	Day 2	09.20.2004	5.45	0.01449	CU M/MI	1464.55	CU M
SP11	Day 2	09.20.2004	5.5	0.25942	CU M/MI	1465.21	CU M
SP11	Day 2	09.20.2004	5.55	0.25608	CU M/MI	1465.83	CU M
SP11	Day 3	09.20.2004	6	0.00644	CU M/MI	1466.9	CU M
SP11	Day 3	09.20.2004	6.05	0.25795	CU M/MI	1467.81	CU M
SP11	Day 3	09.20.2004	6.1	0.25736	CU M/MI	1468.34	CU M
SP11	Day 3	09.20.2004	6.15	0.00776	CU M/MI	1469.41	CU M
SP11	Day 3	09.20.2004	6.2	0.26025	CU M/MI	1470.39	CU M
SP11	Day 3	09.20.2004	6.25	0.25736	CU M/MI	1471.07	CU M
SP11	Day 3	09.20.2004	6.3	0.00596	CU M/MI	1471.98	CU M
SP11	Day 3	09.20.2004	6.35	0.25712	CU M/MI	1473.11	CU M
SP11	Day 3	09.20.2004	6.4	0.05438	CU M/MI	1473.73	CU M
SP11	Day 3	09.20.2004	6.45	0.00654	CU M/MI	1474.61	CU M
SP11	Day 3	09.20.2004	6.5	0.25947	CU M/MI	1475.61	CU M
SP11	Day 3	09.20.2004	6.55	0.25969	CU M/MI	1476.14	CU M
SP11	Day 3	09.20.2004	7	0.25939	CU M/MI	1477.01	CU M
SP11	Day 3	09.20.2004	7.05	0.00936	CU M/MI	1478.15	CU M
SP11	Day 3	09.20.2004	7.1	0.25908	CU M/MI	1478.41	CU M
SP11	Day 3	09.20.2004	7.15	0.2572	CU M/MI	1479.71	CU M
SP11	Day 3	09.20.2004	7.2	0.25769	CU M/MI	1480.46	CU M
SP11	Day 3	09.20.2004	7.25	0.00647	CU M/MI	1481.34	CU M
SP11	Day 3	09.20.2004	7.3	0.26001	CU M/MI	1482.54	CU M
SP11	Day 3	09.20.2004	7.35	0.1796	CU M/MI	1483.05	CU M
SP11	Day 3	09.20.2004	7.4	0.00666	CU M/MI	1484.13	CU M
SP11	Day 3	09.20.2004	7.45	0.25716	CU M/MI	1484.82	CU M
SP11	Day 3	09.20.2004	7.5	0.00912	CU M/MI	1485.93	CU M
SP11	Day 3	09.20.2004	7.55	0.25998	CU M/MI	1486.83	CU M
SP11	Day 3	09.20.2004	8	0.24601	CU M/MI	1487.42	CU M
SP11	Day 3	09.20.2004	8.05	0.14317	CU M/MI	1488.71	CU M
SP11	Day 3	09.20.2004	8.1	0.2592	CU M/MI	1489.4	CU M
SP11	Day 3	09.20.2004	8.15	0.26088	CU M/MI	1490.7	CU M
SP11	Day 3	09.20.2004	8.2	0.05422	CU M/MI	1491.28	CU M
SP11	Day 3	09.20.2004	8.25	0.25873	CU M/MI	1492.17	CU M
SP11	Day 3	09.20.2004	8.3	0.00626	CU M/MI	1493.06	CU M
SP11	Day 3	09.20.2004	8.35	0.25983	CU M/MI	1494.13	CU M
SP11	Day 3	09.20.2004	8.4	0.00691	CU M/MI	1494.78	CU M
SP11	Day 3	09.20.2004	8.45	0.2589	CU M/MI	1495.49	CU M
SP11	Day 3	09.20.2004	8.5	0.00636	CU M/MI	1496.17	CU M
SP11	Day 3	09.20.2004	8.55	0.26475	CU M/MI	1497.28	CU M
SP11	Day 3	09.20.2004	9	0.2568	CU M/MI	1497.82	CU M
SP11	Day 3	09.20.2004	9.05	0.0056	CU M/MI	1498.57	CU M
SP11	Day 3	09.20.2004	9.1	0.25928	CU M/MI	1499.82	CU M
SP11	Day 3	09.20.2004	9.15	0.25815	CU M/MI	1500.42	CU M
SP11	Day 3	09.20.2004	9.2	0.21362	CU M/MI	1501.73	CU M
SP11	Day 3	09.20.2004	9.25	0.25852	CU M/MI	1502.16	CU M
SP11	Day 3	09.20.2004	9.3	0.00837	CU M/MI	1503.26	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 3	09.20.2004	9.35	0.2585	CU M/MI	1504.25	CU M
SP11	Day 3	09.20.2004	9.4	0.25857	CU M/MI	1504.71	CU M
SP11	Day 3	09.20.2004	9.45	0.00631	CU M/MI	1505.74	CU M
SP11	Day 3	09.20.2004	9.5	0.00636	CU M/MI	1506.47	CU M
SP11	Day 3	09.20.2004	9.55	0.25811	CU M/MI	1507.46	CU M
SP11	Day 3	09.20.2004	10	0.0066	CU M/MI	1508.24	CU M
SP11	Day 3	09.20.2004	10.05	0.25739	CU M/MI	1509.48	CU M
SP11	Day 3	09.20.2004	10.1	0.25871	CU M/MI	1510.05	CU M
SP11	Day 3	09.20.2004	10.15	0.18476	CU M/MI	1510.39	CU M
SP11	Day 3	09.20.2004	10.2	0.00602	CU M/MI	1511.4	CU M
SP11	Day 3	09.20.2004	10.25	0.25997	CU M/MI	1512.12	CU M
SP11	Day 3	09.20.2004	10.3	0.23476	CU M/MI	1512.77	CU M
SP11	Day 3	09.20.2004	10.35	0.25799	CU M/MI	1514.06	CU M
SP11	Day 3	09.20.2004	10.4	0.00681	CU M/MI	1514.74	CU M
SP11	Day 3	09.20.2004	10.45	0.00797	CU M/MI	1515.77	CU M
SP11	Day 3	09.20.2004	10.5	0.26114	CU M/MI	1516.72	CU M
SP11	Day 3	09.20.2004	10.55	0.25678	CU M/MI	1517.4	CU M
SP11	Day 3	09.20.2004	11	0.00633	CU M/MI	1518.37	CU M
SP11	Day 3	09.20.2004	11.05	0.05099	CU M/MI	1519.38	CU M
SP11	Day 3	09.20.2004	11.1	0.00706	CU M/MI	1519.88	CU M
SP11	Day 3	09.20.2004	11.15	0.26038	CU M/MI	1521.03	CU M
SP11	Day 3	09.20.2004	11.2	0.00623	CU M/MI	1521.81	CU M
SP11	Day 3	09.20.2004	11.25	0.00665	CU M/MI	1522.59	CU M
SP11	Day 3	09.20.2004	11.3	0.26235	CU M/MI	1523.59	CU M
SP11	Day 3	09.20.2004	11.35	0.25949	CU M/MI	1524.31	CU M
SP11	Day 3	09.20.2004	11.4	0.00622	CU M/MI	1525.18	CU M
SP11	Day 3	09.20.2004	11.45	0.25856	CU M/MI	1526.03	CU M
SP11	Day 3	09.20.2004	11.5	0.24773	CU M/MI	1526.64	CU M
SP11	Day 3	09.20.2004	11.55	0.25888	CU M/MI	1527.94	CU M
SP11	Day 3	09.20.2004	12	0.25792	CU M/MI	1528.59	CU M
SP11	Day 3	09.20.2004	12.05	0.24519	CU M/MI	1529.3	CU M
SP11	Day 3	09.20.2004	12.1	0.01061	CU M/MI	1530.44	CU M
SP11	Day 3	09.20.2004	12.15	0.25865	CU M/MI	1530.77	CU M
SP11	Day 3	09.20.2004	12.2	0.00671	CU M/MI	1531.75	CU M
SP11	Day 3	09.20.2004	12.25	0.25893	CU M/MI	1532.61	CU M
SP11	Day 3	09.20.2004	12.3	0.22801	CU M/MI	1533.39	CU M
SP11	Day 3	09.20.2004	12.35	0.06309	CU M/MI	1534.65	CU M
SP11	Day 3	09.20.2004	12.4	0.26241	CU M/MI	1535.56	CU M
SP11	Day 3	09.20.2004	12.45	0.25415	CU M/MI	1535.78	CU M
SP11	Day 3	09.20.2004	12.5	0.2584	CU M/MI	1537.07	CU M
SP11	Day 3	09.20.2004	12.55	0.25754	CU M/MI	1537.87	CU M
SP11	Day 3	09.20.2004	13	0.00646	CU M/MI	1538.87	CU M
SP11	Day 3	09.20.2004	13.05	0.01329	CU M/MI	1539.6	CU M
SP11	Day 3	09.20.2004	13.1	0.25906	CU M/MI	1540.46	CU M
SP11	Day 3	09.20.2004	13.15	0.00607	CU M/MI	1541.32	CU M
SP11	Day 3	09.20.2004	13.2	0.04046	CU M/MI	1542.34	CU M
SP11	Day 3	09.20.2004	13.25	0.25996	CU M/MI	1543.07	CU M
SP11	Day 3	09.20.2004	13.3	0.00597	CU M/MI	1543.77	CU M
SP11	Day 3	09.20.2004	13.35	0.25718	CU M/MI	1544.91	CU M
SP11	Day 3	09.20.2004	13.4	0.258	CU M/MI	1545.4	CU M
SP11	Day 3	09.20.2004	13.45	0.00611	CU M/MI	1546.22	CU M
SP11	Day 3	09.20.2004	13.5	0.06048	CU M/MI	1547.19	CU M
SP11	Day 3	09.20.2004	13.55	0.25915	CU M/MI	1547.69	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 3	09.20.2004	14	0.16867	CU M/MI	1548.41	CU M
SP11	Day 3	09.20.2004	14.05	0.24873	CU M/MI	1549.26	CU M
SP11	Day 3	09.20.2004	14.1	0.03081	CU M/MI	1550.51	CU M
SP11	Day 3	09.20.2004	14.15	0.2605	CU M/MI	1551.28	CU M
SP11	Day 3	09.20.2004	14.2	0.25704	CU M/MI	1551.96	CU M
SP11	Day 3	09.20.2004	14.25	0.02888	CU M/MI	1553.18	CU M
SP11	Day 3	09.20.2004	14.3	0.2601	CU M/MI	1553.98	CU M
SP11	Day 3	09.20.2004	14.35	0.25896	CU M/MI	1554.61	CU M
SP11	Day 3	09.20.2004	14.4	0.2576	CU M/MI	1555.28	CU M
SP11	Day 3	09.20.2004	14.45	0.00912	CU M/MI	1556.42	CU M
SP11	Day 3	09.20.2004	14.5	0.25807	CU M/MI	1556.94	CU M
SP11	Day 3	09.20.2004	14.55	0.00614	CU M/MI	1557.67	CU M
SP11	Day 3	09.20.2004	15	0.26093	CU M/MI	1558.85	CU M
SP11	Day 3	09.20.2004	15.05	0.2606	CU M/MI	1559.46	CU M
SP11	Day 3	09.20.2004	15.1	0.01396	CU M/MI	1560.65	CU M
SP11	Day 3	09.20.2004	15.15	0.25951	CU M/MI	1561.33	CU M
SP11	Day 3	09.20.2004	15.2	0.00591	CU M/MI	1561.89	CU M
SP11	Day 3	09.20.2004	15.25	0.00621	CU M/MI	1562.74	CU M
SP11	Day 3	09.20.2004	15.3	0.257	CU M/MI	1563.55	CU M
SP11	Day 3	09.20.2004	15.35	0.25959	CU M/MI	1564.42	CU M
SP11	Day 3	09.20.2004	15.4	0.26038	CU M/MI	1565.72	CU M
SP11	Day 3	09.20.2004	15.45	0.2584	CU M/MI	1566.2	CU M
SP11	Day 3	09.20.2004	15.5	0.00846	CU M/MI	1567.3	CU M
SP11	Day 3	09.20.2004	15.55	0.25749	CU M/MI	1568.16	CU M
SP11	Day 3	09.20.2004	16	0.26141	CU M/MI	1568.75	CU M
SP11	Day 3	09.20.2004	16.05	0.2571	CU M/MI	1569.43	CU M
SP11	Day 3	09.20.2004	16.1	0.25973	CU M/MI	1570.74	CU M
SP11	Day 3	09.20.2004	16.15	0.25976	CU M/MI	1571.39	CU M
SP11	Day 3	09.20.2004	16.2	0.00558	CU M/MI	1572.31	CU M
SP11	Day 3	09.20.2004	16.25	0.22471	CU M/MI	1572.39	CU M
SP11	Day 3	09.20.2004	16.3	0.26171	CU M/MI	1573.68	CU M
SP11	Day 3	09.20.2004	16.35	0.00602	CU M/MI	1574.55	CU M
SP11	Day 3	09.20.2004	16.4	0.25838	CU M/MI	1575.5	CU M
SP11	Day 3	09.20.2004	16.45	0.25768	CU M/MI	1576.08	CU M
SP11	Day 3	09.20.2004	16.5	0.00636	CU M/MI	1576.69	CU M
SP11	Day 3	09.20.2004	16.55	0.26047	CU M/MI	1577.8	CU M
SP11	Day 3	09.20.2004	17.05	0.25959	CU M/MI	1579.3	CU M
SP11	Day 3	09.20.2004	17.1	0.25319	CU M/MI	1579.82	CU M
SP11	Day 3	09.20.2004	17.15	0.26072	CU M/MI	1581.12	CU M
SP11	Day 3	09.20.2004	17.2	0.23395	CU M/MI	1581.35	CU M
SP11	Day 3	09.20.2004	17.25	0.006	CU M/MI	1582.26	CU M
SP11	Day 3	09.20.2004	17.3	0.26026	CU M/MI	1583.05	CU M
SP11	Day 3	09.20.2004	17.35	0.00569	CU M/MI	1583.35	CU M
SP11	Day 3	09.20.2004	17.4	0.0087	CU M/MI	1584.38	CU M
SP11	Day 3	09.20.2004	17.45	0.25815	CU M/MI	1585.21	CU M
SP11	Day 3	09.20.2004	17.5	0.00621	CU M/MI	1585.85	CU M
SP11	Day 3	09.20.2004	17.55	0.00593	CU M/MI	1586.56	CU M
SP11	Day 3	09.20.2004	18	0.25969	CU M/MI	1587.39	CU M
SP11	Day 3	09.20.2004	18.05	0.26019	CU M/MI	1587.97	CU M
SP11	Day 3	09.20.2004	18.1	0.00609	CU M/MI	1588.7	CU M
SP11	Day 3	09.20.2004	18.15	0.0216	CU M/MI	1589.65	CU M
SP11	Day 3	09.20.2004	18.2	0.25872	CU M/MI	1590.33	CU M
SP11	Day 3	09.20.2004	18.25	0.25606	CU M/MI	1590.73	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 3	09.20.2004	18.3	0.00588	CU M/MI	1591.31	CU M
SP11	Day 3	09.20.2004	18.35	0.26225	CU M/MI	1592.29	CU M
SP11	Day 3	09.20.2004	18.4	0.06023	CU M/MI	1592.89	CU M
SP11	Day 3	09.20.2004	18.45	0.25905	CU M/MI	1593.8	CU M
SP11	Day 3	09.20.2004	18.5	0.00585	CU M/MI	1594.23	CU M
SP11	Day 3	09.20.2004	18.55	0.26107	CU M/MI	1595.34	CU M
SP11	Day 3	09.20.2004	19	0.25732	CU M/MI	1595.78	CU M
SP11	Day 3	09.20.2004	19.05	0.00607	CU M/MI	1596.46	CU M
SP11	Day 3	09.20.2004	19.1	0.25773	CU M/MI	1597.58	CU M
SP11	Day 3	09.20.2004	19.15	0.25854	CU M/MI	1598.26	CU M
SP11	Day 3	09.20.2004	19.2	0.23173	CU M/MI	1598.92	CU M
SP11	Day 3	09.20.2004	19.25	0.00565	CU M/MI	1599.85	CU M
SP11	Day 3	09.20.2004	19.3	0.01578	CU M/MI	1600.51	CU M
SP11	Day 3	09.20.2004	19.35	0.25815	CU M/MI	1601.03	CU M
SP11	Day 3	09.20.2004	19.4	0.00574	CU M/MI	1601.74	CU M
SP11	Day 3	09.20.2004	19.45	0.25829	CU M/MI	1602.76	CU M
SP11	Day 3	09.20.2004	19.5	0.25887	CU M/MI	1603.44	CU M
SP11	Day 3	09.20.2004	19.55	0.00584	CU M/MI	1604.15	CU M
SP11	Day 3	09.20.2004	20	0.25885	CU M/MI	1604.82	CU M
SP11	Day 3	09.20.2004	20.05	0.25609	CU M/MI	1605.48	CU M
SP11	Day 3	09.20.2004	20.1	0.05017	CU M/MI	1606.73	CU M
SP11	Day 3	09.20.2004	20.15	0.26043	CU M/MI	1607.42	CU M
SP11	Day 3	09.20.2004	20.2	0.00621	CU M/MI	1607.75	CU M
SP11	Day 3	09.20.2004	20.25	0.26166	CU M/MI	1608.5	CU M
SP11	Day 3	09.20.2004	20.3	0.00598	CU M/MI	1609.47	CU M
SP11	Day 3	09.20.2004	20.35	0.02894	CU M/MI	1610.4	CU M
SP11	Day 3	09.20.2004	20.4	0.25895	CU M/MI	1611.06	CU M
SP11	Day 3	09.20.2004	20.45	0.23437	CU M/MI	1611.74	CU M
SP11	Day 3	09.20.2004	20.5	0.00699	CU M/MI	1612.82	CU M
SP11	Day 3	09.20.2004	20.55	0.25749	CU M/MI	1613.21	CU M
SP11	Day 3	09.20.2004	21	0.00587	CU M/MI	1613.56	CU M
SP11	Day 3	09.20.2004	21.05	0.26195	CU M/MI	1614.67	CU M
SP11	Day 3	09.20.2004	21.1	0.26082	CU M/MI	1615.17	CU M
SP11	Day 3	09.20.2004	21.15	0.00601	CU M/MI	1615.76	CU M
SP11	Day 3	09.20.2004	21.2	0.25885	CU M/MI	1616.96	CU M
SP11	Day 3	09.20.2004	21.25	0.00561	CU M/MI	1617.2	CU M
SP11	Day 3	09.20.2004	21.3	0.01084	CU M/MI	1618.19	CU M
SP11	Day 3	09.20.2004	21.35	0.26004	CU M/MI	1618.98	CU M
SP11	Day 3	09.20.2004	21.4	0.00266	CU M/MI	1619.62	CU M
SP11	Day 3	09.20.2004	21.45	0.25949	CU M/MI	1620.88	CU M
SP11	Day 3	09.20.2004	21.5	0.25743	CU M/MI	1621.57	CU M
SP11	Day 3	09.20.2004	21.55	0.00612	CU M/MI	1622.6	CU M
SP11	Day 3	09.20.2004	22	0.00585	CU M/MI	1623.16	CU M
SP11	Day 3	09.20.2004	22.05	0.07717	CU M/MI	1624.36	CU M
SP11	Day 3	09.20.2004	22.1	0.26045	CU M/MI	1625.05	CU M
SP11	Day 3	09.20.2004	22.15	0.26303	CU M/MI	1626.35	CU M
SP11	Day 3	09.20.2004	22.2	0.26121	CU M/MI	1627.05	CU M
SP11	Day 3	09.20.2004	22.25	0.24501	CU M/MI	1628.35	CU M
SP11	Day 3	09.20.2004	22.3	0.25493	CU M/MI	1628.61	CU M
SP11	Day 3	09.20.2004	22.35	0.00581	CU M/MI	1629.26	CU M
SP11	Day 3	09.20.2004	22.4	0.25766	CU M/MI	1630.39	CU M
SP11	Day 3	09.20.2004	22.45	0.23944	CU M/MI	1631.04	CU M
SP11	Day 3	09.20.2004	22.5	0.26002	CU M/MI	1632.33	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 3	09.20.2004	22.55	0.25201	CU M/MI	1633.07	CU M
SP11	Day 3	09.20.2004	23	0.00612	CU M/MI	1633.73	CU M
SP11	Day 3	09.20.2004	23.05	0.26024	CU M/MI	1634.95	CU M
SP11	Day 3	09.20.2004	23.1	0.23044	CU M/MI	1635.63	CU M
SP11	Day 3	09.20.2004	23.15	0.25732	CU M/MI	1636.92	CU M
SP11	Day 3	09.20.2004	23.2	0.04453	CU M/MI	1637.29	CU M
SP11	Day 3	09.20.2004	23.25	0.26024	CU M/MI	1638.19	CU M
SP11	Day 3	09.20.2004	23.3	0.25639	CU M/MI	1638.86	CU M
SP11	Day 3	09.20.2004	23.35	0.00595	CU M/MI	1639.85	CU M
SP11	Day 3	09.20.2004	23.4	0.25647	CU M/MI	1640.68	CU M
SP11	Day 3	09.20.2004	23.45	0.00643	CU M/MI	1641.71	CU M
SP11	Day 3	09.20.2004	23.5	0.26053	CU M/MI	1642.49	CU M
SP11	Day 3	09.20.2004	23.55	0.23813	CU M/MI	1643.16	CU M
SP11	Day 3	09.21.2004	0	0.00588	CU M/MI	1644.16	CU M
SP11	Day 3	09.21.2004	0.05	0.2586	CU M/MI	1644.66	CU M
SP11	Day 3	09.21.2004	0.1	0.25871	CU M/MI	1645.27	CU M
SP11	Day 3	09.21.2004	0.15	0.01423	CU M/MI	1646.47	CU M
SP11	Day 3	09.21.2004	0.2	0.25883	CU M/MI	1647.15	CU M
SP11	Day 3	09.21.2004	0.25	0.00593	CU M/MI	1647.92	CU M
SP11	Day 3	09.21.2004	0.3	0.25942	CU M/MI	1649.03	CU M
SP11	Day 3	09.21.2004	0.35	0.25771	CU M/MI	1649.42	CU M
SP11	Day 3	09.21.2004	0.4	0.00604	CU M/MI	1650.21	CU M
SP11	Day 3	09.21.2004	0.45	0.25666	CU M/MI	1651.22	CU M
SP11	Day 3	09.21.2004	0.5	0.00616	CU M/MI	1651.57	CU M
SP11	Day 3	09.21.2004	0.55	0.26243	CU M/MI	1652.71	CU M
SP11	Day 3	09.21.2004	1	0.00539	CU M/MI	1653.19	CU M
SP11	Day 3	09.21.2004	1.05	0.25827	CU M/MI	1654.42	CU M
SP11	Day 3	09.21.2004	1.1	0.25823	CU M/MI	1654.91	CU M
SP11	Day 3	09.21.2004	1.15	0.25456	CU M/MI	1655.41	CU M
SP11	Day 3	09.21.2004	1.2	0.26103	CU M/MI	1656.7	CU M
SP11	Day 3	09.21.2004	1.25	0.25858	CU M/MI	1657.4	CU M
SP11	Day 3	09.21.2004	1.3	0.0055	CU M/MI	1658.11	CU M
SP11	Day 3	09.21.2004	1.35	0.00594	CU M/MI	1658.98	CU M
SP11	Day 3	09.21.2004	1.4	0.26256	CU M/MI	1659.79	CU M
SP11	Day 3	09.21.2004	1.45	0.26117	CU M/MI	1660.62	CU M
SP11	Day 3	09.21.2004	1.5	0.00692	CU M/MI	1661.72	CU M
SP11	Day 3	09.21.2004	1.55	0.00823	CU M/MI	1662.63	CU M
SP11	Day 3	09.21.2004	2	0.10902	CU M/MI	1663.46	CU M
SP11	Day 3	09.21.2004	2.05	0.25916	CU M/MI	1663.95	CU M
SP11	Day 3	09.21.2004	2.1	0.02783	CU M/MI	1665.18	CU M
SP11	Day 3	09.21.2004	2.15	0.25836	CU M/MI	1666.08	CU M
SP11	Day 3	09.21.2004	2.2	0.25839	CU M/MI	1666.95	CU M
SP11	Day 3	09.21.2004	2.25	0.00553	CU M/MI	1667.76	CU M
SP11	Day 3	09.21.2004	2.3	0.00622	CU M/MI	1668.42	CU M
SP11	Day 3	09.21.2004	2.35	0.25689	CU M/MI	1669.46	CU M
SP11	Day 3	09.21.2004	2.4	0.23095	CU M/MI	1669.83	CU M
SP11	Day 3	09.21.2004	2.45	0.25762	CU M/MI	1671.12	CU M
SP11	Day 3	09.21.2004	2.5	0.25963	CU M/MI	1671.89	CU M
SP11	Day 3	09.21.2004	2.55	0.00529	CU M/MI	1672.71	CU M
SP11	Day 3	09.21.2004	3	0.25781	CU M/MI	1673.85	CU M
SP11	Day 3	09.21.2004	3.05	0.00534	CU M/MI	1674.07	CU M
SP11	Day 3	09.21.2004	3.1	0.25943	CU M/MI	1675.12	CU M
SP11	Day 3	09.21.2004	3.15	0.26128	CU M/MI	1675.91	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 3	09.21.2004	3.2	0.00548	CU M/MI	1676.53	CU M
SP11	Day 3	09.21.2004	3.25	0.25803	CU M/MI	1677.75	CU M
SP11	Day 3	09.21.2004	3.3	0.2587	CU M/MI	1678.32	CU M
SP11	Day 3	09.21.2004	3.35	0.02951	CU M/MI	1679.55	CU M
SP11	Day 3	09.21.2004	3.4	0.25901	CU M/MI	1680.18	CU M
SP11	Day 3	09.21.2004	3.45	0.25036	CU M/MI	1681.06	CU M
SP11	Day 3	09.21.2004	3.5	0.00547	CU M/MI	1681.77	CU M
SP11	Day 3	09.21.2004	3.55	0.07566	CU M/MI	1682.93	CU M
SP11	Day 3	09.21.2004	4	0.26059	CU M/MI	1683.56	CU M
SP11	Day 3	09.21.2004	4.05	0.00646	CU M/MI	1684.62	CU M
SP11	Day 3	09.21.2004	4.1	0.2581	CU M/MI	1685.49	CU M
SP11	Day 3	09.21.2004	4.15	0.0054	CU M/MI	1686.28	CU M
SP11	Day 3	09.21.2004	4.2	0.26184	CU M/MI	1687.39	CU M
SP11	Day 3	09.21.2004	4.25	0.25521	CU M/MI	1687.8	CU M
SP11	Day 3	09.21.2004	4.3	0.00587	CU M/MI	1688.82	CU M
SP11	Day 3	09.21.2004	4.45	0.25553	CU M/MI	1691.04	CU M
SP11	Day 3	09.21.2004	4.5	0.25929	CU M/MI	1692.34	CU M
SP11	Day 3	09.21.2004	4.55	0.24991	CU M/MI	1693.05	CU M
SP11	Day 3	09.21.2004	5	0.00558	CU M/MI	1694.02	CU M
SP11	Day 3	09.21.2004	5.05	0.03465	CU M/MI	1694.94	CU M
SP11	Day 3	09.21.2004	5.1	0.01815	CU M/MI	1695.67	CU M
SP11	Day 3	09.21.2004	5.15	0.25862	CU M/MI	1696.1	CU M
SP11	Day 3	09.21.2004	5.2	0.25787	CU M/MI	1697.39	CU M
SP11	Day 3	09.21.2004	5.25	0.25549	CU M/MI	1697.85	CU M
SP11	Day 3	09.21.2004	5.3	0.01025	CU M/MI	1699	CU M
SP11	Day 3	09.21.2004	5.35	0.2568	CU M/MI	1699.93	CU M
SP11	Day 3	09.21.2004	5.4	0.2576	CU M/MI	1700.51	CU M
SP11	Day 3	09.21.2004	5.45	0.00582	CU M/MI	1701.37	CU M
SP11	Day 3	09.21.2004	5.5	0.25695	CU M/MI	1702.61	CU M
SP11	Day 3	09.21.2004	5.55	0.25754	CU M/MI	1703.08	CU M
SP11	Day 4	09.21.2004	6	0.24838	CU M/MI	1703.66	CU M
SP11	Day 4	09.21.2004	6.05	0.03831	CU M/MI	1704.9	CU M
SP11	Day 4	09.21.2004	6.1	0.26235	CU M/MI	1705.42	CU M
SP11	Day 4	09.21.2004	6.15	0.25865	CU M/MI	1706.06	CU M
SP11	Day 4	09.21.2004	6.2	0.03077	CU M/MI	1707.3	CU M
SP11	Day 4	09.21.2004	6.25	0.25744	CU M/MI	1707.99	CU M
SP11	Day 4	09.21.2004	6.3	0.24233	CU M/MI	1708.69	CU M
SP11	Day 4	09.21.2004	6.35	0.26097	CU M/MI	1709.99	CU M
SP11	Day 4	09.21.2004	6.4	0.05119	CU M/MI	1710.61	CU M
SP11	Day 4	09.21.2004	6.45	0.02891	CU M/MI	1711.47	CU M
SP11	Day 4	09.21.2004	6.5	0.25804	CU M/MI	1712.17	CU M
SP11	Day 4	09.21.2004	6.55	0.0059	CU M/MI	1712.83	CU M
SP11	Day 4	09.21.2004	7	0.0126	CU M/MI	1713.9	CU M
SP11	Day 4	09.21.2004	7.05	0.25965	CU M/MI	1714.65	CU M
SP11	Day 4	09.21.2004	7.1	0.25798	CU M/MI	1715.5	CU M
SP11	Day 4	09.21.2004	7.15	0.24171	CU M/MI	1716.11	CU M
SP11	Day 4	09.21.2004	7.2	0.00593	CU M/MI	1716.81	CU M
SP11	Day 4	09.21.2004	7.25	0.26077	CU M/MI	1717.72	CU M
SP11	Day 4	09.21.2004	7.3	0.25847	CU M/MI	1718.28	CU M
SP11	Day 4	09.21.2004	7.35	0.0057	CU M/MI	1719.1	CU M
SP11	Day 4	09.21.2004	7.4	0.0186	CU M/MI	1720.13	CU M
SP11	Day 4	09.21.2004	7.45	0.26156	CU M/MI	1720.64	CU M
SP11	Day 4	09.21.2004	7.5	0.00591	CU M/MI	1721.46	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 4	09.21.2004	7.55	0.25808	CU M/MI	1722.31	CU M
SP11	Day 4	09.21.2004	8	0.25817	CU M/MI	1722.95	CU M
SP11	Day 4	09.21.2004	8.05	0.26417	CU M/MI	1724.25	CU M
SP11	Day 4	09.21.2004	8.1	0.00598	CU M/MI	1724.93	CU M
SP11	Day 4	09.21.2004	8.15	0.2593	CU M/MI	1725.7	CU M
SP11	Day 4	09.21.2004	8.2	0.25867	CU M/MI	1727	CU M
SP11	Day 4	09.21.2004	8.25	0.00601	CU M/MI	1727.93	CU M
SP11	Day 4	09.21.2004	8.3	0.26203	CU M/MI	1728.95	CU M
SP11	Day 4	09.21.2004	8.35	0.25976	CU M/MI	1729.49	CU M
SP11	Day 4	09.21.2004	8.4	0.00595	CU M/MI	1730.1	CU M
SP11	Day 4	09.21.2004	8.45	0.26031	CU M/MI	1731.09	CU M
SP11	Day 4	09.21.2004	8.5	0.2632	CU M/MI	1731.75	CU M
SP11	Day 4	09.21.2004	8.55	0.00595	CU M/MI	1732.53	CU M
SP11	Day 4	09.21.2004	9	0.25901	CU M/MI	1733.56	CU M
SP11	Day 4	09.21.2004	9.05	0.0055	CU M/MI	1734.16	CU M
SP11	Day 4	09.21.2004	9.1	0.00631	CU M/MI	1734.72	CU M
SP11	Day 4	09.21.2004	9.15	0.2609	CU M/MI	1735.43	CU M
SP11	Day 4	09.21.2004	9.2	0.25946	CU M/MI	1735.81	CU M
SP11	Day 4	09.21.2004	9.25	0.00614	CU M/MI	1736.49	CU M
SP11	Day 4	09.21.2004	9.3	0.2591	CU M/MI	1737.35	CU M
SP11	Day 4	09.21.2004	9.35	0.00605	CU M/MI	1738.08	CU M
SP11	Day 4	09.21.2004	9.4	0.25904	CU M/MI	1739.02	CU M
SP11	Day 4	09.21.2004	9.45	0.04496	CU M/MI	1739.51	CU M
SP11	Day 4	09.21.2004	9.5	0.00777	CU M/MI	1740.23	CU M
SP11	Day 4	09.21.2004	9.55	0.2568	CU M/MI	1740.81	CU M
SP11	Day 4	09.21.2004	10	0.00613	CU M/MI	1741.5	CU M
SP11	Day 4	09.21.2004	10.05	0.00718	CU M/MI	1742.35	CU M
SP11	Day 4	09.21.2004	10.1	0.00983	CU M/MI	1742.96	CU M
SP11	Day 4	09.21.2004	10.15	0.26056	CU M/MI	1743.36	CU M
SP11	Day 4	09.21.2004	10.2	0.0062	CU M/MI	1743.61	CU M
SP11	Day 4	09.21.2004	10.25	0.01583	CU M/MI	1744.56	CU M
SP11	Day 4	09.21.2004	10.3	0.26045	CU M/MI	1745.28	CU M
SP11	Day 4	09.21.2004	10.35	0.24553	CU M/MI	1745.69	CU M
SP11	Day 4	09.21.2004	10.4	0.2633	CU M/MI	1746.99	CU M
SP11	Day 4	09.21.2004	10.45	0.00645	CU M/MI	1747.24	CU M
SP11	Day 4	09.21.2004	10.5	0.0061	CU M/MI	1748.06	CU M
SP11	Day 4	09.21.2004	10.55	0.26158	CU M/MI	1748.95	CU M
SP11	Day 4	09.21.2004	11	0.26006	CU M/MI	1749.66	CU M
SP11	Day 4	09.21.2004	11.05	0.00582	CU M/MI	1750.21	CU M
SP11	Day 4	09.21.2004	11.1	0.26232	CU M/MI	1751.31	CU M
SP11	Day 4	09.21.2004	11.15	0.25929	CU M/MI	1751.94	CU M
SP11	Day 4	09.21.2004	11.2	0.00604	CU M/MI	1752.55	CU M
SP11	Day 4	09.21.2004	11.25	0.00603	CU M/MI	1753.5	CU M
SP11	Day 4	09.21.2004	11.3	0.00614	CU M/MI	1753.99	CU M
SP11	Day 4	09.21.2004	11.35	0.00627	CU M/MI	1754.81	CU M
SP11	Day 4	09.21.2004	11.4	0.26174	CU M/MI	1755.89	CU M
SP11	Day 4	09.21.2004	11.45	0.26077	CU M/MI	1756.4	CU M
SP11	Day 4	09.21.2004	11.5	0.00649	CU M/MI	1757.16	CU M
SP11	Day 4	09.21.2004	11.55	0.00743	CU M/MI	1758.02	CU M
SP11	Day 4	09.21.2004	12	0.26166	CU M/MI	1758.84	CU M
SP11	Day 4	09.21.2004	12.05	0.08699	CU M/MI	1759.39	CU M
SP11	Day 4	09.21.2004	12.1	0.0062	CU M/MI	1760.21	CU M
SP11	Day 4	09.21.2004	12.15	0.25649	CU M/MI	1760.96	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 4	09.21.2004	12.2	0.25977	CU M/MI	1761.52	CU M
SP11	Day 4	09.21.2004	12.25	0.24271	CU M/MI	1762.21	CU M
SP11	Day 4	09.21.2004	12.3	0.23856	CU M/MI	1763.41	CU M
SP11	Day 4	09.21.2004	12.35	0	CU M/MI	1763.78	CU M
SP11	Day 4	09.21.2004	12.4	0.17386	CU M/MI	1764.92	CU M
SP11	Day 4	09.21.2004	12.45	0.23553	CU M/MI	1765.47	CU M
SP11	Day 4	09.21.2004	12.5	0.22164	CU M/MI	1765.79	CU M
SP11	Day 4	09.21.2004	12.55	0	CU M/MI	1766.3	CU M
SP11	Day 4	09.21.2004	13	0.23607	CU M/MI	1766.95	CU M
SP11	Day 4	09.21.2004	13.05	0.03678	CU M/MI	1767.28	CU M
SP11	Day 4	09.21.2004	13.1	0.23581	CU M/MI	1768.1	CU M
SP11	Day 4	09.21.2004	13.15	0	CU M/MI	1769.04	CU M
SP11	Day 4	09.21.2004	13.2	0.23657	CU M/MI	1769.65	CU M
SP11	Day 4	09.21.2004	13.25	0.23086	CU M/MI	1770.2	CU M
SP11	Day 4	09.21.2004	13.3	0	CU M/MI	1771.08	CU M
SP11	Day 4	09.21.2004	13.35	0.02349	CU M/MI	1771.69	CU M
SP11	Day 4	09.21.2004	13.4	0.23587	CU M/MI	1772.13	CU M
SP11	Day 4	09.21.2004	13.45	0.22806	CU M/MI	1772.67	CU M
SP11	Day 4	09.21.2004	13.5	0	CU M/MI	1773.4	CU M
SP11	Day 4	09.21.2004	13.55	0.23485	CU M/MI	1774.43	CU M
SP11	Day 4	09.21.2004	14	0	CU M/MI	1775.13	CU M
SP11	Day 4	09.21.2004	14.05	0.0247	CU M/MI	1776.19	CU M
SP11	Day 4	09.21.2004	14.1	0.23636	CU M/MI	1776.74	CU M
SP11	Day 4	09.21.2004	14.15	0.20693	CU M/MI	1777.24	CU M
SP11	Day 4	09.21.2004	14.2	0.23546	CU M/MI	1778.41	CU M
SP11	Day 4	09.21.2004	14.25	0.2344	CU M/MI	1779.06	CU M
SP11	Day 4	09.21.2004	14.3	0.00863	CU M/MI	1780.15	CU M
SP11	Day 4	09.21.2004	14.35	0.03785	CU M/MI	1780.68	CU M
SP11	Day 4	09.21.2004	14.4	0	CU M/MI	1781.03	CU M
SP11	Day 4	09.21.2004	14.45	0	CU M/MI	1781.86	CU M
SP11	Day 4	09.21.2004	14.5	0.23407	CU M/MI	1782.42	CU M
SP11	Day 4	09.21.2004	14.55	0.23537	CU M/MI	1783.03	CU M
SP11	Day 4	09.21.2004	15	0	CU M/MI	1783.71	CU M
SP11	Day 4	09.21.2004	15.05	0	CU M/MI	1784.34	CU M
SP11	Day 4	09.21.2004	15.1	0.23764	CU M/MI	1785.12	CU M
SP11	Day 4	09.21.2004	15.15	0.23479	CU M/MI	1785.48	CU M
SP11	Day 4	09.21.2004	15.2	0	CU M/MI	1785.88	CU M
SP11	Day 4	09.21.2004	15.25	0	CU M/MI	1786.5	CU M
SP11	Day 4	09.21.2004	15.3	0.17947	CU M/MI	1786.99	CU M
SP11	Day 4	09.21.2004	15.35	0	CU M/MI	1787.84	CU M
SP11	Day 4	09.21.2004	15.4	0	CU M/MI	1788.42	CU M
SP11	Day 4	09.21.2004	15.45	0.23634	CU M/MI	1788.9	CU M
SP11	Day 4	09.21.2004	15.5	0	CU M/MI	1789.4	CU M
SP11	Day 4	09.21.2004	15.55	0	CU M/MI	1790.1	CU M
SP11	Day 4	09.21.2004	16	0.23554	CU M/MI	1790.86	CU M
SP11	Day 4	09.21.2004	16.05	0	CU M/MI	1791.36	CU M
SP11	Day 4	09.21.2004	16.1	0	CU M/MI	1791.86	CU M
SP11	Day 4	09.21.2004	16.15	0.04921	CU M/MI	1792.87	CU M
SP11	Day 4	09.21.2004	16.2	0.22917	CU M/MI	1793.02	CU M
SP11	Day 4	09.21.2004	16.25	0	CU M/MI	1793.85	CU M
SP11	Day 4	09.21.2004	16.3	0.23378	CU M/MI	1794.49	CU M
SP11	Day 4	09.21.2004	16.5	0.01934	CU M/MI	1797.26	CU M
SP11	Day 4	09.21.2004	16.55	0.23492	CU M/MI	1797.45	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 4	09.21.2004	17	0.23034	CU M/MI	1797.88	CU M
SP11	Day 4	09.21.2004	17.05	0	CU M/MI	1798.47	CU M
SP11	Day 4	09.21.2004	17.1	0.23576	CU M/MI	1799.6	CU M
SP11	Day 4	09.21.2004	17.15	0.23659	CU M/MI	1800.31	CU M
SP11	Day 4	09.21.2004	17.2	0.23144	CU M/MI	1800.78	CU M
SP11	Day 4	09.21.2004	17.25	0	CU M/MI	1801.26	CU M
SP11	Day 4	09.21.2004	17.3	0	CU M/MI	1801.88	CU M
SP11	Day 4	09.21.2004	17.35	0.23581	CU M/MI	1802.62	CU M
SP11	Day 4	09.21.2004	17.4	0.23417	CU M/MI	1803.07	CU M
SP11	Day 4	09.21.2004	17.45	0.23489	CU M/MI	1803.71	CU M
SP11	Day 4	09.21.2004	17.5	0	CU M/MI	1804.56	CU M
SP11	Day 4	09.21.2004	17.55	0.23655	CU M/MI	1805.41	CU M
SP11	Day 4	09.21.2004	18	0.03662	CU M/MI	1805.85	CU M
SP11	Day 4	09.21.2004	18.05	0	CU M/MI	1806.12	CU M
SP11	Day 4	09.21.2004	18.1	0.23637	CU M/MI	1806.87	CU M
SP11	Day 4	09.21.2004	18.15	0.23637	CU M/MI	1807.32	CU M
SP11	Day 4	09.21.2004	18.2	0	CU M/MI	1807.93	CU M
SP11	Day 4	09.21.2004	18.25	0.09124	CU M/MI	1809.07	CU M
SP11	Day 4	09.21.2004	18.3	0.23381	CU M/MI	1809.56	CU M
SP11	Day 4	09.21.2004	18.35	0.23569	CU M/MI	1810.18	CU M
SP11	Day 4	09.21.2004	18.4	0.23352	CU M/MI	1810.68	CU M
SP11	Day 4	09.21.2004	18.45	0.22192	CU M/MI	1811.29	CU M
SP11	Day 4	09.21.2004	18.5	0	CU M/MI	1812.3	CU M
SP11	Day 4	09.21.2004	18.55	0.23591	CU M/MI	1813.1	CU M
SP11	Day 4	09.21.2004	19	0.2341	CU M/MI	1813.57	CU M
SP11	Day 4	09.21.2004	19.05	0.13478	CU M/MI	1813.93	CU M
SP11	Day 4	09.21.2004	19.1	0	CU M/MI	1814.64	CU M
SP11	Day 4	09.21.2004	19.15	0.2388	CU M/MI	1815.24	CU M
SP11	Day 4	09.21.2004	19.2	0.23383	CU M/MI	1815.86	CU M
SP11	Day 4	09.21.2004	19.25	0	CU M/MI	1816.33	CU M
SP11	Day 4	09.21.2004	19.3	0	CU M/MI	1817.15	CU M
SP11	Day 4	09.21.2004	19.35	0.01923	CU M/MI	1818.05	CU M
SP11	Day 4	09.21.2004	19.4	0.03827	CU M/MI	1818.48	CU M
SP11	Day 4	09.21.2004	19.45	0.23822	CU M/MI	1819.31	CU M
SP11	Day 4	09.21.2004	19.5	0	CU M/MI	1820.08	CU M
SP11	Day 4	09.21.2004	19.55	0	CU M/MI	1820.58	CU M
SP11	Day 4	09.21.2004	20	0	CU M/MI	1821.32	CU M
SP11	Day 4	09.21.2004	20.05	0.07868	CU M/MI	1822.25	CU M
SP11	Day 4	09.21.2004	20.1	0.23427	CU M/MI	1822.96	CU M
SP11	Day 4	09.21.2004	20.15	0.23393	CU M/MI	1823.6	CU M
SP11	Day 4	09.21.2004	20.2	0	CU M/MI	1824.27	CU M
SP11	Day 4	09.21.2004	20.25	0.00115	CU M/MI	1825.03	CU M
SP11	Day 4	09.21.2004	20.3	0.23411	CU M/MI	1825.66	CU M
SP11	Day 4	09.21.2004	20.35	0.23134	CU M/MI	1826.24	CU M
SP11	Day 4	09.21.2004	20.4	0	CU M/MI	1827	CU M
SP11	Day 4	09.21.2004	20.45	0.23225	CU M/MI	1827.83	CU M
SP11	Day 4	09.21.2004	20.5	0	CU M/MI	1828.43	CU M
SP11	Day 4	09.21.2004	20.55	0.23463	CU M/MI	1829.35	CU M
SP11	Day 4	09.21.2004	21	0.23473	CU M/MI	1829.89	CU M
SP11	Day 4	09.21.2004	21.05	0	CU M/MI	1830.46	CU M
SP11	Day 4	09.21.2004	21.1	0	CU M/MI	1831.29	CU M
SP11	Day 4	09.21.2004	21.15	0	CU M/MI	1831.81	CU M
SP11	Day 4	09.21.2004	21.2	0	CU M/MI	1832.51	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 4	09.21.2004	21.25	0.23706	CU M/MI	1833.35	CU M
SP11	Day 4	09.21.2004	21.3	0.18507	CU M/MI	1833.82	CU M
SP11	Day 4	09.21.2004	21.35	0	CU M/MI	1834.45	CU M
SP11	Day 4	09.21.2004	21.4	0.23389	CU M/MI	1835.48	CU M
SP11	Day 4	09.21.2004	21.45	0.23313	CU M/MI	1835.97	CU M
SP11	Day 4	09.21.2004	21.5	0	CU M/MI	1836.63	CU M
SP11	Day 4	09.21.2004	21.55	0.02614	CU M/MI	1837.34	CU M
SP11	Day 4	09.21.2004	22	0.23511	CU M/MI	1837.78	CU M
SP11	Day 4	09.21.2004	22.05	0.01415	CU M/MI	1838.89	CU M
SP11	Day 4	09.21.2004	22.1	0.23266	CU M/MI	1839.39	CU M
SP11	Day 4	09.21.2004	22.15	0.22285	CU M/MI	1839.81	CU M
SP11	Day 4	09.21.2004	22.2	0	CU M/MI	1840.64	CU M
SP11	Day 4	09.21.2004	22.25	0.23405	CU M/MI	1841.63	CU M
SP11	Day 4	09.21.2004	22.3	0.23267	CU M/MI	1842.12	CU M
SP11	Day 4	09.21.2004	22.35	0	CU M/MI	1842.66	CU M
SP11	Day 4	09.21.2004	22.4	0	CU M/MI	1843.54	CU M
SP11	Day 4	09.21.2004	22.45	0.2349	CU M/MI	1844.38	CU M
SP11	Day 4	09.21.2004	22.5	0	CU M/MI	1844.68	CU M
SP11	Day 4	09.21.2004	22.55	0.23382	CU M/MI	1845.73	CU M
SP11	Day 4	09.21.2004	23	0	CU M/MI	1846.62	CU M
SP11	Day 4	09.21.2004	23.05	0.23458	CU M/MI	1847.06	CU M
SP11	Day 4	09.21.2004	23.1	0	CU M/MI	1847.68	CU M
SP11	Day 4	09.21.2004	23.15	0	CU M/MI	1848.51	CU M
SP11	Day 4	09.21.2004	23.2	0.23848	CU M/MI	1849.22	CU M
SP11	Day 4	09.21.2004	23.25	0.23626	CU M/MI	1849.91	CU M
SP11	Day 4	09.21.2004	23.3	0.22662	CU M/MI	1850.56	CU M
SP11	Day 4	09.21.2004	23.35	0	CU M/MI	1851.26	CU M
SP11	Day 4	09.21.2004	23.4	0.23648	CU M/MI	1852.01	CU M
SP11	Day 4	09.21.2004	23.45	0	CU M/MI	1852.76	CU M
SP11	Day 4	09.21.2004	23.5	0.00732	CU M/MI	1853.65	CU M
SP11	Day 4	09.21.2004	23.55	0.23464	CU M/MI	1854.36	CU M
SP11	Day 4	09.22.2004	0	0.23437	CU M/MI	1854.89	CU M
SP11	Day 4	09.22.2004	0.05	0.20864	CU M/MI	1855.33	CU M
SP11	Day 4	09.22.2004	0.1	0	CU M/MI	1856.19	CU M
SP11	Day 4	09.22.2004	0.15	0	CU M/MI	1856.9	CU M
SP11	Day 4	09.22.2004	0.2	0.01848	CU M/MI	1857.54	CU M
SP11	Day 4	09.22.2004	0.25	0.23444	CU M/MI	1858.35	CU M
SP11	Day 4	09.22.2004	0.3	0.23274	CU M/MI	1858.98	CU M
SP11	Day 4	09.22.2004	0.35	0	CU M/MI	1859.31	CU M
SP11	Day 4	09.22.2004	0.4	0	CU M/MI	1860.19	CU M
SP11	Day 4	09.22.2004	0.45	0.23661	CU M/MI	1860.83	CU M
SP11	Day 4	09.22.2004	0.5	0.23525	CU M/MI	1861.41	CU M
SP11	Day 4	09.22.2004	0.55	0.22878	CU M/MI	1861.98	CU M
SP11	Day 4	09.22.2004	1	0.23593	CU M/MI	1862.64	CU M
SP11	Day 4	09.22.2004	1.05	0	CU M/MI	1863.43	CU M
SP11	Day 4	09.22.2004	1.1	0	CU M/MI	1864.13	CU M
SP11	Day 4	09.22.2004	1.15	0.23216	CU M/MI	1864.96	CU M
SP11	Day 4	09.22.2004	1.2	0.23437	CU M/MI	1865.49	CU M
SP11	Day 4	09.22.2004	1.25	0.03611	CU M/MI	1866.65	CU M
SP11	Day 4	09.22.2004	1.3	0	CU M/MI	1866.63	CU M
SP11	Day 4	09.22.2004	1.35	0.03354	CU M/MI	1867.18	CU M
SP11	Day 4	09.22.2004	1.4	0.23379	CU M/MI	1867.74	CU M
SP11	Day 4	09.22.2004	1.45	0.23501	CU M/MI	1868.14	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 4	09.22.2004	1.5	0	CU M/MI	1868.23	CU M
SP11	Day 4	09.22.2004	1.55	0.23762	CU M/MI	1868.86	CU M
SP11	Day 4	09.22.2004	2	0.23723	CU M/MI	1869.65	CU M
SP11	Day 4	09.22.2004	2.05	0.23391	CU M/MI	1870.83	CU M
SP11	Day 4	09.22.2004	2.1	0.23738	CU M/MI	1872.01	CU M
SP11	Day 4	09.22.2004	2.15	0.23869	CU M/MI	1873.19	CU M
SP11	Day 4	09.22.2004	2.2	0.0975	CU M/MI	1874.37	CU M
SP11	Day 4	09.22.2004	2.25	0.23487	CU M/MI	1874.94	CU M
SP11	Day 4	09.22.2004	2.3	0	CU M/MI	1875.81	CU M
SP11	Day 4	09.22.2004	2.35	0.02575	CU M/MI	1876.71	CU M
SP11	Day 4	09.22.2004	2.4	0.23542	CU M/MI	1877.39	CU M
SP11	Day 4	09.22.2004	2.45	0.23327	CU M/MI	1878.01	CU M
SP11	Day 4	09.22.2004	2.5	0	CU M/MI	1878.73	CU M
SP11	Day 4	09.22.2004	2.55	0.23759	CU M/MI	1879.75	CU M
SP11	Day 4	09.22.2004	3	0	CU M/MI	1880.42	CU M
SP11	Day 4	09.22.2004	3.05	0.23438	CU M/MI	1881.43	CU M
SP11	Day 4	09.22.2004	3.1	0	CU M/MI	1881.87	CU M
SP11	Day 4	09.22.2004	3.15	0.2289	CU M/MI	1882.43	CU M
SP11	Day 4	09.22.2004	3.2	0.22375	CU M/MI	1883.01	CU M
SP11	Day 4	09.22.2004	3.25	0	CU M/MI	1883.98	CU M
SP11	Day 4	09.22.2004	3.3	0.23407	CU M/MI	1884.88	CU M
SP11	Day 4	09.22.2004	3.35	0.23136	CU M/MI	1885.36	CU M
SP11	Day 4	09.22.2004	3.4	0	CU M/MI	1886.3	CU M
SP11	Day 4	09.22.2004	3.45	0.23476	CU M/MI	1887.04	CU M
SP11	Day 4	09.22.2004	3.55	0	CU M/MI	1888.07	CU M
SP11	Day 4	09.22.2004	4	0.23509	CU M/MI	1888.73	CU M
SP11	Day 4	09.22.2004	4.05	0.19936	CU M/MI	1889.14	CU M
SP11	Day 4	09.22.2004	4.1	0.02585	CU M/MI	1890.26	CU M
SP11	Day 4	09.22.2004	4.15	0.23551	CU M/MI	1890.84	CU M
SP11	Day 4	09.22.2004	4.2	0.23689	CU M/MI	1891.42	CU M
SP11	Day 4	09.22.2004	4.25	0	CU M/MI	1891.94	CU M
SP11	Day 4	09.22.2004	4.3	0	CU M/MI	1892.59	CU M
SP11	Day 4	09.22.2004	4.35	0.23379	CU M/MI	1893.3	CU M
SP11	Day 4	09.22.2004	4.4	0.23408	CU M/MI	1893.9	CU M
SP11	Day 4	09.22.2004	4.45	0	CU M/MI	1894.66	CU M
SP11	Day 4	09.22.2004	4.5	0.22694	CU M/MI	1895.07	CU M
SP11	Day 4	09.22.2004	4.55	0.23532	CU M/MI	1896.24	CU M
SP11	Day 4	09.22.2004	5	0	CU M/MI	1896.87	CU M
SP11	Day 4	09.22.2004	5.05	0	CU M/MI	1897.68	CU M
SP11	Day 4	09.22.2004	5.1	0	CU M/MI	1897.66	CU M
SP11	Day 4	09.22.2004	5.15	0.00698	CU M/MI	1898.69	CU M
SP11	Day 4	09.22.2004	5.2	0.23476	CU M/MI	1899.36	CU M
SP11	Day 4	09.22.2004	5.25	0	CU M/MI	1900.25	CU M
SP11	Day 4	09.22.2004	5.3	0.23835	CU M/MI	1901.12	CU M
SP11	Day 4	09.22.2004	5.35	0.19564	CU M/MI	1901.41	CU M
SP11	Day 4	09.22.2004	5.4	0	CU M/MI	1902.03	CU M
SP11	Day 4	09.22.2004	5.45	0.2314	CU M/MI	1902.73	CU M
SP11	Day 4	09.22.2004	5.5	0.22387	CU M/MI	1903.17	CU M
SP11	Day 4	09.22.2004	5.55	0	CU M/MI	1903.85	CU M
SP11	Day 5	09.22.2004	6	0.23392	CU M/MI	1904.72	CU M
SP11	Day 5	09.22.2004	6.05	0.23313	CU M/MI	1905.18	CU M
SP11	Day 5	09.22.2004	6.1	0	CU M/MI	1905.65	CU M
SP11	Day 5	09.22.2004	6.15	0.23645	CU M/MI	1906.77	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 5	09.22.2004	6.2	0.23529	CU M/MI	1907.43	CU M
SP11	Day 5	09.22.2004	6.25	0	CU M/MI	1907.9	CU M
SP11	Day 5	09.22.2004	6.3	0.23638	CU M/MI	1908.5	CU M
SP11	Day 5	09.22.2004	6.35	0	CU M/MI	1909.12	CU M
SP11	Day 5	09.22.2004	6.4	0	CU M/MI	1909.85	CU M
SP11	Day 5	09.22.2004	6.45	0.23747	CU M/MI	1910.41	CU M
SP11	Day 5	09.22.2004	6.5	0	CU M/MI	1911.04	CU M
SP11	Day 5	09.22.2004	6.55	0.23561	CU M/MI	1912.17	CU M
SP11	Day 5	09.22.2004	7	0.23338	CU M/MI	1912.6	CU M
SP11	Day 5	09.22.2004	7.05	0.01448	CU M/MI	1913.71	CU M
SP11	Day 5	09.22.2004	7.1	0.23658	CU M/MI	1914.11	CU M
SP11	Day 5	09.22.2004	7.15	0.2357	CU M/MI	1914.51	CU M
SP11	Day 5	09.22.2004	7.2	0	CU M/MI	1915.41	CU M
SP11	Day 5	09.22.2004	7.25	0.23237	CU M/MI	1916.05	CU M
SP11	Day 5	09.22.2004	7.3	0.23838	CU M/MI	1916.49	CU M
SP11	Day 5	09.22.2004	7.35	0	CU M/MI	1917.27	CU M
SP11	Day 5	09.22.2004	7.4	0.23453	CU M/MI	1918.29	CU M
SP11	Day 5	09.22.2004	7.45	0.23086	CU M/MI	1918.75	CU M
SP11	Day 5	09.22.2004	7.5	0.23838	CU M/MI	1919.93	CU M
SP11	Day 5	09.22.2004	7.55	0	CU M/MI	1920.23	CU M
SP11	Day 5	09.22.2004	8	0	CU M/MI	1921.24	CU M
SP11	Day 5	09.22.2004	8.05	0	CU M/MI	1921.6	CU M
SP11	Day 5	09.22.2004	8.1	0	CU M/MI	1922.48	CU M
SP11	Day 5	09.22.2004	8.15	0.23565	CU M/MI	1922.76	CU M
SP11	Day 5	09.22.2004	8.2	0.00809	CU M/MI	1923.86	CU M
SP11	Day 5	09.22.2004	8.25	0.23473	CU M/MI	1924.64	CU M
SP11	Day 5	09.22.2004	8.3	0.23247	CU M/MI	1925.17	CU M
SP11	Day 5	09.22.2004	8.35	0	CU M/MI	1925.78	CU M
SP11	Day 5	09.22.2004	8.4	0	CU M/MI	1926.5	CU M
SP11	Day 5	09.22.2004	8.45	0.23737	CU M/MI	1926.91	CU M
SP11	Day 5	09.22.2004	8.5	0	CU M/MI	1927.2	CU M
SP11	Day 5	09.22.2004	8.55	0.23373	CU M/MI	1928.35	CU M
SP11	Day 5	09.22.2004	9	0	CU M/MI	1928.93	CU M
SP11	Day 5	09.22.2004	9.05	0.23601	CU M/MI	1929.77	CU M
SP11	Day 5	09.22.2004	9.1	0.23284	CU M/MI	1930.13	CU M
SP11	Day 5	09.22.2004	9.15	0	CU M/MI	1930.54	CU M
SP11	Day 5	09.22.2004	9.2	0	CU M/MI	1931.35	CU M
SP11	Day 5	09.22.2004	9.25	0.00116	CU M/MI	1932.01	CU M
SP11	Day 5	09.22.2004	9.3	0.23337	CU M/MI	1932.29	CU M
SP11	Day 5	09.22.2004	9.35	0.22704	CU M/MI	1932.71	CU M
SP11	Day 5	09.22.2004	9.4	0	CU M/MI	1933.33	CU M
SP11	Day 5	09.22.2004	9.45	0.23382	CU M/MI	1934.33	CU M
SP11	Day 5	09.22.2004	9.5	0.03099	CU M/MI	1934.81	CU M
SP11	Day 5	09.22.2004	9.55	0	CU M/MI	1935.43	CU M
SP11	Day 5	09.22.2004	10	0.23598	CU M/MI	1936.05	CU M
SP11	Day 5	09.22.2004	10.05	0	CU M/MI	1936.84	CU M
SP11	Day 5	09.22.2004	10.1	0.04358	CU M/MI	1937.76	CU M
SP11	Day 5	09.22.2004	10.15	0.23624	CU M/MI	1938.23	CU M
SP11	Day 5	09.22.2004	10.2	0	CU M/MI	1938.51	CU M
SP11	Day 5	09.22.2004	10.25	0.23578	CU M/MI	1939.49	CU M
SP11	Day 5	09.22.2004	10.3	0.23616	CU M/MI	1940.15	CU M
SP11	Day 5	09.22.2004	10.35	0.23309	CU M/MI	1940.82	CU M
SP11	Day 5	09.22.2004	10.4	0	CU M/MI	1941.55	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 5	09.22.2004	10.45	0.23767	CU M/MI	1942.17	CU M
SP11	Day 5	09.22.2004	10.5	0.23523	CU M/MI	1942.7	CU M
SP11	Day 5	09.22.2004	10.55	0	CU M/MI	1943.26	CU M
SP11	Day 5	09.22.2004	11	0	CU M/MI	1943.87	CU M
SP11	Day 5	09.22.2004	11.05	0.23434	CU M/MI	1944.57	CU M
SP11	Day 5	09.22.2004	11.1	0.2354	CU M/MI	1945.05	CU M
SP11	Day 5	09.22.2004	11.15	0	CU M/MI	1945.9	CU M
SP11	Day 5	09.22.2004	11.2	0.06532	CU M/MI	1946.83	CU M
SP11	Day 5	09.22.2004	11.25	0.23223	CU M/MI	1947.38	CU M
SP11	Day 5	09.22.2004	11.3	0.23493	CU M/MI	1948.16	CU M
SP11	Day 5	09.22.2004	11.35	0.23801	CU M/MI	1948.72	CU M
SP11	Day 5	09.22.2004	11.4	0	CU M/MI	1949.09	CU M
SP11	Day 5	09.22.2004	11.45	0.0073	CU M/MI	1950.12	CU M
SP11	Day 5	09.22.2004	11.5	0.23461	CU M/MI	1950.86	CU M
SP11	Day 5	09.22.2004	11.55	0.23251	CU M/MI	1951.3	CU M
SP11	Day 5	09.22.2004	12	0	CU M/MI	1951.82	CU M
SP11	Day 5	09.22.2004	12.05	0	CU M/MI	1952.48	CU M
SP11	Day 5	09.22.2004	12.1	0	CU M/MI	1953.12	CU M
SP11	Day 5	09.22.2004	12.15	0.23271	CU M/MI	1953.74	CU M
SP11	Day 5	09.22.2004	12.2	0.23405	CU M/MI	1954.03	CU M
SP11	Day 5	09.22.2004	12.25	0.23072	CU M/MI	1954.61	CU M
SP11	Day 5	09.22.2004	12.3	0	CU M/MI	1955.09	CU M
SP11	Day 5	09.22.2004	12.35	0	CU M/MI	1955.93	CU M
SP11	Day 5	09.22.2004	12.4	0.23486	CU M/MI	1956.82	CU M
SP11	Day 5	09.22.2004	12.45	0.23185	CU M/MI	1957.16	CU M
SP11	Day 5	09.22.2004	12.5	0	CU M/MI	1957.62	CU M
SP11	Day 5	09.22.2004	12.55	0.00226	CU M/MI	1958.39	CU M
SP11	Day 5	09.22.2004	13	0.23274	CU M/MI	1958.61	CU M
SP11	Day 5	09.22.2004	13.05	0.18058	CU M/MI	1959.15	CU M
SP11	Day 5	09.22.2004	13.1	0	CU M/MI	1960.07	CU M
SP11	Day 5	09.22.2004	13.15	0.23482	CU M/MI	1960.48	CU M
SP11	Day 5	09.22.2004	13.2	0	CU M/MI	1960.71	CU M
SP11	Day 5	09.22.2004	13.25	0.23783	CU M/MI	1961.77	CU M
SP11	Day 5	09.22.2004	13.3	0.23752	CU M/MI	1962.36	CU M
SP11	Day 5	09.22.2004	13.35	0.2387	CU M/MI	1962.83	CU M
SP11	Day 5	09.22.2004	13.4	0.03087	CU M/MI	1963.34	CU M
SP11	Day 5	09.22.2004	13.45	0	CU M/MI	1963.97	CU M
SP11	Day 5	09.22.2004	13.5	0	CU M/MI	1964.6	CU M
SP11	Day 5	09.22.2004	13.55	0.03593	CU M/MI	1965.43	CU M
SP11	Day 5	09.22.2004	14	0.23452	CU M/MI	1965.91	CU M
SP11	Day 5	09.22.2004	14.05	0.23535	CU M/MI	1966.43	CU M
SP11	Day 5	09.22.2004	14.1	0.2347	CU M/MI	1966.98	CU M
SP11	Day 5	09.22.2004	14.15	0.2345	CU M/MI	1967.47	CU M
SP11	Day 5	09.22.2004	14.2	0.23677	CU M/MI	1967.94	CU M
SP11	Day 5	09.22.2004	14.25	0	CU M/MI	1968.81	CU M
SP11	Day 5	09.22.2004	14.3	0.23559	CU M/MI	1969.55	CU M
SP11	Day 5	09.22.2004	14.35	0.23374	CU M/MI	1970.15	CU M
SP11	Day 5	09.22.2004	14.4	0.08556	CU M/MI	1970.88	CU M
SP11	Day 5	09.22.2004	14.45	0.23846	CU M/MI	1972.05	CU M
SP11	Day 5	09.22.2004	14.5	0.23756	CU M/MI	1972.63	CU M
SP11	Day 5	09.22.2004	14.55	0.23184	CU M/MI	1973.08	CU M
SP11	Day 5	09.22.2004	15	0.03508	CU M/MI	1974.23	CU M
SP11	Day 5	09.22.2004	15.05	0.23804	CU M/MI	1974.81	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 5	09.22.2004	15.1	0.23565	CU M/MI	1975.43	CU M
SP11	Day 5	09.22.2004	15.15	0	CU M/MI	1976.39	CU M
SP11	Day 5	09.22.2004	15.2	0.2378	CU M/MI	1977.3	CU M
SP11	Day 5	09.22.2004	15.25	0.23723	CU M/MI	1977.9	CU M
SP11	Day 5	09.22.2004	15.4	0.23616	CU M/MI	1980.01	CU M
SP11	Day 5	09.22.2004	15.45	0.23358	CU M/MI	1980.56	CU M
SP11	Day 5	09.22.2004	15.5	0.23148	CU M/MI	1981.2	CU M
SP11	Day 5	09.22.2004	15.55	0.23753	CU M/MI	1982.38	CU M
SP11	Day 5	09.22.2004	16	0	CU M/MI	1982.97	CU M
SP11	Day 5	09.22.2004	16.05	0	CU M/MI	1983.9	CU M
SP11	Day 5	09.22.2004	16.1	0.23441	CU M/MI	1984.77	CU M
SP11	Day 5	09.22.2004	16.15	0.23298	CU M/MI	1985.46	CU M
SP11	Day 5	09.22.2004	16.2	0.2236	CU M/MI	1985.95	CU M
SP11	Day 5	09.22.2004	16.25	0	CU M/MI	1986.59	CU M
SP11	Day 5	09.22.2004	16.3	0.00606	CU M/MI	1987.38	CU M
SP11	Day 5	09.22.2004	16.35	0.23661	CU M/MI	1987.71	CU M
SP11	Day 5	09.22.2004	16.4	0.23607	CU M/MI	1988.89	CU M
SP11	Day 5	09.22.2004	16.45	0.19776	CU M/MI	1989.29	CU M
SP11	Day 5	09.22.2004	16.5	0.23402	CU M/MI	1990.45	CU M
SP11	Day 5	09.22.2004	16.55	0.23435	CU M/MI	1991.06	CU M
SP11	Day 5	09.22.2004	17	0.22643	CU M/MI	1991.73	CU M
SP11	Day 5	09.22.2004	17.05	0.1809	CU M/MI	1992.36	CU M
SP11	Day 5	09.22.2004	17.1	0.00433	CU M/MI	1993.43	CU M
SP11	Day 5	09.22.2004	17.15	0.02729	CU M/MI	1994.12	CU M
SP11	Day 5	09.22.2004	17.2	0.23629	CU M/MI	1994.76	CU M
SP11	Day 5	09.22.2004	17.25	0	CU M/MI	1995.56	CU M
SP11	Day 5	09.22.2004	17.3	0.07707	CU M/MI	1996.49	CU M
SP11	Day 5	09.22.2004	17.35	0.23966	CU M/MI	1997.18	CU M
SP11	Day 5	09.22.2004	17.4	0.23213	CU M/MI	1997.89	CU M
SP11	Day 5	09.22.2004	17.45	0.19738	CU M/MI	1998.63	CU M
SP11	Day 5	09.22.2004	17.5	0	CU M/MI	1999.47	CU M
SP11	Day 5	09.22.2004	17.55	0.23559	CU M/MI	2000.13	CU M
SP11	Day 5	09.22.2004	18	0.23644	CU M/MI	2000.65	CU M
SP11	Day 5	09.22.2004	18.05	0	CU M/MI	2001.21	CU M
SP11	Day 5	09.22.2004	18.1	0.23593	CU M/MI	2002.2	CU M
SP11	Day 5	09.22.2004	18.15	0	CU M/MI	2003.06	CU M
SP11	Day 5	09.22.2004	18.2	0	CU M/MI	2003.82	CU M
SP11	Day 5	09.22.2004	18.25	0.2358	CU M/MI	2004.68	CU M
SP11	Day 5	09.22.2004	18.3	0	CU M/MI	2005.42	CU M
SP11	Day 5	09.22.2004	18.35	0	CU M/MI	2006.19	CU M
SP11	Day 5	09.22.2004	18.4	0	CU M/MI	2006.94	CU M
SP11	Day 5	09.22.2004	18.45	0.00335	CU M/MI	2007.65	CU M
SP11	Day 5	09.22.2004	18.5	0.2349	CU M/MI	2008.43	CU M
SP11	Day 5	09.22.2004	18.55	0.23114	CU M/MI	2009.15	CU M
SP11	Day 5	09.22.2004	19	0.01186	CU M/MI	2010.26	CU M
SP11	Day 5	09.22.2004	19.05	0.23725	CU M/MI	2010.7	CU M
SP11	Day 5	09.22.2004	19.1	0.2288	CU M/MI	2011.34	CU M
SP11	Day 5	09.22.2004	19.15	0	CU M/MI	2012.3	CU M
SP11	Day 5	09.22.2004	19.2	0.0036	CU M/MI	2012.94	CU M
SP11	Day 5	09.22.2004	19.25	0.23603	CU M/MI	2013.59	CU M
SP11	Day 5	09.22.2004	19.3	0.23754	CU M/MI	2014.21	CU M
SP11	Day 5	09.22.2004	19.35	0.23686	CU M/MI	2014.64	CU M
SP11	Day 5	09.22.2004	19.4	0.19595	CU M/MI	2015.23	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 5	09.22.2004	19.45	0	CU M/MI	2016.09	CU M
SP11	Day 5	09.22.2004	19.5	0.00752	CU M/MI	2016.92	CU M
SP11	Day 5	09.22.2004	19.55	0.23756	CU M/MI	2017.6	CU M
SP11	Day 5	09.22.2004	20	0.23481	CU M/MI	2018.08	CU M
SP11	Day 5	09.22.2004	20.05	0.22889	CU M/MI	2018.73	CU M
SP11	Day 5	09.22.2004	20.1	0	CU M/MI	2019.23	CU M
SP11	Day 5	09.22.2004	20.15	0	CU M/MI	2020.05	CU M
SP11	Day 5	09.22.2004	20.2	0	CU M/MI	2020.75	CU M
SP11	Day 5	09.22.2004	20.25	0.23808	CU M/MI	2021.39	CU M
SP11	Day 5	09.22.2004	20.3	0.22566	CU M/MI	2022.03	CU M
SP11	Day 5	09.22.2004	20.35	0.23507	CU M/MI	2023.21	CU M
SP11	Day 5	09.22.2004	20.4	0	CU M/MI	2023.98	CU M
SP11	Day 5	09.22.2004	20.45	0.2346	CU M/MI	2025.08	CU M
SP11	Day 5	09.22.2004	20.5	0.23545	CU M/MI	2025.5	CU M
SP11	Day 5	09.22.2004	20.55	0.21759	CU M/MI	2025.82	CU M
SP11	Day 5	09.22.2004	21	0.03539	CU M/MI	2026.96	CU M
SP11	Day 5	09.22.2004	21.05	0.23734	CU M/MI	2027.78	CU M
SP11	Day 5	09.22.2004	21.1	0.23854	CU M/MI	2028.97	CU M
SP11	Day 5	09.22.2004	21.15	0.23737	CU M/MI	2029.52	CU M
SP11	Day 5	09.22.2004	21.2	0.00162	CU M/MI	2030.6	CU M
SP11	Day 5	09.22.2004	21.25	0.23606	CU M/MI	2030.86	CU M
SP11	Day 5	09.22.2004	21.3	0.23491	CU M/MI	2032.04	CU M
SP11	Day 5	09.22.2004	21.35	0.23699	CU M/MI	2032.61	CU M
SP11	Day 5	09.22.2004	21.4	0	CU M/MI	2033.61	CU M
SP11	Day 5	09.22.2004	21.45	0.23565	CU M/MI	2034.39	CU M
SP11	Day 5	09.22.2004	21.5	0	CU M/MI	2035.11	CU M
SP11	Day 5	09.22.2004	21.55	0	CU M/MI	2035.78	CU M
SP11	Day 5	09.22.2004	22	0.23449	CU M/MI	2036.53	CU M
SP11	Day 5	09.22.2004	22.05	0.03178	CU M/MI	2037.67	CU M
SP11	Day 5	09.22.2004	22.1	0.23449	CU M/MI	2038.25	CU M
SP11	Day 5	09.22.2004	22.15	0.23411	CU M/MI	2039.42	CU M
SP11	Day 5	09.22.2004	22.2	0.2351	CU M/MI	2039.84	CU M
SP11	Day 5	09.22.2004	22.25	0.23393	CU M/MI	2040.61	CU M
SP11	Day 5	09.22.2004	22.3	0	CU M/MI	2041.08	CU M
SP11	Day 5	09.22.2004	22.35	0.23222	CU M/MI	2042.12	CU M
SP11	Day 5	09.22.2004	22.4	0.2335	CU M/MI	2042.67	CU M
SP11	Day 5	09.22.2004	22.45	0	CU M/MI	2043.47	CU M
SP11	Day 5	09.22.2004	22.5	0.23194	CU M/MI	2044.38	CU M
SP11	Day 5	09.22.2004	22.55	0	CU M/MI	2045.21	CU M
SP11	Day 5	09.22.2004	23	0.23383	CU M/MI	2046.06	CU M
SP11	Day 5	09.22.2004	23.05	0	CU M/MI	2046.81	CU M
SP11	Day 5	09.22.2004	23.1	0.23175	CU M/MI	2047.71	CU M
SP11	Day 5	09.22.2004	23.15	0.23374	CU M/MI	2048.2	CU M
SP11	Day 5	09.22.2004	23.2	0	CU M/MI	2049.14	CU M
SP11	Day 5	09.22.2004	23.25	0.23972	CU M/MI	2050.01	CU M
SP11	Day 5	09.22.2004	23.3	0.19947	CU M/MI	2050.5	CU M
SP11	Day 5	09.22.2004	23.35	0	CU M/MI	2051.34	CU M
SP11	Day 5	09.22.2004	23.4	0.23342	CU M/MI	2052.16	CU M
SP11	Day 5	09.22.2004	23.45	0	CU M/MI	2053.07	CU M
SP11	Day 5	09.22.2004	23.5	0.23712	CU M/MI	2054.13	CU M
SP11	Day 5	09.22.2004	23.55	0	CU M/MI	2055	CU M
SP11	Day 5	09.23.2004	0	0.23389	CU M/MI	2055.46	CU M
SP11	Day 5	09.23.2004	0.05	0	CU M/MI	2056.15	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 5	09.23.2004	0.1	0.10715	CU M/MI	2057.19	CU M
SP11	Day 5	09.23.2004	0.15	0.23417	CU M/MI	2057.77	CU M
SP11	Day 5	09.23.2004	0.2	0	CU M/MI	2058.77	CU M
SP11	Day 5	09.23.2004	0.25	0.23508	CU M/MI	2059.55	CU M
SP11	Day 5	09.23.2004	0.3	0.10053	CU M/MI	2060.21	CU M
SP11	Day 5	09.23.2004	0.35	0.23451	CU M/MI	2061.37	CU M
SP11	Day 5	09.23.2004	0.4	0.23448	CU M/MI	2062.02	CU M
SP11	Day 5	09.23.2004	0.45	0	CU M/MI	2062.74	CU M
SP11	Day 5	09.23.2004	0.5	0.23832	CU M/MI	2063.41	CU M
SP11	Day 5	09.23.2004	0.55	0.23519	CU M/MI	2064.05	CU M
SP11	Day 5	09.23.2004	1	0.23667	CU M/MI	2065.23	CU M
SP11	Day 5	09.23.2004	1.05	0.23494	CU M/MI	2065.85	CU M
SP11	Day 5	09.23.2004	1.1	0.2398	CU M/MI	2066.63	CU M
SP11	Day 5	09.23.2004	1.15	0.23625	CU M/MI	2067.82	CU M
SP11	Day 5	09.23.2004	1.2	0.23524	CU M/MI	2068.52	CU M
SP11	Day 5	09.23.2004	1.25	0	CU M/MI	2069.2	CU M
SP11	Day 5	09.23.2004	1.3	0.03751	CU M/MI	2070.18	CU M
SP11	Day 5	09.23.2004	1.35	0.23754	CU M/MI	2070.65	CU M
SP11	Day 5	09.23.2004	1.4	0	CU M/MI	2071.39	CU M
SP11	Day 5	09.23.2004	1.45	0.23725	CU M/MI	2072.45	CU M
SP11	Day 5	09.23.2004	1.5	0.23721	CU M/MI	2073.03	CU M
SP11	Day 5	09.23.2004	1.55	0	CU M/MI	2073.92	CU M
SP11	Day 5	09.23.2004	2	0.23422	CU M/MI	2074.71	CU M
SP11	Day 5	09.23.2004	2.05	0.22521	CU M/MI	2075.3	CU M
SP11	Day 5	09.23.2004	2.1	0.2356	CU M/MI	2076.47	CU M
SP11	Day 5	09.23.2004	2.15	0.20473	CU M/MI	2076.93	CU M
SP11	Day 5	09.23.2004	2.2	0.23597	CU M/MI	2078.1	CU M
SP11	Day 5	09.23.2004	2.25	0.22944	CU M/MI	2078.43	CU M
SP11	Day 5	09.23.2004	2.3	0	CU M/MI	2079.09	CU M
SP11	Day 5	09.23.2004	2.35	0.23825	CU M/MI	2079.95	CU M
SP11	Day 5	09.23.2004	2.4	0.23594	CU M/MI	2080.52	CU M
SP11	Day 5	09.23.2004	2.45	0	CU M/MI	2081.25	CU M
SP11	Day 5	09.23.2004	2.5	0.03579	CU M/MI	2082.14	CU M
SP11	Day 5	09.23.2004	2.55	0.23765	CU M/MI	2082.81	CU M
SP11	Day 5	09.23.2004	3	0	CU M/MI	2083.74	CU M
SP11	Day 5	09.23.2004	3.05	0.23593	CU M/MI	2084.43	CU M
SP11	Day 5	09.23.2004	3.1	0	CU M/MI	2085.34	CU M
SP11	Day 5	09.23.2004	3.2	0.02557	CU M/MI	2087.35	CU M
SP11	Day 5	09.23.2004	3.25	0.23751	CU M/MI	2087.88	CU M
SP11	Day 5	09.23.2004	3.3	0	CU M/MI	2088.51	CU M
SP11	Day 5	09.23.2004	3.35	0.23625	CU M/MI	2089.57	CU M
SP11	Day 5	09.23.2004	3.4	0.23363	CU M/MI	2090.09	CU M
SP11	Day 5	09.23.2004	3.45	0	CU M/MI	2090.9	CU M
SP11	Day 5	09.23.2004	3.5	0.23604	CU M/MI	2091.89	CU M
SP11	Day 5	09.23.2004	3.55	0.23505	CU M/MI	2092.66	CU M
SP11	Day 5	09.23.2004	4	0	CU M/MI	2093.67	CU M
SP11	Day 5	09.23.2004	4.05	0.23479	CU M/MI	2094.42	CU M
SP11	Day 5	09.23.2004	4.1	0	CU M/MI	2095.11	CU M
SP11	Day 5	09.23.2004	4.15	0.00399	CU M/MI	2096.1	CU M
SP11	Day 5	09.23.2004	4.2	0.23598	CU M/MI	2096.68	CU M
SP11	Day 5	09.23.2004	4.25	0.18567	CU M/MI	2097.34	CU M
SP11	Day 5	09.23.2004	4.3	0	CU M/MI	2098.39	CU M
SP11	Day 5	09.23.2004	4.35	0.23637	CU M/MI	2098.92	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 5	09.23.2004	4.4	0.23543	CU M/MI	2100.1	CU M
SP11	Day 5	09.23.2004	4.45	0	CU M/MI	2100.79	CU M
SP11	Day 5	09.23.2004	4.5	0.00243	CU M/MI	2101.56	CU M
SP11	Day 5	09.23.2004	4.55	0.23683	CU M/MI	2102	CU M
SP11	Day 5	09.23.2004	5	0	CU M/MI	2102.56	CU M
SP11	Day 5	09.23.2004	5.05	0.00764	CU M/MI	2103.49	CU M
SP11	Day 5	09.23.2004	5.1	0.23772	CU M/MI	2104.07	CU M
SP11	Day 5	09.23.2004	5.15	0	CU M/MI	2104.49	CU M
SP11	Day 5	09.23.2004	5.2	0	CU M/MI	2104.47	CU M
SP11	Day 5	09.23.2004	5.25	0	CU M/MI	2104.45	CU M
SP11	Day 5	09.23.2004	5.3	0	CU M/MI	2104.43	CU M
SP11	Day 5	09.23.2004	5.35	0	CU M/MI	2104.41	CU M
SP11	Day 5	09.23.2004	5.4	0	CU M/MI	2104.39	CU M
SP11	Day 5	09.23.2004	5.45	0	CU M/MI	2104.38	CU M
SP11	Day 5	09.23.2004	5.5	0	CU M/MI	2104.35	CU M
SP11	Day 5	09.23.2004	5.55	0	CU M/MI	2104.33	CU M
SP11	Day 6	09.23.2004	6	0	CU M/MI	2104.32	CU M
SP11	Day 6	09.23.2004	6.05	0	CU M/MI	2104.3	CU M
SP11	Day 6	09.23.2004	6.1	0	CU M/MI	2104.28	CU M
SP11	Day 6	09.23.2004	6.15	0	CU M/MI	2104.26	CU M
SP11	Day 6	09.23.2004	6.2	0	CU M/MI	2104.25	CU M
SP11	Day 6	09.23.2004	6.25	0	CU M/MI	2104.23	CU M
SP11	Day 6	09.23.2004	6.3	0	CU M/MI	2104.21	CU M
SP11	Day 6	09.23.2004	6.35	0	CU M/MI	2104.18	CU M
SP11	Day 6	09.23.2004	6.4	0	CU M/MI	2104.18	CU M
SP11	Day 6	09.23.2004	6.45	0	CU M/MI	2104.15	CU M
SP11	Day 6	09.23.2004	6.5	0	CU M/MI	2104.13	CU M
SP11	Day 6	09.23.2004	6.55	0	CU M/MI	2104.1	CU M
SP11	Day 6	09.23.2004	7	0	CU M/MI	2104.6	CU M
SP11	Day 6	09.23.2004	7.05	0.23232	CU M/MI	2105.65	CU M
SP11	Day 6	09.23.2004	7.1	0.2332	CU M/MI	2106.82	CU M
SP11	Day 6	09.23.2004	7.15	0.23596	CU M/MI	2108	CU M
SP11	Day 6	09.23.2004	7.2	0.23577	CU M/MI	2109.18	CU M
SP11	Day 6	09.23.2004	7.25	0.23635	CU M/MI	2110.36	CU M
SP11	Day 6	09.23.2004	7.3	0.23521	CU M/MI	2111.54	CU M
SP11	Day 6	09.23.2004	7.35	0.2339	CU M/MI	2112.71	CU M
SP11	Day 6	09.23.2004	7.4	0.23384	CU M/MI	2113.88	CU M
SP11	Day 6	09.23.2004	7.45	0.23247	CU M/MI	2115.06	CU M
SP11	Day 6	09.23.2004	7.5	0.23553	CU M/MI	2116.23	CU M
SP11	Day 6	09.23.2004	7.55	0.02031	CU M/MI	2117.35	CU M
SP11	Day 6	09.23.2004	8	0.23588	CU M/MI	2118.05	CU M
SP11	Day 6	09.23.2004	8.05	0.23439	CU M/MI	2118.84	CU M
SP11	Day 6	09.23.2004	8.1	0	CU M/MI	2119.71	CU M
SP11	Day 6	09.23.2004	8.15	0.23311	CU M/MI	2120.49	CU M
SP11	Day 6	09.23.2004	8.2	0.19411	CU M/MI	2121.18	CU M
SP11	Day 6	09.23.2004	8.25	0.23468	CU M/MI	2122.34	CU M
SP11	Day 6	09.23.2004	8.3	0.15779	CU M/MI	2122.77	CU M
SP11	Day 6	09.23.2004	8.35	0.23318	CU M/MI	2123.93	CU M
SP11	Day 6	09.23.2004	8.4	0.23206	CU M/MI	2125.09	CU M
SP11	Day 6	09.23.2004	8.45	0.22687	CU M/MI	2125.38	CU M
SP11	Day 6	09.23.2004	8.5	0	CU M/MI	2126.4	CU M
SP11	Day 6	09.23.2004	8.55	0.23187	CU M/MI	2127.11	CU M
SP11	Day 6	09.23.2004	9	0.03762	CU M/MI	2127.43	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 6	09.23.2004	9.05	0.03878	CU M/MI	2128.54	CU M
SP11	Day 6	09.23.2004	9.1	0.23212	CU M/MI	2128.95	CU M
SP11	Day 6	09.23.2004	9.15	0	CU M/MI	2129.85	CU M
SP11	Day 6	09.23.2004	9.2	0.23213	CU M/MI	2130.76	CU M
SP11	Day 6	09.23.2004	9.25	0	CU M/MI	2131.42	CU M
SP11	Day 6	09.23.2004	9.3	0.23241	CU M/MI	2132.34	CU M
SP11	Day 6	09.23.2004	9.35	0.2313	CU M/MI	2132.77	CU M
SP11	Day 6	09.23.2004	9.4	0.23245	CU M/MI	2133.94	CU M
SP11	Day 6	09.23.2004	9.45	0.23258	CU M/MI	2134.51	CU M
SP11	Day 6	09.23.2004	9.5	0	CU M/MI	2135.49	CU M
SP11	Day 6	09.23.2004	9.55	0.23212	CU M/MI	2136.06	CU M
SP11	Day 6	09.23.2004	10	0	CU M/MI	2136.8	CU M
SP11	Day 6	09.23.2004	10.05	0.23376	CU M/MI	2137.76	CU M
SP11	Day 6	09.23.2004	10.1	0.23324	CU M/MI	2138.37	CU M
SP11	Day 6	09.23.2004	10.15	0.00101	CU M/MI	2139.41	CU M
SP11	Day 6	09.23.2004	10.2	0.2327	CU M/MI	2140.09	CU M
SP11	Day 6	09.23.2004	10.25	0.22568	CU M/MI	2140.37	CU M
SP11	Day 6	09.23.2004	10.3	0.23247	CU M/MI	2141.53	CU M
SP11	Day 6	09.23.2004	10.35	0.20911	CU M/MI	2142.11	CU M
SP11	Day 6	09.23.2004	10.4	0.23228	CU M/MI	2143.27	CU M
SP11	Day 6	09.23.2004	10.45	0.23197	CU M/MI	2143.76	CU M
SP11	Day 6	09.23.2004	10.5	0.23218	CU M/MI	2144.53	CU M
SP11	Day 6	09.23.2004	10.55	0	CU M/MI	2145.19	CU M
SP11	Day 6	09.23.2004	11	0.23317	CU M/MI	2146.3	CU M
SP11	Day 6	09.23.2004	11.05	0.23434	CU M/MI	2146.76	CU M
SP11	Day 6	09.23.2004	11.1	0	CU M/MI	2147.64	CU M
SP11	Day 6	09.23.2004	11.15	0.23407	CU M/MI	2148.43	CU M
SP11	Day 6	09.23.2004	11.2	0.23374	CU M/MI	2148.92	CU M
SP11	Day 6	09.23.2004	11.25	0	CU M/MI	2149.66	CU M
SP11	Day 6	09.23.2004	11.3	0.23381	CU M/MI	2150.74	CU M
SP11	Day 6	09.23.2004	11.35	0.23428	CU M/MI	2151.23	CU M
SP11	Day 6	09.23.2004	11.4	0.21293	CU M/MI	2151.86	CU M
SP11	Day 6	09.23.2004	11.45	0.23396	CU M/MI	2153.03	CU M
SP11	Day 6	09.23.2004	11.5	0.23076	CU M/MI	2153.49	CU M
SP11	Day 6	09.23.2004	11.55	0.00985	CU M/MI	2154.59	CU M
SP11	Day 6	09.23.2004	12	0.23509	CU M/MI	2155.18	CU M
SP11	Day 6	09.23.2004	12.05	0	CU M/MI	2155.62	CU M
SP11	Day 6	09.23.2004	12.1	0.23444	CU M/MI	2156.67	CU M
SP11	Day 6	09.23.2004	12.15	0.0295	CU M/MI	2157.19	CU M
SP11	Day 6	09.23.2004	12.2	0.23583	CU M/MI	2158.01	CU M
SP11	Day 6	09.23.2004	12.25	0	CU M/MI	2158.75	CU M
SP11	Day 6	09.23.2004	12.3	0.16989	CU M/MI	2159.85	CU M
SP11	Day 6	09.23.2004	12.35	0.23397	CU M/MI	2160.15	CU M
SP11	Day 6	09.23.2004	12.4	0.2224	CU M/MI	2160.58	CU M
SP11	Day 6	09.23.2004	12.45	0	CU M/MI	2161.23	CU M
SP11	Day 6	09.23.2004	12.5	0.2347	CU M/MI	2162.17	CU M
SP11	Day 6	09.23.2004	13	0	CU M/MI	2163.62	CU M
SP11	Day 6	09.23.2004	13.05	0.23252	CU M/MI	2164.35	CU M
SP11	Day 6	09.23.2004	13.1	0.23541	CU M/MI	2164.94	CU M
SP11	Day 6	09.23.2004	13.15	0	CU M/MI	2165.63	CU M
SP11	Day 6	09.23.2004	13.2	0.02508	CU M/MI	2166.71	CU M
SP11	Day 6	09.23.2004	13.25	0.23429	CU M/MI	2167.34	CU M
SP11	Day 6	09.23.2004	13.3	0.22465	CU M/MI	2167.72	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 6	09.23.2004	13.35	0	CU M/MI	2168.35	CU M
SP11	Day 6	09.23.2004	13.4	0.23316	CU M/MI	2169.07	CU M
SP11	Day 6	09.23.2004	13.45	0.2337	CU M/MI	2169.41	CU M
SP11	Day 6	09.23.2004	13.5	0.22731	CU M/MI	2170.19	CU M
SP11	Day 6	09.23.2004	13.55	0.2343	CU M/MI	2171.35	CU M
SP11	Day 6	09.23.2004	14	0	CU M/MI	2172.15	CU M
SP11	Day 6	09.23.2004	14.05	0	CU M/MI	2172.93	CU M
SP11	Day 6	09.23.2004	14.1	0.23454	CU M/MI	2173.31	CU M
SP11	Day 6	09.23.2004	14.15	0	CU M/MI	2173.8	CU M
SP11	Day 6	09.23.2004	14.2	0.01012	CU M/MI	2174.62	CU M
SP11	Day 6	09.23.2004	14.25	0.23579	CU M/MI	2175.25	CU M
SP11	Day 6	09.23.2004	14.3	0	CU M/MI	2175.93	CU M
SP11	Day 6	09.23.2004	14.35	0.2343	CU M/MI	2176.88	CU M
SP11	Day 6	09.23.2004	14.4	0.23357	CU M/MI	2177.34	CU M
SP11	Day 6	09.23.2004	14.45	0	CU M/MI	2178.09	CU M
SP11	Day 6	09.23.2004	14.5	0.23509	CU M/MI	2178.87	CU M
SP11	Day 6	09.23.2004	14.55	0.22979	CU M/MI	2179.44	CU M
SP11	Day 6	09.23.2004	15	0	CU M/MI	2180.23	CU M
SP11	Day 6	09.23.2004	15.05	0.23413	CU M/MI	2181.25	CU M
SP11	Day 6	09.23.2004	15.1	0.23176	CU M/MI	2181.92	CU M
SP11	Day 6	09.23.2004	15.15	0	CU M/MI	2182.81	CU M
SP11	Day 6	09.23.2004	15.2	0	CU M/MI	2183.14	CU M
SP11	Day 6	09.23.2004	15.25	0.23273	CU M/MI	2184.19	CU M
SP11	Day 6	09.23.2004	15.3	0	CU M/MI	2184.91	CU M
SP11	Day 6	09.23.2004	15.35	0	CU M/MI	2185.72	CU M
SP11	Day 6	09.23.2004	15.4	0.23237	CU M/MI	2186.45	CU M
SP11	Day 6	09.23.2004	15.45	0	CU M/MI	2187.34	CU M
SP11	Day 6	09.23.2004	15.5	0.23427	CU M/MI	2188.08	CU M
SP11	Day 6	09.23.2004	15.55	0.23352	CU M/MI	2188.71	CU M
SP11	Day 6	09.23.2004	16	0	CU M/MI	2189.38	CU M
SP11	Day 6	09.23.2004	16.05	0.23235	CU M/MI	2190.43	CU M
SP11	Day 6	09.23.2004	16.1	0	CU M/MI	2191.11	CU M
SP11	Day 6	09.23.2004	16.15	0.23396	CU M/MI	2192.11	CU M
SP11	Day 6	09.23.2004	16.2	0.2332	CU M/MI	2192.55	CU M
SP11	Day 6	09.23.2004	16.25	0.16445	CU M/MI	2193.11	CU M
SP11	Day 6	09.23.2004	16.3	0	CU M/MI	2194.04	CU M
SP11	Day 6	09.23.2004	16.35	0.23215	CU M/MI	2194.87	CU M
SP11	Day 6	09.23.2004	16.4	0.23235	CU M/MI	2195.5	CU M
SP11	Day 6	09.23.2004	16.45	0.08884	CU M/MI	2196.27	CU M
SP11	Day 6	09.23.2004	16.5	0.20796	CU M/MI	2196.32	CU M
SP11	Day 6	09.23.2004	16.55	0.23216	CU M/MI	2197.48	CU M
SP11	Day 6	09.23.2004	17	0.23343	CU M/MI	2197.85	CU M
SP11	Day 6	09.23.2004	17.05	0.07322	CU M/MI	2199.01	CU M
SP11	Day 6	09.23.2004	17.1	0.23447	CU M/MI	2199.62	CU M
SP11	Day 6	09.23.2004	17.15	0.22634	CU M/MI	2199.84	CU M
SP11	Day 6	09.23.2004	17.2	0	CU M/MI	2200.69	CU M
SP11	Day 6	09.23.2004	17.25	0.23262	CU M/MI	2201.29	CU M
SP11	Day 6	09.23.2004	17.3	0.23199	CU M/MI	2201.67	CU M
SP11	Day 6	09.23.2004	17.35	0	CU M/MI	2202.47	CU M
SP11	Day 6	09.23.2004	17.4	0.23457	CU M/MI	2203.33	CU M
SP11	Day 6	09.23.2004	17.45	0.23253	CU M/MI	2203.82	CU M
SP11	Day 6	09.23.2004	17.5	0	CU M/MI	2204.48	CU M
SP11	Day 6	09.23.2004	17.55	0	CU M/MI	2205.14	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 6	09.23.2004	18	0.23251	CU M/MI	2205.81	CU M
SP11	Day 6	09.23.2004	18.05	0.22991	CU M/MI	2206.27	CU M
SP11	Day 6	09.23.2004	18.1	0	CU M/MI	2207.13	CU M
SP11	Day 6	09.23.2004	18.15	0.01038	CU M/MI	2208.05	CU M
SP11	Day 6	09.23.2004	18.2	0.0767	CU M/MI	2208.62	CU M
SP11	Day 6	09.23.2004	18.25	0	CU M/MI	2208.76	CU M
SP11	Day 6	09.23.2004	18.3	0.23386	CU M/MI	2209.81	CU M
SP11	Day 6	09.23.2004	18.35	0.2211	CU M/MI	2210.35	CU M
SP11	Day 6	09.23.2004	18.4	0	CU M/MI	2211.3	CU M
SP11	Day 6	09.23.2004	18.45	0.23333	CU M/MI	2211.88	CU M
SP11	Day 6	09.23.2004	18.5	0.2308	CU M/MI	2212.32	CU M
SP11	Day 6	09.23.2004	18.55	0.19858	CU M/MI	2212.82	CU M
SP11	Day 6	09.23.2004	19	0.23259	CU M/MI	2213.97	CU M
SP11	Day 6	09.23.2004	19.05	0	CU M/MI	2214.26	CU M
SP11	Day 6	09.23.2004	19.1	0	CU M/MI	2215.11	CU M
SP11	Day 6	09.23.2004	19.15	0.02619	CU M/MI	2215.92	CU M
SP11	Day 6	09.23.2004	19.2	0.23171	CU M/MI	2216.56	CU M
SP11	Day 6	09.23.2004	19.25	0	CU M/MI	2217.11	CU M
SP11	Day 6	09.23.2004	19.3	0.23293	CU M/MI	2218.05	CU M
SP11	Day 6	09.23.2004	19.35	0.22834	CU M/MI	2218.7	CU M
SP11	Day 6	09.23.2004	19.4	0	CU M/MI	2219.58	CU M
SP11	Day 6	09.23.2004	19.45	0.23312	CU M/MI	2220.28	CU M
SP11	Day 6	09.23.2004	19.5	0.23289	CU M/MI	2220.88	CU M
SP11	Day 6	09.23.2004	19.55	0.2324	CU M/MI	2221.65	CU M
SP11	Day 6	09.23.2004	20	0	CU M/MI	2222.33	CU M
SP11	Day 6	09.23.2004	20.05	0.23367	CU M/MI	2223.42	CU M
SP11	Day 6	09.23.2004	20.1	0	CU M/MI	2224.41	CU M
SP11	Day 6	09.23.2004	20.15	0.23443	CU M/MI	2224.89	CU M
SP11	Day 6	09.23.2004	20.2	0.23076	CU M/MI	2225.43	CU M
SP11	Day 6	09.23.2004	20.25	0	CU M/MI	2226	CU M
SP11	Day 6	09.23.2004	20.3	0.23078	CU M/MI	2227.02	CU M
SP11	Day 6	09.23.2004	20.35	0.231	CU M/MI	2227.59	CU M
SP11	Day 6	09.23.2004	20.4	0	CU M/MI	2228.57	CU M
SP11	Day 6	09.23.2004	20.45	0.23427	CU M/MI	2229.43	CU M
SP11	Day 6	09.23.2004	20.5	0.23398	CU M/MI	2230.06	CU M
SP11	Day 6	09.23.2004	20.55	0	CU M/MI	2230.96	CU M
SP11	Day 6	09.23.2004	21	0.23119	CU M/MI	2231.76	CU M
SP11	Day 6	09.23.2004	21.05	0	CU M/MI	2232.07	CU M
SP11	Day 6	09.23.2004	21.1	0.23332	CU M/MI	2233.05	CU M
SP11	Day 6	09.23.2004	21.15	0.23359	CU M/MI	2233.75	CU M
SP11	Day 6	09.23.2004	21.2	0.23394	CU M/MI	2234.52	CU M
SP11	Day 6	09.23.2004	21.25	0	CU M/MI	2235.49	CU M
SP11	Day 6	09.23.2004	21.3	0.23195	CU M/MI	2236.36	CU M
SP11	Day 6	09.23.2004	21.35	0.232	CU M/MI	2236.91	CU M
SP11	Day 6	09.23.2004	21.4	0	CU M/MI	2237.6	CU M
SP11	Day 6	09.23.2004	21.45	0.23099	CU M/MI	2238.72	CU M
SP11	Day 6	09.23.2004	21.5	0	CU M/MI	2239.38	CU M
SP11	Day 6	09.23.2004	21.55	0	CU M/MI	2240.26	CU M
SP11	Day 6	09.23.2004	22	0.23251	CU M/MI	2240.96	CU M
SP11	Day 6	09.23.2004	22.05	0	CU M/MI	2241.85	CU M
SP11	Day 6	09.23.2004	22.1	0.23176	CU M/MI	2242.63	CU M
SP11	Day 6	09.23.2004	22.15	0.23208	CU M/MI	2243.26	CU M
SP11	Day 6	09.23.2004	22.2	0.23288	CU M/MI	2244.43	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 6	09.23.2004	22.25	0	CU M/MI	2244.63	CU M
SP11	Day 6	09.23.2004	22.3	0	CU M/MI	2245.04	CU M
SP11	Day 6	09.23.2004	22.35	0	CU M/MI	2245.02	CU M
SP11	Day 6	09.23.2004	22.4	0	CU M/MI	2245.9	CU M
SP11	Day 6	09.23.2004	22.45	0.233	CU M/MI	2246.62	CU M
SP11	Day 6	09.23.2004	22.5	0.23309	CU M/MI	2247.39	CU M
SP11	Day 6	09.23.2004	22.55	0	CU M/MI	2248.39	CU M
SP11	Day 6	09.23.2004	23	0.23232	CU M/MI	2249.13	CU M
SP11	Day 6	09.23.2004	23.05	0.19814	CU M/MI	2249.63	CU M
SP11	Day 6	09.23.2004	23.1	0	CU M/MI	2250.18	CU M
SP11	Day 6	09.23.2004	23.15	0	CU M/MI	2250.67	CU M
SP11	Day 6	09.23.2004	23.2	0.23536	CU M/MI	2251.06	CU M
SP11	Day 6	09.23.2004	23.25	0.23582	CU M/MI	2251.59	CU M
SP11	Day 6	09.23.2004	23.3	0	CU M/MI	2252.42	CU M
SP11	Day 6	09.23.2004	23.35	0.2363	CU M/MI	2253.36	CU M
SP11	Day 6	09.23.2004	23.4	0.2026	CU M/MI	2253.89	CU M
SP11	Day 6	09.23.2004	23.45	0.00582	CU M/MI	2254.98	CU M
SP11	Day 6	09.23.2004	23.5	0.23481	CU M/MI	2255.66	CU M
SP11	Day 6	09.23.2004	23.55	0	CU M/MI	2256.6	CU M
SP11	Day 6	09.24.2004	0	0.23596	CU M/MI	2257.48	CU M
SP11	Day 6	09.24.2004	0.05	0.23375	CU M/MI	2258.11	CU M
SP11	Day 6	09.24.2004	0.1	0	CU M/MI	2258.69	CU M
SP11	Day 6	09.24.2004	0.15	0.23598	CU M/MI	2259.69	CU M
SP11	Day 6	09.24.2004	0.2	0.23391	CU M/MI	2260.46	CU M
SP11	Day 6	09.24.2004	0.25	0.23454	CU M/MI	2261.63	CU M
SP11	Day 6	09.24.2004	0.3	0.23568	CU M/MI	2262.29	CU M
SP11	Day 6	09.24.2004	0.35	0	CU M/MI	2263.02	CU M
SP11	Day 6	09.24.2004	0.4	0.23279	CU M/MI	2264.01	CU M
SP11	Day 6	09.24.2004	0.45	0	CU M/MI	2264.61	CU M
SP11	Day 6	09.24.2004	0.5	0.23352	CU M/MI	2265.72	CU M
SP11	Day 6	09.24.2004	0.55	0	CU M/MI	2266.55	CU M
SP11	Day 6	09.24.2004	1	0.23473	CU M/MI	2267.38	CU M
SP11	Day 6	09.24.2004	1.05	0.23315	CU M/MI	2268.1	CU M
SP11	Day 6	09.24.2004	1.1	0	CU M/MI	2268.99	CU M
SP11	Day 6	09.24.2004	1.15	0.23369	CU M/MI	2269.74	CU M
SP11	Day 6	09.24.2004	1.2	0.23334	CU M/MI	2270.4	CU M
SP11	Day 6	09.24.2004	1.25	0	CU M/MI	2271.13	CU M
SP11	Day 6	09.24.2004	1.3	0.23511	CU M/MI	2272.05	CU M
SP11	Day 6	09.24.2004	1.35	0.23471	CU M/MI	2272.69	CU M
SP11	Day 6	09.24.2004	1.4	0.22901	CU M/MI	2273.46	CU M
SP11	Day 6	09.24.2004	1.45	0	CU M/MI	2274.48	CU M
SP11	Day 6	09.24.2004	1.5	0.23532	CU M/MI	2275.3	CU M
SP11	Day 6	09.24.2004	1.55	0.23579	CU M/MI	2275.91	CU M
SP11	Day 6	09.24.2004	2	0	CU M/MI	2276.52	CU M
SP11	Day 6	09.24.2004	2.05	0.04994	CU M/MI	2277.62	CU M
SP11	Day 6	09.24.2004	2.1	0.23682	CU M/MI	2278.29	CU M
SP11	Day 6	09.24.2004	2.15	0.23766	CU M/MI	2278.79	CU M
SP11	Day 6	09.24.2004	2.2	0.23539	CU M/MI	2279.97	CU M
SP11	Day 6	09.24.2004	2.25	0.2377	CU M/MI	2280.71	CU M
SP11	Day 6	09.24.2004	2.3	0	CU M/MI	2281.36	CU M
SP11	Day 6	09.24.2004	2.35	0.04422	CU M/MI	2282.4	CU M
SP11	Day 6	09.24.2004	2.4	0.23535	CU M/MI	2283.11	CU M
SP11	Day 6	09.24.2004	2.45	0.23414	CU M/MI	2283.75	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 6	09.24.2004	2.5	0.19013	CU M/MI	2284.26	CU M
SP11	Day 6	09.24.2004	2.55	0.23768	CU M/MI	2285.44	CU M
SP11	Day 6	09.24.2004	3	0.23876	CU M/MI	2286.13	CU M
SP11	Day 6	09.24.2004	3.05	0.00622	CU M/MI	2286.57	CU M
SP11	Day 6	09.24.2004	3.1	0.25884	CU M/MI	2287.73	CU M
SP11	Day 6	09.24.2004	3.15	0.00552	CU M/MI	2288.36	CU M
SP11	Day 6	09.24.2004	3.2	0.03651	CU M/MI	2289.52	CU M
SP11	Day 6	09.24.2004	3.25	0.25889	CU M/MI	2290.32	CU M
SP11	Day 6	09.24.2004	3.3	0.2583	CU M/MI	2291.05	CU M
SP11	Day 6	09.24.2004	3.35	0.25378	CU M/MI	2291.8	CU M
SP11	Day 6	09.24.2004	3.4	0.25689	CU M/MI	2293.09	CU M
SP11	Day 6	09.24.2004	3.45	0.25643	CU M/MI	2293.82	CU M
SP11	Day 6	09.24.2004	3.5	0.25858	CU M/MI	2294.36	CU M
SP11	Day 6	09.24.2004	3.55	0.01218	CU M/MI	2295.53	CU M
SP11	Day 6	09.24.2004	4	0.26069	CU M/MI	2296.46	CU M
SP11	Day 6	09.24.2004	4.05	0.23905	CU M/MI	2297.12	CU M
SP11	Day 6	09.24.2004	4.1	0.25942	CU M/MI	2298.41	CU M
SP11	Day 6	09.24.2004	4.15	0.25998	CU M/MI	2299.09	CU M
SP11	Day 6	09.24.2004	4.2	0.00593	CU M/MI	2299.52	CU M
SP11	Day 6	09.24.2004	4.25	0.00614	CU M/MI	2300.52	CU M
SP11	Day 6	09.24.2004	4.3	0.0064	CU M/MI	2301.14	CU M
SP11	Day 6	09.24.2004	4.35	0.25946	CU M/MI	2302.31	CU M
SP11	Day 6	09.24.2004	4.4	0.25986	CU M/MI	2303.61	CU M
SP11	Day 6	09.24.2004	4.45	0.25848	CU M/MI	2304.04	CU M
SP11	Day 6	09.24.2004	4.5	0.00541	CU M/MI	2304.51	CU M
SP11	Day 6	09.24.2004	4.55	0.25863	CU M/MI	2305.52	CU M
SP11	Day 6	09.24.2004	5	0.25003	CU M/MI	2306.11	CU M
SP11	Day 6	09.24.2004	5.05	0.03469	CU M/MI	2307.35	CU M
SP11	Day 6	09.24.2004	5.1	0.25985	CU M/MI	2307.98	CU M
SP11	Day 6	09.24.2004	5.15	0.00562	CU M/MI	2308.67	CU M
SP11	Day 6	09.24.2004	5.2	0.00597	CU M/MI	2309.52	CU M
SP11	Day 6	09.24.2004	5.25	0.25974	CU M/MI	2310.32	CU M
SP11	Day 6	09.24.2004	5.3	0.25383	CU M/MI	2310.72	CU M
SP11	Day 6	09.24.2004	5.35	0.00569	CU M/MI	2311.45	CU M
SP11	Day 6	09.24.2004	5.4	0.26187	CU M/MI	2312.52	CU M
SP11	Day 6	09.24.2004	5.45	0.25986	CU M/MI	2313.17	CU M
SP11	Day 6	09.24.2004	5.5	0.00546	CU M/MI	2314	CU M
SP11	Day 6	09.24.2004	5.55	0.00587	CU M/MI	2314.88	CU M
SP11	Day 7	09.24.2004	6	0.25965	CU M/MI	2315.72	CU M
SP11	Day 7	09.24.2004	6.05	0.25183	CU M/MI	2315.95	CU M
SP11	Day 7	09.24.2004	6.1	0.26151	CU M/MI	2317.25	CU M
SP11	Day 7	09.24.2004	6.15	0.00572	CU M/MI	2317.97	CU M
SP11	Day 7	09.24.2004	6.2	0.00671	CU M/MI	2318.71	CU M
SP11	Day 7	09.24.2004	6.25	0.03358	CU M/MI	2319.43	CU M
SP11	Day 7	09.24.2004	6.3	0.01769	CU M/MI	2319.99	CU M
SP11	Day 7	09.24.2004	6.35	0.26109	CU M/MI	2320.6	CU M
SP11	Day 7	09.24.2004	6.4	0.00574	CU M/MI	2321.52	CU M
SP11	Day 7	09.24.2004	6.45	0.25937	CU M/MI	2322.58	CU M
SP11	Day 7	09.24.2004	6.5	0.25711	CU M/MI	2323.24	CU M
SP11	Day 7	09.24.2004	6.55	0.0055	CU M/MI	2324.21	CU M
SP11	Day 7	09.24.2004	7	0.25954	CU M/MI	2325.23	CU M
SP11	Day 7	09.24.2004	7.05	0.25583	CU M/MI	2325.51	CU M
SP11	Day 7	09.24.2004	7.1	0.00586	CU M/MI	2326.25	CU M

Appendix B
Raw Flow Data from Influent to Sewage/Graywater Treatment System (SP-11)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP11	Day 7	09.24.2004	7.15	0.26288	CU M/MI	2327.31	CU M
SP11	Day 7	09.24.2004	7.2	0.25947	CU M/MI	2327.81	CU M
SP11	Day 7	09.24.2004	7.25	0.00644	CU M/MI	2328.51	CU M
SP11	Day 7	09.24.2004	7.3	0.25836	CU M/MI	2329.67	CU M
SP11	Day 7	09.24.2004	7.35	0.24949	CU M/MI	2329.99	CU M
SP11	Day 7	09.24.2004	7.4	0.00561	CU M/MI	2330.98	CU M
SP11	Day 7	09.24.2004	7.45	0.25845	CU M/MI	2331.94	CU M
SP11	Day 7	09.24.2004	7.5	0.0061	CU M/MI	2332.34	CU M
SP11	Day 7	09.24.2004	7.55	0.25779	CU M/MI	2333.46	CU M
SP11	Day 7	09.24.2004	8	0.25712	CU M/MI	2333.95	CU M
SP11	Day 7	09.24.2004	8.05	0.00547	CU M/MI	2334.8	CU M
SP11	Day 7	09.24.2004	8.1	0.25811	CU M/MI	2335.8	CU M
SP11	Day 7	09.24.2004	8.15	0.25845	CU M/MI	2336.35	CU M
SP11	Day 7	09.24.2004	8.2	0.00647	CU M/MI	2337.41	CU M
SP11	Day 7	09.24.2004	8.25	0.25953	CU M/MI	2338.2	CU M
SP11	Day 7	09.24.2004	8.3	0.25546	CU M/MI	2338.91	CU M
SP11	Day 7	09.24.2004	8.35	0.00851	CU M/MI	2340.03	CU M
SP11	Day 7	09.24.2004	8.4	0.25775	CU M/MI	2340.58	CU M
SP11	Day 7	09.24.2004	8.45	0.00582	CU M/MI	2341.21	CU M
SP11	Day 7	09.24.2004	8.5	0.00582	CU M/MI	2342.06	CU M
SP11	Day 7	09.24.2004	8.55	0.25732	CU M/MI	2342.85	CU M
SP11	Day 7	09.24.2004	9	0.2569	CU M/MI	2343.46	CU M
SP11	Day 7	09.24.2004	9.05	0.0067	CU M/MI	2344.52	CU M
SP11	Day 7	09.24.2004	9.1	0.25173	CU M/MI	2344.9	CU M
SP11	Day 7	09.24.2004	9.15	0.25599	CU M/MI	2346.18	CU M
SP11	Day 7	09.24.2004	9.2	0.00529	CU M/MI	2347.07	CU M
SP11	Day 7	09.24.2004	9.25	0.2557	CU M/MI	2347.72	CU M
SP11	Day 7	09.24.2004	9.3	0.00567	CU M/MI	2348.35	CU M
SP11	Day 7	09.24.2004	9.35	0.00593	CU M/MI	2349.18	CU M
SP11	Day 7	09.24.2004	9.4	0.25993	CU M/MI	2349.94	CU M
SP11	Day 7	09.24.2004	9.45	0.24479	CU M/MI	2350.36	CU M
SP11	Day 7	09.24.2004	9.5	0.25647	CU M/MI	2351.65	CU M
SP11	Day 7	09.24.2004	9.55	0.25782	CU M/MI	2352.37	CU M
SP11	Day 7	09.24.2004	10	0.00724	CU M/MI	2353.45	CU M
SP11	Day 7	09.24.2004	10.05	0.25767	CU M/MI	2354.29	CU M
SP11	Day 7	09.24.2004	10.1	0.24789	CU M/MI	2354.67	CU M
SP11	Day 7	09.24.2004	10.15	0.00621	CU M/MI	2355.48	CU M
SP11	Day 7	09.24.2004	10.2	0.25468	CU M/MI	2356.14	CU M
SP11	Day 7	09.24.2004	10.25	0.2551	CU M/MI	2356.82	CU M
SP11	Day 7	09.24.2004	10.3	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	10.35	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	10.4	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	10.45	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	10.5	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	10.55	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	11	0	CU M/MI	2357.53	CU M
SP11	Day 7	09.24.2004	11.05	0	CU M/MI	2357.53	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.14.2004	15.05	0.17873	CU M/MI	0.85	CU M
SP13		09.14.2004	15.1	0.09197	CU M/MI	1.45	CU M
SP13		09.14.2004	15.15	0.09453	CU M/MI	1.82	CU M
SP13		09.14.2004	15.2	0.00202	CU M/MI	2.35	CU M
SP13		09.14.2004	15.25	0.1753	CU M/MI	2.94	CU M
SP13		09.14.2004	15.3	0.09215	CU M/MI	3.54	CU M
SP13		09.14.2004	15.35	0.09422	CU M/MI	3.94	CU M
SP13		09.14.2004	15.4	0.09434	CU M/MI	4.72	CU M
SP13		09.14.2004	15.45	0.03491	CU M/MI	5.12	CU M
SP13		09.14.2004	15.5	0.17495	CU M/MI	5.76	CU M
SP13		09.14.2004	15.55	0.09031	CU M/MI	6.29	CU M
SP13		09.14.2004	16	0.09478	CU M/MI	6.81	CU M
SP13		09.14.2004	16.05	0.10837	CU M/MI	7.62	CU M
SP13		09.14.2004	16.1	0.17612	CU M/MI	7.94	CU M
SP13		09.14.2004	16.15	0.17576	CU M/MI	8.6	CU M
SP13		09.14.2004	16.2	0.00182	CU M/MI	9.05	CU M
SP13		09.14.2004	16.25	0.11362	CU M/MI	9.79	CU M
SP13		09.14.2004	16.3	0.17504	CU M/MI	10.44	CU M
SP13		09.14.2004	16.35	0.17394	CU M/MI	10.78	CU M
SP13		09.14.2004	16.4	0.0937	CU M/MI	11.53	CU M
SP13		09.14.2004	16.45	0.00782	CU M/MI	12.18	CU M
SP13		09.14.2004	16.5	0.17275	CU M/MI	12.45	CU M
SP13		09.14.2004	16.55	0.1738	CU M/MI	13.09	CU M
SP13		09.14.2004	17	0.00236	CU M/MI	13.73	CU M
SP13		09.14.2004	17.05	0.10864	CU M/MI	14.28	CU M
SP13		09.14.2004	17.1	0.17313	CU M/MI	14.95	CU M
SP13		09.14.2004	17.15	0.08959	CU M/MI	15.33	CU M
SP13		09.14.2004	17.2	0.14887	CU M/MI	15.92	CU M
SP13		09.14.2004	17.25	0.09392	CU M/MI	16.72	CU M
SP13		09.14.2004	17.3	0.1731	CU M/MI	17.11	CU M
SP13		09.14.2004	17.35	0.174	CU M/MI	17.78	CU M
SP13		09.14.2004	17.4	0.08601	CU M/MI	18.16	CU M
SP13		09.14.2004	17.45	0.09411	CU M/MI	18.85	CU M
SP13		09.14.2004	17.5	0.0108	CU M/MI	19.43	CU M
SP13		09.14.2004	17.55	0.17471	CU M/MI	19.91	CU M
SP13		09.14.2004	18	0.17357	CU M/MI	20.56	CU M
SP13		09.14.2004	18.05	0.09437	CU M/MI	20.92	CU M
SP13		09.14.2004	18.1	0.09588	CU M/MI	21.72	CU M
SP13		09.14.2004	18.15	0.09077	CU M/MI	22.13	CU M
SP13		09.14.2004	18.2	0.10727	CU M/MI	22.68	CU M
SP13		09.14.2004	18.25	0.17412	CU M/MI	22.95	CU M
SP13		09.14.2004	18.3	0.09378	CU M/MI	23.72	CU M
SP13		09.14.2004	18.35	0.03499	CU M/MI	24.25	CU M
SP13		09.14.2004	18.4	0.17359	CU M/MI	24.77	CU M
SP13		09.14.2004	18.45	0.00318	CU M/MI	25.33	CU M
SP13		09.14.2004	18.5	0.09355	CU M/MI	25.77	CU M
SP13		09.14.2004	18.55	0.1729	CU M/MI	26.52	CU M
SP13		09.14.2004	19	0.08976	CU M/MI	26.86	CU M
SP13		09.14.2004	19.05	0.16791	CU M/MI	27.48	CU M
SP13		09.14.2004	19.1	0.00195	CU M/MI	28.01	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.14.2004	19.15	0.17365	CU M/MI	28.66	CU M
SP13		09.14.2004	19.2	0.09295	CU M/MI	29.28	CU M
SP13		09.14.2004	19.25	0.17312	CU M/MI	29.61	CU M
SP13		09.14.2004	19.3	0.09288	CU M/MI	30.33	CU M
SP13		09.14.2004	19.35	0.01123	CU M/MI	30.93	CU M
SP13		09.14.2004	19.4	0.17397	CU M/MI	31.44	CU M
SP13		09.14.2004	19.45	0.17264	CU M/MI	32.09	CU M
SP13		09.14.2004	19.5	0.00165	CU M/MI	32.47	CU M
SP13		09.14.2004	19.55	0.09475	CU M/MI	33.13	CU M
SP13		09.14.2004	20	0.08989	CU M/MI	33.57	CU M
SP13		09.14.2004	20.05	0.17458	CU M/MI	34.2	CU M
SP13		09.14.2004	20.1	0.00245	CU M/MI	34.82	CU M
SP13		09.14.2004	20.15	0.09466	CU M/MI	35.34	CU M
SP13		09.14.2004	20.2	0.17387	CU M/MI	36.02	CU M
SP13		09.14.2004	20.25	0.09104	CU M/MI	36.41	CU M
SP13		09.14.2004	20.3	0.15465	CU M/MI	37.02	CU M
SP13		09.14.2004	20.35	0.00653	CU M/MI	37.8	CU M
SP13		09.14.2004	20.4	0.17364	CU M/MI	38.17	CU M
SP13		09.14.2004	20.45	0.17271	CU M/MI	38.83	CU M
SP13		09.14.2004	20.5	0.07953	CU M/MI	39.2	CU M
SP13		09.14.2004	20.55	0.09315	CU M/MI	39.91	CU M
SP13		09.14.2004	21	0.089	CU M/MI	40.4	CU M
SP13		09.14.2004	21.05	0.17372	CU M/MI	40.94	CU M
SP13		09.14.2004	21.1	0.08723	CU M/MI	41.47	CU M
SP13		09.14.2004	21.15	0.09276	CU M/MI	41.96	CU M
SP13		09.14.2004	21.2	0.09635	CU M/MI	42.74	CU M
SP13		09.14.2004	21.25	0.08999	CU M/MI	42.88	CU M
SP13		09.14.2004	21.3	0.13256	CU M/MI	43.41	CU M
SP13		09.14.2004	21.35	0.00409	CU M/MI	44.16	CU M
SP13		09.14.2004	21.4	0.17345	CU M/MI	44.52	CU M
SP13		09.14.2004	21.45	0.16016	CU M/MI	45.15	CU M
SP13		09.14.2004	21.5	0.00166	CU M/MI	45.55	CU M
SP13		09.14.2004	21.55	0.09476	CU M/MI	46.26	CU M
SP13		09.14.2004	22	0.09204	CU M/MI	46.77	CU M
SP13		09.14.2004	22.05	0.17757	CU M/MI	47.25	CU M
SP13		09.14.2004	22.1	0.00284	CU M/MI	47.9	CU M
SP13		09.14.2004	22.15	0.17472	CU M/MI	48.4	CU M
SP13		09.14.2004	22.2	0.17395	CU M/MI	49.05	CU M
SP13		09.14.2004	22.25	0.08454	CU M/MI	49.46	CU M
SP13		09.14.2004	22.3	0.09357	CU M/MI	50.07	CU M
SP13		09.14.2004	22.35	0.17365	CU M/MI	50.82	CU M
SP13		09.14.2004	22.4	0.17623	CU M/MI	51.11	CU M
SP13		09.14.2004	22.45	0.15145	CU M/MI	51.78	CU M
SP13		09.14.2004	22.5	0.00195	CU M/MI	52.43	CU M
SP13		09.14.2004	22.55	0.09601	CU M/MI	52.94	CU M
SP13		09.14.2004	23	0.09176	CU M/MI	53.28	CU M
SP13		09.14.2004	23.05	0.17237	CU M/MI	53.91	CU M
SP13		09.14.2004	23.1	0.00505	CU M/MI	54.66	CU M
SP13		09.14.2004	23.15	0.1756	CU M/MI	55.09	CU M
SP13		09.14.2004	23.2	0.1746	CU M/MI	55.74	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.14.2004	23.25	0.07033	CU M/MI	56.12	CU M
SP13		09.14.2004	23.3	0.09407	CU M/MI	56.81	CU M
SP13		09.14.2004	23.35	0.12688	CU M/MI	57.56	CU M
SP13		09.14.2004	23.4	0.17799	CU M/MI	57.89	CU M
SP13		09.14.2004	23.45	0.17192	CU M/MI	58.55	CU M
SP13		09.14.2004	23.5	0.00184	CU M/MI	58.94	CU M
SP13		09.14.2004	23.55	0.17732	CU M/MI	59.73	CU M
SP13		09.15.2004	0	0.09191	CU M/MI	60.1	CU M
SP13		09.15.2004	0.05	0.17458	CU M/MI	60.67	CU M
SP13		09.15.2004	0.1	0.00205	CU M/MI	61.28	CU M
SP13		09.15.2004	0.15	0.17723	CU M/MI	61.82	CU M
SP13		09.15.2004	0.2	0.17589	CU M/MI	62.48	CU M
SP13		09.15.2004	0.25	0.09344	CU M/MI	62.71	CU M
SP13		09.15.2004	0.3	0.00208	CU M/MI	63.28	CU M
SP13		09.15.2004	0.35	0.09708	CU M/MI	63.83	CU M
SP13		09.15.2004	0.4	0.177	CU M/MI	64.53	CU M
SP13		09.15.2004	0.45	0.17648	CU M/MI	64.79	CU M
SP13		09.15.2004	0.5	0.09501	CU M/MI	65.55	CU M
SP13		09.15.2004	0.55	0.01034	CU M/MI	66.06	CU M
SP13		09.15.2004	1	0.17965	CU M/MI	66.55	CU M
SP13		09.15.2004	1.05	0.00154	CU M/MI	67.13	CU M
SP13		09.15.2004	1.1	0.0999	CU M/MI	67.7	CU M
SP13		09.15.2004	1.15	0.10037	CU M/MI	68.33	CU M
SP13		09.15.2004	1.2	0.16917	CU M/MI	68.66	CU M
SP13		09.15.2004	1.25	0.09678	CU M/MI	69.49	CU M
SP13		09.15.2004	1.3	0.0932	CU M/MI	69.94	CU M
SP13		09.15.2004	1.35	0.17949	CU M/MI	70.47	CU M
SP13		09.15.2004	1.4	0.09594	CU M/MI	71.18	CU M
SP13		09.15.2004	1.45	0.09825	CU M/MI	71.63	CU M
SP13		09.15.2004	1.5	0.17952	CU M/MI	72.33	CU M
SP13		09.15.2004	1.55	0.08888	CU M/MI	72.76	CU M
SP13		09.15.2004	2	0.09583	CU M/MI	73.31	CU M
SP13		09.15.2004	2.05	0.09984	CU M/MI	73.78	CU M
SP13		09.15.2004	2.1	0.17951	CU M/MI	74.49	CU M
SP13		09.15.2004	2.15	0.09231	CU M/MI	75.01	CU M
SP13		09.15.2004	2.2	0.09632	CU M/MI	75.54	CU M
SP13		09.15.2004	2.25	0.09556	CU M/MI	76.31	CU M
SP13		09.15.2004	2.3	0.17653	CU M/MI	76.69	CU M
SP13		09.15.2004	2.35	0.18006	CU M/MI	77.37	CU M
SP13		09.15.2004	2.4	0.08667	CU M/MI	77.85	CU M
SP13		09.15.2004	2.45	0.09728	CU M/MI	78.43	CU M
SP13		09.15.2004	2.5	0.019	CU M/MI	79.14	CU M
SP13		09.15.2004	2.55	0.18178	CU M/MI	79.54	CU M
SP13		09.15.2004	3	0.08114	CU M/MI	80.17	CU M
SP13		09.15.2004	3.05	0.09694	CU M/MI	80.58	CU M
SP13		09.15.2004	3.1	0.18233	CU M/MI	81.35	CU M
SP13		09.15.2004	3.15	0.09422	CU M/MI	81.69	CU M
SP13		09.15.2004	3.2	0.09672	CU M/MI	82.28	CU M
SP13		09.15.2004	3.25	0.0023	CU M/MI	82.72	CU M
SP13		09.15.2004	3.3	0.09848	CU M/MI	83.27	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.15.2004	3.35	0.0953	CU M/MI	83.56	CU M
SP13		09.15.2004	3.4	0.18327	CU M/MI	84.09	CU M
SP13		09.15.2004	3.45	0.00176	CU M/MI	84.56	CU M
SP13		09.15.2004	3.5	0.10937	CU M/MI	85.19	CU M
SP13		09.15.2004	3.55	0.09383	CU M/MI	85.74	CU M
SP13		09.15.2004	4	0.18199	CU M/MI	86.01	CU M
SP13		09.15.2004	4.05	0.16902	CU M/MI	86.69	CU M
SP13		09.15.2004	4.1	0.00208	CU M/MI	87.05	CU M
SP13		09.15.2004	4.15	0.17979	CU M/MI	87.82	CU M
SP13		09.15.2004	4.2	0.09576	CU M/MI	88.11	CU M
SP13		09.15.2004	4.25	0.09356	CU M/MI	88.32	CU M
SP13		09.15.2004	4.3	0.00197	CU M/MI	88.62	CU M
SP13		09.15.2004	4.35	0.00604	CU M/MI	88.97	CU M
SP13		09.15.2004	4.4	0.10595	CU M/MI	89.62	CU M
SP13		09.15.2004	4.45	0.09677	CU M/MI	89.83	CU M
SP13		09.15.2004	4.5	0.00887	CU M/MI	90.51	CU M
SP13		09.15.2004	4.55	0.00287	CU M/MI	90.87	CU M
SP13		09.15.2004	5	0.01839	CU M/MI	91.14	CU M
SP13		09.15.2004	5.05	0.09608	CU M/MI	91.31	CU M
SP13		09.15.2004	5.1	0.09112	CU M/MI	91.55	CU M
SP13		09.15.2004	5.15	0.09722	CU M/MI	91.95	CU M
SP13		09.15.2004	5.2	0.18379	CU M/MI	92.76	CU M
SP13		09.15.2004	5.25	0.09742	CU M/MI	93.27	CU M
SP13		09.15.2004	5.3	0.1744	CU M/MI	93.76	CU M
SP13		09.15.2004	5.35	0.09775	CU M/MI	94.51	CU M
SP13		09.15.2004	5.4	0.07944	CU M/MI	94.91	CU M
SP13		09.15.2004	5.45	0.18683	CU M/MI	95.66	CU M
SP13		09.15.2004	5.5	0.09725	CU M/MI	95.89	CU M
SP13		09.15.2004	5.55	0.00135	CU M/MI	96.13	CU M
SP13		09.15.2004	6	0.00254	CU M/MI	96.68	CU M
SP13		09.15.2004	6.05	0.00211	CU M/MI	96.69	CU M
SP13		09.15.2004	6.1	0.0018	CU M/MI	96.85	CU M
SP13		09.15.2004	6.15	0.00165	CU M/MI	96.86	CU M
SP13		09.15.2004	6.2	0.00174	CU M/MI	96.87	CU M
SP13		09.15.2004	6.25	0.00165	CU M/MI	96.88	CU M
SP13		09.15.2004	6.3	0.00193	CU M/MI	96.89	CU M
SP13		09.15.2004	6.35	0.00207	CU M/MI	96.9	CU M
SP13		09.15.2004	6.4	0.00231	CU M/MI	96.91	CU M
SP13		09.15.2004	6.45	0.00251	CU M/MI	96.92	CU M
SP13		09.15.2004	6.5	0.00196	CU M/MI	96.93	CU M
SP13		09.15.2004	6.55	0.00187	CU M/MI	96.94	CU M
SP13		09.15.2004	7	0.00163	CU M/MI	96.95	CU M
SP13		09.15.2004	7.05	0.00161	CU M/MI	96.96	CU M
SP13		09.15.2004	7.1	0.00156	CU M/MI	96.97	CU M
SP13		09.15.2004	7.15	0.00168	CU M/MI	96.97	CU M
SP13		09.15.2004	7.2	0.00153	CU M/MI	96.98	CU M
SP13		09.15.2004	7.25	0.00147	CU M/MI	96.99	CU M
SP13		09.15.2004	7.3	0.00189	CU M/MI	97	CU M
SP13		09.15.2004	7.35	0.07746	CU M/MI	97.01	CU M
SP13		09.15.2004	7.4	0.09992	CU M/MI	97.46	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.15.2004	7.45	0.002	CU M/MI	97.92	CU M
SP13		09.15.2004	7.5	0.18719	CU M/MI	98.57	CU M
SP13		09.15.2004	7.55	0.09754	CU M/MI	99.18	CU M
SP13		09.15.2004	8	0.18351	CU M/MI	99.6	CU M
SP13		09.15.2004	8.05	0.00419	CU M/MI	100.26	CU M
SP13		09.15.2004	8.1	0.002	CU M/MI	100.56	CU M
SP13		09.15.2004	8.15	0.11746	CU M/MI	101.03	CU M
SP13		09.15.2004	8.2	0.00251	CU M/MI	101.23	CU M
SP13		09.15.2004	8.25	0.0016	CU M/MI	101.41	CU M
SP13		09.15.2004	8.3	0.00131	CU M/MI	101.42	CU M
SP13		09.15.2004	8.35	0.00151	CU M/MI	101.42	CU M
SP13		09.15.2004	8.4	0.00134	CU M/MI	101.43	CU M
SP13		09.15.2004	8.45	0.00154	CU M/MI	101.44	CU M
SP13		09.15.2004	8.5	0.00203	CU M/MI	101.45	CU M
SP13		09.15.2004	8.55	0.09403	CU M/MI	101.71	CU M
SP13		09.15.2004	9	0.09951	CU M/MI	102.35	CU M
SP13		09.15.2004	9.05	0.09483	CU M/MI	102.58	CU M
SP13		09.15.2004	9.1	0.10037	CU M/MI	103.3	CU M
SP13		09.15.2004	9.15	0.00336	CU M/MI	103.96	CU M
SP13		09.15.2004	9.2	0.18655	CU M/MI	104.5	CU M
SP13		09.15.2004	9.25	0.18616	CU M/MI	105.18	CU M
SP13		09.15.2004	9.3	0.09974	CU M/MI	105.5	CU M
SP13		09.15.2004	9.35	0.09995	CU M/MI	106.25	CU M
SP13		09.15.2004	9.4	0.00286	CU M/MI	106.7	CU M
SP13		09.15.2004	9.45	0.18656	CU M/MI	107.31	CU M
SP13		09.15.2004	9.5	0.0962	CU M/MI	107.91	CU M
SP13		09.15.2004	9.55	0.17819	CU M/MI	108.25	CU M
SP13		09.15.2004	10	0.09968	CU M/MI	109.06	CU M
SP13		09.15.2004	10.05	0.00939	CU M/MI	109.38	CU M
SP13		09.15.2004	10.1	0.1851	CU M/MI	109.92	CU M
SP13		09.15.2004	10.15	0.07391	CU M/MI	110.29	CU M
SP13		09.15.2004	10.2	0.09908	CU M/MI	110.86	CU M
SP13		09.15.2004	10.25	0.00278	CU M/MI	111.4	CU M
SP13		09.15.2004	10.3	0.18485	CU M/MI	111.8	CU M
SP13		09.15.2004	10.35	0.09372	CU M/MI	112.32	CU M
SP13		09.15.2004	10.4	0.09806	CU M/MI	112.72	CU M
SP13		09.15.2004	10.45	0.10139	CU M/MI	113.55	CU M
SP13		09.15.2004	10.5	0.09303	CU M/MI	113.94	CU M
SP13		09.15.2004	10.55	0.18192	CU M/MI	114.57	CU M
SP13		09.15.2004	11	0.002	CU M/MI	115.17	CU M
SP13		09.15.2004	11.05	0.10149	CU M/MI	115.74	CU M
SP13		09.15.2004	11.1	0.18122	CU M/MI	116.46	CU M
SP13		09.15.2004	11.15	0.09216	CU M/MI	116.7	CU M
SP13		09.15.2004	11.2	0.09813	CU M/MI	117.39	CU M
SP13		09.15.2004	11.25	0.00321	CU M/MI	117.96	CU M
SP13		09.15.2004	11.3	0.18188	CU M/MI	118.53	CU M
SP13		09.15.2004	11.35	0.17821	CU M/MI	119.2	CU M
SP13		09.15.2004	11.4	0.093	CU M/MI	119.54	CU M
SP13		09.15.2004	11.45	0.10152	CU M/MI	120.38	CU M
SP13		09.15.2004	11.5	0.09404	CU M/MI	120.95	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.15.2004	11.55	0.18103	CU M/MI	121.42	CU M
SP13		09.15.2004	12	0.00369	CU M/MI	122.14	CU M
SP13		09.15.2004	12.05	0.10696	CU M/MI	122.58	CU M
SP13		09.15.2004	12.1	0.18098	CU M/MI	123.27	CU M
SP13		09.15.2004	12.15	0.09234	CU M/MI	123.68	CU M
SP13		09.15.2004	12.2	0.09738	CU M/MI	124.34	CU M
SP13		09.15.2004	12.25	0.01112	CU M/MI	125.11	CU M
SP13		09.15.2004	12.3	0.18012	CU M/MI	125.44	CU M
SP13		09.15.2004	12.35	0.17982	CU M/MI	126.11	CU M
SP13		09.15.2004	12.4	0.00194	CU M/MI	126.59	CU M
SP13		09.15.2004	12.45	0.09753	CU M/MI	127.19	CU M
SP13		09.15.2004	12.5	0.09345	CU M/MI	127.78	CU M
SP13		09.15.2004	12.55	0.18078	CU M/MI	128.19	CU M
SP13		09.15.2004	13	0.08457	CU M/MI	128.78	CU M
SP13		09.15.2004	13.05	0.09797	CU M/MI	129.28	CU M
SP13		09.15.2004	13.1	0.09748	CU M/MI	130.01	CU M
SP13		09.15.2004	13.15	0.09259	CU M/MI	130.38	CU M
SP13		09.15.2004	13.2	0.18263	CU M/MI	131.04	CU M
SP13		09.15.2004	13.25	0.00207	CU M/MI	131.55	CU M
SP13		09.15.2004	13.3	0.09919	CU M/MI	132.11	CU M
SP13		09.15.2004	13.35	0.09446	CU M/MI	132.75	CU M
SP13		09.15.2004	13.4	0.18121	CU M/MI	133.1	CU M
SP13		09.15.2004	13.45	0.09738	CU M/MI	133.82	CU M
SP13		09.15.2004	13.5	0.00305	CU M/MI	134.3	CU M
SP13		09.15.2004	13.55	0.18017	CU M/MI	134.99	CU M
SP13		09.15.2004	14	0.09263	CU M/MI	135.52	CU M
SP13		09.15.2004	14.05	0.16432	CU M/MI	135.98	CU M
SP13		09.15.2004	14.1	0.09768	CU M/MI	136.82	CU M
SP13		09.15.2004	14.15	0.03834	CU M/MI	137.19	CU M
SP13		09.15.2004	14.2	0.18193	CU M/MI	137.86	CU M
SP13		09.15.2004	14.25	0.08664	CU M/MI	138.27	CU M
SP13		09.15.2004	14.3	0.0979	CU M/MI	138.93	CU M
SP13		09.15.2004	14.35	0.18402	CU M/MI	139.7	CU M
SP13		09.15.2004	14.4	0.15595	CU M/MI	140.04	CU M
SP13		09.15.2004	14.45	0.1839	CU M/MI	140.71	CU M
SP13		09.15.2004	14.5	0.08202	CU M/MI	141.31	CU M
SP13		09.15.2004	14.55	0.10021	CU M/MI	141.87	CU M
SP13		09.15.2004	15	0.0262	CU M/MI	142.67	CU M
SP13		09.15.2004	15.05	0.18308	CU M/MI	143	CU M
SP13		09.15.2004	15.1	0.1832	CU M/MI	143.69	CU M
SP13		09.15.2004	15.15	0.07629	CU M/MI	144.04	CU M
SP13		09.15.2004	15.2	0.10064	CU M/MI	144.87	CU M
SP13		09.15.2004	15.25	0.09473	CU M/MI	145.47	CU M
SP13		09.15.2004	15.3	0.18431	CU M/MI	145.95	CU M
SP13		09.15.2004	15.35	0.18422	CU M/MI	146.64	CU M
SP13		09.15.2004	15.4	0.09759	CU M/MI	147.05	CU M
SP13		09.15.2004	15.45	0.10315	CU M/MI	147.86	CU M
SP13		09.15.2004	15.5	0.09486	CU M/MI	148.26	CU M
SP13		09.15.2004	15.55	0.1833	CU M/MI	148.75	CU M
SP13		09.15.2004	16	0.00227	CU M/MI	149.42	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.15.2004	16.05	0.18635	CU M/MI	149.95	CU M
SP13		09.15.2004	16.1	0.18302	CU M/MI	150.64	CU M
SP13		09.15.2004	16.15	0.1008	CU M/MI	150.9	CU M
SP13		09.15.2004	16.2	0.09842	CU M/MI	151.68	CU M
SP13		09.15.2004	16.25	0.02716	CU M/MI	152.18	CU M
SP13		09.15.2004	16.3	0.18417	CU M/MI	152.81	CU M
SP13		09.15.2004	16.35	0.09795	CU M/MI	153.22	CU M
SP13		09.15.2004	16.4	0.10235	CU M/MI	153.85	CU M
SP13		09.15.2004	17.1	0.09435	CU M/MI	157.39	CU M
SP13		09.15.2004	17.15	0.18279	CU M/MI	157.87	CU M
SP13		09.15.2004	17.2	0.00762	CU M/MI	158.57	CU M
SP13		09.15.2004	17.25	0.09961	CU M/MI	159.03	CU M
SP13		09.15.2004	17.3	0.1839	CU M/MI	159.78	CU M
SP13		09.15.2004	17.35	0.09323	CU M/MI	160.08	CU M
SP13		09.15.2004	17.4	0.09938	CU M/MI	160.89	CU M
SP13		09.15.2004	17.45	0.02404	CU M/MI	161.63	CU M
SP13		09.15.2004	17.5	0.18194	CU M/MI	161.99	CU M
SP13		09.15.2004	17.55	0.18339	CU M/MI	162.69	CU M
SP13		09.15.2004	18	0.00249	CU M/MI	163.28	CU M
SP13		09.15.2004	18.05	0.10051	CU M/MI	163.89	CU M
SP13		09.15.2004	18.1	0.0969	CU M/MI	164.57	CU M
SP13		09.15.2004	18.15	0.18435	CU M/MI	164.95	CU M
SP13		09.15.2004	18.2	0.10004	CU M/MI	165.69	CU M
SP13		09.15.2004	18.25	0.00412	CU M/MI	166.24	CU M
SP13		09.15.2004	18.3	0.18281	CU M/MI	166.92	CU M
SP13		09.15.2004	18.35	0.09428	CU M/MI	167.53	CU M
SP13		09.15.2004	18.4	0.1335	CU M/MI	167.94	CU M
SP13		09.15.2004	18.45	0.09765	CU M/MI	168.78	CU M
SP13		09.15.2004	18.5	0.09253	CU M/MI	169.16	CU M
SP13		09.15.2004	18.55	0.18109	CU M/MI	169.8	CU M
SP13		09.15.2004	19	0.0955	CU M/MI	170.19	CU M
SP13		09.15.2004	19.05	0.10011	CU M/MI	170.84	CU M
SP13		09.15.2004	19.1	0.00335	CU M/MI	171.49	CU M
SP13		09.15.2004	19.15	0.18398	CU M/MI	172.02	CU M
SP13		09.15.2004	19.2	0.10646	CU M/MI	172.65	CU M
SP13		09.15.2004	19.25	0.09758	CU M/MI	173.01	CU M
SP13		09.15.2004	19.3	0.18294	CU M/MI	173.89	CU M
SP13		09.15.2004	19.35	0.09423	CU M/MI	174.27	CU M
SP13		09.15.2004	19.4	0.18193	CU M/MI	174.84	CU M
SP13		09.15.2004	19.45	0.00241	CU M/MI	175.37	CU M
SP13		09.15.2004	19.5	0.18106	CU M/MI	175.87	CU M
SP13		09.15.2004	19.55	0.09555	CU M/MI	176.4	CU M
SP13		09.15.2004	20	0.09689	CU M/MI	176.82	CU M
SP13		09.15.2004	20.05	0.09577	CU M/MI	177.56	CU M
SP13		09.15.2004	20.1	0.17706	CU M/MI	177.81	CU M
SP13		09.15.2004	20.15	0.02146	CU M/MI	178.56	CU M
SP13		09.15.2004	20.2	0.01361	CU M/MI	178.96	CU M
SP13		09.15.2004	20.25	0.1828	CU M/MI	179.59	CU M
SP13		09.15.2004	20.3	0.09631	CU M/MI	179.83	CU M
SP13		09.15.2004	20.35	0.09773	CU M/MI	180.58	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.15.2004	20.4	0.09324	CU M/MI	180.95	CU M
SP13		09.15.2004	20.45	0.18302	CU M/MI	181.56	CU M
SP13		09.15.2004	20.5	0.00233	CU M/MI	181.89	CU M
SP13		09.15.2004	20.55	0.09838	CU M/MI	182.55	CU M
SP13		09.15.2004	21	0.09322	CU M/MI	183.1	CU M
SP13		09.15.2004	21.05	0.18213	CU M/MI	183.56	CU M
SP13		09.15.2004	21.1	0.00255	CU M/MI	184.06	CU M
SP13		09.15.2004	21.15	0.18257	CU M/MI	184.62	CU M
SP13		09.15.2004	21.2	0.09524	CU M/MI	185.15	CU M
SP13		09.15.2004	21.25	0.17511	CU M/MI	185.52	CU M
SP13		09.15.2004	21.3	0.00319	CU M/MI	186.27	CU M
SP13		09.15.2004	21.35	0.18042	CU M/MI	186.72	CU M
SP13		09.15.2004	21.4	0.18043	CU M/MI	187.39	CU M
SP13		09.15.2004	21.45	0.00235	CU M/MI	187.9	CU M
SP13		09.15.2004	21.5	0.18208	CU M/MI	188.62	CU M
SP13		09.15.2004	21.55	0.1002	CU M/MI	189.24	CU M
SP13		09.15.2004	22	0.17904	CU M/MI	189.56	CU M
SP13		09.15.2004	22.05	0.09798	CU M/MI	190.4	CU M
SP13		09.15.2004	22.1	0.09366	CU M/MI	190.81	CU M
SP13		09.15.2004	22.15	0.18284	CU M/MI	191.46	CU M
SP13		09.15.2004	22.2	0.0026	CU M/MI	191.98	CU M
SP13		09.15.2004	22.25	0.18285	CU M/MI	192.6	CU M
SP13		09.15.2004	22.3	0.18308	CU M/MI	193.26	CU M
SP13		09.15.2004	22.35	0.09861	CU M/MI	193.67	CU M
SP13		09.15.2004	22.4	0.17915	CU M/MI	194.49	CU M
SP13		09.15.2004	22.45	0.15541	CU M/MI	194.74	CU M
SP13		09.15.2004	22.5	0.09856	CU M/MI	195.35	CU M
SP13		09.15.2004	22.55	0.00267	CU M/MI	195.84	CU M
SP13		09.15.2004	23	0.18242	CU M/MI	196.44	CU M
SP13		09.15.2004	23.05	0.10235	CU M/MI	197.01	CU M
SP13		09.15.2004	23.1	0.10078	CU M/MI	197.29	CU M
SP13		09.15.2004	23.15	0.10316	CU M/MI	198.04	CU M
SP13		09.15.2004	23.2	0.01155	CU M/MI	198.53	CU M
SP13		09.15.2004	23.25	0.18403	CU M/MI	199.06	CU M
SP13		09.15.2004	23.3	0.09578	CU M/MI	199.56	CU M
SP13		09.15.2004	23.35	0.09843	CU M/MI	200.01	CU M
SP13		09.15.2004	23.4	0.09966	CU M/MI	200.76	CU M
SP13		09.15.2004	23.45	0.18199	CU M/MI	201.09	CU M
SP13		09.15.2004	23.5	0.18267	CU M/MI	201.69	CU M
SP13		09.15.2004	23.55	0.00266	CU M/MI	202.03	CU M
SP13		09.16.2004	0	0.18155	CU M/MI	202.78	CU M
SP13		09.16.2004	0.05	0.18252	CU M/MI	203.48	CU M
SP13		09.16.2004	0.1	0.10065	CU M/MI	203.84	CU M
SP13		09.16.2004	0.15	0.10279	CU M/MI	204.71	CU M
SP13		09.16.2004	0.2	0.09551	CU M/MI	205.12	CU M
SP13		09.16.2004	0.25	0.18078	CU M/MI	205.73	CU M
SP13		09.16.2004	0.3	0.0123	CU M/MI	206.54	CU M
SP13		09.16.2004	0.35	0.18179	CU M/MI	206.98	CU M
SP13		09.16.2004	0.4	0.18153	CU M/MI	207.67	CU M
SP13		09.16.2004	0.45	0.09128	CU M/MI	208.17	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.16.2004	0.5	0.09909	CU M/MI	208.85	CU M
SP13		09.16.2004	0.55	0.18123	CU M/MI	209.62	CU M
SP13		09.16.2004	1	0.09715	CU M/MI	209.94	CU M
SP13		09.16.2004	1.05	0.09833	CU M/MI	210.69	CU M
SP13		09.16.2004	1.1	0.09786	CU M/MI	211.42	CU M
SP13		09.16.2004	1.15	0.18184	CU M/MI	211.79	CU M
SP13		09.16.2004	1.2	0.16759	CU M/MI	212.48	CU M
SP13		09.16.2004	1.25	0.0989	CU M/MI	212.89	CU M
SP13		09.16.2004	1.3	0.10741	CU M/MI	213.65	CU M
SP13		09.16.2004	1.35	0.09481	CU M/MI	214.16	CU M
SP13		09.16.2004	1.4	0.18008	CU M/MI	214.68	CU M
SP13		09.16.2004	1.45	0.00391	CU M/MI	215.45	CU M
SP13		09.16.2004	1.5	0.18149	CU M/MI	215.9	CU M
SP13		09.16.2004	1.55	0.18083	CU M/MI	216.58	CU M
SP13		09.16.2004	2	0.09532	CU M/MI	216.96	CU M
SP13		09.16.2004	2.05	0.11697	CU M/MI	217.82	CU M
SP13		09.16.2004	2.1	0.09462	CU M/MI	218.39	CU M
SP13		09.16.2004	2.15	0.19222	CU M/MI	218.67	CU M
SP13		09.16.2004	2.2	0.10276	CU M/MI	219.43	CU M
SP13		09.16.2004	2.25	0.09471	CU M/MI	219.84	CU M
SP13		09.16.2004	2.3	0.17743	CU M/MI	220.49	CU M
SP13		09.16.2004	2.35	0.09437	CU M/MI	220.89	CU M
SP13		09.16.2004	2.4	0.09925	CU M/MI	221.48	CU M
SP13		09.16.2004	2.45	0.00363	CU M/MI	222.11	CU M
SP13		09.16.2004	2.5	0.18111	CU M/MI	222.57	CU M
SP13		09.16.2004	2.55	0.18087	CU M/MI	223.2	CU M
SP13		09.16.2004	3	0.09874	CU M/MI	223.46	CU M
SP13		09.16.2004	3.05	0	CU M/MI	224.2	CU M
SP13		09.16.2004	3.1	0.09749	CU M/MI	224.82	CU M
SP13		09.16.2004	3.15	0.18125	CU M/MI	225.22	CU M
SP13		09.16.2004	3.2	0.04534	CU M/MI	225.88	CU M
SP13		09.16.2004	3.25	0.09649	CU M/MI	226.23	CU M
SP13		09.16.2004	3.3	0.10385	CU M/MI	226.98	CU M
SP13		09.16.2004	3.35	0.09601	CU M/MI	227.45	CU M
SP13		09.16.2004	3.4	0.18133	CU M/MI	227.94	CU M
SP13		09.16.2004	3.45	0.09871	CU M/MI	228.61	CU M
SP13		09.16.2004	3.5	0.09874	CU M/MI	229.01	CU M
SP13		09.16.2004	3.55	0.18037	CU M/MI	229.68	CU M
SP13		09.16.2004	4	0.00324	CU M/MI	230.12	CU M
SP13		09.16.2004	4.05	0.09894	CU M/MI	230.59	CU M
SP13		09.16.2004	4.1	0.18	CU M/MI	231.28	CU M
SP13		09.16.2004	4.15	0.08994	CU M/MI	231.43	CU M
SP13		09.16.2004	4.2	0.09905	CU M/MI	232.04	CU M
SP13		09.16.2004	4.25	0.00365	CU M/MI	232.65	CU M
SP13		09.16.2004	4.3	0.18028	CU M/MI	233.11	CU M
SP13		09.16.2004	4.35	0.17526	CU M/MI	233.66	CU M
SP13		09.16.2004	4.4	0.04943	CU M/MI	234.02	CU M
SP13		09.16.2004	4.45	0.18072	CU M/MI	234.68	CU M
SP13		09.16.2004	4.5	0.00308	CU M/MI	234.97	CU M
SP13		09.16.2004	4.55	0.09767	CU M/MI	235.51	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.16.2004	5	0.09285	CU M/MI	235.97	CU M
SP13		09.16.2004	5.05	0.09762	CU M/MI	236.37	CU M
SP13		09.16.2004	5.1	0.09732	CU M/MI	237.12	CU M
SP13		09.16.2004	5.15	0.00374	CU M/MI	237.48	CU M
SP13		09.16.2004	5.2	0.1805	CU M/MI	238.15	CU M
SP13		09.16.2004	5.25	0.09543	CU M/MI	238.68	CU M
SP13		09.16.2004	5.3	0.0972	CU M/MI	239.08	CU M
SP13		09.16.2004	5.35	0.09637	CU M/MI	239.83	CU M
SP13		09.16.2004	5.4	0.15662	CU M/MI	240.2	CU M
SP13		09.16.2004	5.45	0.18004	CU M/MI	240.73	CU M
SP13		09.16.2004	5.5	0.00281	CU M/MI	241.21	CU M
SP13		09.16.2004	5.55	0.09779	CU M/MI	241.83	CU M
SP13		09.16.2004	6	0.09341	CU M/MI	242.43	CU M
SP13		09.16.2004	6.05	0.09671	CU M/MI	242.67	CU M
SP13		09.16.2004	6.1	0.09652	CU M/MI	243.35	CU M
SP13		09.16.2004	6.15	0.09381	CU M/MI	243.71	CU M
SP13		09.16.2004	6.2	0.09814	CU M/MI	244.17	CU M
SP13		09.16.2004	6.25	0.00333	CU M/MI	244.74	CU M
SP13		09.16.2004	6.3	0.09728	CU M/MI	244.92	CU M
SP13		09.16.2004	6.35	0.09717	CU M/MI	245.61	CU M
SP13		09.16.2004	6.4	0.09347	CU M/MI	245.89	CU M
SP13		09.16.2004	6.45	0.09842	CU M/MI	246.44	CU M
SP13		09.16.2004	6.5	0.18019	CU M/MI	247.19	CU M
SP13		09.16.2004	6.55	0.17912	CU M/MI	247.45	CU M
SP13		09.16.2004	7	0.0983	CU M/MI	248.11	CU M
SP13		09.16.2004	7.05	0.0035	CU M/MI	248.78	CU M
SP13		09.16.2004	7.1	0.17945	CU M/MI	249.22	CU M
SP13		09.16.2004	7.15	0.17974	CU M/MI	249.83	CU M
SP13		09.16.2004	7.2	0.08618	CU M/MI	250.15	CU M
SP13		09.16.2004	7.25	0.09855	CU M/MI	250.77	CU M
SP13		09.16.2004	7.3	0.00473	CU M/MI	251.41	CU M
SP13		09.16.2004	7.35	0.18098	CU M/MI	251.82	CU M
SP13		09.16.2004	7.4	0.18076	CU M/MI	252.45	CU M
SP13		09.16.2004	7.45	0.00334	CU M/MI	252.87	CU M
SP13		09.16.2004	7.5	0.09677	CU M/MI	253.53	CU M
SP13		09.16.2004	7.55	0.09266	CU M/MI	254.07	CU M
SP13		09.16.2004	8	0.18122	CU M/MI	254.44	CU M
SP13		09.16.2004	8.05	0.17218	CU M/MI	255.07	CU M
SP13		09.16.2004	8.1	0.09567	CU M/MI	255.45	CU M
SP13		09.16.2004	8.15	0.09773	CU M/MI	256.2	CU M
SP13		09.16.2004	8.2	0.09229	CU M/MI	256.65	CU M
SP13		09.16.2004	8.25	0.17793	CU M/MI	257.1	CU M
SP13		09.16.2004	8.3	0.09691	CU M/MI	257.82	CU M
SP13		09.16.2004	8.35	0.09323	CU M/MI	258.19	CU M
SP13		09.16.2004	8.4	0.17945	CU M/MI	258.89	CU M
SP13		09.16.2004	8.45	0.0936	CU M/MI	259.33	CU M
SP13		09.16.2004	8.5	0.0984	CU M/MI	259.77	CU M
SP13		09.16.2004	8.55	0.01005	CU M/MI	260.48	CU M
SP13		09.16.2004	9	0.1036	CU M/MI	260.89	CU M
SP13		09.16.2004	9.05	0.18002	CU M/MI	261.52	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.16.2004	9.1	0	CU M/MI	261.87	CU M
SP13		09.16.2004	9.15	0.10062	CU M/MI	262.49	CU M
SP13		09.16.2004	9.2	0.09759	CU M/MI	263.24	CU M
SP13		09.16.2004	9.25	0.0936	CU M/MI	263.56	CU M
SP13		09.16.2004	9.3	0.18046	CU M/MI	264.18	CU M
SP13		09.16.2004	9.35	0.00359	CU M/MI	264.62	CU M
SP13		09.16.2004	9.4	0.09901	CU M/MI	265.16	CU M
SP13		09.16.2004	9.45	0.10193	CU M/MI	265.91	CU M
SP13		09.16.2004	9.5	0.09544	CU M/MI	266.18	CU M
SP13		09.16.2004	9.55	0.099	CU M/MI	266.8	CU M
SP13		09.16.2004	10	0.09805	CU M/MI	267.56	CU M
SP13		09.16.2004	10.05	0.18087	CU M/MI	267.94	CU M
SP13		09.16.2004	10.1	0.18058	CU M/MI	268.57	CU M
SP13		09.16.2004	10.15	0.00358	CU M/MI	269.08	CU M
SP13		09.16.2004	10.2	0.09903	CU M/MI	269.59	CU M
SP13		09.16.2004	10.25	0.09874	CU M/MI	270.29	CU M
SP13		09.16.2004	10.3	0.17992	CU M/MI	270.57	CU M
SP13		09.16.2004	10.35	0.09922	CU M/MI	271.22	CU M
SP13		09.16.2004	10.4	0.09088	CU M/MI	271.61	CU M
SP13		09.16.2004	10.45	0.18085	CU M/MI	272.34	CU M
SP13		09.16.2004	10.5	0.09467	CU M/MI	272.87	CU M
SP13		09.16.2004	10.55	0.17994	CU M/MI	273.26	CU M
SP13		09.16.2004	11	0.02208	CU M/MI	273.97	CU M
SP13		09.16.2004	11.05	0.09657	CU M/MI	274.26	CU M
SP13		09.16.2004	11.1	0.18154	CU M/MI	274.98	CU M
SP13		09.16.2004	11.15	0.09494	CU M/MI	275.44	CU M
SP13		09.16.2004	11.2	0.09829	CU M/MI	275.89	CU M
SP13		09.16.2004	11.25	0.0985	CU M/MI	276.57	CU M
SP13		09.16.2004	11.3	0.18218	CU M/MI	276.74	CU M
SP13		09.16.2004	11.35	0.09814	CU M/MI	277.4	CU M
SP13		09.16.2004	11.4	0.0061	CU M/MI	277.88	CU M
SP13		09.16.2004	11.45	0.10039	CU M/MI	278.19	CU M
SP13		09.16.2004	11.5	0.09753	CU M/MI	278.69	CU M
SP13		09.16.2004	11.55	0.16815	CU M/MI	279.03	CU M
SP13		09.16.2004	12	0.18254	CU M/MI	279.75	CU M
SP13		09.16.2004	12.05	0.09462	CU M/MI	280.55	CU M
SP13		09.16.2004	12.1	0.18373	CU M/MI	281.03	CU M
SP13		09.16.2004	12.15	0.09896	CU M/MI	281.84	CU M
SP13		09.16.2004	12.2	0.09747	CU M/MI	282.5	CU M
SP13		09.16.2004	12.25	0.17986	CU M/MI	283.07	CU M
SP13		09.16.2004	12.3	0.10507	CU M/MI	283.96	CU M
SP13		09.16.2004	12.35	0.18045	CU M/MI	284.2	CU M
SP13		09.16.2004	12.4	0.10256	CU M/MI	284.9	CU M
SP13		09.16.2004	12.45	0.0957	CU M/MI	285.68	CU M
SP13		09.16.2004	12.5	0.18203	CU M/MI	286.14	CU M
SP13		09.16.2004	12.55	0.10143	CU M/MI	287	CU M
SP13		09.16.2004	13	0.0921	CU M/MI	287.48	CU M
SP13		09.16.2004	13.05	0.17876	CU M/MI	288.11	CU M
SP13		09.16.2004	13.1	0.18091	CU M/MI	289.01	CU M
SP13		09.16.2004	13.15	0.16758	CU M/MI	289.36	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.16.2004	13.2	0.09891	CU M/MI	290.11	CU M
SP13		09.16.2004	13.25	0.00418	CU M/MI	290.78	CU M
SP13		09.16.2004	13.3	0.17892	CU M/MI	291.2	CU M
SP13		09.16.2004	13.35	0.18049	CU M/MI	291.91	CU M
SP13		09.16.2004	13.4	0.0033	CU M/MI	292.37	CU M
SP13		09.16.2004	13.45	0.18138	CU M/MI	293.13	CU M
SP13		09.16.2004	13.5	0.09447	CU M/MI	293.77	CU M
SP13		09.16.2004	13.55	0.09957	CU M/MI	294.21	CU M
SP13		09.16.2004	14	0.1802	CU M/MI	295.08	CU M
SP13		09.16.2004	14.05	0.09374	CU M/MI	295.37	CU M
SP13		09.16.2004	14.1	0.10006	CU M/MI	295.99	CU M
SP13		09.16.2004	14.15	0.09162	CU M/MI	296.68	CU M
SP13		09.16.2004	14.2	0.18152	CU M/MI	297.2	CU M
SP13		09.16.2004	14.25	0.10045	CU M/MI	297.97	CU M
SP13		09.16.2004	14.3	0.16488	CU M/MI	298.49	CU M
SP13		09.16.2004	14.35	0.18314	CU M/MI	299.2	CU M
SP13		09.16.2004	14.4	0.00414	CU M/MI	299.86	CU M
SP13		09.16.2004	14.45	0.1821	CU M/MI	300.46	CU M
SP13		09.16.2004	14.5	0.18137	CU M/MI	301.15	CU M
SP13		09.16.2004	14.55	0.00332	CU M/MI	301.54	CU M
SP13		09.16.2004	15	0.17971	CU M/MI	302.32	CU M
SP13		09.16.2004	15.05	0.09414	CU M/MI	302.85	CU M
SP13		09.16.2004	15.1	0.09694	CU M/MI	303.36	CU M
SP13		09.16.2004	15.15	0.17849	CU M/MI	304.23	CU M
SP13		09.16.2004	15.2	0.09404	CU M/MI	304.58	CU M
SP13		09.16.2004	15.25	0.10256	CU M/MI	305.32	CU M
SP13		09.16.2004	15.3	0.10836	CU M/MI	306.16	CU M
SP13		09.16.2004	15.35	0.18126	CU M/MI	306.47	CU M
SP13		09.16.2004	15.4	0.15732	CU M/MI	307.11	CU M
SP13		09.16.2004	15.45	0.0029	CU M/MI	307.58	CU M
SP13		09.16.2004	15.5	0.18209	CU M/MI	308.36	CU M
SP13		09.16.2004	15.55	0.17986	CU M/MI	309.06	CU M
SP13		09.16.2004	16	0.16779	CU M/MI	309.42	CU M
SP13		09.16.2004	16.05	0.10666	CU M/MI	310.32	CU M
SP13		09.16.2004	16.1	0.09444	CU M/MI	310.9	CU M
SP13		09.16.2004	16.15	0.18508	CU M/MI	311.4	CU M
SP13		09.16.2004	16.2	0.10169	CU M/MI	312.29	CU M
SP13		09.16.2004	16.25	0.09497	CU M/MI	312.67	CU M
SP13		09.16.2004	16.3	0.18558	CU M/MI	313.28	CU M
SP13		09.16.2004	16.35	0.00283	CU M/MI	313.84	CU M
SP13		09.16.2004	16.4	0.18329	CU M/MI	314.52	CU M
SP13		09.16.2004	16.45	0.09721	CU M/MI	315.03	CU M
SP13		09.16.2004	16.5	0.10054	CU M/MI	315.67	CU M
SP13		09.16.2004	16.55	0.18288	CU M/MI	316.46	CU M
SP13		09.16.2004	17	0.17558	CU M/MI	316.79	CU M
SP13		09.16.2004	17.05	0.10044	CU M/MI	317.56	CU M
SP13		09.16.2004	17.1	0.00267	CU M/MI	318.03	CU M
SP13		09.16.2004	17.15	0.1832	CU M/MI	318.56	CU M
SP13		09.16.2004	17.2	0.00886	CU M/MI	319.29	CU M
SP13		09.16.2004	17.25	0.18245	CU M/MI	319.83	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.16.2004	17.3	0.18173	CU M/MI	320.54	CU M
SP13		09.16.2004	17.35	0.06799	CU M/MI	320.98	CU M
SP13		09.16.2004	17.4	0.1551	CU M/MI	321.65	CU M
SP13		09.16.2004	17.45	0.11833	CU M/MI	322.39	CU M
SP13		09.16.2004	17.5	0.11799	CU M/MI	322.92	CU M
SP13		09.16.2004	17.55	0.11737	CU M/MI	323.61	CU M
SP13		09.16.2004	18	0.07513	CU M/MI	324.29	CU M
SP13		09.16.2004	18.05	0.06786	CU M/MI	324.61	CU M
SP13		09.16.2004	18.1	0.11775	CU M/MI	325.26	CU M
SP13		09.16.2004	18.15	0.11775	CU M/MI	325.96	CU M
SP13		09.16.2004	18.2	0.0736	CU M/MI	326.55	CU M
SP13		09.16.2004	18.25	0.11841	CU M/MI	327.22	CU M
SP13		09.16.2004	18.3	0.11908	CU M/MI	327.91	CU M
SP13		09.16.2004	18.35	0.11907	CU M/MI	328.6	CU M
SP13		09.16.2004	18.4	0.0739	CU M/MI	329.21	CU M
SP13		09.16.2004	18.45	0.08189	CU M/MI	329.47	CU M
SP13		09.16.2004	18.5	0.12875	CU M/MI	330.15	CU M
SP13		09.16.2004	18.55	0.08482	CU M/MI	330.8	CU M
SP13		09.16.2004	19	0.15364	CU M/MI	331.39	CU M
SP13		09.16.2004	19.05	0.15294	CU M/MI	332.08	CU M
SP13		09.16.2004	19.1	0.15252	CU M/MI	332.76	CU M
SP13		09.16.2004	19.15	0.15278	CU M/MI	333.44	CU M
SP13		09.16.2004	19.2	0.08431	CU M/MI	334.06	CU M
SP13		09.16.2004	19.25	0.07996	CU M/MI	334.37	CU M
SP13		09.16.2004	19.3	0.15362	CU M/MI	335.03	CU M
SP13		09.16.2004	19.35	0.15299	CU M/MI	335.55	CU M
SP13		09.16.2004	19.4	0.07976	CU M/MI	336.05	CU M
SP13		09.16.2004	19.45	0.1534	CU M/MI	336.64	CU M
SP13		09.16.2004	19.5	0.10334	CU M/MI	337.07	CU M
SP13		09.16.2004	19.55	0.09223	CU M/MI	337.7	CU M
SP13		09.16.2004	20	0.15392	CU M/MI	338.32	CU M
SP13		09.16.2004	20.05	0.0925	CU M/MI	338.8	CU M
SP13		09.16.2004	20.1	0.09121	CU M/MI	339.44	CU M
SP13		09.16.2004	20.15	0.15129	CU M/MI	340.02	CU M
SP13		09.16.2004	20.2	0.09302	CU M/MI	340.35	CU M
SP13		09.16.2004	20.25	0.06856	CU M/MI	340.86	CU M
SP13		09.16.2004	20.3	0.12523	CU M/MI	341.46	CU M
SP13		09.16.2004	20.35	0.14575	CU M/MI	341.97	CU M
SP13		09.16.2004	20.4	0.15119	CU M/MI	342.73	CU M
SP13		09.16.2004	20.45	0.1497	CU M/MI	343.48	CU M
SP13		09.16.2004	20.5	0.07023	CU M/MI	343.8	CU M
SP13		09.16.2004	20.55	0.15162	CU M/MI	344.48	CU M
SP13		09.16.2004	21	0.08356	CU M/MI	345.15	CU M
SP13		09.16.2004	21.05	0.15056	CU M/MI	345.77	CU M
SP13		09.16.2004	21.1	0.07175	CU M/MI	346.15	CU M
SP13		09.16.2004	21.15	0.15078	CU M/MI	346.78	CU M
SP13		09.16.2004	21.2	0.15058	CU M/MI	347.53	CU M
SP13		09.16.2004	21.25	0.13905	CU M/MI	348.1	CU M
SP13		09.16.2004	21.3	0.15065	CU M/MI	348.57	CU M
SP13		09.16.2004	21.35	0.0841	CU M/MI	349.25	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.16.2004	21.4	0.07974	CU M/MI	349.7	CU M
SP13		09.16.2004	21.45	0.00187	CU M/MI	349.96	CU M
SP13		09.16.2004	21.5	0.08914	CU M/MI	350.18	CU M
SP13		09.16.2004	21.55	0.00221	CU M/MI	350.41	CU M
SP13		09.16.2004	22	0.0901	CU M/MI	350.83	CU M
SP13		09.16.2004	22.05	0.08931	CU M/MI	351.04	CU M
SP13		09.16.2004	22.1	0.00235	CU M/MI	351.36	CU M
SP13		09.16.2004	22.15	0.08974	CU M/MI	351.69	CU M
SP13		09.16.2004	22.2	0.08341	CU M/MI	351.89	CU M
SP13		09.16.2004	22.25	0.03583	CU M/MI	352.34	CU M
SP13		09.16.2004	22.3	0.1749	CU M/MI	352.68	CU M
SP13		09.16.2004	22.35	0.09328	CU M/MI	353.32	CU M
SP13		09.16.2004	22.4	0.09032	CU M/MI	354.07	CU M
SP13		09.16.2004	22.45	0.16942	CU M/MI	354.31	CU M
SP13		09.16.2004	22.5	0.09309	CU M/MI	355.05	CU M
SP13		09.16.2004	22.55	0.17268	CU M/MI	355.82	CU M
SP13		09.16.2004	23	0.15711	CU M/MI	356.1	CU M
SP13		09.16.2004	23.05	0.15156	CU M/MI	356.86	CU M
SP13		09.16.2004	23.1	0.08319	CU M/MI	357.52	CU M
SP13		09.16.2004	23.15	0.14139	CU M/MI	357.87	CU M
SP13		09.16.2004	23.2	0.15086	CU M/MI	358.4	CU M
SP13		09.16.2004	23.25	0.15	CU M/MI	359.15	CU M
SP13		09.16.2004	23.3	0.14741	CU M/MI	359.42	CU M
SP13		09.16.2004	23.35	0.15128	CU M/MI	360.18	CU M
SP13		09.16.2004	23.4	0.08584	CU M/MI	360.91	CU M
SP13		09.16.2004	23.45	0.15181	CU M/MI	361.51	CU M
SP13		09.16.2004	23.5	0.06692	CU M/MI	362.07	CU M
SP13		09.16.2004	23.55	0.10358	CU M/MI	362.46	CU M
SP13		09.17.2004	0	0.11623	CU M/MI	363.14	CU M
SP13		09.17.2004	0.05	0.06767	CU M/MI	363.6	CU M
SP13		09.17.2004	0.1	0.11784	CU M/MI	364.02	CU M
SP13		09.17.2004	0.15	0.12495	CU M/MI	364.71	CU M
SP13		09.17.2004	0.2	0.12714	CU M/MI	365.38	CU M
SP13		09.17.2004	0.25	0.12454	CU M/MI	366.06	CU M
SP13		09.17.2004	0.3	0.00437	CU M/MI	366.61	CU M
SP13		09.17.2004	0.35	0.12843	CU M/MI	366.94	CU M
SP13		09.17.2004	0.4	0.15129	CU M/MI	367.62	CU M
SP13		09.17.2004	0.45	0.08299	CU M/MI	368.12	CU M
SP13		09.17.2004	0.5	0.01217	CU M/MI	368.53	CU M
SP13		09.17.2004	0.55	0.15162	CU M/MI	368.87	CU M
SP13		09.17.2004	1	0.11608	CU M/MI	369.61	CU M
SP13		09.17.2004	1.05	0.11456	CU M/MI	370.29	CU M
SP13		09.17.2004	1.1	0.0768	CU M/MI	370.96	CU M
SP13		09.17.2004	1.15	0.06803	CU M/MI	371.41	CU M
SP13		09.17.2004	1.2	0.11793	CU M/MI	371.96	CU M
SP13		09.17.2004	1.25	0.07382	CU M/MI	372.55	CU M
SP13		09.17.2004	1.3	0.12138	CU M/MI	373.13	CU M
SP13		09.17.2004	1.35	0.00247	CU M/MI	373.57	CU M
SP13		09.17.2004	1.4	0.12491	CU M/MI	373.97	CU M
SP13		09.17.2004	1.45	0.08402	CU M/MI	374.47	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.17.2004	1.5	0.08387	CU M/MI	374.86	CU M
SP13		09.17.2004	1.55	0.00216	CU M/MI	374.96	CU M
SP13		09.17.2004	2	0.08329	CU M/MI	375.01	CU M
SP13		09.17.2004	2.05	0.08442	CU M/MI	375.41	CU M
SP13		09.17.2004	2.1	0.08475	CU M/MI	375.8	CU M
SP13		09.17.2004	2.15	0.00238	CU M/MI	376.07	CU M
SP13		09.17.2004	2.2	0.08503	CU M/MI	376.21	CU M
SP13		09.17.2004	2.25	0.00261	CU M/MI	376.47	CU M
SP13		09.17.2004	2.3	0.08496	CU M/MI	376.66	CU M
SP13		09.17.2004	2.35	0.00211	CU M/MI	376.88	CU M
SP13		09.17.2004	2.4	0.09032	CU M/MI	377.1	CU M
SP13		09.17.2004	2.45	0.15024	CU M/MI	377.53	CU M
SP13		09.17.2004	2.5	0.00207	CU M/MI	377.97	CU M
SP13		09.17.2004	2.55	0.17685	CU M/MI	378.22	CU M
SP13		09.17.2004	3	0.00821	CU M/MI	378.72	CU M
SP13		09.17.2004	3.05	0.09721	CU M/MI	379.17	CU M
SP13		09.17.2004	3.1	0.17625	CU M/MI	379.82	CU M
SP13		09.17.2004	3.15	0.00242	CU M/MI	380.29	CU M
SP13		09.17.2004	3.2	0.09149	CU M/MI	380.58	CU M
SP13		09.17.2004	3.25	0.17694	CU M/MI	381.27	CU M
SP13		09.17.2004	3.3	0.09169	CU M/MI	381.48	CU M
SP13		09.17.2004	3.35	0.09476	CU M/MI	381.99	CU M
SP13		09.17.2004	3.4	0.01714	CU M/MI	382.75	CU M
SP13		09.17.2004	3.45	0.09262	CU M/MI	382.94	CU M
SP13		09.17.2004	3.5	0.17678	CU M/MI	383.3	CU M
SP13		09.17.2004	3.55	0.00224	CU M/MI	383.69	CU M
SP13		09.17.2004	4	0.00246	CU M/MI	384	CU M
SP13		09.17.2004	4.05	0.09168	CU M/MI	384.48	CU M
SP13		09.17.2004	4.1	0.08831	CU M/MI	384.62	CU M
SP13		09.17.2004	4.15	0.09514	CU M/MI	385.31	CU M
SP13		09.17.2004	4.2	0.09144	CU M/MI	385.9	CU M
SP13		09.17.2004	4.25	0.17834	CU M/MI	386.27	CU M
SP13		09.17.2004	4.3	0.09508	CU M/MI	386.93	CU M
SP13		09.17.2004	4.35	0.08841	CU M/MI	387.28	CU M
SP13		09.17.2004	4.4	0.17921	CU M/MI	387.95	CU M
SP13		09.17.2004	4.45	0.08302	CU M/MI	388.31	CU M
SP13		09.17.2004	4.5	0.09671	CU M/MI	388.9	CU M
SP13		09.17.2004	4.55	0.17973	CU M/MI	389.58	CU M
SP13		09.17.2004	5	0.17617	CU M/MI	389.83	CU M
SP13		09.17.2004	5.05	0.09715	CU M/MI	390.53	CU M
SP13		09.17.2004	5.1	0.00256	CU M/MI	391.19	CU M
SP13		09.17.2004	5.15	0.18014	CU M/MI	391.58	CU M
SP13		09.17.2004	5.2	0.17249	CU M/MI	392.15	CU M
SP13		09.17.2004	5.25	0.0017	CU M/MI	392.49	CU M
SP13		09.17.2004	5.3	0.1005	CU M/MI	393.17	CU M
SP13		09.17.2004	5.35	0.09374	CU M/MI	393.68	CU M
SP13		09.17.2004	5.4	0.09634	CU M/MI	394.08	CU M
SP13		09.17.2004	5.45	0.09705	CU M/MI	394.86	CU M
SP13		09.17.2004	5.5	0.09284	CU M/MI	395.28	CU M
SP13		09.17.2004	5.55	0.00261	CU M/MI	395.71	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.17.2004	6	0.00187	CU M/MI	396.03	CU M
SP13		09.17.2004	6.05	0.09193	CU M/MI	396.18	CU M
SP13		09.17.2004	6.1	0.00176	CU M/MI	396.29	CU M
SP13		09.17.2004	6.15	0.0967	CU M/MI	396.71	CU M
SP13		09.17.2004	6.2	0.17938	CU M/MI	397.38	CU M
SP13		09.17.2004	6.25	0.08481	CU M/MI	397.87	CU M
SP13		09.17.2004	6.3	0.09637	CU M/MI	398.32	CU M
SP13		09.17.2004	6.35	0.09961	CU M/MI	399.11	CU M
SP13		09.17.2004	6.4	0.09272	CU M/MI	399.6	CU M
SP13		09.17.2004	6.45	0.1579	CU M/MI	400.04	CU M
SP13		09.17.2004	6.5	0.00884	CU M/MI	400.81	CU M
SP13		09.17.2004	6.55	0.09138	CU M/MI	401.08	CU M
SP13		09.17.2004	7	0.09162	CU M/MI	401.18	CU M
SP13		09.17.2004	7.05	0.09671	CU M/MI	401.7	CU M
SP13		09.17.2004	7.1	0.09612	CU M/MI	402.46	CU M
SP13		09.17.2004	7.15	0.09521	CU M/MI	402.9	CU M
SP13		09.17.2004	7.2	0.17816	CU M/MI	403.43	CU M
SP13		09.17.2004	7.25	0.00297	CU M/MI	404.07	CU M
SP13		09.17.2004	7.3	0.00443	CU M/MI	404.37	CU M
SP13		09.17.2004	7.35	0.17778	CU M/MI	404.96	CU M
SP13		09.17.2004	7.4	0.08487	CU M/MI	405.11	CU M
SP13		09.17.2004	7.45	0.0017	CU M/MI	405.37	CU M
SP13		09.17.2004	7.5	0.01149	CU M/MI	405.66	CU M
SP13		09.17.2004	7.55	0.08917	CU M/MI	405.72	CU M
SP13		09.17.2004	8	0.00159	CU M/MI	405.9	CU M
SP13		09.17.2004	8.05	0.00229	CU M/MI	406.19	CU M
SP13		09.17.2004	8.1	0.09174	CU M/MI	406.43	CU M
SP13		09.17.2004	8.15	0.09081	CU M/MI	406.56	CU M
SP13		09.17.2004	8.2	0.0016	CU M/MI	406.77	CU M
SP13		09.17.2004	8.25	0.09638	CU M/MI	407.21	CU M
SP13		09.17.2004	8.3	0.17909	CU M/MI	407.82	CU M
SP13		09.17.2004	8.35	0.077	CU M/MI	408.08	CU M
SP13		09.17.2004	8.4	0.09595	CU M/MI	408.81	CU M
SP13		09.17.2004	8.45	0.09158	CU M/MI	409.27	CU M
SP13		09.17.2004	8.5	0.17803	CU M/MI	409.73	CU M
SP13		09.17.2004	8.55	0.00383	CU M/MI	410.31	CU M
SP13		09.17.2004	9	0.09626	CU M/MI	410.74	CU M
SP13		09.17.2004	9.05	0.17768	CU M/MI	411.45	CU M
SP13		09.17.2004	9.1	0.09139	CU M/MI	411.7	CU M
SP13		09.17.2004	9.15	0.09705	CU M/MI	412.31	CU M
SP13		09.17.2004	11.55	0.17623	CU M/MI	428.69	CU M
SP13		09.17.2004	12	0.0024	CU M/MI	429.15	CU M
SP13		09.17.2004	12.05	0.09582	CU M/MI	429.74	CU M
SP13		09.17.2004	12.1	0.09697	CU M/MI	430.35	CU M
SP13		09.17.2004	12.15	0.17549	CU M/MI	430.6	CU M
SP13		09.17.2004	12.2	0.09512	CU M/MI	431.37	CU M
SP13		09.17.2004	12.25	0.09061	CU M/MI	431.94	CU M
SP13		09.17.2004	12.3	0.17692	CU M/MI	432.34	CU M
SP13		09.17.2004	12.35	0.01205	CU M/MI	433.02	CU M
SP13		09.17.2004	12.4	0.17642	CU M/MI	433.53	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.17.2004	12.45	0.17681	CU M/MI	434.21	CU M
SP13		09.17.2004	12.5	0.00247	CU M/MI	434.72	CU M
SP13		09.17.2004	12.55	0.17655	CU M/MI	435.41	CU M
SP13		09.17.2004	13	0.09277	CU M/MI	435.9	CU M
SP13		09.17.2004	13.05	0.17514	CU M/MI	436.36	CU M
SP13		09.17.2004	13.1	0.17504	CU M/MI	437.25	CU M
SP13		09.17.2004	13.15	0.09047	CU M/MI	437.58	CU M
SP13		09.17.2004	13.2	0.08499	CU M/MI	438.2	CU M
SP13		09.17.2004	13.25	0.09251	CU M/MI	438.75	CU M
SP13		09.17.2004	13.3	0.0928	CU M/MI	439.42	CU M
SP13		09.17.2004	13.35	0.15229	CU M/MI	440	CU M
SP13		09.17.2004	13.4	0.11684	CU M/MI	440.55	CU M
SP13		09.17.2004	13.45	0.09262	CU M/MI	441.19	CU M
SP13		09.17.2004	13.5	0.0829	CU M/MI	441.75	CU M
SP13		09.17.2004	13.55	0.15115	CU M/MI	442.3	CU M
SP13		09.17.2004	14	0.08378	CU M/MI	442.8	CU M
SP13		09.17.2004	14.05	0.09191	CU M/MI	443.25	CU M
SP13		09.17.2004	14.1	0.07307	CU M/MI	443.82	CU M
SP13		09.17.2004	14.15	0.15075	CU M/MI	444.27	CU M
SP13		09.17.2004	14.2	0.11579	CU M/MI	444.85	CU M
SP13		09.17.2004	14.25	0.09336	CU M/MI	445.26	CU M
SP13		09.17.2004	14.3	0.11694	CU M/MI	445.9	CU M
SP13		09.17.2004	14.35	0.1518	CU M/MI	446.5	CU M
SP13		09.17.2004	14.4	0.15166	CU M/MI	447.1	CU M
SP13		09.17.2004	14.45	0.13982	CU M/MI	447.57	CU M
SP13		09.17.2004	14.5	0.11645	CU M/MI	448.19	CU M
SP13		09.17.2004	14.55	0.11433	CU M/MI	448.82	CU M
SP13		09.17.2004	15	0.11584	CU M/MI	449.49	CU M
SP13		09.17.2004	15.05	0.07125	CU M/MI	450.08	CU M
SP13		09.17.2004	15.1	0.07615	CU M/MI	450.56	CU M
SP13		09.17.2004	15.15	0.08643	CU M/MI	451.13	CU M
SP13		09.17.2004	15.2	0.15149	CU M/MI	451.79	CU M
SP13		09.17.2004	15.25	0.08082	CU M/MI	452.47	CU M
SP13		09.17.2004	15.3	0.15169	CU M/MI	452.81	CU M
SP13		09.17.2004	15.35	0.15092	CU M/MI	453.57	CU M
SP13		09.17.2004	15.4	0.08086	CU M/MI	453.88	CU M
SP13		09.17.2004	15.45	0.1515	CU M/MI	454.54	CU M
SP13		09.17.2004	15.5	0.11413	CU M/MI	455.13	CU M
SP13		09.17.2004	15.55	0.14909	CU M/MI	455.88	CU M
SP13		09.17.2004	16	0.00204	CU M/MI	456.31	CU M
SP13		09.17.2004	16.05	0.15032	CU M/MI	456.82	CU M
SP13		09.17.2004	16.1	0.14973	CU M/MI	457.57	CU M
SP13		09.17.2004	16.15	0.01407	CU M/MI	458.18	CU M
SP13		09.17.2004	16.2	0.1487	CU M/MI	458.59	CU M
SP13		09.17.2004	16.25	0.08353	CU M/MI	459.2	CU M
SP13		09.17.2004	16.3	0.1501	CU M/MI	459.91	CU M
SP13		09.17.2004	16.35	0.08245	CU M/MI	460.61	CU M
SP13		09.17.2004	16.4	0.07753	CU M/MI	461	CU M
SP13		09.17.2004	16.45	0.08278	CU M/MI	461.61	CU M
SP13		09.17.2004	16.5	0.14953	CU M/MI	462.22	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.17.2004	16.55	0.08681	CU M/MI	462.95	CU M
SP13		09.17.2004	17	0.11501	CU M/MI	463.51	CU M
SP13		09.17.2004	17.05	0.06598	CU M/MI	463.92	CU M
SP13		09.17.2004	17.1	0.11595	CU M/MI	464.4	CU M
SP13		09.17.2004	17.15	0.09245	CU M/MI	465.06	CU M
SP13		09.17.2004	17.2	0.11763	CU M/MI	465.65	CU M
SP13		09.17.2004	17.25	0.14944	CU M/MI	466.18	CU M
SP13		09.17.2004	17.3	0.09235	CU M/MI	466.76	CU M
SP13		09.17.2004	17.35	0.09421	CU M/MI	467.39	CU M
SP13		09.17.2004	17.4	0.14942	CU M/MI	467.89	CU M
SP13		09.17.2004	17.45	0.09569	CU M/MI	468.56	CU M
SP13		09.17.2004	17.5	0.15105	CU M/MI	469.07	CU M
SP13		09.17.2004	17.55	0.09201	CU M/MI	469.66	CU M
SP13		09.17.2004	18	0.11545	CU M/MI	470.27	CU M
SP13		09.17.2004	18.05	0.14939	CU M/MI	470.81	CU M
SP13		09.17.2004	18.1	0.11595	CU M/MI	471.39	CU M
SP13		09.17.2004	18.15	0.11552	CU M/MI	471.99	CU M
SP13		09.17.2004	18.2	0.11612	CU M/MI	472.59	CU M
SP13		09.17.2004	18.25	0.12047	CU M/MI	473.2	CU M
SP13		09.17.2004	18.3	0.14821	CU M/MI	473.78	CU M
SP13		09.17.2004	18.35	0.11519	CU M/MI	474.36	CU M
SP13		09.17.2004	18.4	0.11597	CU M/MI	474.82	CU M
SP13		09.17.2004	18.45	0.09036	CU M/MI	475.41	CU M
SP13		09.17.2004	18.5	0.10649	CU M/MI	476.02	CU M
SP13		09.17.2004	18.55	0.15146	CU M/MI	476.59	CU M
SP13		09.17.2004	19	0.12062	CU M/MI	477.11	CU M
SP13		09.17.2004	19.05	0.09102	CU M/MI	477.72	CU M
SP13		09.17.2004	19.1	0.10075	CU M/MI	478.33	CU M
SP13		09.17.2004	19.15	0.15059	CU M/MI	478.84	CU M
SP13		09.17.2004	19.2	0.09097	CU M/MI	479.41	CU M
SP13		09.17.2004	19.25	0.10501	CU M/MI	480.05	CU M
SP13		09.17.2004	19.3	0.13956	CU M/MI	480.52	CU M
SP13		09.17.2004	19.35	0.09147	CU M/MI	481.13	CU M
SP13		09.17.2004	19.4	0.15137	CU M/MI	481.76	CU M
SP13		09.17.2004	19.45	0.15173	CU M/MI	482.43	CU M
SP13		09.17.2004	19.5	0.1152	CU M/MI	483.07	CU M
SP13		09.17.2004	19.55	0.07082	CU M/MI	483.62	CU M
SP13		09.17.2004	20	0.11885	CU M/MI	484.13	CU M
SP13		09.17.2004	20.05	0.12576	CU M/MI	484.72	CU M
SP13		09.17.2004	20.1	0.11562	CU M/MI	485.31	CU M
SP13		09.17.2004	20.15	0.11401	CU M/MI	485.91	CU M
SP13		09.17.2004	20.2	0.11509	CU M/MI	486.51	CU M
SP13		09.17.2004	20.25	0.12151	CU M/MI	487.1	CU M
SP13		09.17.2004	20.3	0.14826	CU M/MI	487.65	CU M
SP13		09.17.2004	20.35	0.11249	CU M/MI	488.21	CU M
SP13		09.17.2004	20.4	0.05887	CU M/MI	488.72	CU M
SP13		09.17.2004	20.45	0.11695	CU M/MI	489.32	CU M
SP13		09.17.2004	20.5	0.14886	CU M/MI	489.82	CU M
SP13		09.17.2004	20.55	0.09176	CU M/MI	490.41	CU M
SP13		09.17.2004	21	0.06885	CU M/MI	490.78	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.17.2004	21.05	0.14095	CU M/MI	491.19	CU M
SP13		09.17.2004	21.1	0.05343	CU M/MI	491.68	CU M
SP13		09.17.2004	21.15	0.06387	CU M/MI	492.09	CU M
SP13		09.17.2004	21.2	0.12232	CU M/MI	492.63	CU M
SP13		09.17.2004	21.25	0.14577	CU M/MI	493.18	CU M
SP13		09.17.2004	21.3	0.11697	CU M/MI	493.78	CU M
SP13		09.17.2004	21.35	0.06488	CU M/MI	494.14	CU M
SP13		09.17.2004	21.4	0.00163	CU M/MI	494.41	CU M
SP13		09.17.2004	21.45	0.21813	CU M/MI	494.69	CU M
SP13		09.17.2004	21.5	0.08825	CU M/MI	495.15	CU M
SP13		09.17.2004	21.55	0.09421	CU M/MI	495.59	CU M
SP13		09.17.2004	22	0.17761	CU M/MI	496.34	CU M
SP13		09.17.2004	22.05	0.09711	CU M/MI	496.98	CU M
SP13		09.17.2004	22.1	0.0955	CU M/MI	497.39	CU M
SP13		09.17.2004	22.15	0.17701	CU M/MI	498.22	CU M
SP13		09.17.2004	22.2	0.09038	CU M/MI	498.79	CU M
SP13		09.17.2004	22.25	0.09573	CU M/MI	499.29	CU M
SP13		09.17.2004	22.3	0.17734	CU M/MI	500.12	CU M
SP13		09.17.2004	22.35	0.08875	CU M/MI	500.56	CU M
SP13		09.17.2004	22.4	0.16429	CU M/MI	500.86	CU M
SP13		09.17.2004	22.45	0.09502	CU M/MI	501.68	CU M
SP13		09.17.2004	22.5	0.09439	CU M/MI	502.38	CU M
SP13		09.17.2004	22.55	0.17487	CU M/MI	502.68	CU M
SP13		09.17.2004	23	0.09403	CU M/MI	503.43	CU M
SP13		09.17.2004	23.05	0.08856	CU M/MI	504.09	CU M
SP13		09.17.2004	23.1	0.17548	CU M/MI	504.53	CU M
SP13		09.17.2004	23.15	0.09608	CU M/MI	505.19	CU M
SP13		09.17.2004	23.2	0.00128	CU M/MI	505.73	CU M
SP13		09.17.2004	23.25	0.17555	CU M/MI	506.37	CU M
SP13		09.17.2004	23.3	0.08947	CU M/MI	506.87	CU M
SP13		09.17.2004	23.35	0.09474	CU M/MI	507.46	CU M
SP13		09.17.2004	23.4	0.17473	CU M/MI	508.14	CU M
SP13		09.17.2004	23.45	0.1579	CU M/MI	508.42	CU M
SP13		09.17.2004	23.5	0.09476	CU M/MI	509.2	CU M
SP13		09.17.2004	23.55	0.08871	CU M/MI	509.67	CU M
SP13		09.18.2004	0	0.1757	CU M/MI	510.17	CU M
SP13		09.18.2004	0.05	0.00881	CU M/MI	510.87	CU M
SP13		09.18.2004	0.1	0.01812	CU M/MI	511.23	CU M
SP13		09.18.2004	0.15	0.17674	CU M/MI	511.75	CU M
SP13		09.18.2004	0.2	0.1739	CU M/MI	512.42	CU M
SP13		09.18.2004	0.25	0.09322	CU M/MI	512.83	CU M
SP13		09.18.2004	0.3	0.17667	CU M/MI	513.56	CU M
SP13		09.18.2004	0.35	0.08933	CU M/MI	514.02	CU M
SP13		09.18.2004	0.4	0.09558	CU M/MI	514.54	CU M
SP13		09.18.2004	0.45	0.01507	CU M/MI	515.27	CU M
SP13		09.18.2004	0.5	0.10303	CU M/MI	515.59	CU M
SP13		09.18.2004	0.55	0.17596	CU M/MI	516.19	CU M
SP13		09.18.2004	1	0.15234	CU M/MI	516.47	CU M
SP13		09.18.2004	1.05	0.09433	CU M/MI	517.21	CU M
SP13		09.18.2004	1.1	0.17403	CU M/MI	517.95	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.18.2004	1.15	0.1742	CU M/MI	518.19	CU M
SP13		09.18.2004	1.2	0.09503	CU M/MI	518.82	CU M
SP13		09.18.2004	1.25	0.0027	CU M/MI	519.52	CU M
SP13		09.18.2004	1.3	0.17639	CU M/MI	519.96	CU M
SP13		09.18.2004	1.35	0.17553	CU M/MI	520.57	CU M
SP13		09.18.2004	1.4	0.00132	CU M/MI	521.04	CU M
SP13		09.18.2004	1.45	0.08852	CU M/MI	521.35	CU M
SP13		09.18.2004	1.5	0.17594	CU M/MI	522.06	CU M
SP13		09.18.2004	1.55	0.12255	CU M/MI	522.66	CU M
SP13		09.18.2004	2	0.09405	CU M/MI	522.98	CU M
SP13		09.18.2004	2.05	0.17743	CU M/MI	523.74	CU M
SP13		09.18.2004	2.1	0.09096	CU M/MI	524.26	CU M
SP13		09.18.2004	2.15	0.09601	CU M/MI	524.64	CU M
SP13		09.18.2004	2.2	0.09363	CU M/MI	525.34	CU M
SP13		09.18.2004	2.25	0.01018	CU M/MI	525.84	CU M
SP13		09.18.2004	2.3	0.17523	CU M/MI	526.28	CU M
SP13		09.18.2004	2.35	0.17327	CU M/MI	526.9	CU M
SP13		09.18.2004	2.4	0.0922	CU M/MI	527.25	CU M
SP13		09.18.2004	2.45	0.09364	CU M/MI	527.97	CU M
SP13		09.18.2004	2.5	0.08901	CU M/MI	528.39	CU M
SP13		09.18.2004	2.55	0.17599	CU M/MI	528.87	CU M
SP13		09.18.2004	3	0.0028	CU M/MI	529.49	CU M
SP13		09.18.2004	3.05	0.09519	CU M/MI	529.88	CU M
SP13		09.18.2004	3.1	0.17544	CU M/MI	530.58	CU M
SP13		09.18.2004	3.15	0.09033	CU M/MI	530.8	CU M
SP13		09.18.2004	3.2	0.09424	CU M/MI	531.21	CU M
SP13		09.18.2004	3.25	0.09442	CU M/MI	531.95	CU M
SP13		09.18.2004	3.3	0.08763	CU M/MI	532.29	CU M
SP13		09.18.2004	3.35	0.17661	CU M/MI	532.89	CU M
SP13		09.18.2004	3.4	0.07785	CU M/MI	533.33	CU M
SP13		09.18.2004	3.45	0.09632	CU M/MI	533.87	CU M
SP13		09.18.2004	3.5	0.09474	CU M/MI	534.56	CU M
SP13		09.18.2004	3.55	0.10364	CU M/MI	534.87	CU M
SP13		09.18.2004	4	0.17642	CU M/MI	535.5	CU M
SP13		09.18.2004	4.05	0.07856	CU M/MI	535.8	CU M
SP13		09.18.2004	4.1	0.09567	CU M/MI	536.5	CU M
SP13		09.18.2004	4.15	0.10132	CU M/MI	537.24	CU M
SP13		09.18.2004	4.2	0.17313	CU M/MI	537.51	CU M
SP13		09.18.2004	4.25	0.16983	CU M/MI	538.13	CU M
SP13		09.18.2004	4.3	0.00349	CU M/MI	538.81	CU M
SP13		09.18.2004	4.35	0.0953	CU M/MI	539.23	CU M
SP13		09.18.2004	4.4	0.17696	CU M/MI	539.89	CU M
SP13		09.18.2004	4.45	0.09141	CU M/MI	540.3	CU M
SP13		09.18.2004	4.5	0.09383	CU M/MI	540.59	CU M
SP13		09.18.2004	4.55	0.09484	CU M/MI	541.33	CU M
SP13		09.18.2004	5	0.09946	CU M/MI	542.02	CU M
SP13		09.18.2004	5.05	0.1645	CU M/MI	542.23	CU M
SP13		09.18.2004	5.1	0.09605	CU M/MI	542.96	CU M
SP13		09.18.2004	5.15	0.00674	CU M/MI	543.63	CU M
SP13		09.18.2004	5.2	0.17788	CU M/MI	544.01	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13		09.18.2004	5.25	0.17627	CU M/MI	544.63	CU M
SP13		09.18.2004	5.3	0.07478	CU M/MI	545.05	CU M
SP13		09.18.2004	5.35	0.09573	CU M/MI	545.55	CU M
SP13		09.18.2004	5.4	0.09497	CU M/MI	546.29	CU M
SP13		09.18.2004	5.45	0.1631	CU M/MI	546.6	CU M
SP13		09.18.2004	5.5	0.17479	CU M/MI	547.19	CU M
SP13		09.18.2004	5.55	0.00105	CU M/MI	547.66	CU M
SP13	Day 1	09.18.2004	6	0.09377	CU M/MI	548.17	CU M
SP13	Day 1	09.18.2004	6.05	0.17389	CU M/MI	548.87	CU M
SP13	Day 1	09.18.2004	6.1	0.16961	CU M/MI	549.09	CU M
SP13	Day 1	09.18.2004	6.15	0.15937	CU M/MI	549.7	CU M
SP13	Day 1	09.18.2004	6.2	0.00106	CU M/MI	550.03	CU M
SP13	Day 1	09.18.2004	6.25	0.09788	CU M/MI	550.64	CU M
SP13	Day 1	09.18.2004	6.3	0.15069	CU M/MI	551.27	CU M
SP13	Day 1	09.18.2004	6.35	0.16279	CU M/MI	551.49	CU M
SP13	Day 1	09.18.2004	6.4	0.09657	CU M/MI	552.18	CU M
SP13	Day 1	09.18.2004	6.45	0.00201	CU M/MI	552.66	CU M
SP13	Day 1	09.18.2004	6.5	0.17887	CU M/MI	553.26	CU M
SP13	Day 1	09.18.2004	6.55	0.0902	CU M/MI	553.74	CU M
SP13	Day 1	09.18.2004	7	0.09732	CU M/MI	554.12	CU M
SP13	Day 1	09.18.2004	7.05	0.09582	CU M/MI	554.87	CU M
SP13	Day 1	09.18.2004	7.1	0.17777	CU M/MI	555.23	CU M
SP13	Day 1	09.18.2004	7.15	0.17864	CU M/MI	555.86	CU M
SP13	Day 1	09.18.2004	7.2	0.00116	CU M/MI	556.29	CU M
SP13	Day 1	09.18.2004	7.25	0.09503	CU M/MI	556.86	CU M
SP13	Day 1	09.18.2004	7.3	0.10008	CU M/MI	557.6	CU M
SP13	Day 1	09.18.2004	7.35	0.16855	CU M/MI	557.92	CU M
SP13	Day 1	09.18.2004	7.4	0.18046	CU M/MI	558.53	CU M
SP13	Day 1	09.18.2004	7.45	0.004	CU M/MI	559.18	CU M
SP13	Day 1	09.18.2004	7.5	0.00161	CU M/MI	559.45	CU M
SP13	Day 1	09.18.2004	7.55	0.17857	CU M/MI	560.04	CU M
SP13	Day 1	09.18.2004	8	0.17874	CU M/MI	560.67	CU M
SP13	Day 1	09.18.2004	8.05	0.08487	CU M/MI	560.96	CU M
SP13	Day 1	09.18.2004	8.1	0.09425	CU M/MI	561.64	CU M
SP13	Day 1	09.18.2004	8.15	0.00349	CU M/MI	562.32	CU M
SP13	Day 1	09.18.2004	8.2	0.17885	CU M/MI	562.68	CU M
SP13	Day 1	09.18.2004	8.25	0.17395	CU M/MI	563.25	CU M
SP13	Day 1	09.18.2004	8.3	0.00171	CU M/MI	563.8	CU M
SP13	Day 1	09.18.2004	8.35	0.17906	CU M/MI	564.34	CU M
SP13	Day 1	09.18.2004	8.4	0.09312	CU M/MI	564.91	CU M
SP13	Day 1	09.18.2004	8.45	0.17408	CU M/MI	565.21	CU M
SP13	Day 1	09.18.2004	8.5	0.09691	CU M/MI	565.93	CU M
SP13	Day 1	09.18.2004	8.55	0.00139	CU M/MI	566.3	CU M
SP13	Day 1	09.18.2004	9	0.17612	CU M/MI	566.94	CU M
SP13	Day 1	09.18.2004	9.05	0.0905	CU M/MI	567.4	CU M
SP13	Day 1	09.18.2004	9.1	0.17636	CU M/MI	567.8	CU M
SP13	Day 1	09.18.2004	9.15	0.09612	CU M/MI	568.48	CU M
SP13	Day 1	09.18.2004	9.2	0.00126	CU M/MI	568.75	CU M
SP13	Day 1	09.18.2004	9.25	0.17834	CU M/MI	569.29	CU M
SP13	Day 1	09.18.2004	9.3	0.17608	CU M/MI	569.91	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 1	09.18.2004	9.35	0.17169	CU M/MI	570.15	CU M
SP13	Day 1	09.18.2004	9.4	0.09723	CU M/MI	570.84	CU M
SP13	Day 1	09.18.2004	9.45	0.0012	CU M/MI	571.28	CU M
SP13	Day 1	09.18.2004	9.5	0.09686	CU M/MI	571.58	CU M
SP13	Day 1	09.18.2004	9.55	0.17451	CU M/MI	572.43	CU M
SP13	Day 1	09.18.2004	10	0.1759	CU M/MI	572.62	CU M
SP13	Day 1	09.18.2004	10.05	0.15581	CU M/MI	573.24	CU M
SP13	Day 1	09.18.2004	10.1	0.0891	CU M/MI	573.8	CU M
SP13	Day 1	09.18.2004	10.15	0.1755	CU M/MI	574.47	CU M
SP13	Day 1	09.18.2004	10.2	0.09539	CU M/MI	575.32	CU M
SP13	Day 1	09.18.2004	10.25	0.17406	CU M/MI	575.71	CU M
SP13	Day 1	09.18.2004	10.3	0.17529	CU M/MI	576.4	CU M
SP13	Day 1	09.18.2004	10.35	0.08822	CU M/MI	577.22	CU M
SP13	Day 1	09.18.2004	10.4	0.17573	CU M/MI	577.57	CU M
SP13	Day 1	09.18.2004	10.45	0.09819	CU M/MI	578.42	CU M
SP13	Day 1	09.18.2004	10.5	0.0891	CU M/MI	578.99	CU M
SP13	Day 1	09.18.2004	10.55	0.16394	CU M/MI	579.25	CU M
SP13	Day 1	09.18.2004	11	0.17485	CU M/MI	580.12	CU M
SP13	Day 1	09.18.2004	11.05	0.17584	CU M/MI	580.81	CU M
SP13	Day 1	09.18.2004	11.1	0.08969	CU M/MI	581.21	CU M
SP13	Day 1	09.18.2004	11.15	0.17539	CU M/MI	582	CU M
SP13	Day 1	09.18.2004	11.2	0.1752	CU M/MI	582.7	CU M
SP13	Day 1	09.18.2004	11.25	0.09319	CU M/MI	583.13	CU M
SP13	Day 1	09.18.2004	11.3	0.17501	CU M/MI	583.94	CU M
SP13	Day 1	09.18.2004	11.35	0.10269	CU M/MI	584.59	CU M
SP13	Day 1	09.18.2004	11.4	0.16416	CU M/MI	584.89	CU M
SP13	Day 1	09.18.2004	11.45	0.17481	CU M/MI	585.77	CU M
SP13	Day 1	09.18.2004	11.5	0.08872	CU M/MI	586.25	CU M
SP13	Day 1	09.18.2004	11.55	0.16146	CU M/MI	586.78	CU M
SP13	Day 1	09.18.2004	12	0.02089	CU M/MI	587.6	CU M
SP13	Day 1	09.18.2004	12.05	0.1732	CU M/MI	587.94	CU M
SP13	Day 1	09.18.2004	12.1	0.17412	CU M/MI	588.59	CU M
SP13	Day 1	09.18.2004	12.15	0.00173	CU M/MI	589.14	CU M
SP13	Day 1	09.18.2004	12.2	0.17379	CU M/MI	589.77	CU M
SP13	Day 1	09.18.2004	12.25	0.08958	CU M/MI	590.32	CU M
SP13	Day 1	09.18.2004	12.3	0.09342	CU M/MI	590.69	CU M
SP13	Day 1	09.18.2004	12.35	0.17318	CU M/MI	591.5	CU M
SP13	Day 1	09.18.2004	12.4	0.08845	CU M/MI	591.99	CU M
SP13	Day 1	09.18.2004	12.45	0.14944	CU M/MI	592.48	CU M
SP13	Day 1	09.18.2004	12.5	0.1726	CU M/MI	593.34	CU M
SP13	Day 1	09.18.2004	12.55	0.17077	CU M/MI	593.64	CU M
SP13	Day 1	09.18.2004	13	0.09395	CU M/MI	594.39	CU M
SP13	Day 1	09.18.2004	13.05	0.08838	CU M/MI	595.01	CU M
SP13	Day 1	09.18.2004	13.1	0.17406	CU M/MI	595.47	CU M
SP13	Day 1	09.18.2004	13.15	0.0949	CU M/MI	596.3	CU M
SP13	Day 1	09.18.2004	13.2	0.17276	CU M/MI	596.69	CU M
SP13	Day 1	09.18.2004	13.25	0.16822	CU M/MI	597.38	CU M
SP13	Day 1	09.18.2004	13.3	0.17335	CU M/MI	598.25	CU M
SP13	Day 1	09.18.2004	13.35	0.1738	CU M/MI	598.6	CU M
SP13	Day 1	09.18.2004	13.4	0.08979	CU M/MI	599.29	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 1	09.18.2004	13.45	0.16812	CU M/MI	600.07	CU M
SP13	Day 1	09.18.2004	13.5	0.16342	CU M/MI	600.42	CU M
SP13	Day 1	09.18.2004	13.55	0.17079	CU M/MI	601.28	CU M
SP13	Day 1	09.18.2004	14	0.0876	CU M/MI	601.62	CU M
SP13	Day 1	09.18.2004	14.05	0.09388	CU M/MI	602.22	CU M
SP13	Day 1	09.18.2004	14.1	0.17144	CU M/MI	603.07	CU M
SP13	Day 1	09.18.2004	14.15	0.08878	CU M/MI	603.46	CU M
SP13	Day 1	09.18.2004	14.2	0.09357	CU M/MI	604.12	CU M
SP13	Day 1	09.18.2004	14.25	0.172	CU M/MI	604.95	CU M
SP13	Day 1	09.18.2004	14.3	0.08789	CU M/MI	605.34	CU M
SP13	Day 1	09.18.2004	14.35	0.09311	CU M/MI	605.98	CU M
SP13	Day 1	09.18.2004	14.4	0.09313	CU M/MI	606.75	CU M
SP13	Day 1	09.18.2004	14.45	0.08676	CU M/MI	607.17	CU M
SP13	Day 1	09.18.2004	14.5	0.17142	CU M/MI	607.78	CU M
SP13	Day 1	09.18.2004	14.55	0.00574	CU M/MI	608.58	CU M
SP13	Day 1	09.18.2004	15	0.17188	CU M/MI	608.95	CU M
SP13	Day 1	09.18.2004	15.05	0.17342	CU M/MI	609.63	CU M
SP13	Day 1	09.18.2004	15.1	0.00108	CU M/MI	610.15	CU M
SP13	Day 1	09.18.2004	15.15	0.17138	CU M/MI	610.76	CU M
SP13	Day 1	09.18.2004	15.2	0.17088	CU M/MI	611.42	CU M
SP13	Day 1	09.18.2004	15.25	0.09101	CU M/MI	611.83	CU M
SP13	Day 1	09.18.2004	15.3	0.08685	CU M/MI	612.49	CU M
SP13	Day 1	09.18.2004	15.35	0.16903	CU M/MI	612.85	CU M
SP13	Day 1	09.18.2004	15.4	0.09551	CU M/MI	613.67	CU M
SP13	Day 1	09.18.2004	15.45	0.08669	CU M/MI	614.16	CU M
SP13	Day 1	09.18.2004	15.5	0.17009	CU M/MI	614.67	CU M
SP13	Day 1	09.18.2004	15.55	0.09297	CU M/MI	615.47	CU M
SP13	Day 1	09.18.2004	16	0.16628	CU M/MI	615.84	CU M
SP13	Day 1	09.18.2004	16.05	0.09213	CU M/MI	616.5	CU M
SP13	Day 1	09.18.2004	16.1	0.01247	CU M/MI	617.17	CU M
SP13	Day 1	09.18.2004	16.15	0.16868	CU M/MI	617.63	CU M
SP13	Day 1	09.18.2004	16.2	0.09096	CU M/MI	618.38	CU M
SP13	Day 1	09.18.2004	16.25	0.162	CU M/MI	618.84	CU M
SP13	Day 1	09.18.2004	16.3	0.17073	CU M/MI	619.52	CU M
SP13	Day 1	09.18.2004	16.35	0.12421	CU M/MI	620.37	CU M
SP13	Day 1	09.18.2004	16.4	0.16015	CU M/MI	620.73	CU M
SP13	Day 1	09.18.2004	16.45	0.1702	CU M/MI	621.4	CU M
SP13	Day 1	09.18.2004	16.5	0.16946	CU M/MI	622.26	CU M
SP13	Day 1	09.18.2004	16.55	0.08646	CU M/MI	622.61	CU M
SP13	Day 1	09.18.2004	17	0.09114	CU M/MI	623.3	CU M
SP13	Day 1	09.18.2004	17.05	0.08732	CU M/MI	623.73	CU M
SP13	Day 1	09.18.2004	17.25	0.17055	CU M/MI	626.25	CU M
SP13	Day 1	09.18.2004	17.3	0.09216	CU M/MI	627.02	CU M
SP13	Day 1	09.18.2004	17.35	0.08934	CU M/MI	627.52	CU M
SP13	Day 1	09.18.2004	17.4	0.17118	CU M/MI	628.12	CU M
SP13	Day 1	09.18.2004	17.45	0.09166	CU M/MI	628.8	CU M
SP13	Day 1	09.18.2004	17.5	0.08612	CU M/MI	629.3	CU M
SP13	Day 1	09.18.2004	17.55	0.10203	CU M/MI	629.85	CU M
SP13	Day 1	09.18.2004	18	0.10231	CU M/MI	630.44	CU M
SP13	Day 1	09.18.2004	18.05	0.12111	CU M/MI	631.03	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 1	09.18.2004	18.1	0.14034	CU M/MI	631.62	CU M
SP13	Day 1	09.18.2004	18.15	0.09475	CU M/MI	632.19	CU M
SP13	Day 1	09.18.2004	18.2	0.08557	CU M/MI	632.81	CU M
SP13	Day 1	09.18.2004	18.25	0.0996	CU M/MI	633.43	CU M
SP13	Day 1	09.18.2004	18.3	0.14996	CU M/MI	633.96	CU M
SP13	Day 1	09.18.2004	18.35	0.11335	CU M/MI	634.52	CU M
SP13	Day 1	09.18.2004	18.4	0.11354	CU M/MI	635.12	CU M
SP13	Day 1	09.18.2004	18.45	0.06587	CU M/MI	635.69	CU M
SP13	Day 1	09.18.2004	18.5	0.11481	CU M/MI	636.25	CU M
SP13	Day 1	09.18.2004	18.55	0.11494	CU M/MI	636.85	CU M
SP13	Day 1	09.18.2004	19	0.11489	CU M/MI	637.45	CU M
SP13	Day 1	09.18.2004	19.05	0.15017	CU M/MI	638.04	CU M
SP13	Day 1	09.18.2004	19.1	0.14814	CU M/MI	638.56	CU M
SP13	Day 1	09.18.2004	19.15	0.09821	CU M/MI	639.15	CU M
SP13	Day 1	09.18.2004	19.2	0.15039	CU M/MI	639.85	CU M
SP13	Day 1	09.18.2004	19.25	0.1494	CU M/MI	640.61	CU M
SP13	Day 1	09.18.2004	19.3	0.08312	CU M/MI	641.22	CU M
SP13	Day 1	09.18.2004	19.35	0.14363	CU M/MI	641.68	CU M
SP13	Day 1	09.18.2004	19.4	0.15032	CU M/MI	642.42	CU M
SP13	Day 1	09.18.2004	19.45	0.15002	CU M/MI	642.94	CU M
SP13	Day 1	09.18.2004	19.5	0.06983	CU M/MI	643.63	CU M
SP13	Day 1	09.18.2004	19.55	0.10179	CU M/MI	644.16	CU M
SP13	Day 1	09.18.2004	20	0.05423	CU M/MI	644.71	CU M
SP13	Day 1	09.18.2004	20.05	0.07767	CU M/MI	645.13	CU M
SP13	Day 1	09.18.2004	20.1	0.14974	CU M/MI	645.5	CU M
SP13	Day 1	09.18.2004	20.15	0.13473	CU M/MI	646.08	CU M
SP13	Day 1	09.18.2004	20.2	0.11425	CU M/MI	646.67	CU M
SP13	Day 1	09.18.2004	20.25	0.11451	CU M/MI	647.28	CU M
SP13	Day 1	09.18.2004	20.3	0.06472	CU M/MI	647.65	CU M
SP13	Day 1	09.18.2004	20.35	0.13675	CU M/MI	648.05	CU M
SP13	Day 1	09.18.2004	20.4	0.00107	CU M/MI	648.35	CU M
SP13	Day 1	09.18.2004	20.45	0.17037	CU M/MI	648.86	CU M
SP13	Day 1	09.18.2004	20.5	0.17057	CU M/MI	649.5	CU M
SP13	Day 1	09.18.2004	20.55	0.09513	CU M/MI	650.33	CU M
SP13	Day 1	09.18.2004	21	0.16973	CU M/MI	650.73	CU M
SP13	Day 1	09.18.2004	21.05	0.09248	CU M/MI	651.43	CU M
SP13	Day 1	09.18.2004	21.1	0.17056	CU M/MI	652.25	CU M
SP13	Day 1	09.18.2004	21.15	0.08663	CU M/MI	652.53	CU M
SP13	Day 1	09.18.2004	21.2	0.1709	CU M/MI	653.38	CU M
SP13	Day 1	09.18.2004	21.25	0.17061	CU M/MI	654.04	CU M
SP13	Day 1	09.18.2004	21.3	0.00176	CU M/MI	654.47	CU M
SP13	Day 1	09.18.2004	21.35	0.17039	CU M/MI	655.01	CU M
SP13	Day 1	09.18.2004	21.4	0.17053	CU M/MI	655.67	CU M
SP13	Day 1	09.18.2004	21.45	0.17031	CU M/MI	656.52	CU M
SP13	Day 1	09.18.2004	21.5	0.17058	CU M/MI	656.87	CU M
SP13	Day 1	09.18.2004	21.55	0.09198	CU M/MI	657.58	CU M
SP13	Day 1	09.18.2004	22	0.17144	CU M/MI	658.34	CU M
SP13	Day 1	09.18.2004	22.05	0.1651	CU M/MI	658.68	CU M
SP13	Day 1	09.18.2004	22.1	0.17025	CU M/MI	659.53	CU M
SP13	Day 1	09.18.2004	22.15	0.09653	CU M/MI	660.15	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 1	09.18.2004	22.2	0.09105	CU M/MI	660.54	CU M
SP13	Day 1	09.18.2004	22.25	0.16943	CU M/MI	661.32	CU M
SP13	Day 1	09.18.2004	22.3	0.07203	CU M/MI	661.83	CU M
SP13	Day 1	09.18.2004	22.35	0.16931	CU M/MI	662.49	CU M
SP13	Day 1	09.18.2004	22.4	0.16984	CU M/MI	663.15	CU M
SP13	Day 1	09.18.2004	22.45	0.00199	CU M/MI	663.59	CU M
SP13	Day 1	09.18.2004	22.5	0.16923	CU M/MI	664.29	CU M
SP13	Day 1	09.18.2004	22.55	0.00342	CU M/MI	664.99	CU M
SP13	Day 1	09.18.2004	23	0.16971	CU M/MI	665.43	CU M
SP13	Day 1	09.18.2004	23.05	0.08184	CU M/MI	665.85	CU M
SP13	Day 1	09.18.2004	23.1	0.16962	CU M/MI	666.59	CU M
SP13	Day 1	09.18.2004	23.15	0.16913	CU M/MI	667.25	CU M
SP13	Day 1	09.18.2004	23.2	0.06772	CU M/MI	667.67	CU M
SP13	Day 1	09.18.2004	23.25	0.16918	CU M/MI	668.41	CU M
SP13	Day 1	09.18.2004	23.3	0.08659	CU M/MI	668.95	CU M
SP13	Day 1	09.18.2004	23.35	0.10116	CU M/MI	669.54	CU M
SP13	Day 1	09.18.2004	23.4	0.1692	CU M/MI	670.21	CU M
SP13	Day 1	09.18.2004	23.45	0.00122	CU M/MI	670.68	CU M
SP13	Day 1	09.18.2004	23.5	0.16962	CU M/MI	671.29	CU M
SP13	Day 1	09.18.2004	23.55	0.16993	CU M/MI	671.95	CU M
SP13	Day 1	09.19.2004	0	0.00241	CU M/MI	672.61	CU M
SP13	Day 1	09.19.2004	0.05	0.16985	CU M/MI	673.14	CU M
SP13	Day 1	09.19.2004	0.1	0.09096	CU M/MI	673.84	CU M
SP13	Day 1	09.19.2004	0.15	0.00494	CU M/MI	674.48	CU M
SP13	Day 1	09.19.2004	0.2	0.16993	CU M/MI	674.95	CU M
SP13	Day 1	09.19.2004	0.25	0.09099	CU M/MI	675.65	CU M
SP13	Day 1	09.19.2004	0.3	0.08618	CU M/MI	676.37	CU M
SP13	Day 1	09.19.2004	0.35	0.08714	CU M/MI	676.6	CU M
SP13	Day 1	09.19.2004	0.4	0.09145	CU M/MI	677.27	CU M
SP13	Day 1	09.19.2004	0.45	0.16861	CU M/MI	678.07	CU M
SP13	Day 1	09.19.2004	0.5	0.08655	CU M/MI	678.54	CU M
SP13	Day 1	09.19.2004	0.55	0.10586	CU M/MI	679.27	CU M
SP13	Day 1	09.19.2004	1	0.16846	CU M/MI	679.91	CU M
SP13	Day 1	09.19.2004	1.05	0.06583	CU M/MI	680.4	CU M
SP13	Day 1	09.19.2004	1.1	0.16813	CU M/MI	681.09	CU M
SP13	Day 1	09.19.2004	1.15	0.16886	CU M/MI	681.74	CU M
SP13	Day 1	09.19.2004	1.2	0.00153	CU M/MI	682.28	CU M
SP13	Day 1	09.19.2004	1.25	0.17688	CU M/MI	682.85	CU M
SP13	Day 1	09.19.2004	1.3	0.17772	CU M/MI	683.54	CU M
SP13	Day 1	09.19.2004	1.35	0.0959	CU M/MI	683.95	CU M
SP13	Day 1	09.19.2004	1.4	0.17838	CU M/MI	684.76	CU M
SP13	Day 1	09.19.2004	1.45	0.0918	CU M/MI	685.19	CU M
SP13	Day 1	09.19.2004	1.5	0.09633	CU M/MI	685.74	CU M
SP13	Day 1	09.19.2004	1.55	0.00186	CU M/MI	686.37	CU M
SP13	Day 1	09.19.2004	2	0.17873	CU M/MI	686.79	CU M
SP13	Day 1	09.19.2004	2.05	0.09221	CU M/MI	687.28	CU M
SP13	Day 1	09.19.2004	2.1	0.17994	CU M/MI	687.56	CU M
SP13	Day 1	09.19.2004	2.15	0.09681	CU M/MI	688.38	CU M
SP13	Day 1	09.19.2004	2.2	0.09173	CU M/MI	688.89	CU M
SP13	Day 1	09.19.2004	2.25	0.18269	CU M/MI	689.5	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 1	09.19.2004	2.3	0.00218	CU M/MI	690.11	CU M
SP13	Day 1	09.19.2004	2.35	0.1823	CU M/MI	690.67	CU M
SP13	Day 1	09.19.2004	2.4	0.10007	CU M/MI	691.34	CU M
SP13	Day 1	09.19.2004	2.4	0.10007	CU M/MI	691.34	CU M
SP13	Day 1	09.19.2004	2.5	0.09873	CU M/MI	692.56	CU M
SP13	Day 1	09.19.2004	2.55	0.18028	CU M/MI	692.93	CU M
SP13	Day 1	09.19.2004	3	0.16943	CU M/MI	693.6	CU M
SP13	Day 1	09.19.2004	3.05	0.0018	CU M/MI	694.27	CU M
SP13	Day 1	09.19.2004	3.1	0.17818	CU M/MI	694.84	CU M
SP13	Day 1	09.19.2004	3.15	0.17644	CU M/MI	695.54	CU M
SP13	Day 1	09.19.2004	3.2	0.09242	CU M/MI	696	CU M
SP13	Day 1	09.19.2004	3.25	0.07431	CU M/MI	696.72	CU M
SP13	Day 1	09.19.2004	3.3	0.13079	CU M/MI	697.29	CU M
SP13	Day 1	09.19.2004	3.35	0.13658	CU M/MI	697.96	CU M
SP13	Day 1	09.19.2004	3.4	0.07702	CU M/MI	698.19	CU M
SP13	Day 1	09.19.2004	3.45	0.15078	CU M/MI	698.77	CU M
SP13	Day 1	09.19.2004	3.5	0.15121	CU M/MI	699.45	CU M
SP13	Day 1	09.19.2004	3.55	0.15045	CU M/MI	700.12	CU M
SP13	Day 1	09.19.2004	4	0.1461	CU M/MI	700.65	CU M
SP13	Day 1	09.19.2004	4.05	0.08684	CU M/MI	701.25	CU M
SP13	Day 1	09.19.2004	4.1	0.05236	CU M/MI	701.65	CU M
SP13	Day 1	09.19.2004	4.15	0.0894	CU M/MI	702.02	CU M
SP13	Day 1	09.19.2004	4.2	0.1505	CU M/MI	702.62	CU M
SP13	Day 1	09.19.2004	4.25	0.15151	CU M/MI	703.21	CU M
SP13	Day 1	09.19.2004	4.3	0.1511	CU M/MI	703.96	CU M
SP13	Day 1	09.19.2004	4.35	0.03257	CU M/MI	704.4	CU M
SP13	Day 1	09.19.2004	4.55	0.07756	CU M/MI	706.78	CU M
SP13	Day 1	09.19.2004	5	0.14866	CU M/MI	707.35	CU M
SP13	Day 1	09.19.2004	5.05	0.14889	CU M/MI	708.1	CU M
SP13	Day 1	09.19.2004	5.1	0.07756	CU M/MI	708.75	CU M
SP13	Day 1	09.19.2004	5.15	0.10138	CU M/MI	709.04	CU M
SP13	Day 1	09.19.2004	5.2	0.10048	CU M/MI	709.7	CU M
SP13	Day 1	09.19.2004	5.25	0.08408	CU M/MI	710.29	CU M
SP13	Day 1	09.19.2004	5.3	0.0851	CU M/MI	710.9	CU M
SP13	Day 1	09.19.2004	5.35	0.15093	CU M/MI	711.45	CU M
SP13	Day 1	09.19.2004	5.4	0.14775	CU M/MI	712	CU M
SP13	Day 1	09.19.2004	5.45	0.14374	CU M/MI	712.57	CU M
SP13	Day 1	09.19.2004	5.5	0.14349	CU M/MI	713.16	CU M
SP13	Day 1	09.19.2004	5.55	0.14318	CU M/MI	713.75	CU M
SP13	Day 2	09.19.2004	6	0.14311	CU M/MI	714.34	CU M
SP13	Day 2	09.19.2004	6.05	0.11344	CU M/MI	714.92	CU M
SP13	Day 2	09.19.2004	6.1	0.08828	CU M/MI	715.51	CU M
SP13	Day 2	09.19.2004	6.15	0.09005	CU M/MI	716.11	CU M
SP13	Day 2	09.19.2004	6.2	0.1511	CU M/MI	716.66	CU M
SP13	Day 2	09.19.2004	6.25	0.13619	CU M/MI	717.19	CU M
SP13	Day 2	09.19.2004	6.3	0.11501	CU M/MI	717.78	CU M
SP13	Day 2	09.19.2004	6.35	0.1159	CU M/MI	718.38	CU M
SP13	Day 2	09.19.2004	6.4	0.11619	CU M/MI	718.99	CU M
SP13	Day 2	09.19.2004	6.45	0.15239	CU M/MI	719.65	CU M
SP13	Day 2	09.19.2004	6.5	0.15214	CU M/MI	720.31	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 2	09.19.2004	6.55	0.14833	CU M/MI	720.9	CU M
SP13	Day 2	09.19.2004	7	0.14518	CU M/MI	721.5	CU M
SP13	Day 2	09.19.2004	7.05	0.13757	CU M/MI	722.09	CU M
SP13	Day 2	09.19.2004	7.1	0.09098	CU M/MI	722.68	CU M
SP13	Day 2	09.19.2004	7.15	0.09553	CU M/MI	723.28	CU M
SP13	Day 2	09.19.2004	7.2	0.15154	CU M/MI	723.83	CU M
SP13	Day 2	09.19.2004	7.25	0.11618	CU M/MI	724.36	CU M
SP13	Day 2	09.19.2004	7.3	0.07243	CU M/MI	724.94	CU M
SP13	Day 2	09.19.2004	7.35	0.11531	CU M/MI	725.5	CU M
SP13	Day 2	09.19.2004	7.4	0.11592	CU M/MI	726.1	CU M
SP13	Day 2	09.19.2004	7.45	0.11566	CU M/MI	726.7	CU M
SP13	Day 2	09.19.2004	7.5	0.13538	CU M/MI	727.3	CU M
SP13	Day 2	09.19.2004	7.55	0.15234	CU M/MI	727.82	CU M
SP13	Day 2	09.19.2004	8	0.10948	CU M/MI	728.39	CU M
SP13	Day 2	09.19.2004	8.05	0.11197	CU M/MI	728.99	CU M
SP13	Day 2	09.19.2004	8.1	0.117	CU M/MI	729.6	CU M
SP13	Day 2	09.19.2004	8.15	0.11862	CU M/MI	730.21	CU M
SP13	Day 2	09.19.2004	8.2	0.11896	CU M/MI	730.81	CU M
SP13	Day 2	09.19.2004	8.25	0.11926	CU M/MI	731.42	CU M
SP13	Day 2	09.19.2004	8.3	0.15224	CU M/MI	732	CU M
SP13	Day 2	09.19.2004	8.35	0.14498	CU M/MI	732.52	CU M
SP13	Day 2	09.19.2004	8.4	0.0863	CU M/MI	733.12	CU M
SP13	Day 2	09.19.2004	8.45	0.09263	CU M/MI	733.72	CU M
SP13	Day 2	09.19.2004	8.5	0.1914	CU M/MI	734.53	CU M
SP13	Day 2	09.19.2004	8.55	0.1506	CU M/MI	735.27	CU M
SP13	Day 2	09.19.2004	9	0.15066	CU M/MI	735.74	CU M
SP13	Day 2	09.19.2004	9.05	0.10439	CU M/MI	736.28	CU M
SP13	Day 2	09.19.2004	9.1	0.08605	CU M/MI	736.89	CU M
SP13	Day 2	09.19.2004	9.15	0.10094	CU M/MI	737.48	CU M
SP13	Day 2	09.19.2004	9.2	0.10278	CU M/MI	738.06	CU M
SP13	Day 2	09.19.2004	9.25	0.10273	CU M/MI	738.63	CU M
SP13	Day 2	09.19.2004	9.3	0.14319	CU M/MI	739.23	CU M
SP13	Day 2	09.19.2004	9.35	0.12823	CU M/MI	739.82	CU M
SP13	Day 2	09.19.2004	9.4	0.10339	CU M/MI	740.4	CU M
SP13	Day 2	09.19.2004	9.45	0.08757	CU M/MI	741.01	CU M
SP13	Day 2	09.19.2004	9.5	0.09062	CU M/MI	741.65	CU M
SP13	Day 2	09.19.2004	9.55	0.15215	CU M/MI	742.19	CU M
SP13	Day 2	09.19.2004	10	0.11572	CU M/MI	742.75	CU M
SP13	Day 2	09.19.2004	10.05	0.1166	CU M/MI	743.34	CU M
SP13	Day 2	09.19.2004	10.1	0.11711	CU M/MI	743.95	CU M
SP13	Day 2	09.19.2004	10.15	0.1162	CU M/MI	744.56	CU M
SP13	Day 2	09.19.2004	10.2	0.11698	CU M/MI	745.16	CU M
SP13	Day 2	09.19.2004	10.25	0.0724	CU M/MI	745.6	CU M
SP13	Day 2	09.19.2004	10.3	0.15246	CU M/MI	746.17	CU M
SP13	Day 2	09.19.2004	10.35	0.11038	CU M/MI	746.53	CU M
SP13	Day 2	09.19.2004	10.4	0.08533	CU M/MI	746.94	CU M
SP13	Day 2	09.19.2004	10.45	0.08135	CU M/MI	747.3	CU M
SP13	Day 2	09.19.2004	10.5	0.06652	CU M/MI	747.85	CU M
SP13	Day 2	09.19.2004	10.55	0.10374	CU M/MI	748.34	CU M
SP13	Day 2	09.19.2004	11	0.07896	CU M/MI	748.98	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 2	09.19.2004	11.05	0.16834	CU M/MI	749.45	CU M
SP13	Day 2	09.19.2004	11.1	0.09565	CU M/MI	750.15	CU M
SP13	Day 2	09.19.2004	11.15	0.17387	CU M/MI	750.82	CU M
SP13	Day 2	09.19.2004	11.2	0.00163	CU M/MI	751.19	CU M
SP13	Day 2	09.19.2004	11.25	0.0914	CU M/MI	751.77	CU M
SP13	Day 2	09.19.2004	11.3	0.08556	CU M/MI	752.21	CU M
SP13	Day 2	09.19.2004	11.35	0.16251	CU M/MI	752.6	CU M
SP13	Day 2	09.19.2004	11.4	0.09487	CU M/MI	753.33	CU M
SP13	Day 2	09.19.2004	11.45	0.17374	CU M/MI	753.89	CU M
SP13	Day 2	09.19.2004	11.5	0.07525	CU M/MI	754.16	CU M
SP13	Day 2	09.19.2004	11.55	0.08984	CU M/MI	754.9	CU M
SP13	Day 2	09.19.2004	12	0.16217	CU M/MI	755.52	CU M
SP13	Day 2	09.19.2004	12.05	0.00168	CU M/MI	755.94	CU M
SP13	Day 2	09.19.2004	12.1	0.09058	CU M/MI	756.45	CU M
SP13	Day 2	09.19.2004	12.15	0.16088	CU M/MI	757.04	CU M
SP13	Day 2	09.19.2004	12.2	0.00191	CU M/MI	757.41	CU M
SP13	Day 2	09.19.2004	12.25	0.17344	CU M/MI	758.04	CU M
SP13	Day 2	09.19.2004	12.3	0.17446	CU M/MI	758.68	CU M
SP13	Day 2	09.19.2004	12.35	0.14156	CU M/MI	759.19	CU M
SP13	Day 2	09.19.2004	12.4	0.17465	CU M/MI	759.84	CU M
SP13	Day 2	09.19.2004	12.45	0.09023	CU M/MI	760.64	CU M
SP13	Day 2	09.19.2004	12.5	0.15825	CU M/MI	760.94	CU M
SP13	Day 2	09.19.2004	12.55	0.15746	CU M/MI	761.76	CU M
SP13	Day 2	09.19.2004	13	0.07793	CU M/MI	762.33	CU M
SP13	Day 2	09.19.2004	13.05	0.151	CU M/MI	762.58	CU M
SP13	Day 2	09.19.2004	13.1	0.11297	CU M/MI	763.17	CU M
SP13	Day 2	09.19.2004	13.15	0.08548	CU M/MI	763.76	CU M
SP13	Day 2	09.19.2004	13.2	0.08612	CU M/MI	764.4	CU M
SP13	Day 2	09.19.2004	13.25	0.15056	CU M/MI	764.99	CU M
SP13	Day 2	09.19.2004	13.3	0.15175	CU M/MI	765.54	CU M
SP13	Day 2	09.19.2004	13.35	0.1428	CU M/MI	766.12	CU M
SP13	Day 2	09.19.2004	13.4	0.13468	CU M/MI	766.73	CU M
SP13	Day 2	09.19.2004	13.45	0.11555	CU M/MI	767.34	CU M
SP13	Day 2	09.19.2004	13.5	0.11569	CU M/MI	767.95	CU M
SP13	Day 2	09.19.2004	13.55	0.11582	CU M/MI	768.57	CU M
SP13	Day 2	09.19.2004	14	0.11624	CU M/MI	769.18	CU M
SP13	Day 2	09.19.2004	14.05	0.11573	CU M/MI	769.79	CU M
SP13	Day 2	09.19.2004	14.1	0.11615	CU M/MI	770.4	CU M
SP13	Day 2	09.19.2004	14.1	0.11615	CU M/MI	770.4	CU M
SP13	Day 2	09.19.2004	14.2	0.11516	CU M/MI	771.7	CU M
SP13	Day 2	09.19.2004	14.25	0.11568	CU M/MI	772.39	CU M
SP13	Day 2	09.19.2004	14.3	0.11539	CU M/MI	773.08	CU M
SP13	Day 2	09.19.2004	14.35	0.06981	CU M/MI	773.51	CU M
SP13	Day 2	09.19.2004	14.4	0.13188	CU M/MI	774.16	CU M
SP13	Day 2	09.19.2004	14.45	0.14701	CU M/MI	774.66	CU M
SP13	Day 2	09.19.2004	14.5	0.15246	CU M/MI	775.35	CU M
SP13	Day 2	09.19.2004	14.55	0.15174	CU M/MI	776.03	CU M
SP13	Day 2	09.19.2004	15	0.14976	CU M/MI	776.77	CU M
SP13	Day 2	09.19.2004	15.05	0.15026	CU M/MI	777.34	CU M
SP13	Day 2	09.19.2004	15.1	0.15092	CU M/MI	778.05	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 2	09.19.2004	15.15	0.07219	CU M/MI	778.49	CU M
SP13	Day 2	09.19.2004	15.2	0.15163	CU M/MI	779.06	CU M
SP13	Day 2	09.19.2004	15.25	0.15122	CU M/MI	779.74	CU M
SP13	Day 2	09.19.2004	15.3	0.15057	CU M/MI	780.41	CU M
SP13	Day 2	09.19.2004	15.35	0.15113	CU M/MI	780.95	CU M
SP13	Day 2	09.19.2004	15.4	0.08311	CU M/MI	781.6	CU M
SP13	Day 2	09.19.2004	15.45	0.15108	CU M/MI	782.05	CU M
SP13	Day 2	09.19.2004	15.5	0.15126	CU M/MI	782.73	CU M
SP13	Day 2	09.19.2004	15.55	0.15124	CU M/MI	783.24	CU M
SP13	Day 2	09.19.2004	16	0.15063	CU M/MI	783.91	CU M
SP13	Day 2	09.19.2004	16.05	0.07765	CU M/MI	784.42	CU M
SP13	Day 2	09.19.2004	16.15	0.1468	CU M/MI	785.37	CU M
SP13	Day 2	09.19.2004	16.2	0.14007	CU M/MI	786.05	CU M
SP13	Day 2	09.19.2004	16.25	0.11514	CU M/MI	786.73	CU M
SP13	Day 2	09.19.2004	16.3	0.1135	CU M/MI	787.42	CU M
SP13	Day 2	09.19.2004	16.35	0.05701	CU M/MI	787.76	CU M
SP13	Day 2	09.19.2004	16.4	0.11423	CU M/MI	788.25	CU M
SP13	Day 2	09.19.2004	16.45	0.11562	CU M/MI	788.85	CU M
SP13	Day 2	09.19.2004	16.5	0.11666	CU M/MI	789.45	CU M
SP13	Day 2	09.19.2004	16.55	0.11871	CU M/MI	790.06	CU M
SP13	Day 2	09.19.2004	17	0.12601	CU M/MI	790.66	CU M
SP13	Day 2	09.19.2004	17.05	0.15187	CU M/MI	791.26	CU M
SP13	Day 2	09.19.2004	17.1	0.15216	CU M/MI	791.85	CU M
SP13	Day 2	09.19.2004	17.15	0.14993	CU M/MI	792.41	CU M
SP13	Day 2	09.19.2004	17.2	0.08757	CU M/MI	793	CU M
SP13	Day 2	09.19.2004	17.25	0.05262	CU M/MI	793.38	CU M
SP13	Day 2	09.19.2004	17.3	0.07237	CU M/MI	793.72	CU M
SP13	Day 2	09.19.2004	17.35	0.0787	CU M/MI	794.06	CU M
SP13	Day 2	09.19.2004	17.4	0.15138	CU M/MI	794.57	CU M
SP13	Day 2	09.19.2004	17.45	0.14991	CU M/MI	795.13	CU M
SP13	Day 2	09.19.2004	17.5	0.08551	CU M/MI	795.69	CU M
SP13	Day 2	09.19.2004	17.55	0.08596	CU M/MI	796.3	CU M
SP13	Day 2	09.19.2004	18	0.12027	CU M/MI	796.89	CU M
SP13	Day 2	09.19.2004	18.05	0.14689	CU M/MI	797.49	CU M
SP13	Day 2	09.19.2004	18.1	0.15108	CU M/MI	798.09	CU M
SP13	Day 2	09.19.2004	18.15	0.15013	CU M/MI	798.67	CU M
SP13	Day 2	09.19.2004	18.2	0.0857	CU M/MI	799.25	CU M
SP13	Day 2	09.19.2004	18.25	0.08657	CU M/MI	799.88	CU M
SP13	Day 2	09.19.2004	18.3	0.11665	CU M/MI	800.48	CU M
SP13	Day 2	09.19.2004	18.35	0.15248	CU M/MI	801.05	CU M
SP13	Day 2	09.19.2004	18.4	0.15198	CU M/MI	801.64	CU M
SP13	Day 2	09.19.2004	18.45	0.14866	CU M/MI	802.24	CU M
SP13	Day 2	09.19.2004	18.5	0.1224	CU M/MI	802.85	CU M
SP13	Day 2	09.19.2004	18.55	0.10143	CU M/MI	803.46	CU M
SP13	Day 2	09.19.2004	19	0.11727	CU M/MI	804.08	CU M
SP13	Day 2	09.19.2004	19.05	0.08205	CU M/MI	804.5	CU M
SP13	Day 2	09.19.2004	19.1	0.17774	CU M/MI	804.9	CU M
SP13	Day 2	09.19.2004	19.15	0.05232	CU M/MI	805.47	CU M
SP13	Day 2	09.19.2004	19.2	0.13998	CU M/MI	805.92	CU M
SP13	Day 2	09.19.2004	19.25	0.1458	CU M/MI	806.44	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 2	09.19.2004	19.3	0.11607	CU M/MI	807.16	CU M
SP13	Day 2	09.19.2004	19.35	0.11646	CU M/MI	807.85	CU M
SP13	Day 2	09.19.2004	19.4	0.10263	CU M/MI	808.47	CU M
SP13	Day 2	09.19.2004	19.45	0.12397	CU M/MI	809.08	CU M
SP13	Day 2	09.19.2004	19.5	0.14435	CU M/MI	809.68	CU M
SP13	Day 2	09.19.2004	19.55	0.14999	CU M/MI	810.28	CU M
SP13	Day 2	09.19.2004	20	0.15185	CU M/MI	810.89	CU M
SP13	Day 2	09.19.2004	20.05	0.14358	CU M/MI	811.46	CU M
SP13	Day 2	09.19.2004	20.1	0.0865	CU M/MI	812.05	CU M
SP13	Day 2	09.19.2004	20.15	0.08692	CU M/MI	812.7	CU M
SP13	Day 2	09.19.2004	20.2	0.1537	CU M/MI	813.27	CU M
SP13	Day 2	09.19.2004	20.25	0.15167	CU M/MI	813.83	CU M
SP13	Day 2	09.19.2004	20.3	0.13613	CU M/MI	814.43	CU M
SP13	Day 2	09.19.2004	20.35	0.0669	CU M/MI	814.96	CU M
SP13	Day 2	09.19.2004	20.4	0.11567	CU M/MI	815.57	CU M
SP13	Day 2	09.19.2004	20.45	0.06625	CU M/MI	815.94	CU M
SP13	Day 2	09.19.2004	20.5	0.11671	CU M/MI	816.53	CU M
SP13	Day 2	09.19.2004	20.55	0.1532	CU M/MI	817.1	CU M
SP13	Day 2	09.19.2004	21	0.09265	CU M/MI	817.57	CU M
SP13	Day 2	09.19.2004	21.05	0.17905	CU M/MI	818	CU M
SP13	Day 2	09.19.2004	21.1	0.00363	CU M/MI	818.56	CU M
SP13	Day 2	09.19.2004	21.15	0.18341	CU M/MI	819.01	CU M
SP13	Day 2	09.19.2004	21.2	0.09862	CU M/MI	819.7	CU M
SP13	Day 2	09.19.2004	21.25	0.09329	CU M/MI	820.36	CU M
SP13	Day 2	09.19.2004	21.3	0.18285	CU M/MI	820.96	CU M
SP13	Day 2	09.19.2004	21.35	0.09911	CU M/MI	821.7	CU M
SP13	Day 2	09.19.2004	21.4	0.18045	CU M/MI	822.23	CU M
SP13	Day 2	09.19.2004	21.45	0.18381	CU M/MI	822.92	CU M
SP13	Day 2	09.19.2004	21.5	0.00186	CU M/MI	823.63	CU M
SP13	Day 2	09.19.2004	21.55	0.18189	CU M/MI	824.17	CU M
SP13	Day 2	09.19.2004	22	0.16447	CU M/MI	824.47	CU M
SP13	Day 2	09.19.2004	22.05	0.09708	CU M/MI	825.31	CU M
SP13	Day 2	09.19.2004	22.1	0.09958	CU M/MI	826.05	CU M
SP13	Day 2	09.19.2004	22.15	0.18229	CU M/MI	826.43	CU M
SP13	Day 2	09.19.2004	22.2	0.09869	CU M/MI	827.2	CU M
SP13	Day 2	09.19.2004	22.25	0.09358	CU M/MI	827.84	CU M
SP13	Day 2	09.19.2004	22.3	0.18415	CU M/MI	828.34	CU M
SP13	Day 2	09.19.2004	22.35	0.09975	CU M/MI	829.2	CU M
SP13	Day 2	09.19.2004	22.4	0.17834	CU M/MI	829.61	CU M
SP13	Day 2	09.19.2004	22.45	0.0985	CU M/MI	830.29	CU M
SP13	Day 2	09.19.2004	22.5	0.00611	CU M/MI	830.8	CU M
SP13	Day 2	09.19.2004	22.55	0.18387	CU M/MI	831.49	CU M
SP13	Day 2	09.19.2004	23	0.00206	CU M/MI	832.01	CU M
SP13	Day 2	09.19.2004	23.05	0.18267	CU M/MI	832.69	CU M
SP13	Day 2	09.19.2004	23.1	0.09441	CU M/MI	833.3	CU M
SP13	Day 2	09.19.2004	23.15	0.0994	CU M/MI	833.71	CU M
SP13	Day 2	09.19.2004	23.2	0.18224	CU M/MI	834.6	CU M
SP13	Day 2	09.19.2004	23.25	0.16973	CU M/MI	834.89	CU M
SP13	Day 2	09.19.2004	23.3	0.00179	CU M/MI	835.5	CU M
SP13	Day 2	09.19.2004	23.35	0.18338	CU M/MI	836.07	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 2	09.19.2004	23.4	0.16379	CU M/MI	836.76	CU M
SP13	Day 2	09.19.2004	23.45	0.09853	CU M/MI	837.15	CU M
SP13	Day 2	09.19.2004	23.5	0.10081	CU M/MI	837.95	CU M
SP13	Day 2	09.19.2004	23.55	0.09354	CU M/MI	838.37	CU M
SP13	Day 2	09.20.2004	0	0.09873	CU M/MI	838.95	CU M
SP13	Day 2	09.20.2004	0.05	0.09331	CU M/MI	839.67	CU M
SP13	Day 2	09.20.2004	0.1	0.18244	CU M/MI	840.13	CU M
SP13	Day 2	09.20.2004	0.15	0.00179	CU M/MI	840.82	CU M
SP13	Day 2	09.20.2004	0.2	0.18252	CU M/MI	841.32	CU M
SP13	Day 2	09.20.2004	0.25	0.18178	CU M/MI	841.99	CU M
SP13	Day 2	09.20.2004	0.3	0.09771	CU M/MI	842.48	CU M
SP13	Day 2	09.20.2004	0.35	0.18255	CU M/MI	843.25	CU M
SP13	Day 2	09.20.2004	0.4	0.09393	CU M/MI	843.77	CU M
SP13	Day 2	09.20.2004	0.45	0.09955	CU M/MI	844.41	CU M
SP13	Day 2	09.20.2004	0.5	0.18171	CU M/MI	845.21	CU M
SP13	Day 2	09.20.2004	0.55	0.1777	CU M/MI	845.55	CU M
SP13	Day 2	09.20.2004	1	0.0026	CU M/MI	846.3	CU M
SP13	Day 2	09.20.2004	1.05	0.18237	CU M/MI	846.71	CU M
SP13	Day 2	09.20.2004	1.1	0.18087	CU M/MI	847.39	CU M
SP13	Day 2	09.20.2004	1.15	0.00328	CU M/MI	848.06	CU M
SP13	Day 2	09.20.2004	1.2	0.18238	CU M/MI	848.64	CU M
SP13	Day 2	09.20.2004	1.25	0.18099	CU M/MI	849.33	CU M
SP13	Day 2	09.20.2004	1.3	0.08916	CU M/MI	849.75	CU M
SP13	Day 2	09.20.2004	1.35	0.18173	CU M/MI	850.54	CU M
SP13	Day 2	09.20.2004	1.4	0.09445	CU M/MI	851.16	CU M
SP13	Day 2	09.20.2004	1.45	0.0992	CU M/MI	851.73	CU M
SP13	Day 2	09.20.2004	1.5	0.09438	CU M/MI	852.47	CU M
SP13	Day 2	09.20.2004	1.55	0.18305	CU M/MI	852.79	CU M
SP13	Day 2	09.20.2004	2	0.09832	CU M/MI	853.59	CU M
SP13	Day 2	09.20.2004	2.05	0.09288	CU M/MI	854.06	CU M
SP13	Day 2	09.20.2004	2.1	0.18256	CU M/MI	854.7	CU M
SP13	Day 2	09.20.2004	2.15	0.00223	CU M/MI	855.23	CU M
SP13	Day 2	09.20.2004	2.2	0.18188	CU M/MI	855.91	CU M
SP13	Day 2	09.20.2004	2.25	0.09495	CU M/MI	856.54	CU M
SP13	Day 2	09.20.2004	2.3	0.09839	CU M/MI	856.93	CU M
SP13	Day 2	09.20.2004	2.35	0.00763	CU M/MI	857.51	CU M
SP13	Day 2	09.20.2004	2.4	0.18234	CU M/MI	858.11	CU M
SP13	Day 2	09.20.2004	2.45	0.09041	CU M/MI	858.71	CU M
SP13	Day 2	09.20.2004	2.5	0.09911	CU M/MI	859.22	CU M
SP13	Day 2	09.20.2004	2.55	0.18117	CU M/MI	859.99	CU M
SP13	Day 2	09.20.2004	3	0.1722	CU M/MI	860.28	CU M
SP13	Day 2	09.20.2004	3.05	0.0977	CU M/MI	861.01	CU M
SP13	Day 2	09.20.2004	3.1	0.09275	CU M/MI	861.64	CU M
SP13	Day 2	09.20.2004	3.15	0.1817	CU M/MI	862.17	CU M
SP13	Day 2	09.20.2004	3.2	0.00162	CU M/MI	862.72	CU M
SP13	Day 2	09.20.2004	3.25	0.12122	CU M/MI	863.37	CU M
SP13	Day 2	09.20.2004	3.3	0.1807	CU M/MI	864.04	CU M
SP13	Day 2	09.20.2004	3.35	0.08286	CU M/MI	864.41	CU M
SP13	Day 2	09.20.2004	3.5	0.09851	CU M/MI	866.34	CU M
SP13	Day 2	09.20.2004	3.55	0.18112	CU M/MI	867.22	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 2	09.20.2004	4	0.09338	CU M/MI	867.57	CU M
SP13	Day 2	09.20.2004	4.05	0.07284	CU M/MI	868.11	CU M
SP13	Day 2	09.20.2004	4.1	0.09959	CU M/MI	868.71	CU M
SP13	Day 2	09.20.2004	4.15	0.18109	CU M/MI	869.44	CU M
SP13	Day 2	09.20.2004	4.2	0.0868	CU M/MI	869.92	CU M
SP13	Day 2	09.20.2004	4.25	0.09745	CU M/MI	870.52	CU M
SP13	Day 2	09.20.2004	4.3	0.18159	CU M/MI	871.39	CU M
SP13	Day 2	09.20.2004	4.35	0.1478	CU M/MI	871.73	CU M
SP13	Day 2	09.20.2004	4.4	0.08553	CU M/MI	872.4	CU M
SP13	Day 2	09.20.2004	4.45	0.15372	CU M/MI	873.1	CU M
SP13	Day 2	09.20.2004	4.5	0.15108	CU M/MI	873.86	CU M
SP13	Day 2	09.20.2004	4.55	0.14878	CU M/MI	874.09	CU M
SP13	Day 2	09.20.2004	5	0.15319	CU M/MI	874.86	CU M
SP13	Day 2	09.20.2004	5.05	0.15225	CU M/MI	875.46	CU M
SP13	Day 2	09.20.2004	5.1	0.08058	CU M/MI	876.05	CU M
SP13	Day 2	09.20.2004	5.15	0.15336	CU M/MI	876.52	CU M
SP13	Day 2	09.20.2004	5.2	0.15279	CU M/MI	877.29	CU M
SP13	Day 2	09.20.2004	5.25	0.00405	CU M/MI	877.89	CU M
SP13	Day 2	09.20.2004	5.3	0.15356	CU M/MI	878.33	CU M
SP13	Day 2	09.20.2004	5.35	0.15303	CU M/MI	879.1	CU M
SP13	Day 2	09.20.2004	5.4	0.08075	CU M/MI	879.3	CU M
SP13	Day 2	09.20.2004	5.45	0.12051	CU M/MI	880.05	CU M
SP13	Day 2	09.20.2004	5.5	0.07593	CU M/MI	880.7	CU M
SP13	Day 2	09.20.2004	5.55	0.1228	CU M/MI	881.23	CU M
SP13	Day 3	09.20.2004	6	0.08053	CU M/MI	881.81	CU M
SP13	Day 3	09.20.2004	6.05	0.09722	CU M/MI	882.36	CU M
SP13	Day 3	09.20.2004	6.1	0.15395	CU M/MI	882.87	CU M
SP13	Day 3	09.20.2004	6.15	0.15397	CU M/MI	883.63	CU M
SP13	Day 3	09.20.2004	6.2	0.00223	CU M/MI	884.07	CU M
SP13	Day 3	09.20.2004	6.25	0.11763	CU M/MI	884.56	CU M
SP13	Day 3	09.20.2004	6.3	0.11749	CU M/MI	885.27	CU M
SP13	Day 3	09.20.2004	6.35	0.10168	CU M/MI	885.82	CU M
SP13	Day 3	09.20.2004	6.4	0.12149	CU M/MI	886.53	CU M
SP13	Day 3	09.20.2004	6.45	0.08577	CU M/MI	887.05	CU M
SP13	Day 3	09.20.2004	6.5	0.08003	CU M/MI	887.55	CU M
SP13	Day 3	09.20.2004	6.55	0.08667	CU M/MI	887.88	CU M
SP13	Day 3	09.20.2004	7	0.15492	CU M/MI	888.57	CU M
SP13	Day 3	09.20.2004	7.05	0.15378	CU M/MI	889.26	CU M
SP13	Day 3	09.20.2004	7.1	0.00901	CU M/MI	889.75	CU M
SP13	Day 3	09.20.2004	7.15	0.15412	CU M/MI	890.14	CU M
SP13	Day 3	09.20.2004	7.2	0.15331	CU M/MI	890.84	CU M
SP13	Day 3	09.20.2004	7.25	0.14107	CU M/MI	891.54	CU M
SP13	Day 3	09.20.2004	7.3	0.1169	CU M/MI	892.25	CU M
SP13	Day 3	09.20.2004	7.35	0.07174	CU M/MI	892.84	CU M
SP13	Day 3	09.20.2004	7.4	0.11786	CU M/MI	893.53	CU M
SP13	Day 3	09.20.2004	7.45	0.0775	CU M/MI	894.11	CU M
SP13	Day 3	09.20.2004	7.5	0.1544	CU M/MI	894.78	CU M
SP13	Day 3	09.20.2004	7.55	0.14905	CU M/MI	895.19	CU M
SP13	Day 3	09.20.2004	8	0.08646	CU M/MI	895.79	CU M
SP13	Day 3	09.20.2004	8.05	0.15422	CU M/MI	896.39	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 3	09.20.2004	8.1	0.15327	CU M/MI	897.09	CU M
SP13	Day 3	09.20.2004	8.15	0.15114	CU M/MI	897.78	CU M
SP13	Day 3	09.20.2004	8.2	0.11286	CU M/MI	898.03	CU M
SP13	Day 3	09.20.2004	8.25	0.11716	CU M/MI	898.75	CU M
SP13	Day 3	09.20.2004	8.3	0.1173	CU M/MI	899.46	CU M
SP13	Day 3	09.20.2004	8.35	0.11771	CU M/MI	900.17	CU M
SP13	Day 3	09.20.2004	8.4	0.00185	CU M/MI	900.51	CU M
SP13	Day 3	09.20.2004	8.45	0.15331	CU M/MI	900.94	CU M
SP13	Day 3	09.20.2004	8.5	0.15371	CU M/MI	901.63	CU M
SP13	Day 3	09.20.2004	8.55	0.08606	CU M/MI	902.21	CU M
SP13	Day 3	09.20.2004	9	0.09272	CU M/MI	902.67	CU M
SP13	Day 3	09.20.2004	9.05	0.09234	CU M/MI	903.34	CU M
SP13	Day 3	09.20.2004	9.1	0.11849	CU M/MI	903.87	CU M
SP13	Day 3	09.20.2004	9.15	0.11739	CU M/MI	904.58	CU M
SP13	Day 3	09.20.2004	9.2	0.1525	CU M/MI	905.2	CU M
SP13	Day 3	09.20.2004	9.25	0.07942	CU M/MI	905.82	CU M
SP13	Day 3	09.20.2004	9.3	0.15249	CU M/MI	906.18	CU M
SP13	Day 3	09.20.2004	9.35	0.10307	CU M/MI	906.86	CU M
SP13	Day 3	09.20.2004	9.4	0.15194	CU M/MI	907.51	CU M
SP13	Day 3	09.20.2004	9.45	0.15218	CU M/MI	908.01	CU M
SP13	Day 3	09.20.2004	9.5	0.08498	CU M/MI	908.67	CU M
SP13	Day 3	09.20.2004	9.55	0.15103	CU M/MI	908.96	CU M
SP13	Day 3	09.20.2004	10	0.08485	CU M/MI	909.49	CU M
SP13	Day 3	09.20.2004	10.05	0.15231	CU M/MI	910.12	CU M
SP13	Day 3	09.20.2004	10.1	0.02558	CU M/MI	910.63	CU M
SP13	Day 3	09.20.2004	10.15	0.00329	CU M/MI	910.94	CU M
SP13	Day 3	09.20.2004	10.2	0.153	CU M/MI	911.39	CU M
SP13	Day 3	09.20.2004	10.25	0.08614	CU M/MI	912.02	CU M
SP13	Day 3	09.20.2004	10.3	0.15242	CU M/MI	912.52	CU M
SP13	Day 3	09.20.2004	10.35	0.15179	CU M/MI	913.2	CU M
SP13	Day 3	09.20.2004	10.4	0.14953	CU M/MI	913.87	CU M
SP13	Day 3	09.20.2004	10.45	0.08049	CU M/MI	914.45	CU M
SP13	Day 3	09.20.2004	10.5	0.11713	CU M/MI	915.1	CU M
SP13	Day 3	09.20.2004	10.55	0.11603	CU M/MI	915.79	CU M
SP13	Day 3	09.20.2004	11	0.06606	CU M/MI	916.3	CU M
SP13	Day 3	09.20.2004	11.05	0.11767	CU M/MI	916.76	CU M
SP13	Day 3	09.20.2004	11.1	0.15215	CU M/MI	917.45	CU M
SP13	Day 3	09.20.2004	11.15	0.15231	CU M/MI	918.12	CU M
SP13	Day 3	09.20.2004	11.2	0.15082	CU M/MI	918.65	CU M
SP13	Day 3	09.20.2004	11.25	0.15137	CU M/MI	919.08	CU M
SP13	Day 3	09.20.2004	11.3	0.151	CU M/MI	919.75	CU M
SP13	Day 3	09.20.2004	11.35	0.14696	CU M/MI	920.42	CU M
SP13	Day 3	09.20.2004	11.4	0.11436	CU M/MI	920.96	CU M
SP13	Day 3	09.20.2004	11.45	0.06579	CU M/MI	921.44	CU M
SP13	Day 3	09.20.2004	11.5	0.11621	CU M/MI	921.93	CU M
SP13	Day 3	09.20.2004	11.55	0.0746	CU M/MI	922.59	CU M
SP13	Day 3	09.20.2004	12	0.15141	CU M/MI	923.18	CU M
SP13	Day 3	09.20.2004	12.05	0.15207	CU M/MI	923.84	CU M
SP13	Day 3	09.20.2004	12.1	0.15103	CU M/MI	924.51	CU M
SP13	Day 3	09.20.2004	12.15	0.13283	CU M/MI	924.71	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 3	09.20.2004	12.2	0.14661	CU M/MI	925.38	CU M
SP13	Day 3	09.20.2004	12.25	0.11619	CU M/MI	926.06	CU M
SP13	Day 3	09.20.2004	12.3	0.11595	CU M/MI	926.75	CU M
SP13	Day 3	09.20.2004	12.35	0.11183	CU M/MI	927.26	CU M
SP13	Day 3	09.20.2004	12.4	0.06723	CU M/MI	927.79	CU M
SP13	Day 3	09.20.2004	12.45	0.08561	CU M/MI	928.34	CU M
SP13	Day 3	09.20.2004	12.5	0.15219	CU M/MI	928.89	CU M
SP13	Day 3	09.20.2004	12.55	0.15209	CU M/MI	929.56	CU M
SP13	Day 3	09.20.2004	13	0.15163	CU M/MI	930.23	CU M
SP13	Day 3	09.20.2004	13.05	0.15095	CU M/MI	930.9	CU M
SP13	Day 3	09.20.2004	13.1	0.15082	CU M/MI	931.4	CU M
SP13	Day 3	09.20.2004	13.15	0.07914	CU M/MI	932.02	CU M
SP13	Day 3	09.20.2004	13.2	0.08343	CU M/MI	932.31	CU M
SP13	Day 3	09.20.2004	13.25	0.15296	CU M/MI	932.99	CU M
SP13	Day 3	09.20.2004	13.3	0.15167	CU M/MI	933.67	CU M
SP13	Day 3	09.20.2004	13.35	0.08429	CU M/MI	934.18	CU M
SP13	Day 3	09.20.2004	13.4	0.14786	CU M/MI	934.79	CU M
SP13	Day 3	09.20.2004	13.45	0.07077	CU M/MI	935.29	CU M
SP13	Day 3	09.20.2004	13.5	0.11532	CU M/MI	935.93	CU M
SP13	Day 3	09.20.2004	13.55	0.05542	CU M/MI	936.19	CU M
SP13	Day 3	09.20.2004	14	0.11674	CU M/MI	936.81	CU M
SP13	Day 3	09.20.2004	14.05	0.07928	CU M/MI	937.36	CU M
SP13	Day 3	09.20.2004	14.1	0.1516	CU M/MI	937.98	CU M
SP13	Day 3	09.20.2004	14.15	0.092	CU M/MI	938.63	CU M
SP13	Day 3	09.20.2004	14.2	0.15153	CU M/MI	939.07	CU M
SP13	Day 3	09.20.2004	14.25	0.15212	CU M/MI	939.59	CU M
SP13	Day 3	09.20.2004	14.3	0.13334	CU M/MI	940.26	CU M
SP13	Day 3	09.20.2004	14.35	0.11533	CU M/MI	940.95	CU M
SP13	Day 3	09.20.2004	14.4	0.06678	CU M/MI	941.57	CU M
SP13	Day 3	09.20.2004	14.45	0.07146	CU M/MI	941.92	CU M
SP13	Day 3	09.20.2004	14.5	0.07647	CU M/MI	942.46	CU M
SP13	Day 3	09.20.2004	14.55	0.15211	CU M/MI	942.98	CU M
SP13	Day 3	09.20.2004	15	0.0849	CU M/MI	943.59	CU M
SP13	Day 3	09.20.2004	15.05	0.1519	CU M/MI	944.15	CU M
SP13	Day 3	09.20.2004	15.1	0.1507	CU M/MI	944.81	CU M
SP13	Day 3	09.20.2004	15.15	0.14265	CU M/MI	945.48	CU M
SP13	Day 3	09.20.2004	15.2	0.0015	CU M/MI	945.71	CU M
SP13	Day 3	09.20.2004	15.25	0.11618	CU M/MI	946.37	CU M
SP13	Day 3	09.20.2004	15.3	0.11551	CU M/MI	947.06	CU M
SP13	Day 3	09.20.2004	15.35	0.08085	CU M/MI	947.72	CU M
SP13	Day 3	09.20.2004	15.4	0.07865	CU M/MI	948.09	CU M
SP13	Day 3	09.20.2004	15.45	0.15226	CU M/MI	948.66	CU M
SP13	Day 3	09.20.2004	15.5	0.15178	CU M/MI	949.13	CU M
SP13	Day 3	09.20.2004	15.55	0.15067	CU M/MI	949.8	CU M
SP13	Day 3	09.20.2004	16	0.11561	CU M/MI	950.48	CU M
SP13	Day 3	09.20.2004	16.05	0.11495	CU M/MI	951.17	CU M
SP13	Day 3	09.20.2004	16.1	0.07033	CU M/MI	951.69	CU M
SP13	Day 3	09.20.2004	16.15	0.1155	CU M/MI	952.36	CU M
SP13	Day 3	09.20.2004	16.2	0.06819	CU M/MI	952.85	CU M
SP13	Day 3	09.20.2004	16.25	0.08469	CU M/MI	953.14	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 3	09.20.2004	16.3	0.15174	CU M/MI	953.79	CU M
SP13	Day 3	09.20.2004	16.35	0.11245	CU M/MI	954.34	CU M
SP13	Day 3	09.20.2004	16.4	0.05998	CU M/MI	954.88	CU M
SP13	Day 3	09.20.2004	16.45	0.11606	CU M/MI	955.44	CU M
SP13	Day 3	09.20.2004	17	0.11633	CU M/MI	956.92	CU M
SP13	Day 3	09.20.2004	17.05	0.08572	CU M/MI	957.41	CU M
SP13	Day 3	09.20.2004	17.1	0.12737	CU M/MI	957.84	CU M
SP13	Day 3	09.20.2004	17.15	0.07183	CU M/MI	958.41	CU M
SP13	Day 3	09.20.2004	17.2	0.11648	CU M/MI	958.88	CU M
SP13	Day 3	09.20.2004	17.25	0.15147	CU M/MI	959.51	CU M
SP13	Day 3	09.20.2004	17.3	0.15161	CU M/MI	959.97	CU M
SP13	Day 3	09.20.2004	17.35	0.00265	CU M/MI	960.47	CU M
SP13	Day 3	09.20.2004	17.4	0.11723	CU M/MI	960.77	CU M
SP13	Day 3	09.20.2004	17.45	0.07373	CU M/MI	961.42	CU M
SP13	Day 3	09.20.2004	17.5	0.15085	CU M/MI	961.8	CU M
SP13	Day 3	09.20.2004	17.55	0.00465	CU M/MI	962.2	CU M
SP13	Day 3	09.20.2004	18	0.1063	CU M/MI	962.6	CU M
SP13	Day 3	09.20.2004	18.05	0.151	CU M/MI	963.11	CU M
SP13	Day 3	09.20.2004	18.1	0.05922	CU M/MI	963.54	CU M
SP13	Day 3	09.20.2004	18.15	0.09308	CU M/MI	964.16	CU M
SP13	Day 3	09.20.2004	18.2	0.07521	CU M/MI	964.62	CU M
SP13	Day 3	09.20.2004	18.25	0.14731	CU M/MI	965.06	CU M
SP13	Day 3	09.20.2004	18.3	0.11551	CU M/MI	965.65	CU M
SP13	Day 3	09.20.2004	18.35	0.11485	CU M/MI	966.06	CU M
SP13	Day 3	09.20.2004	18.4	0.11465	CU M/MI	966.66	CU M
SP13	Day 3	09.20.2004	18.45	0.104	CU M/MI	967.04	CU M
SP13	Day 3	09.20.2004	18.5	0.15104	CU M/MI	967.61	CU M
SP13	Day 3	09.20.2004	18.55	0.06803	CU M/MI	968.03	CU M
SP13	Day 3	09.20.2004	19	0.09075	CU M/MI	968.6	CU M
SP13	Day 3	09.20.2004	19.05	0.08595	CU M/MI	969.14	CU M
SP13	Day 3	09.20.2004	19.1	0.10953	CU M/MI	969.49	CU M
SP13	Day 3	09.20.2004	19.15	0.09147	CU M/MI	970.11	CU M
SP13	Day 3	09.20.2004	19.2	0.07034	CU M/MI	970.57	CU M
SP13	Day 3	09.20.2004	19.25	0.06621	CU M/MI	970.95	CU M
SP13	Day 3	09.20.2004	19.3	0.07152	CU M/MI	971.25	CU M
SP13	Day 3	09.20.2004	19.35	0.10349	CU M/MI	971.8	CU M
SP13	Day 3	09.20.2004	19.4	0.06312	CU M/MI	972.33	CU M
SP13	Day 3	09.20.2004	19.45	0.11689	CU M/MI	972.85	CU M
SP13	Day 3	09.20.2004	19.5	0.14973	CU M/MI	973.38	CU M
SP13	Day 3	09.20.2004	19.55	0.08491	CU M/MI	973.75	CU M
SP13	Day 3	09.20.2004	20	0.11946	CU M/MI	974.38	CU M
SP13	Day 3	09.20.2004	20.05	0.08336	CU M/MI	974.77	CU M
SP13	Day 3	09.20.2004	20.1	0.09292	CU M/MI	975.3	CU M
SP13	Day 3	09.20.2004	20.15	0.06422	CU M/MI	975.84	CU M
SP13	Day 3	09.20.2004	20.2	0.11813	CU M/MI	976.31	CU M
SP13	Day 3	09.20.2004	20.25	0.15148	CU M/MI	976.88	CU M
SP13	Day 3	09.20.2004	20.3	0.13635	CU M/MI	977.29	CU M
SP13	Day 3	09.20.2004	20.35	0.11694	CU M/MI	977.9	CU M
SP13	Day 3	09.20.2004	20.4	0.07106	CU M/MI	978.34	CU M
SP13	Day 3	09.20.2004	20.45	0.11935	CU M/MI	978.9	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 3	09.20.2004	20.5	0.1122	CU M/MI	979.45	CU M
SP13	Day 3	09.20.2004	20.55	0.05619	CU M/MI	979.76	CU M
SP13	Day 3	09.20.2004	21	0.04987	CU M/MI	980.06	CU M
SP13	Day 3	09.20.2004	21.05	0.15266	CU M/MI	980.57	CU M
SP13	Day 3	09.20.2004	21.1	0.10362	CU M/MI	981.05	CU M
SP13	Day 3	09.20.2004	21.15	0.0912	CU M/MI	981.47	CU M
SP13	Day 3	09.20.2004	21.2	0.12017	CU M/MI	982.08	CU M
SP13	Day 3	09.20.2004	21.25	0.08295	CU M/MI	982.5	CU M
SP13	Day 3	09.20.2004	21.3	0.12428	CU M/MI	982.99	CU M
SP13	Day 3	09.20.2004	21.35	0.08489	CU M/MI	983.59	CU M
SP13	Day 3	09.20.2004	21.4	0.0965	CU M/MI	984.09	CU M
SP13	Day 3	09.20.2004	21.45	0.08301	CU M/MI	984.29	CU M
SP13	Day 3	09.20.2004	21.5	0.13435	CU M/MI	984.9	CU M
SP13	Day 3	09.20.2004	21.55	0.11616	CU M/MI	985.52	CU M
SP13	Day 3	09.20.2004	22	0.11674	CU M/MI	986.13	CU M
SP13	Day 3	09.20.2004	22.05	0.11708	CU M/MI	986.74	CU M
SP13	Day 3	09.20.2004	22.1	0.12453	CU M/MI	987.35	CU M
SP13	Day 3	09.20.2004	22.15	0.14761	CU M/MI	987.89	CU M
SP13	Day 3	09.20.2004	22.2	0.09237	CU M/MI	988.48	CU M
SP13	Day 3	09.20.2004	22.25	0.09288	CU M/MI	989.11	CU M
SP13	Day 3	09.20.2004	22.3	0.15216	CU M/MI	989.66	CU M
SP13	Day 3	09.20.2004	22.35	0.09224	CU M/MI	990.21	CU M
SP13	Day 3	09.20.2004	22.4	0.09341	CU M/MI	990.84	CU M
SP13	Day 3	09.20.2004	22.45	0.15331	CU M/MI	991.39	CU M
SP13	Day 3	09.20.2004	22.5	0.11602	CU M/MI	991.94	CU M
SP13	Day 3	09.20.2004	22.55	0.09562	CU M/MI	992.56	CU M
SP13	Day 3	09.20.2004	23	0.10821	CU M/MI	993.17	CU M
SP13	Day 3	09.20.2004	23.05	0.11641	CU M/MI	993.77	CU M
SP13	Day 3	09.20.2004	23.1	0.11699	CU M/MI	994.38	CU M
SP13	Day 3	09.20.2004	23.15	0.11618	CU M/MI	994.97	CU M
SP13	Day 3	09.20.2004	23.2	0.09545	CU M/MI	995.42	CU M
SP13	Day 3	09.20.2004	23.25	0.09293	CU M/MI	996.05	CU M
SP13	Day 3	09.20.2004	23.3	0.1524	CU M/MI	996.62	CU M
SP13	Day 3	09.20.2004	23.35	0.10851	CU M/MI	997.13	CU M
SP13	Day 3	09.20.2004	23.4	0.09201	CU M/MI	997.76	CU M
SP13	Day 3	09.20.2004	23.45	0.15306	CU M/MI	998.36	CU M
SP13	Day 3	09.20.2004	23.5	0.10664	CU M/MI	998.86	CU M
SP13	Day 3	09.20.2004	23.55	0.0919	CU M/MI	999.49	CU M
SP13	Day 3	09.21.2004	0	0.0698	CU M/MI	1000.02	CU M
SP13	Day 3	09.21.2004	0.05	0.13811	CU M/MI	1000.24	CU M
SP13	Day 3	09.21.2004	0.1	0.11776	CU M/MI	1000.8	CU M
SP13	Day 3	09.21.2004	0.15	0.09302	CU M/MI	1001.41	CU M
SP13	Day 3	09.21.2004	0.2	0.18103	CU M/MI	1002.22	CU M
SP13	Day 3	09.21.2004	0.25	0.09252	CU M/MI	1002.67	CU M
SP13	Day 3	09.21.2004	0.3	0.09875	CU M/MI	1003.2	CU M
SP13	Day 3	09.21.2004	0.35	0.0919	CU M/MI	1003.93	CU M
SP13	Day 3	09.21.2004	0.4	0.18118	CU M/MI	1004.29	CU M
SP13	Day 3	09.21.2004	0.45	0.01198	CU M/MI	1005	CU M
SP13	Day 3	09.21.2004	0.5	0.0982	CU M/MI	1005.36	CU M
SP13	Day 3	09.21.2004	0.55	0.17988	CU M/MI	1005.97	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 3	09.21.2004	1	0.0019	CU M/MI	1006.23	CU M
SP13	Day 3	09.21.2004	1.05	0.09864	CU M/MI	1006.94	CU M
SP13	Day 3	09.21.2004	1.1	0.09155	CU M/MI	1007.47	CU M
SP13	Day 3	09.21.2004	1.15	0.18078	CU M/MI	1007.91	CU M
SP13	Day 3	09.21.2004	1.2	0.09667	CU M/MI	1008.74	CU M
SP13	Day 3	09.21.2004	1.25	0.12751	CU M/MI	1009.13	CU M
SP13	Day 3	09.21.2004	1.3	0.18096	CU M/MI	1009.78	CU M
SP13	Day 3	09.21.2004	1.35	0.00224	CU M/MI	1010.12	CU M
SP13	Day 3	09.21.2004	1.4	0.18005	CU M/MI	1010.85	CU M
SP13	Day 3	09.21.2004	1.45	0.09289	CU M/MI	1011.47	CU M
SP13	Day 3	09.21.2004	1.5	0.09813	CU M/MI	1011.89	CU M
SP13	Day 3	09.21.2004	1.55	0.17961	CU M/MI	1012.74	CU M
SP13	Day 3	09.21.2004	2	0.17461	CU M/MI	1013.01	CU M
SP13	Day 3	09.21.2004	2.05	0.09707	CU M/MI	1013.72	CU M
SP13	Day 3	09.21.2004	2.1	0.09121	CU M/MI	1014.34	CU M
SP13	Day 3	09.21.2004	2.15	0.18001	CU M/MI	1014.84	CU M
SP13	Day 3	09.21.2004	2.2	0.00229	CU M/MI	1015.48	CU M
SP13	Day 3	09.21.2004	2.25	0.18032	CU M/MI	1015.93	CU M
SP13	Day 3	09.21.2004	2.3	0.09618	CU M/MI	1016.54	CU M
SP13	Day 3	09.21.2004	2.35	0.09868	CU M/MI	1016.99	CU M
SP13	Day 3	09.21.2004	2.4	0.17973	CU M/MI	1017.72	CU M
SP13	Day 3	09.21.2004	2.45	0.17062	CU M/MI	1017.99	CU M
SP13	Day 3	09.21.2004	2.5	0.09716	CU M/MI	1018.82	CU M
SP13	Day 3	09.21.2004	2.55	0.07258	CU M/MI	1019.1	CU M
SP13	Day 3	09.21.2004	3	0.11763	CU M/MI	1019.67	CU M
SP13	Day 3	09.21.2004	3.05	0.11516	CU M/MI	1020.28	CU M
SP13	Day 3	09.21.2004	3.1	0.11514	CU M/MI	1020.89	CU M
SP13	Day 3	09.21.2004	3.15	0.0797	CU M/MI	1021.22	CU M
SP13	Day 3	09.21.2004	3.2	0.13286	CU M/MI	1021.64	CU M
SP13	Day 3	09.21.2004	3.25	0.09227	CU M/MI	1022.25	CU M
SP13	Day 3	09.21.2004	3.3	0.10158	CU M/MI	1022.89	CU M
SP13	Day 3	09.21.2004	3.35	0.18128	CU M/MI	1023.57	CU M
SP13	Day 3	09.21.2004	3.4	0.09394	CU M/MI	1023.91	CU M
SP13	Day 3	09.21.2004	3.45	0.10011	CU M/MI	1024.55	CU M
SP13	Day 3	09.21.2004	3.5	0.00349	CU M/MI	1025.12	CU M
SP13	Day 3	09.21.2004	3.55	0.15335	CU M/MI	1025.43	CU M
SP13	Day 3	09.21.2004	4	0.15248	CU M/MI	1026.19	CU M
SP13	Day 3	09.21.2004	4.05	0.07989	CU M/MI	1026.69	CU M
SP13	Day 3	09.21.2004	4.1	0.15287	CU M/MI	1027.24	CU M
SP13	Day 3	09.21.2004	4.15	0.153	CU M/MI	1027.81	CU M
SP13	Day 3	09.21.2004	4.2	0.15218	CU M/MI	1028.58	CU M
SP13	Day 3	09.21.2004	4.25	0.0023	CU M/MI	1028.85	CU M
SP13	Day 3	09.21.2004	4.3	0.15275	CU M/MI	1029.57	CU M
SP13	Day 3	09.21.2004	4.35	0.00435	CU M/MI	1030.23	CU M
SP13	Day 3	09.21.2004	4.4	0.08026	CU M/MI	1030.49	CU M
SP13	Day 3	09.21.2004	5	0.14126	CU M/MI	1032.84	CU M
SP13	Day 3	09.21.2004	5.05	0.14997	CU M/MI	1033.52	CU M
SP13	Day 3	09.21.2004	5.1	0.09084	CU M/MI	1033.98	CU M
SP13	Day 3	09.21.2004	5.15	0.11981	CU M/MI	1034.6	CU M
SP13	Day 3	09.21.2004	5.2	0.15121	CU M/MI	1035.13	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 3	09.21.2004	5.25	0.11215	CU M/MI	1035.7	CU M
SP13	Day 3	09.21.2004	5.3	0.0932	CU M/MI	1036.32	CU M
SP13	Day 3	09.21.2004	5.35	0.08724	CU M/MI	1036.92	CU M
SP13	Day 3	09.21.2004	5.4	0.07893	CU M/MI	1037.31	CU M
SP13	Day 3	09.21.2004	5.45	0.08689	CU M/MI	1037.89	CU M
SP13	Day 3	09.21.2004	5.5	0.15328	CU M/MI	1038.51	CU M
SP13	Day 3	09.21.2004	5.55	0.0019	CU M/MI	1038.95	CU M
SP13	Day 4	09.21.2004	6	0.11653	CU M/MI	1039.43	CU M
SP13	Day 4	09.21.2004	6.05	0.15178	CU M/MI	1040.18	CU M
SP13	Day 4	09.21.2004	6.1	0.07975	CU M/MI	1040.4	CU M
SP13	Day 4	09.21.2004	6.15	0.11587	CU M/MI	1041	CU M
SP13	Day 4	09.21.2004	6.2	0.15257	CU M/MI	1041.56	CU M
SP13	Day 4	09.21.2004	6.25	0.07951	CU M/MI	1042.2	CU M
SP13	Day 4	09.21.2004	6.3	0.15353	CU M/MI	1042.55	CU M
SP13	Day 4	09.21.2004	6.35	0.15315	CU M/MI	1043.31	CU M
SP13	Day 4	09.21.2004	6.4	0.07833	CU M/MI	1043.76	CU M
SP13	Day 4	09.21.2004	6.45	0.08702	CU M/MI	1044.26	CU M
SP13	Day 4	09.21.2004	6.5	0.15294	CU M/MI	1044.86	CU M
SP13	Day 4	09.21.2004	6.55	0.00177	CU M/MI	1045.31	CU M
SP13	Day 4	09.21.2004	7	0.15245	CU M/MI	1045.73	CU M
SP13	Day 4	09.21.2004	7.05	0.08597	CU M/MI	1046.25	CU M
SP13	Day 4	09.21.2004	7.1	0.12066	CU M/MI	1046.94	CU M
SP13	Day 4	09.21.2004	7.15	0.15274	CU M/MI	1047.11	CU M
SP13	Day 4	09.21.2004	7.2	0.07265	CU M/MI	1047.77	CU M
SP13	Day 4	09.21.2004	7.25	0.1202	CU M/MI	1048.32	CU M
SP13	Day 4	09.21.2004	7.3	0.08358	CU M/MI	1048.8	CU M
SP13	Day 4	09.21.2004	7.35	0.14887	CU M/MI	1049.3	CU M
SP13	Day 4	09.21.2004	7.4	0.00174	CU M/MI	1049.73	CU M
SP13	Day 4	09.21.2004	7.45	0.1528	CU M/MI	1049.94	CU M
SP13	Day 4	09.21.2004	7.5	0.08472	CU M/MI	1050.61	CU M
SP13	Day 4	09.21.2004	7.55	0.12254	CU M/MI	1051.26	CU M
SP13	Day 4	09.21.2004	8	0.15209	CU M/MI	1051.93	CU M
SP13	Day 4	09.21.2004	8.05	0.14889	CU M/MI	1052.47	CU M
SP13	Day 4	09.21.2004	8.1	0.09079	CU M/MI	1053.05	CU M
SP13	Day 4	09.21.2004	8.15	0.059	CU M/MI	1053.58	CU M
SP13	Day 4	09.21.2004	8.2	0.11567	CU M/MI	1054.17	CU M
SP13	Day 4	09.21.2004	8.25	0.15218	CU M/MI	1054.72	CU M
SP13	Day 4	09.21.2004	8.3	0.11247	CU M/MI	1055.26	CU M
SP13	Day 4	09.21.2004	8.35	0.09165	CU M/MI	1055.87	CU M
SP13	Day 4	09.21.2004	8.4	0.07258	CU M/MI	1056.46	CU M
SP13	Day 4	09.21.2004	8.45	0.15197	CU M/MI	1056.88	CU M
SP13	Day 4	09.21.2004	8.5	0.09181	CU M/MI	1057.47	CU M
SP13	Day 4	09.21.2004	8.55	0.06654	CU M/MI	1057.95	CU M
SP13	Day 4	09.21.2004	9	0.0598	CU M/MI	1058.29	CU M
SP13	Day 4	09.21.2004	9.05	0.11514	CU M/MI	1058.94	CU M
SP13	Day 4	09.21.2004	9.1	0.0017	CU M/MI	1059.37	CU M
SP13	Day 4	09.21.2004	9.15	0.05742	CU M/MI	1059.62	CU M
SP13	Day 4	09.21.2004	9.2	0.12298	CU M/MI	1060.16	CU M
SP13	Day 4	09.21.2004	9.25	0.15063	CU M/MI	1060.73	CU M
SP13	Day 4	09.21.2004	9.3	0.11536	CU M/MI	1061.31	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 4	09.21.2004	9.35	0.00173	CU M/MI	1061.54	CU M
SP13	Day 4	09.21.2004	9.4	0.11737	CU M/MI	1062.03	CU M
SP13	Day 4	09.21.2004	9.45	0.12878	CU M/MI	1062.64	CU M
SP13	Day 4	09.21.2004	9.5	0.13886	CU M/MI	1063.18	CU M
SP13	Day 4	09.21.2004	9.55	0.00113	CU M/MI	1063.43	CU M
SP13	Day 4	09.21.2004	10	0.09094	CU M/MI	1063.86	CU M
SP13	Day 4	09.21.2004	10.05	0.09733	CU M/MI	1064.34	CU M
SP13	Day 4	09.21.2004	10.1	0.09332	CU M/MI	1064.64	CU M
SP13	Day 4	09.21.2004	10.15	0.09864	CU M/MI	1065.07	CU M
SP13	Day 4	09.21.2004	10.2	0.0018	CU M/MI	1065.54	CU M
SP13	Day 4	09.21.2004	10.25	0.18156	CU M/MI	1066	CU M
SP13	Day 4	09.21.2004	10.3	0.06774	CU M/MI	1066.32	CU M
SP13	Day 4	09.21.2004	10.35	0.09829	CU M/MI	1066.76	CU M
SP13	Day 4	09.21.2004	10.4	0.09333	CU M/MI	1067.43	CU M
SP13	Day 4	09.21.2004	10.45	0.09355	CU M/MI	1067.65	CU M
SP13	Day 4	09.21.2004	10.5	0.18142	CU M/MI	1068.21	CU M
SP13	Day 4	09.21.2004	10.55	0.00145	CU M/MI	1068.67	CU M
SP13	Day 4	09.21.2004	11	0.18175	CU M/MI	1069.32	CU M
SP13	Day 4	09.21.2004	11.05	0.09315	CU M/MI	1069.75	CU M
SP13	Day 4	09.21.2004	11.1	0.16997	CU M/MI	1070.2	CU M
SP13	Day 4	09.21.2004	11.15	0.00145	CU M/MI	1070.8	CU M
SP13	Day 4	09.21.2004	11.2	0.1826	CU M/MI	1071.27	CU M
SP13	Day 4	09.21.2004	11.25	0.09302	CU M/MI	1071.78	CU M
SP13	Day 4	09.21.2004	11.3	0.17778	CU M/MI	1072.06	CU M
SP13	Day 4	09.21.2004	11.35	0.00187	CU M/MI	1072.73	CU M
SP13	Day 4	09.21.2004	11.4	0.00123	CU M/MI	1072.99	CU M
SP13	Day 4	09.21.2004	11.45	0.18186	CU M/MI	1073.77	CU M
SP13	Day 4	09.21.2004	11.5	0.09298	CU M/MI	1073.99	CU M
SP13	Day 4	09.21.2004	11.55	0.17822	CU M/MI	1074.59	CU M
SP13	Day 4	09.21.2004	12	0.00119	CU M/MI	1074.98	CU M
SP13	Day 4	09.21.2004	12.05	0.18198	CU M/MI	1075.64	CU M
SP13	Day 4	09.21.2004	12.1	0.09206	CU M/MI	1075.97	CU M
SP13	Day 4	09.21.2004	12.15	0.18232	CU M/MI	1076.45	CU M
SP13	Day 4	09.21.2004	12.2	0.00114	CU M/MI	1076.73	CU M
SP13	Day 4	09.21.2004	12.25	0.09974	CU M/MI	1077.38	CU M
SP13	Day 4	09.21.2004	12.3	0.09202	CU M/MI	1077.79	CU M
SP13	Day 4	09.21.2004	12.35	0.1821	CU M/MI	1078.23	CU M
SP13	Day 4	09.21.2004	12.4	0.00116	CU M/MI	1078.73	CU M
SP13	Day 4	09.21.2004	12.45	0.10231	CU M/MI	1079.23	CU M
SP13	Day 4	09.21.2004	12.5	0.09202	CU M/MI	1079.72	CU M
SP13	Day 4	09.21.2004	12.55	0.1807	CU M/MI	1080.01	CU M
SP13	Day 4	09.21.2004	13	0.00123	CU M/MI	1080.59	CU M
SP13	Day 4	09.21.2004	13.05	0.00225	CU M/MI	1080.88	CU M
SP13	Day 4	09.21.2004	13.1	0.18168	CU M/MI	1081.58	CU M
SP13	Day 4	09.21.2004	13.15	0.09244	CU M/MI	1081.8	CU M
SP13	Day 4	09.21.2004	13.2	0.09802	CU M/MI	1082.44	CU M
SP13	Day 4	09.21.2004	13.25	0.00135	CU M/MI	1082.86	CU M
SP13	Day 4	09.21.2004	13.3	0.1815	CU M/MI	1083.51	CU M
SP13	Day 4	09.21.2004	13.35	0.09252	CU M/MI	1083.83	CU M
SP13	Day 4	09.21.2004	13.4	0.09847	CU M/MI	1084.39	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 4	09.21.2004	13.45	0.00241	CU M/MI	1084.92	CU M
SP13	Day 4	09.21.2004	13.5	0.09195	CU M/MI	1085.13	CU M
SP13	Day 4	09.21.2004	13.55	0.1806	CU M/MI	1085.76	CU M
SP13	Day 4	09.21.2004	14	0.00096	CU M/MI	1086.1	CU M
SP13	Day 4	09.21.2004	14.05	0.10839	CU M/MI	1086.85	CU M
SP13	Day 4	09.21.2004	14.1	0.09213	CU M/MI	1087.19	CU M
SP13	Day 4	09.21.2004	14.15	0.17678	CU M/MI	1087.73	CU M
SP13	Day 4	09.21.2004	14.2	0.00085	CU M/MI	1088.17	CU M
SP13	Day 4	09.21.2004	14.25	0.18039	CU M/MI	1088.79	CU M
SP13	Day 4	09.21.2004	14.3	0.09154	CU M/MI	1089.18	CU M
SP13	Day 4	09.21.2004	14.35	0.16363	CU M/MI	1089.58	CU M
SP13	Day 4	09.21.2004	14.4	0.00096	CU M/MI	1090.09	CU M
SP13	Day 4	09.21.2004	14.45	0.17996	CU M/MI	1090.56	CU M
SP13	Day 4	09.21.2004	14.5	0.09249	CU M/MI	1091.04	CU M
SP13	Day 4	09.21.2004	14.55	0.17202	CU M/MI	1091.34	CU M
SP13	Day 4	09.21.2004	15	0.00112	CU M/MI	1092.03	CU M
SP13	Day 4	09.21.2004	15.05	0.17691	CU M/MI	1092.36	CU M
SP13	Day 4	09.21.2004	15.1	0.09374	CU M/MI	1092.98	CU M
SP13	Day 4	09.21.2004	15.15	0.08926	CU M/MI	1093.15	CU M
SP13	Day 4	09.21.2004	15.2	0.00134	CU M/MI	1093.81	CU M
SP13	Day 4	09.21.2004	15.25	0.09144	CU M/MI	1094.11	CU M
SP13	Day 4	09.21.2004	15.3	0.18113	CU M/MI	1094.69	CU M
SP13	Day 4	09.21.2004	15.35	0.00089	CU M/MI	1094.97	CU M
SP13	Day 4	09.21.2004	15.4	0.09959	CU M/MI	1095.69	CU M
SP13	Day 4	09.21.2004	15.45	0.09133	CU M/MI	1096.01	CU M
SP13	Day 4	09.21.2004	15.5	0.14718	CU M/MI	1096.46	CU M
SP13	Day 4	09.21.2004	15.55	0.00134	CU M/MI	1096.93	CU M
SP13	Day 4	09.21.2004	16	0.1801	CU M/MI	1097.46	CU M
SP13	Day 4	09.21.2004	16.05	0.09133	CU M/MI	1097.89	CU M
SP13	Day 4	09.21.2004	16.1	0.0969	CU M/MI	1098.18	CU M
SP13	Day 4	09.21.2004	16.15	0.00137	CU M/MI	1098.86	CU M
SP13	Day 4	09.21.2004	16.2	0.17873	CU M/MI	1099.22	CU M
SP13	Day 4	09.21.2004	16.35	0.09665	CU M/MI	1100.86	CU M
SP13	Day 4	09.21.2004	16.4	0.0918	CU M/MI	1101.2	CU M
SP13	Day 4	09.21.2004	16.45	0.17975	CU M/MI	1101.72	CU M
SP13	Day 4	09.21.2004	16.5	0.0011	CU M/MI	1102.06	CU M
SP13	Day 4	09.21.2004	16.55	0.09804	CU M/MI	1102.47	CU M
SP13	Day 4	09.21.2004	17	0.09642	CU M/MI	1103.16	CU M
SP13	Day 4	09.21.2004	17.05	0.16058	CU M/MI	1103.36	CU M
SP13	Day 4	09.21.2004	17.1	0.09654	CU M/MI	1104.11	CU M
SP13	Day 4	09.21.2004	17.15	0.00492	CU M/MI	1104.5	CU M
SP13	Day 4	09.21.2004	17.2	0.18592	CU M/MI	1105.12	CU M
SP13	Day 4	09.21.2004	17.25	0.09213	CU M/MI	1105.37	CU M
SP13	Day 4	09.21.2004	17.3	0.00108	CU M/MI	1105.64	CU M
SP13	Day 4	09.21.2004	17.35	0.10008	CU M/MI	1106.43	CU M
SP13	Day 4	09.21.2004	17.4	0.09312	CU M/MI	1106.72	CU M
SP13	Day 4	09.21.2004	17.45	0.11637	CU M/MI	1107.09	CU M
SP13	Day 4	09.21.2004	17.5	0.1524	CU M/MI	1107.67	CU M
SP13	Day 4	09.21.2004	17.55	0.11198	CU M/MI	1108.19	CU M
SP13	Day 4	09.21.2004	18	0.00139	CU M/MI	1108.42	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 4	09.21.2004	18.05	0.09566	CU M/MI	1108.98	CU M
SP13	Day 4	09.21.2004	18.1	0.15142	CU M/MI	1109.47	CU M
SP13	Day 4	09.21.2004	18.15	0.05794	CU M/MI	1110.04	CU M
SP13	Day 4	09.21.2004	18.2	0.06193	CU M/MI	1110.33	CU M
SP13	Day 4	09.21.2004	18.25	0.15249	CU M/MI	1110.8	CU M
SP13	Day 4	09.21.2004	18.3	0.11502	CU M/MI	1111.36	CU M
SP13	Day 4	09.21.2004	18.35	0.10856	CU M/MI	1111.84	CU M
SP13	Day 4	09.21.2004	18.4	0.11668	CU M/MI	1112.45	CU M
SP13	Day 4	09.21.2004	18.45	0.13586	CU M/MI	1113.06	CU M
SP13	Day 4	09.21.2004	18.5	0.14755	CU M/MI	1113.65	CU M
SP13	Day 4	09.21.2004	18.55	0.07086	CU M/MI	1114.09	CU M
SP13	Day 4	09.21.2004	19	0.09244	CU M/MI	1114.69	CU M
SP13	Day 4	09.21.2004	19.05	0.06083	CU M/MI	1115.24	CU M
SP13	Day 4	09.21.2004	19.1	0.15281	CU M/MI	1115.74	CU M
SP13	Day 4	09.21.2004	19.15	0.05872	CU M/MI	1116.14	CU M
SP13	Day 4	09.21.2004	19.2	0.12645	CU M/MI	1116.77	CU M
SP13	Day 4	09.21.2004	19.25	0.0016	CU M/MI	1117.12	CU M
SP13	Day 4	09.21.2004	19.3	0.09555	CU M/MI	1117.59	CU M
SP13	Day 4	09.21.2004	19.35	0.17701	CU M/MI	1118.12	CU M
SP13	Day 4	09.21.2004	19.4	0.00113	CU M/MI	1118.31	CU M
SP13	Day 4	09.21.2004	19.45	0.09519	CU M/MI	1119.04	CU M
SP13	Day 4	09.21.2004	19.5	0.09084	CU M/MI	1119.63	CU M
SP13	Day 4	09.21.2004	19.55	0.17308	CU M/MI	1119.93	CU M
SP13	Day 4	09.21.2004	20	0.00147	CU M/MI	1120.39	CU M
SP13	Day 4	09.21.2004	20.05	0.17927	CU M/MI	1121	CU M
SP13	Day 4	09.21.2004	20.1	0.09668	CU M/MI	1121.55	CU M
SP13	Day 4	09.21.2004	20.15	0.09677	CU M/MI	1121.92	CU M
SP13	Day 4	09.21.2004	20.2	0.10006	CU M/MI	1122.68	CU M
SP13	Day 4	09.21.2004	20.25	0.08792	CU M/MI	1122.93	CU M
SP13	Day 4	09.21.2004	20.3	0.09745	CU M/MI	1123.51	CU M
SP13	Day 4	09.21.2004	20.35	0.00711	CU M/MI	1124.21	CU M
SP13	Day 4	09.21.2004	20.4	0.18031	CU M/MI	1124.5	CU M
SP13	Day 4	09.21.2004	20.45	0.17569	CU M/MI	1125.09	CU M
SP13	Day 4	09.21.2004	20.5	0.09671	CU M/MI	1125.41	CU M
SP13	Day 4	09.21.2004	20.55	0.18051	CU M/MI	1126.11	CU M
SP13	Day 4	09.21.2004	21	0.09001	CU M/MI	1126.41	CU M
SP13	Day 4	09.21.2004	21.05	0.09774	CU M/MI	1127.02	CU M
SP13	Day 4	09.21.2004	21.1	0.00838	CU M/MI	1127.62	CU M
SP13	Day 4	09.21.2004	21.15	0.18086	CU M/MI	1127.96	CU M
SP13	Day 4	09.21.2004	21.2	0.0068	CU M/MI	1128.55	CU M
SP13	Day 4	09.21.2004	21.25	0.09832	CU M/MI	1128.96	CU M
SP13	Day 4	09.21.2004	21.3	0.09182	CU M/MI	1129.45	CU M
SP13	Day 4	09.21.2004	21.35	0.18125	CU M/MI	1129.85	CU M
SP13	Day 4	09.21.2004	21.4	0.00233	CU M/MI	1130.48	CU M
SP13	Day 4	09.21.2004	21.45	0.0993	CU M/MI	1130.92	CU M
SP13	Day 4	09.21.2004	21.5	0.18202	CU M/MI	1131.54	CU M
SP13	Day 4	09.21.2004	21.55	0.08717	CU M/MI	1131.77	CU M
SP13	Day 4	09.21.2004	22	0.09785	CU M/MI	1132.47	CU M
SP13	Day 4	09.21.2004	22.05	0.09193	CU M/MI	1132.93	CU M
SP13	Day 4	09.21.2004	22.1	0.18046	CU M/MI	1133.39	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 4	09.21.2004	22.15	0.002	CU M/MI	1133.83	CU M
SP13	Day 4	09.21.2004	22.2	0.09838	CU M/MI	1134.43	CU M
SP13	Day 4	09.21.2004	22.25	0.18184	CU M/MI	1134.99	CU M
SP13	Day 4	09.21.2004	22.3	0.09803	CU M/MI	1135.32	CU M
SP13	Day 4	09.21.2004	22.35	0.09974	CU M/MI	1136.09	CU M
SP13	Day 4	09.21.2004	22.4	0.09165	CU M/MI	1136.54	CU M
SP13	Day 4	09.21.2004	22.45	0.09689	CU M/MI	1136.97	CU M
SP13	Day 4	09.21.2004	22.5	0.09656	CU M/MI	1137.67	CU M
SP13	Day 4	09.21.2004	22.55	0.1792	CU M/MI	1138.05	CU M
SP13	Day 4	09.21.2004	23	0.09141	CU M/MI	1138.58	CU M
SP13	Day 4	09.21.2004	23.05	0.0968	CU M/MI	1138.86	CU M
SP13	Day 4	09.21.2004	23.1	0.098	CU M/MI	1139.62	CU M
SP13	Day 4	09.21.2004	23.15	0.09163	CU M/MI	1140.02	CU M
SP13	Day 4	09.21.2004	23.2	0.18078	CU M/MI	1140.54	CU M
SP13	Day 4	09.21.2004	23.25	0.00144	CU M/MI	1141.11	CU M
SP13	Day 4	09.21.2004	23.3	0.09844	CU M/MI	1141.59	CU M
SP13	Day 4	09.21.2004	23.35	0.18092	CU M/MI	1142.19	CU M
SP13	Day 4	09.21.2004	23.4	0.09529	CU M/MI	1142.46	CU M
SP13	Day 4	09.21.2004	23.45	0.09763	CU M/MI	1143.21	CU M
SP13	Day 4	09.21.2004	23.5	0.17484	CU M/MI	1143.49	CU M
SP13	Day 4	09.21.2004	23.55	0.09778	CU M/MI	1144.05	CU M
SP13	Day 4	09.22.2004	0	0.00159	CU M/MI	1144.53	CU M
SP13	Day 4	09.22.2004	0.05	0.18197	CU M/MI	1145.12	CU M
SP13	Day 4	09.22.2004	0.1	0.08974	CU M/MI	1145.57	CU M
SP13	Day 4	09.22.2004	0.15	0.09784	CU M/MI	1146.01	CU M
SP13	Day 4	09.22.2004	0.2	0.11258	CU M/MI	1146.73	CU M
SP13	Day 4	09.22.2004	0.25	0.17941	CU M/MI	1146.95	CU M
SP13	Day 4	09.22.2004	0.3	0.09742	CU M/MI	1147.59	CU M
SP13	Day 4	09.22.2004	0.35	0.00169	CU M/MI	1147.88	CU M
SP13	Day 4	09.22.2004	0.4	0.18163	CU M/MI	1148.49	CU M
SP13	Day 4	09.22.2004	0.45	0.00147	CU M/MI	1148.91	CU M
SP13	Day 4	09.22.2004	0.5	0.09851	CU M/MI	1149.47	CU M
SP13	Day 4	09.22.2004	0.55	0.09351	CU M/MI	1150.12	CU M
SP13	Day 4	09.22.2004	1	0.18013	CU M/MI	1150.37	CU M
SP13	Day 4	09.22.2004	1.05	0.09834	CU M/MI	1151.03	CU M
SP13	Day 4	09.22.2004	1.1	0.08488	CU M/MI	1151.41	CU M
SP13	Day 4	09.22.2004	1.15	0.18155	CU M/MI	1152.03	CU M
SP13	Day 4	09.22.2004	1.2	0.00202	CU M/MI	1152.28	CU M
SP13	Day 4	09.22.2004	1.25	0.09871	CU M/MI	1152.99	CU M
SP13	Day 4	09.22.2004	1.3	0.09267	CU M/MI	1153.55	CU M
SP13	Day 4	09.22.2004	1.35	0.0617	CU M/MI	1153.86	CU M
SP13	Day 4	09.22.2004	1.4	0.15449	CU M/MI	1154.46	CU M
SP13	Day 4	09.22.2004	1.45	0.10478	CU M/MI	1154.94	CU M
SP13	Day 4	09.22.2004	1.5	0.06112	CU M/MI	1155.47	CU M
SP13	Day 4	09.22.2004	2.25	0.1036	CU M/MI	1155.95	CU M
SP13	Day 4	09.22.2004	2.3	0.09497	CU M/MI	1156.49	CU M
SP13	Day 4	09.22.2004	2.35	0.11012	CU M/MI	1156.84	CU M
SP13	Day 4	09.22.2004	2.4	0.0911	CU M/MI	1157.47	CU M
SP13	Day 4	09.22.2004	2.45	0.07267	CU M/MI	1157.99	CU M
SP13	Day 4	09.22.2004	2.5	0.0795	CU M/MI	1158.34	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 4	09.22.2004	2.55	0.09202	CU M/MI	1158.74	CU M
SP13	Day 4	09.22.2004	3	0.0614	CU M/MI	1159.16	CU M
SP13	Day 4	09.22.2004	3.05	0.15446	CU M/MI	1159.64	CU M
SP13	Day 4	09.22.2004	3.1	0.0922	CU M/MI	1160.21	CU M
SP13	Day 4	09.22.2004	3.15	0.06145	CU M/MI	1160.75	CU M
SP13	Day 4	09.22.2004	3.2	0.1523	CU M/MI	1161.35	CU M
SP13	Day 4	09.22.2004	3.25	0.15209	CU M/MI	1161.8	CU M
SP13	Day 4	09.22.2004	3.3	0.1399	CU M/MI	1162.4	CU M
SP13	Day 4	09.22.2004	3.35	0.00214	CU M/MI	1162.87	CU M
SP13	Day 4	09.22.2004	3.5	0.06118	CU M/MI	1164.11	CU M
SP13	Day 4	09.22.2004	3.55	0.117	CU M/MI	1164.69	CU M
SP13	Day 4	09.22.2004	4	0.09541	CU M/MI	1165.26	CU M
SP13	Day 4	09.22.2004	4.05	0.1559	CU M/MI	1165.73	CU M
SP13	Day 4	09.22.2004	4.1	0.01024	CU M/MI	1166.31	CU M
SP13	Day 4	09.22.2004	4.15	0.15621	CU M/MI	1166.67	CU M
SP13	Day 4	09.22.2004	4.2	0.08663	CU M/MI	1167.19	CU M
SP13	Day 4	09.22.2004	4.25	0.00544	CU M/MI	1167.8	CU M
SP13	Day 4	09.22.2004	4.3	0.15597	CU M/MI	1168.11	CU M
SP13	Day 4	09.22.2004	4.35	0.08836	CU M/MI	1168.77	CU M
SP13	Day 4	09.22.2004	4.4	0.13716	CU M/MI	1169.29	CU M
SP13	Day 4	09.22.2004	4.45	0.14893	CU M/MI	1169.8	CU M
SP13	Day 4	09.22.2004	4.5	0.08588	CU M/MI	1170.36	CU M
SP13	Day 4	09.22.2004	4.55	0.15565	CU M/MI	1171	CU M
SP13	Day 4	09.22.2004	5	0.08067	CU M/MI	1171.48	CU M
SP13	Day 4	09.22.2004	5.05	0.09143	CU M/MI	1172.07	CU M
SP13	Day 4	09.22.2004	5.1	0.00179	CU M/MI	1172.38	CU M
SP13	Day 4	09.22.2004	5.15	0.1499	CU M/MI	1172.84	CU M
SP13	Day 4	09.22.2004	5.2	0.05972	CU M/MI	1173.41	CU M
SP13	Day 4	09.22.2004	5.25	0.15472	CU M/MI	1174.01	CU M
SP13	Day 4	09.22.2004	5.3	0.08576	CU M/MI	1174.56	CU M
SP13	Day 4	09.22.2004	5.35	0.03418	CU M/MI	1175.16	CU M
SP13	Day 4	09.22.2004	5.4	0.08674	CU M/MI	1175.42	CU M
SP13	Day 4	09.22.2004	5.45	0.0933	CU M/MI	1176.17	CU M
SP13	Day 4	09.22.2004	5.5	0.15463	CU M/MI	1176.68	CU M
SP13	Day 4	09.22.2004	5.55	0.00165	CU M/MI	1176.96	CU M
SP13	Day 5	09.22.2004	6	0.15447	CU M/MI	1177.58	CU M
SP13	Day 5	09.22.2004	6.05	0.12349	CU M/MI	1178.05	CU M
SP13	Day 5	09.22.2004	6.1	0.15377	CU M/MI	1178.72	CU M
SP13	Day 5	09.22.2004	6.15	0.05131	CU M/MI	1178.91	CU M
SP13	Day 5	09.22.2004	6.2	0.09782	CU M/MI	1179.54	CU M
SP13	Day 5	09.22.2004	6.25	0.08724	CU M/MI	1179.95	CU M
SP13	Day 5	09.22.2004	6.3	0.11745	CU M/MI	1180.46	CU M
SP13	Day 5	09.22.2004	6.35	0.11754	CU M/MI	1181.08	CU M
SP13	Day 5	09.22.2004	6.4	0.07277	CU M/MI	1181.56	CU M
SP13	Day 5	09.22.2004	6.45	0.1529	CU M/MI	1182.12	CU M
SP13	Day 5	09.22.2004	6.5	0.00186	CU M/MI	1182.53	CU M
SP13	Day 5	09.22.2004	6.55	0.08634	CU M/MI	1182.73	CU M
SP13	Day 5	09.22.2004	7	0.15479	CU M/MI	1183.37	CU M
SP13	Day 5	09.22.2004	7.05	0.09258	CU M/MI	1183.94	CU M
SP13	Day 5	09.22.2004	7.1	0.10108	CU M/MI	1184.59	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 5	09.22.2004	7.15	0.15424	CU M/MI	1185.12	CU M
SP13	Day 5	09.22.2004	7.2	0.09283	CU M/MI	1185.69	CU M
SP13	Day 5	09.22.2004	7.25	0.09293	CU M/MI	1186.33	CU M
SP13	Day 5	09.22.2004	7.3	0.11746	CU M/MI	1186.93	CU M
SP13	Day 5	09.22.2004	7.35	0.15506	CU M/MI	1187.51	CU M
SP13	Day 5	09.22.2004	7.4	0.14128	CU M/MI	1188.18	CU M
SP13	Day 5	09.22.2004	7.45	0.09332	CU M/MI	1188.87	CU M
SP13	Day 5	09.22.2004	7.5	0.07454	CU M/MI	1189.47	CU M
SP13	Day 5	09.22.2004	7.55	0.15435	CU M/MI	1189.89	CU M
SP13	Day 5	09.22.2004	8	0.0932	CU M/MI	1190.49	CU M
SP13	Day 5	09.22.2004	8.05	0.06181	CU M/MI	1191.05	CU M
SP13	Day 5	09.22.2004	8.1	0.12104	CU M/MI	1191.6	CU M
SP13	Day 5	09.22.2004	8.15	0.15451	CU M/MI	1192.11	CU M
SP13	Day 5	09.22.2004	8.2	0.08601	CU M/MI	1192.7	CU M
SP13	Day 5	09.22.2004	8.25	0.05799	CU M/MI	1193.21	CU M
SP13	Day 5	09.22.2004	8.3	0.10408	CU M/MI	1193.75	CU M
SP13	Day 5	09.22.2004	8.35	0.10456	CU M/MI	1194.34	CU M
SP13	Day 5	09.22.2004	8.4	0.06535	CU M/MI	1194.78	CU M
SP13	Day 5	09.22.2004	8.45	0.06252	CU M/MI	1195.16	CU M
SP13	Day 5	09.22.2004	8.5	0.06711	CU M/MI	1195.54	CU M
SP13	Day 5	09.22.2004	8.55	0.10475	CU M/MI	1195.99	CU M
SP13	Day 5	09.22.2004	9	0.10107	CU M/MI	1196.58	CU M
SP13	Day 5	09.22.2004	9.05	0.00147	CU M/MI	1196.85	CU M
SP13	Day 5	09.22.2004	9.1	0.09039	CU M/MI	1197.32	CU M
SP13	Day 5	09.22.2004	9.15	0.1545	CU M/MI	1197.92	CU M
SP13	Day 5	09.22.2004	9.2	0.15456	CU M/MI	1198.32	CU M
SP13	Day 5	09.22.2004	9.25	0.05526	CU M/MI	1198.77	CU M
SP13	Day 5	09.22.2004	9.3	0.07239	CU M/MI	1199.02	CU M
SP13	Day 5	09.22.2004	9.35	0.10456	CU M/MI	1199.62	CU M
SP13	Day 5	09.22.2004	9.4	0.10397	CU M/MI	1200.21	CU M
SP13	Day 5	09.22.2004	9.45	0.0309	CU M/MI	1200.72	CU M
SP13	Day 5	09.22.2004	9.5	0.11394	CU M/MI	1200.99	CU M
SP13	Day 5	09.22.2004	9.55	0.08751	CU M/MI	1201.53	CU M
SP13	Day 5	09.22.2004	10	0.13752	CU M/MI	1202.01	CU M
SP13	Day 5	09.22.2004	10.05	0.14526	CU M/MI	1202.7	CU M
SP13	Day 5	09.22.2004	10.1	0.07579	CU M/MI	1203.02	CU M
SP13	Day 5	09.22.2004	10.15	0.0881	CU M/MI	1203.48	CU M
SP13	Day 5	09.22.2004	10.2	0.05798	CU M/MI	1203.95	CU M
SP13	Day 5	09.22.2004	10.25	0.15684	CU M/MI	1204.54	CU M
SP13	Day 5	09.22.2004	10.3	0.12327	CU M/MI	1205.06	CU M
SP13	Day 5	09.22.2004	10.35	0.10726	CU M/MI	1205.53	CU M
SP13	Day 5	09.22.2004	10.4	0.11866	CU M/MI	1206.13	CU M
SP13	Day 5	09.22.2004	10.45	0.07384	CU M/MI	1206.71	CU M
SP13	Day 5	09.22.2004	10.5	0.11909	CU M/MI	1207.18	CU M
SP13	Day 5	09.22.2004	10.55	0.07027	CU M/MI	1207.76	CU M
SP13	Day 5	09.22.2004	11	0.13121	CU M/MI	1207.91	CU M
SP13	Day 5	09.22.2004	11.05	0.1564	CU M/MI	1208.45	CU M
SP13	Day 5	09.22.2004	11.1	0.08875	CU M/MI	1209.04	CU M
SP13	Day 5	09.22.2004	11.15	0.0586	CU M/MI	1209.49	CU M
SP13	Day 5	09.22.2004	11.2	0.10637	CU M/MI	1210.08	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 5	09.22.2004	11.25	0.10689	CU M/MI	1210.68	CU M
SP13	Day 5	09.22.2004	11.3	0.08952	CU M/MI	1211.11	CU M
SP13	Day 5	09.22.2004	11.35	0.10575	CU M/MI	1211.71	CU M
SP13	Day 5	09.22.2004	11.4	0.06735	CU M/MI	1212.28	CU M
SP13	Day 5	09.22.2004	11.45	0.10516	CU M/MI	1212.73	CU M
SP13	Day 5	09.22.2004	11.5	0.06611	CU M/MI	1213.3	CU M
SP13	Day 5	09.22.2004	11.55	0.08804	CU M/MI	1213.74	CU M
SP13	Day 5	09.22.2004	12	0.05465	CU M/MI	1214.27	CU M
SP13	Day 5	09.22.2004	12.05	0.1554	CU M/MI	1214.5	CU M
SP13	Day 5	09.22.2004	12.1	0.1519	CU M/MI	1215.02	CU M
SP13	Day 5	09.22.2004	12.15	0.08715	CU M/MI	1215.61	CU M
SP13	Day 5	09.22.2004	12.2	0.04096	CU M/MI	1215.92	CU M
SP13	Day 5	09.22.2004	12.25	0.10566	CU M/MI	1216.33	CU M
SP13	Day 5	09.22.2004	12.3	0.13832	CU M/MI	1216.75	CU M
SP13	Day 5	09.22.2004	12.35	0.12875	CU M/MI	1217.35	CU M
SP13	Day 5	09.22.2004	12.4	0.07474	CU M/MI	1217.68	CU M
SP13	Day 5	09.22.2004	12.45	0.15266	CU M/MI	1218.1	CU M
SP13	Day 5	09.22.2004	12.5	0.0867	CU M/MI	1218.58	CU M
SP13	Day 5	09.22.2004	12.55	0.13349	CU M/MI	1219.1	CU M
SP13	Day 5	09.22.2004	13	0.05264	CU M/MI	1219.54	CU M
SP13	Day 5	09.22.2004	13.05	0.1553	CU M/MI	1219.91	CU M
SP13	Day 5	09.22.2004	13.1	0.00738	CU M/MI	1220.59	CU M
SP13	Day 5	09.22.2004	13.15	0.08082	CU M/MI	1220.79	CU M
SP13	Day 5	09.22.2004	13.2	0.0876	CU M/MI	1221.27	CU M
SP13	Day 5	09.22.2004	13.25	0.02322	CU M/MI	1221.86	CU M
SP13	Day 5	09.22.2004	13.3	0.15663	CU M/MI	1222.11	CU M
SP13	Day 5	09.22.2004	13.35	0.08651	CU M/MI	1222.76	CU M
SP13	Day 5	09.22.2004	13.4	0.08138	CU M/MI	1223.14	CU M
SP13	Day 5	09.22.2004	13.45	0.10717	CU M/MI	1223.46	CU M
SP13	Day 5	09.22.2004	13.5	0.07085	CU M/MI	1224.14	CU M
SP13	Day 5	09.22.2004	13.55	0.0651	CU M/MI	1224.55	CU M
SP13	Day 5	09.22.2004	14	0.06723	CU M/MI	1224.77	CU M
SP13	Day 5	09.22.2004	14.05	0.10687	CU M/MI	1225.32	CU M
SP13	Day 5	09.22.2004	14.1	0.06651	CU M/MI	1225.86	CU M
SP13	Day 5	09.22.2004	14.15	0.10599	CU M/MI	1226.34	CU M
SP13	Day 5	09.22.2004	14.2	0.06121	CU M/MI	1226.8	CU M
SP13	Day 5	09.22.2004	14.25	0.06538	CU M/MI	1227.08	CU M
SP13	Day 5	09.22.2004	14.3	0.08787	CU M/MI	1227.67	CU M
SP13	Day 5	09.22.2004	14.35	0.07589	CU M/MI	1228.25	CU M
SP13	Day 5	09.22.2004	14.4	0.12733	CU M/MI	1228.86	CU M
SP13	Day 5	09.22.2004	14.45	0.10003	CU M/MI	1229.51	CU M
SP13	Day 5	09.22.2004	14.5	0.15495	CU M/MI	1230.16	CU M
SP13	Day 5	09.22.2004	14.55	0.15446	CU M/MI	1230.4	CU M
SP13	Day 5	09.22.2004	15	0.15546	CU M/MI	1231.18	CU M
SP13	Day 5	09.22.2004	15.05	0.15535	CU M/MI	1231.77	CU M
SP13	Day 5	09.22.2004	15.1	0.08028	CU M/MI	1232.29	CU M
SP13	Day 5	09.22.2004	15.15	0.15579	CU M/MI	1232.82	CU M
SP13	Day 5	09.22.2004	15.2	0.15543	CU M/MI	1233.6	CU M
SP13	Day 5	09.23.2004	3.3	0.08746	CU M/MI	1315.85	CU M
SP13	Day 5	09.23.2004	3.35	0.15718	CU M/MI	1316.45	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 5	09.23.2004	3.4	0.15735	CU M/MI	1317.23	CU M
SP13	Day 5	09.23.2004	3.45	0.05238	CU M/MI	1317.71	CU M
SP13	Day 5	09.23.2004	3.5	0.15667	CU M/MI	1318.16	CU M
SP13	Day 5	09.23.2004	3.55	0.15754	CU M/MI	1318.86	CU M
SP13	Day 5	09.23.2004	4	0.15624	CU M/MI	1319.64	CU M
SP13	Day 5	09.23.2004	4.05	0.15438	CU M/MI	1320.12	CU M
SP13	Day 5	09.23.2004	4.1	0.08016	CU M/MI	1320.7	CU M
SP13	Day 5	09.23.2004	4.15	0.08871	CU M/MI	1321.32	CU M
SP13	Day 5	09.23.2004	4.2	0.15625	CU M/MI	1321.9	CU M
SP13	Day 5	09.23.2004	4.25	0.08183	CU M/MI	1322.63	CU M
SP13	Day 5	09.23.2004	4.3	0.15166	CU M/MI	1322.93	CU M
SP13	Day 5	09.23.2004	4.35	0.15597	CU M/MI	1323.71	CU M
SP13	Day 5	09.23.2004	4.4	0.08664	CU M/MI	1324.33	CU M
SP13	Day 5	09.23.2004	4.45	0.08031	CU M/MI	1324.8	CU M
SP13	Day 5	09.23.2004	4.5	0.08669	CU M/MI	1325.38	CU M
SP13	Day 5	09.23.2004	4.55	0.15614	CU M/MI	1326.04	CU M
SP13	Day 5	09.23.2004	5	0.00141	CU M/MI	1326.38	CU M
SP13	Day 5	09.23.2004	5.05	0.09127	CU M/MI	1326.87	CU M
SP13	Day 5	09.23.2004	5.1	0.15587	CU M/MI	1327.4	CU M
SP13	Day 5	09.23.2004	5.15	0.08706	CU M/MI	1328.03	CU M
SP13	Day 5	09.23.2004	5.2	0.08045	CU M/MI	1328.43	CU M
SP13	Day 5	09.23.2004	5.25	0.08734	CU M/MI	1328.88	CU M
SP13	Day 5	09.23.2004	5.3	0.15525	CU M/MI	1329.6	CU M
SP13	Day 5	09.23.2004	5.35	0.0423	CU M/MI	1329.86	CU M
SP13	Day 5	09.23.2004	5.4	0.08554	CU M/MI	1330.29	CU M
SP13	Day 5	09.23.2004	5.45	0.07922	CU M/MI	1330.73	CU M
SP13	Day 5	09.23.2004	5.5	0.00133	CU M/MI	1330.86	CU M
SP13	Day 5	09.23.2004	5.55	0.07941	CU M/MI	1331.06	CU M
SP13	Day 6	09.23.2004	6	0.0018	CU M/MI	1331.17	CU M
SP13	Day 6	09.23.2004	6.05	0.0023	CU M/MI	1331.36	CU M
SP13	Day 6	09.23.2004	6.1	0.0013	CU M/MI	1331.37	CU M
SP13	Day 6	09.23.2004	6.15	0.07915	CU M/MI	1331.48	CU M
SP13	Day 6	09.23.2004	6.2	0.00124	CU M/MI	1331.54	CU M
SP13	Day 6	09.23.2004	6.25	0.00118	CU M/MI	1331.55	CU M
SP13	Day 6	09.23.2004	6.3	0.00139	CU M/MI	1331.56	CU M
SP13	Day 6	09.23.2004	6.35	0.00152	CU M/MI	1331.57	CU M
SP13	Day 6	09.23.2004	6.4	0.00183	CU M/MI	1331.57	CU M
SP13	Day 6	09.23.2004	6.45	0.00164	CU M/MI	1331.58	CU M
SP13	Day 6	09.23.2004	6.5	0.00162	CU M/MI	1331.59	CU M
SP13	Day 6	09.23.2004	6.55	0.00147	CU M/MI	1331.6	CU M
SP13	Day 6	09.23.2004	7	0.00133	CU M/MI	1331.61	CU M
SP13	Day 6	09.23.2004	7.05	0.05431	CU M/MI	1331.62	CU M
SP13	Day 6	09.23.2004	7.1	0.15263	CU M/MI	1332.21	CU M
SP13	Day 6	09.23.2004	7.15	0.08333	CU M/MI	1332.95	CU M
SP13	Day 6	09.23.2004	7.2	0.15463	CU M/MI	1333.22	CU M
SP13	Day 6	09.23.2004	7.25	0.15442	CU M/MI	1334	CU M
SP13	Day 6	09.23.2004	7.3	0.08697	CU M/MI	1334.54	CU M
SP13	Day 6	09.23.2004	7.35	0.08622	CU M/MI	1335.18	CU M
SP13	Day 6	09.23.2004	7.4	0.10373	CU M/MI	1335.78	CU M
SP13	Day 6	09.23.2004	7.45	0.10385	CU M/MI	1336.36	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 6	09.23.2004	7.5	0.10296	CU M/MI	1336.94	CU M
SP13	Day 6	09.23.2004	7.55	0.10271	CU M/MI	1337.53	CU M
SP13	Day 6	09.23.2004	8	0.10234	CU M/MI	1338.11	CU M
SP13	Day 6	09.23.2004	8.05	0.05606	CU M/MI	1338.63	CU M
SP13	Day 6	09.23.2004	8.1	0.08666	CU M/MI	1339.18	CU M
SP13	Day 6	09.23.2004	8.15	0.154	CU M/MI	1339.75	CU M
SP13	Day 6	09.23.2004	8.2	0.11508	CU M/MI	1340.26	CU M
SP13	Day 6	09.23.2004	8.25	0.07218	CU M/MI	1340.85	CU M
SP13	Day 6	09.23.2004	8.3	0.11635	CU M/MI	1341.5	CU M
SP13	Day 6	09.23.2004	8.35	0.11638	CU M/MI	1342.1	CU M
SP13	Day 6	09.23.2004	8.4	0.1315	CU M/MI	1342.71	CU M
SP13	Day 6	09.23.2004	8.45	0.15176	CU M/MI	1343.22	CU M
SP13	Day 6	09.23.2004	8.5	0.08705	CU M/MI	1343.83	CU M
SP13	Day 6	09.23.2004	8.55	0.10304	CU M/MI	1344.44	CU M
SP13	Day 6	09.23.2004	9	0.07391	CU M/MI	1344.86	CU M
SP13	Day 6	09.23.2004	9.05	0.15439	CU M/MI	1345.4	CU M
SP13	Day 6	09.23.2004	9.1	0.11087	CU M/MI	1345.99	CU M
SP13	Day 6	09.23.2004	9.15	0.10811	CU M/MI	1346.45	CU M
SP13	Day 6	09.23.2004	9.2	0.10655	CU M/MI	1347.13	CU M
SP13	Day 6	09.23.2004	9.25	0.08935	CU M/MI	1347.73	CU M
SP13	Day 6	09.23.2004	9.3	0.11622	CU M/MI	1348.34	CU M
SP13	Day 6	09.23.2004	9.35	0.15421	CU M/MI	1348.88	CU M
SP13	Day 6	09.23.2004	9.4	0.0874	CU M/MI	1349.43	CU M
SP13	Day 6	09.23.2004	9.45	0.08715	CU M/MI	1350.04	CU M
SP13	Day 6	09.23.2004	9.5	0.10436	CU M/MI	1350.63	CU M
SP13	Day 6	09.23.2004	9.55	0.10439	CU M/MI	1351.22	CU M
SP13	Day 6	09.23.2004	10	0.10436	CU M/MI	1351.8	CU M
SP13	Day 6	09.23.2004	10.05	0.10452	CU M/MI	1352.4	CU M
SP13	Day 6	09.23.2004	10.1	0.10468	CU M/MI	1353	CU M
SP13	Day 6	09.23.2004	10.15	0.10418	CU M/MI	1353.59	CU M
SP13	Day 6	09.23.2004	10.2	0.10276	CU M/MI	1354.18	CU M
SP13	Day 6	09.23.2004	10.25	0.0878	CU M/MI	1354.78	CU M
SP13	Day 6	09.23.2004	10.3	0.11204	CU M/MI	1355.4	CU M
SP13	Day 6	09.23.2004	10.35	0.15413	CU M/MI	1356.16	CU M
SP13	Day 6	09.23.2004	10.4	0.15348	CU M/MI	1356.74	CU M
SP13	Day 6	09.23.2004	10.45	0.15403	CU M/MI	1357.51	CU M
SP13	Day 6	09.23.2004	10.5	0.15167	CU M/MI	1357.78	CU M
SP13	Day 6	09.23.2004	10.55	0.15493	CU M/MI	1358.55	CU M
SP13	Day 6	09.23.2004	11	0.08634	CU M/MI	1359.14	CU M
SP13	Day 6	09.23.2004	11.05	0.07982	CU M/MI	1359.77	CU M
SP13	Day 6	09.23.2004	11.1	0.08559	CU M/MI	1359.98	CU M
SP13	Day 6	09.23.2004	11.15	0.1541	CU M/MI	1360.73	CU M
SP13	Day 6	09.23.2004	11.2	0.08604	CU M/MI	1361.36	CU M
SP13	Day 6	09.23.2004	11.25	0.15291	CU M/MI	1362.05	CU M
SP13	Day 6	09.23.2004	11.3	0.13662	CU M/MI	1362.29	CU M
SP13	Day 6	09.23.2004	11.35	0.15414	CU M/MI	1363.05	CU M
SP13	Day 6	09.23.2004	11.4	0.12842	CU M/MI	1363.63	CU M
SP13	Day 6	09.23.2004	11.45	0.15405	CU M/MI	1364.39	CU M
SP13	Day 6	09.23.2004	11.5	0.08019	CU M/MI	1364.81	CU M
SP13	Day 6	09.23.2004	11.55	0.1544	CU M/MI	1365.45	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 6	09.23.2004	12	0.1536	CU M/MI	1366.03	CU M
SP13	Day 6	09.23.2004	12.05	0.15313	CU M/MI	1366.8	CU M
SP13	Day 6	09.23.2004	12.1	0.15286	CU M/MI	1367.05	CU M
SP13	Day 6	09.23.2004	12.15	0.15422	CU M/MI	1367.82	CU M
SP13	Day 6	09.23.2004	12.2	0.14522	CU M/MI	1368.35	CU M
SP13	Day 6	09.23.2004	12.25	0.00228	CU M/MI	1368.88	CU M
SP13	Day 6	09.23.2004	12.3	0.15446	CU M/MI	1369.31	CU M
SP13	Day 6	09.23.2004	12.35	0.08616	CU M/MI	1369.91	CU M
SP13	Day 6	09.23.2004	12.4	0.00369	CU M/MI	1370.41	CU M
SP13	Day 6	09.23.2004	12.45	0.15437	CU M/MI	1370.74	CU M
SP13	Day 6	09.23.2004	12.55	0.15469	CU M/MI	1372.04	CU M
SP13	Day 6	09.23.2004	13	0.15223	CU M/MI	1372.55	CU M
SP13	Day 6	09.23.2004	13.05	0.08673	CU M/MI	1372.92	CU M
SP13	Day 6	09.23.2004	13.1	0.15464	CU M/MI	1373.58	CU M
SP13	Day 6	09.23.2004	13.15	0.0862	CU M/MI	1374.09	CU M
SP13	Day 6	09.23.2004	13.2	0.09367	CU M/MI	1374.83	CU M
SP13	Day 6	09.23.2004	13.25	0.14988	CU M/MI	1375.05	CU M
SP13	Day 6	09.23.2004	13.3	0.08663	CU M/MI	1375.62	CU M
SP13	Day 6	09.23.2004	13.35	0.08701	CU M/MI	1376.1	CU M
SP13	Day 6	09.23.2004	13.4	0.08787	CU M/MI	1376.73	CU M
SP13	Day 6	09.23.2004	13.45	0.08653	CU M/MI	1377.19	CU M
SP13	Day 6	09.23.2004	13.5	0.15483	CU M/MI	1377.69	CU M
SP13	Day 6	09.23.2004	13.55	0.15129	CU M/MI	1378.28	CU M
SP13	Day 6	09.23.2004	14	0.11884	CU M/MI	1378.7	CU M
SP13	Day 6	09.23.2004	14.05	0.09267	CU M/MI	1379.29	CU M
SP13	Day 6	09.23.2004	14.1	0.06956	CU M/MI	1379.75	CU M
SP13	Day 6	09.23.2004	14.15	0.06798	CU M/MI	1380.13	CU M
SP13	Day 6	09.23.2004	14.2	0.08822	CU M/MI	1380.5	CU M
SP13	Day 6	09.23.2004	14.25	0.09411	CU M/MI	1380.93	CU M
SP13	Day 6	09.23.2004	14.3	0.05857	CU M/MI	1381.49	CU M
SP13	Day 6	09.23.2004	14.35	0.1063	CU M/MI	1382.02	CU M
SP13	Day 6	09.23.2004	14.4	0.10543	CU M/MI	1382.61	CU M
SP13	Day 6	09.23.2004	14.45	0.10283	CU M/MI	1383.02	CU M
SP13	Day 6	09.23.2004	14.5	0.1064	CU M/MI	1383.62	CU M
SP13	Day 6	09.23.2004	14.55	0.14446	CU M/MI	1384.24	CU M
SP13	Day 6	09.23.2004	15	0.08734	CU M/MI	1384.87	CU M
SP13	Day 6	09.23.2004	15.05	0.15538	CU M/MI	1385.6	CU M
SP13	Day 6	09.23.2004	15.1	0.15414	CU M/MI	1386.21	CU M
SP13	Day 6	09.23.2004	15.15	0.14707	CU M/MI	1386.79	CU M
SP13	Day 6	09.23.2004	15.2	0.15168	CU M/MI	1387.24	CU M
SP13	Day 6	09.23.2004	15.25	0.10828	CU M/MI	1387.8	CU M
SP13	Day 6	09.23.2004	15.3	0.15287	CU M/MI	1388.46	CU M
SP13	Day 6	09.23.2004	15.35	0.08592	CU M/MI	1389.18	CU M
SP13	Day 6	09.23.2004	15.4	0.08163	CU M/MI	1389.74	CU M
SP13	Day 6	09.23.2004	15.45	0.08641	CU M/MI	1390.06	CU M
SP13	Day 6	09.23.2004	15.5	0.15257	CU M/MI	1390.61	CU M
SP13	Day 6	09.23.2004	15.55	0.15394	CU M/MI	1391.21	CU M
SP13	Day 6	09.23.2004	16	0.1556	CU M/MI	1391.82	CU M
SP13	Day 6	09.23.2004	16.05	0.15522	CU M/MI	1392.47	CU M
SP13	Day 6	09.23.2004	16.1	0.15493	CU M/MI	1393.16	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 6	09.23.2004	16.15	0.15562	CU M/MI	1393.78	CU M
SP13	Day 6	09.23.2004	16.2	0.11786	CU M/MI	1394.21	CU M
SP13	Day 6	09.23.2004	16.25	0.11893	CU M/MI	1394.82	CU M
SP13	Day 6	09.23.2004	16.3	0.08549	CU M/MI	1395.43	CU M
SP13	Day 6	09.23.2004	16.35	0.11765	CU M/MI	1395.88	CU M
SP13	Day 6	09.23.2004	16.4	0.11778	CU M/MI	1396.48	CU M
SP13	Day 6	09.23.2004	16.45	0.07446	CU M/MI	1396.95	CU M
SP13	Day 6	09.23.2004	16.5	0.15523	CU M/MI	1397.45	CU M
SP13	Day 6	09.23.2004	16.55	0.15423	CU M/MI	1398.02	CU M
SP13	Day 6	09.23.2004	17	0.13976	CU M/MI	1398.5	CU M
SP13	Day 6	09.23.2004	17.05	0.15617	CU M/MI	1399.18	CU M
SP13	Day 6	09.23.2004	17.1	0.15216	CU M/MI	1399.58	CU M
SP13	Day 6	09.23.2004	17.15	0.00761	CU M/MI	1400.1	CU M
SP13	Day 6	09.23.2004	17.2	0.082	CU M/MI	1400.32	CU M
SP13	Day 6	09.23.2004	17.25	0.11511	CU M/MI	1400.92	CU M
SP13	Day 6	09.23.2004	17.3	0.08955	CU M/MI	1401.46	CU M
SP13	Day 6	09.23.2004	17.35	0.15665	CU M/MI	1401.87	CU M
SP13	Day 6	09.23.2004	17.4	0.15422	CU M/MI	1402.49	CU M
SP13	Day 6	09.23.2004	17.45	0.1513	CU M/MI	1402.93	CU M
SP13	Day 6	09.23.2004	17.5	0.14296	CU M/MI	1403.54	CU M
SP13	Day 6	09.23.2004	17.55	0.13502	CU M/MI	1403.97	CU M
SP13	Day 6	09.23.2004	18	0.11847	CU M/MI	1404.58	CU M
SP13	Day 6	09.23.2004	18.05	0.07334	CU M/MI	1405.06	CU M
SP13	Day 6	09.23.2004	18.1	0.11927	CU M/MI	1405.61	CU M
SP13	Day 6	09.23.2004	18.15	0.08175	CU M/MI	1406.21	CU M
SP13	Day 6	09.23.2004	18.2	0.15561	CU M/MI	1406.62	CU M
SP13	Day 6	09.23.2004	18.25	0.08881	CU M/MI	1407.2	CU M
SP13	Day 6	09.23.2004	18.3	0.0586	CU M/MI	1407.69	CU M
SP13	Day 6	09.23.2004	18.35	0.10704	CU M/MI	1408.25	CU M
SP13	Day 6	09.23.2004	18.4	0.07877	CU M/MI	1408.81	CU M
SP13	Day 6	09.23.2004	18.45	0.1153	CU M/MI	1409.27	CU M
SP13	Day 6	09.23.2004	18.5	0.0762	CU M/MI	1409.86	CU M
SP13	Day 6	09.23.2004	18.55	0.10669	CU M/MI	1410.33	CU M
SP13	Day 6	09.23.2004	19	0.06863	CU M/MI	1411	CU M
SP13	Day 6	09.23.2004	19.05	0.06257	CU M/MI	1411.27	CU M
SP13	Day 6	09.23.2004	19.1	0.06784	CU M/MI	1411.8	CU M
SP13	Day 6	09.23.2004	19.15	0.10591	CU M/MI	1412.36	CU M
SP13	Day 6	09.23.2004	19.2	0.06742	CU M/MI	1412.98	CU M
SP13	Day 6	09.23.2004	19.25	0.10625	CU M/MI	1413.52	CU M
SP13	Day 6	09.23.2004	19.3	0.06643	CU M/MI	1414.08	CU M
SP13	Day 6	09.23.2004	19.35	0.14249	CU M/MI	1414.68	CU M
SP13	Day 6	09.23.2004	19.4	0.08124	CU M/MI	1415.12	CU M
SP13	Day 6	09.23.2004	19.45	0.08757	CU M/MI	1415.7	CU M
SP13	Day 6	09.23.2004	19.5	0.15595	CU M/MI	1416.36	CU M
SP13	Day 6	09.23.2004	19.55	0.15634	CU M/MI	1417.05	CU M
SP13	Day 6	09.23.2004	20	0.15002	CU M/MI	1417.36	CU M
SP13	Day 6	09.23.2004	20.05	0.15675	CU M/MI	1418.05	CU M
SP13	Day 6	09.23.2004	20.1	0.09409	CU M/MI	1418.72	CU M
SP13	Day 6	09.23.2004	20.15	0.15712	CU M/MI	1419.32	CU M
SP13	Day 6	09.23.2004	20.2	0.00366	CU M/MI	1419.92	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 6	09.23.2004	20.25	0.10605	CU M/MI	1420.3	CU M
SP13	Day 6	09.23.2004	20.3	0.06752	CU M/MI	1420.9	CU M
SP13	Day 6	09.23.2004	20.35	0.10638	CU M/MI	1421.53	CU M
SP13	Day 6	09.23.2004	20.4	0.08819	CU M/MI	1422.16	CU M
SP13	Day 6	09.23.2004	20.45	0.12277	CU M/MI	1422.77	CU M
SP13	Day 6	09.23.2004	20.5	0.15175	CU M/MI	1423.3	CU M
SP13	Day 6	09.23.2004	20.55	0.11905	CU M/MI	1423.89	CU M
SP13	Day 6	09.23.2004	21	0.11898	CU M/MI	1424.37	CU M
SP13	Day 6	09.23.2004	21.05	0.11999	CU M/MI	1424.98	CU M
SP13	Day 6	09.23.2004	21.1	0.11935	CU M/MI	1425.59	CU M
SP13	Day 6	09.23.2004	21.15	0.11898	CU M/MI	1426.2	CU M
SP13	Day 6	09.23.2004	21.2	0.11861	CU M/MI	1426.81	CU M
SP13	Day 6	09.23.2004	21.25	0.07312	CU M/MI	1427.33	CU M
SP13	Day 6	09.23.2004	21.3	0.11852	CU M/MI	1427.88	CU M
SP13	Day 6	09.23.2004	21.35	0.15833	CU M/MI	1428.47	CU M
SP13	Day 6	09.23.2004	21.4	0.10512	CU M/MI	1429	CU M
SP13	Day 6	09.23.2004	21.45	0.08913	CU M/MI	1429.64	CU M
SP13	Day 6	09.23.2004	21.5	0.10636	CU M/MI	1430.25	CU M
SP13	Day 6	09.23.2004	21.55	0.06715	CU M/MI	1430.72	CU M
SP13	Day 6	09.23.2004	22	0.10809	CU M/MI	1431.3	CU M
SP13	Day 6	09.23.2004	22.05	0.10756	CU M/MI	1431.9	CU M
SP13	Day 6	09.23.2004	22.1	0.10801	CU M/MI	1432.51	CU M
SP13	Day 6	09.23.2004	22.15	0.09495	CU M/MI	1433.11	CU M
SP13	Day 6	09.23.2004	22.2	0.09061	CU M/MI	1433.74	CU M
SP13	Day 6	09.23.2004	22.25	0.0025	CU M/MI	1434.07	CU M
SP13	Day 6	09.23.2004	22.3	0.18473	CU M/MI	1434.43	CU M
SP13	Day 6	09.23.2004	22.35	0.06752	CU M/MI	1434.87	CU M
SP13	Day 6	09.23.2004	22.4	0.08815	CU M/MI	1435.18	CU M
SP13	Day 6	09.23.2004	22.45	0.1591	CU M/MI	1435.79	CU M
SP13	Day 6	09.23.2004	22.5	0.07446	CU M/MI	1436.31	CU M
SP13	Day 6	09.23.2004	22.55	0.12099	CU M/MI	1436.91	CU M
SP13	Day 6	09.23.2004	23	0.12178	CU M/MI	1437.53	CU M
SP13	Day 6	09.23.2004	23.05	0.12229	CU M/MI	1438.15	CU M
SP13	Day 6	09.23.2004	23.1	0.06941	CU M/MI	1438.63	CU M
SP13	Day 6	09.23.2004	23.15	0.00154	CU M/MI	1438.85	CU M
SP13	Day 6	09.23.2004	23.2	0.09302	CU M/MI	1439.53	CU M
SP13	Day 6	09.23.2004	23.25	0.08885	CU M/MI	1439.68	CU M
SP13	Day 6	09.23.2004	23.3	0.09851	CU M/MI	1440.38	CU M
SP13	Day 6	09.23.2004	23.35	0.18147	CU M/MI	1441.19	CU M
SP13	Day 6	09.23.2004	23.4	0.09439	CU M/MI	1441.54	CU M
SP13	Day 6	09.23.2004	23.45	0.09817	CU M/MI	1442.17	CU M
SP13	Day 6	09.23.2004	23.5	0.18027	CU M/MI	1443.02	CU M
SP13	Day 6	09.23.2004	23.55	0.09415	CU M/MI	1443.38	CU M
SP13	Day 6	09.24.2004	0	0.09963	CU M/MI	1444.07	CU M
SP13	Day 6	09.24.2004	0.05	0.18151	CU M/MI	1444.89	CU M
SP13	Day 6	09.24.2004	0.1	0.09516	CU M/MI	1445.22	CU M
SP13	Day 6	09.24.2004	0.15	0.09962	CU M/MI	1445.7	CU M
SP13	Day 6	09.24.2004	0.2	0.18147	CU M/MI	1446.57	CU M
SP13	Day 6	09.24.2004	0.25	0.09378	CU M/MI	1447.09	CU M
SP13	Day 6	09.24.2004	0.3	0.18171	CU M/MI	1447.59	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 6	09.24.2004	0.35	0.09882	CU M/MI	1448.41	CU M
SP13	Day 6	09.24.2004	0.4	0.09443	CU M/MI	1449.01	CU M
SP13	Day 6	09.24.2004	0.45	0.18333	CU M/MI	1449.54	CU M
SP13	Day 6	09.24.2004	0.5	0.10009	CU M/MI	1450.23	CU M
SP13	Day 6	09.24.2004	0.55	0.0036	CU M/MI	1450.84	CU M
SP13	Day 6	09.24.2004	1	0.18296	CU M/MI	1451.35	CU M
SP13	Day 6	09.24.2004	1.05	0.12068	CU M/MI	1452.04	CU M
SP13	Day 6	09.24.2004	1.1	0.10051	CU M/MI	1452.41	CU M
SP13	Day 6	09.24.2004	1.15	0.11519	CU M/MI	1453.23	CU M
SP13	Day 6	09.24.2004	1.2	0.09464	CU M/MI	1453.66	CU M
SP13	Day 6	09.24.2004	1.25	0.18431	CU M/MI	1454.27	CU M
SP13	Day 6	09.24.2004	1.3	0.0027	CU M/MI	1455.01	CU M
SP13	Day 6	09.24.2004	1.35	0.18566	CU M/MI	1455.44	CU M
SP13	Day 6	09.24.2004	1.4	0.09764	CU M/MI	1456.07	CU M
SP13	Day 6	09.24.2004	1.45	0.09135	CU M/MI	1456.36	CU M
SP13	Day 6	09.24.2004	1.5	0.10611	CU M/MI	1457.23	CU M
SP13	Day 6	09.24.2004	1.55	0.09475	CU M/MI	1457.81	CU M
SP13	Day 6	09.24.2004	2	0.18514	CU M/MI	1458.27	CU M
SP13	Day 6	09.24.2004	2.05	0.09942	CU M/MI	1459.02	CU M
SP13	Day 6	09.24.2004	2.1	0.15939	CU M/MI	1459.5	CU M
SP13	Day 6	09.24.2004	2.15	0.18475	CU M/MI	1460.18	CU M
SP13	Day 6	09.24.2004	2.2	0.00197	CU M/MI	1460.73	CU M
SP13	Day 6	09.24.2004	2.25	0.1843	CU M/MI	1461.38	CU M
SP13	Day 6	09.24.2004	2.3	0.09725	CU M/MI	1461.96	CU M
SP13	Day 6	09.24.2004	2.35	0.10124	CU M/MI	1462.37	CU M
SP13	Day 6	09.24.2004	2.4	0.10045	CU M/MI	1463.18	CU M
SP13	Day 6	09.24.2004	2.45	0.0949	CU M/MI	1463.7	CU M
SP13	Day 6	09.24.2004	2.5	0.1853	CU M/MI	1464.23	CU M
SP13	Day 6	09.24.2004	2.55	0.09923	CU M/MI	1465.03	CU M
SP13	Day 6	09.24.2004	3	0.17774	CU M/MI	1465.5	CU M
SP13	Day 6	09.24.2004	3.05	0.18267	CU M/MI	1466.14	CU M
SP13	Day 6	09.24.2004	3.1	0.00277	CU M/MI	1466.8	CU M
SP13	Day 6	09.24.2004	3.15	0.00325	CU M/MI	1467.17	CU M
SP13	Day 6	09.24.2004	3.2	0.18491	CU M/MI	1467.81	CU M
SP13	Day 6	09.24.2004	3.25	0.10031	CU M/MI	1468.51	CU M
SP13	Day 6	09.24.2004	3.3	0.09958	CU M/MI	1469.01	CU M
SP13	Day 6	09.24.2004	3.35	0.18469	CU M/MI	1469.76	CU M
SP13	Day 6	09.24.2004	3.4	0.0972	CU M/MI	1470.37	CU M
SP13	Day 6	09.24.2004	3.45	0.10097	CU M/MI	1470.93	CU M
SP13	Day 6	09.24.2004	3.5	0.18357	CU M/MI	1471.73	CU M
SP13	Day 6	09.24.2004	3.55	0.09439	CU M/MI	1472.2	CU M
SP13	Day 6	09.24.2004	4	0.10032	CU M/MI	1472.81	CU M
SP13	Day 6	09.24.2004	4.05	0.01965	CU M/MI	1473.47	CU M
SP13	Day 6	09.24.2004	4.1	0.18452	CU M/MI	1473.96	CU M
SP13	Day 6	09.24.2004	4.15	0.12447	CU M/MI	1474.62	CU M
SP13	Day 6	09.24.2004	4.2	0.10032	CU M/MI	1474.98	CU M
SP13	Day 6	09.24.2004	4.25	0.18286	CU M/MI	1475.87	CU M
SP13	Day 6	09.24.2004	4.3	0.09325	CU M/MI	1476.25	CU M
SP13	Day 6	09.24.2004	4.35	0.09898	CU M/MI	1476.88	CU M
SP13	Day 6	09.24.2004	4.4	0.09361	CU M/MI	1477.58	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 6	09.24.2004	4.45	0.17689	CU M/MI	1477.8	CU M
SP13	Day 6	09.24.2004	4.5	0.10051	CU M/MI	1478.58	CU M
SP13	Day 6	09.24.2004	4.55	0.00572	CU M/MI	1479.16	CU M
SP13	Day 6	09.24.2004	5	0.18493	CU M/MI	1479.73	CU M
SP13	Day 6	09.24.2004	5.05	0.00713	CU M/MI	1480.38	CU M
SP13	Day 6	09.24.2004	5.1	0.10058	CU M/MI	1480.8	CU M
SP13	Day 6	09.24.2004	5.15	0.18459	CU M/MI	1481.47	CU M
SP13	Day 6	09.24.2004	5.2	0.00158	CU M/MI	1481.75	CU M
SP13	Day 6	09.24.2004	5.25	0.09993	CU M/MI	1482.44	CU M
SP13	Day 6	09.24.2004	5.3	0.0947	CU M/MI	1483.04	CU M
SP13	Day 6	09.24.2004	5.35	0.10118	CU M/MI	1483.26	CU M
SP13	Day 6	09.24.2004	5.4	0.06832	CU M/MI	1483.99	CU M
SP13	Day 6	09.24.2004	5.45	0.10716	CU M/MI	1484.49	CU M
SP13	Day 6	09.24.2004	5.5	0.06731	CU M/MI	1485.01	CU M
SP13	Day 6	09.24.2004	5.55	0.15949	CU M/MI	1485.58	CU M
SP13	Day 7	09.24.2004	6	0.08864	CU M/MI	1486.1	CU M
SP13	Day 7	09.24.2004	6.05	0.08992	CU M/MI	1486.66	CU M
SP13	Day 7	09.24.2004	6.1	0.05826	CU M/MI	1487.15	CU M
SP13	Day 7	09.24.2004	6.15	0.15773	CU M/MI	1487.7	CU M
SP13	Day 7	09.24.2004	6.2	0.0017	CU M/MI	1488.01	CU M
SP13	Day 7	09.24.2004	6.25	0.12083	CU M/MI	1488.44	CU M
SP13	Day 7	09.24.2004	6.3	0.09139	CU M/MI	1489.11	CU M
SP13	Day 7	09.24.2004	6.35	0.15815	CU M/MI	1489.66	CU M
SP13	Day 7	09.24.2004	6.4	0.08803	CU M/MI	1490.29	CU M
SP13	Day 7	09.24.2004	6.45	0.15825	CU M/MI	1490.99	CU M
SP13	Day 7	09.24.2004	6.5	0.15823	CU M/MI	1491.54	CU M
SP13	Day 7	09.24.2004	6.55	0.00178	CU M/MI	1492.08	CU M
SP13	Day 7	09.24.2004	7	0.15969	CU M/MI	1492.56	CU M
SP13	Day 7	09.24.2004	7.05	0.08855	CU M/MI	1493.09	CU M
SP13	Day 7	09.24.2004	7.1	0.08776	CU M/MI	1493.8	CU M
SP13	Day 7	09.24.2004	7.15	0.1595	CU M/MI	1494.02	CU M
SP13	Day 7	09.24.2004	7.2	0.0888	CU M/MI	1494.68	CU M
SP13	Day 7	09.24.2004	7.25	0.15899	CU M/MI	1495.31	CU M
SP13	Day 7	09.24.2004	7.3	0.00148	CU M/MI	1495.62	CU M
SP13	Day 7	09.24.2004	7.35	0.11692	CU M/MI	1496.27	CU M
SP13	Day 7	09.24.2004	7.4	0.06801	CU M/MI	1496.78	CU M
SP13	Day 7	09.24.2004	7.45	0.08932	CU M/MI	1497.35	CU M
SP13	Day 7	09.24.2004	7.5	0.00222	CU M/MI	1497.8	CU M
SP13	Day 7	09.24.2004	7.55	0.15874	CU M/MI	1498.06	CU M
SP13	Day 7	09.24.2004	8	0.12113	CU M/MI	1498.64	CU M
SP13	Day 7	09.24.2004	8.05	0.07504	CU M/MI	1499.15	CU M
SP13	Day 7	09.24.2004	8.1	0.09556	CU M/MI	1499.7	CU M
SP13	Day 7	09.24.2004	8.15	0.1198	CU M/MI	1500.35	CU M
SP13	Day 7	09.24.2004	8.2	0.15287	CU M/MI	1500.77	CU M
SP13	Day 7	09.24.2004	8.25	0.15818	CU M/MI	1501.47	CU M
SP13	Day 7	09.24.2004	8.3	0.15266	CU M/MI	1501.94	CU M
SP13	Day 7	09.24.2004	8.35	0.01757	CU M/MI	1502.6	CU M
SP13	Day 7	09.24.2004	8.4	0.08776	CU M/MI	1502.73	CU M
SP13	Day 7	09.24.2004	8.45	0.15744	CU M/MI	1503.41	CU M
SP13	Day 7	09.24.2004	8.5	0.08694	CU M/MI	1503.88	CU M

Appendix B
Raw Flow Data from Effluent from Sewage/Graywater Treatment System (SP-13)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP13	Day 7	09.24.2004	8.55	0.15417	CU M/MI	1504.52	CU M
SP13	Day 7	09.24.2004	9	0.08017	CU M/MI	1505.01	CU M
SP13	Day 7	09.24.2004	9.05	0.11832	CU M/MI	1505.67	CU M
SP13	Day 7	09.24.2004	9.1	0.07271	CU M/MI	1506.16	CU M
SP13	Day 7	09.24.2004	9.15	0.11814	CU M/MI	1506.79	CU M
SP13	Day 7	09.24.2004	9.2	0.00172	CU M/MI	1507.11	CU M
SP13	Day 7	09.24.2004	9.25	0.1046	CU M/MI	1507.51	CU M
SP13	Day 7	09.24.2004	9.3	0.15786	CU M/MI	1508.03	CU M
SP13	Day 7	09.24.2004	9.35	0.09814	CU M/MI	1508.72	CU M
SP13	Day 7	09.24.2004	9.4	0.15199	CU M/MI	1509.17	CU M
SP13	Day 7	09.24.2004	9.45	0.11884	CU M/MI	1509.88	CU M
SP13	Day 7	09.24.2004	9.5	0.11829	CU M/MI	1510.34	CU M
SP13	Day 7	09.24.2004	9.55	0.11817	CU M/MI	1511.05	CU M
SP13	Day 7	09.24.2004	10	0.10704	CU M/MI	1511.5	CU M
SP13	Day 7	09.24.2004	10.05	0.12443	CU M/MI	1512.1	CU M
SP13	Day 7	09.24.2004	10.1	0.07057	CU M/MI	1512.61	CU M
SP13	Day 7	09.24.2004	10.15	0.12109	CU M/MI	1513.15	CU M
SP13	Day 7	09.24.2004	10.2	0.117	CU M/MI	1513.67	CU M
SP13	Day 7	09.24.2004	10.25	0.05905	CU M/MI	1514.11	CU M
SP13	Day 7	09.24.2004	10.3	0.09637	CU M/MI	1514.72	CU M
SP13	Day 7	09.24.2004	10.35	0	CU M/MI	1514.8	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.14.2004	15.55	0	CU M/MI	272.79	CU M
SP16		09.14.2004	16	0	CU M/MI	272.76	CU M
SP16		09.14.2004	16.05	0	CU M/MI	272.73	CU M
SP16		09.14.2004	16.1	0	CU M/MI	272.7	CU M
SP16		09.14.2004	16.15	0	CU M/MI	272.68	CU M
SP16		09.14.2004	16.2	0	CU M/MI	272.65	CU M
SP16		09.14.2004	16.25	0	CU M/MI	273.21	CU M
SP16		09.14.2004	16.3	0.52579	CU M/MI	273.86	CU M
SP16		09.14.2004	16.35	0	CU M/MI	274.95	CU M
SP16		09.14.2004	16.4	0	CU M/MI	274.92	CU M
SP16		09.14.2004	16.45	0	CU M/MI	274.89	CU M
SP16		09.14.2004	16.5	0	CU M/MI	274.87	CU M
SP16		09.14.2004	16.55	0	CU M/MI	274.84	CU M
SP16		09.14.2004	17	0	CU M/MI	274.81	CU M
SP16		09.14.2004	17.05	0	CU M/MI	274.79	CU M
SP16		09.14.2004	17.1	0	CU M/MI	274.76	CU M
SP16		09.14.2004	17.15	0.00733	CU M/MI	274.73	CU M
SP16		09.14.2004	17.2	0	CU M/MI	274.7	CU M
SP16		09.14.2004	17.25	0	CU M/MI	274.73	CU M
SP16		09.14.2004	17.3	0	CU M/MI	274.7	CU M
SP16		09.14.2004	17.35	0	CU M/MI	274.67	CU M
SP16		09.14.2004	17.4	0	CU M/MI	274.65	CU M
SP16		09.14.2004	17.45	0	CU M/MI	274.63	CU M
SP16		09.14.2004	17.5	0	CU M/MI	274.6	CU M
SP16		09.14.2004	17.55	0	CU M/MI	274.57	CU M
SP16		09.14.2004	18	0	CU M/MI	274.55	CU M
SP16		09.14.2004	18.05	0.01216	CU M/MI	274.52	CU M
SP16		09.14.2004	18.1	0	CU M/MI	274.49	CU M
SP16		09.14.2004	18.15	0	CU M/MI	274.47	CU M
SP16		09.14.2004	18.2	0	CU M/MI	274.44	CU M
SP16		09.14.2004	18.25	0.00672	CU M/MI	274.42	CU M
SP16		09.14.2004	18.3	0	CU M/MI	274.39	CU M
SP16		09.14.2004	18.35	0.00347	CU M/MI	274.46	CU M
SP16		09.14.2004	18.4	0.35059	CU M/MI	274.69	CU M
SP16		09.14.2004	18.45	0	CU M/MI	276.22	CU M
SP16		09.14.2004	18.5	0.02135	CU M/MI	277.98	CU M
SP16		09.14.2004	18.55	0.35889	CU M/MI	279.37	CU M
SP16		09.14.2004	19	0.35519	CU M/MI	280.82	CU M
SP16		09.14.2004	19.05	0.35424	CU M/MI	282.22	CU M
SP16		09.14.2004	19.1	0.3593	CU M/MI	283.53	CU M
SP16		09.14.2004	19.15	0	CU M/MI	284.36	CU M
SP16		09.14.2004	19.2	0	CU M/MI	284.33	CU M
SP16		09.14.2004	19.25	0	CU M/MI	284.31	CU M
SP16		09.14.2004	19.3	0	CU M/MI	284.29	CU M
SP16		09.14.2004	19.35	0	CU M/MI	284.26	CU M
SP16		09.14.2004	19.4	0	CU M/MI	284.24	CU M
SP16		09.14.2004	19.45	0.00214	CU M/MI	284.21	CU M
SP16		09.14.2004	19.5	0	CU M/MI	284.19	CU M
SP16		09.14.2004	19.55	0	CU M/MI	284.16	CU M
SP16		09.14.2004	20	0	CU M/MI	284.13	CU M
SP16		09.14.2004	20.05	0	CU M/MI	284.11	CU M
SP16		09.14.2004	20.1	0.00244	CU M/MI	284.08	CU M
SP16		09.14.2004	20.15	0	CU M/MI	284.06	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.14.2004	20.2	0.0096	CU M/MI	284.03	CU M
SP16		09.14.2004	20.25	0	CU M/MI	284	CU M
SP16		09.14.2004	20.3	0.00381	CU M/MI	283.97	CU M
SP16		09.14.2004	20.35	0	CU M/MI	283.95	CU M
SP16		09.14.2004	20.4	0	CU M/MI	283.92	CU M
SP16		09.14.2004	20.45	0	CU M/MI	283.9	CU M
SP16		09.14.2004	20.5	0	CU M/MI	283.88	CU M
SP16		09.14.2004	20.55	0	CU M/MI	283.85	CU M
SP16		09.14.2004	21	0	CU M/MI	283.83	CU M
SP16		09.14.2004	21.05	0	CU M/MI	283.8	CU M
SP16		09.14.2004	21.1	0	CU M/MI	283.77	CU M
SP16		09.14.2004	21.15	0	CU M/MI	283.75	CU M
SP16		09.14.2004	21.2	0	CU M/MI	283.73	CU M
SP16		09.14.2004	21.25	0	CU M/MI	283.7	CU M
SP16		09.14.2004	21.3	0	CU M/MI	283.67	CU M
SP16		09.14.2004	21.35	0	CU M/MI	283.65	CU M
SP16		09.14.2004	21.4	0	CU M/MI	283.62	CU M
SP16		09.14.2004	21.45	0	CU M/MI	283.6	CU M
SP16		09.14.2004	21.5	0	CU M/MI	283.57	CU M
SP16		09.14.2004	21.55	0	CU M/MI	283.54	CU M
SP16		09.14.2004	22	0	CU M/MI	283.51	CU M
SP16		09.14.2004	22.05	0	CU M/MI	283.49	CU M
SP16		09.14.2004	22.1	0	CU M/MI	283.46	CU M
SP16		09.14.2004	22.15	0	CU M/MI	283.43	CU M
SP16		09.14.2004	22.2	0	CU M/MI	283.41	CU M
SP16		09.14.2004	22.25	0	CU M/MI	283.38	CU M
SP16		09.14.2004	22.3	0	CU M/MI	283.36	CU M
SP16		09.14.2004	22.35	0	CU M/MI	283.33	CU M
SP16		09.14.2004	22.4	0	CU M/MI	283.31	CU M
SP16		09.14.2004	22.45	0	CU M/MI	283.28	CU M
SP16		09.14.2004	22.5	0	CU M/MI	283.25	CU M
SP16		09.14.2004	22.55	0	CU M/MI	283.23	CU M
SP16		09.14.2004	23	0	CU M/MI	283.2	CU M
SP16		09.14.2004	23.05	0	CU M/MI	283.18	CU M
SP16		09.14.2004	23.1	0	CU M/MI	283.15	CU M
SP16		09.14.2004	23.15	0	CU M/MI	283.12	CU M
SP16		09.14.2004	23.2	0	CU M/MI	283.1	CU M
SP16		09.14.2004	23.25	0	CU M/MI	283.07	CU M
SP16		09.14.2004	23.3	0	CU M/MI	283.04	CU M
SP16		09.14.2004	23.35	0	CU M/MI	283.02	CU M
SP16		09.14.2004	23.4	0.00179	CU M/MI	282.99	CU M
SP16		09.14.2004	23.45	0	CU M/MI	282.96	CU M
SP16		09.14.2004	23.5	0	CU M/MI	282.93	CU M
SP16		09.14.2004	23.55	0	CU M/MI	282.9	CU M
SP16		09.15.2004	0	0	CU M/MI	282.87	CU M
SP16		09.15.2004	0.05	0	CU M/MI	282.85	CU M
SP16		09.15.2004	0.1	0	CU M/MI	282.82	CU M
SP16		09.15.2004	0.15	0	CU M/MI	282.79	CU M
SP16		09.15.2004	0.2	0	CU M/MI	282.77	CU M
SP16		09.15.2004	0.25	0	CU M/MI	282.74	CU M
SP16		09.15.2004	0.3	0	CU M/MI	282.72	CU M
SP16		09.15.2004	0.35	0	CU M/MI	282.69	CU M
SP16		09.15.2004	0.4	0	CU M/MI	282.67	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.15.2004	0.45	0	CU M/MI	282.64	CU M
SP16		09.15.2004	0.5	0	CU M/MI	282.62	CU M
SP16		09.15.2004	0.55	0	CU M/MI	282.59	CU M
SP16		09.15.2004	1	0	CU M/MI	282.57	CU M
SP16		09.15.2004	1.05	0	CU M/MI	282.54	CU M
SP16		09.15.2004	1.1	0	CU M/MI	282.52	CU M
SP16		09.15.2004	1.15	0	CU M/MI	282.49	CU M
SP16		09.15.2004	1.2	0	CU M/MI	282.46	CU M
SP16		09.15.2004	1.25	0	CU M/MI	282.44	CU M
SP16		09.15.2004	1.3	0	CU M/MI	282.41	CU M
SP16		09.15.2004	1.35	0	CU M/MI	282.39	CU M
SP16		09.15.2004	1.4	0	CU M/MI	282.36	CU M
SP16		09.15.2004	1.45	0	CU M/MI	282.34	CU M
SP16		09.15.2004	1.5	0	CU M/MI	282.31	CU M
SP16		09.15.2004	1.55	0	CU M/MI	282.28	CU M
SP16		09.15.2004	2	0	CU M/MI	282.26	CU M
SP16		09.15.2004	2.05	0	CU M/MI	282.23	CU M
SP16		09.15.2004	2.1	0	CU M/MI	282.2	CU M
SP16		09.15.2004	2.15	0	CU M/MI	282.17	CU M
SP16		09.15.2004	2.2	0	CU M/MI	282.15	CU M
SP16		09.15.2004	2.25	0	CU M/MI	282.12	CU M
SP16		09.15.2004	2.3	0	CU M/MI	282.1	CU M
SP16		09.15.2004	2.35	0	CU M/MI	282.07	CU M
SP16		09.15.2004	2.4	0	CU M/MI	282.04	CU M
SP16		09.15.2004	2.45	0	CU M/MI	282.01	CU M
SP16		09.15.2004	2.5	0	CU M/MI	281.99	CU M
SP16		09.15.2004	2.55	0	CU M/MI	281.96	CU M
SP16		09.15.2004	3	0	CU M/MI	281.94	CU M
SP16		09.15.2004	3.05	0	CU M/MI	281.91	CU M
SP16		09.15.2004	3.1	0	CU M/MI	281.88	CU M
SP16		09.15.2004	3.15	0	CU M/MI	281.86	CU M
SP16		09.15.2004	3.2	0	CU M/MI	281.83	CU M
SP16		09.15.2004	3.25	0	CU M/MI	281.8	CU M
SP16		09.15.2004	3.3	0	CU M/MI	281.78	CU M
SP16		09.15.2004	3.35	0.00127	CU M/MI	281.75	CU M
SP16		09.15.2004	3.4	0	CU M/MI	281.72	CU M
SP16		09.15.2004	3.45	0	CU M/MI	281.7	CU M
SP16		09.15.2004	3.5	0	CU M/MI	281.67	CU M
SP16		09.15.2004	3.55	0	CU M/MI	281.64	CU M
SP16		09.15.2004	4	0	CU M/MI	281.62	CU M
SP16		09.15.2004	4.05	0	CU M/MI	281.59	CU M
SP16		09.15.2004	4.1	0	CU M/MI	281.57	CU M
SP16		09.15.2004	4.15	0	CU M/MI	281.54	CU M
SP16		09.15.2004	4.2	0	CU M/MI	281.52	CU M
SP16		09.15.2004	4.25	0	CU M/MI	281.5	CU M
SP16		09.15.2004	4.3	0	CU M/MI	281.47	CU M
SP16		09.15.2004	4.35	0	CU M/MI	281.45	CU M
SP16		09.15.2004	4.4	0	CU M/MI	281.42	CU M
SP16		09.15.2004	4.45	0	CU M/MI	281.4	CU M
SP16		09.15.2004	4.5	0	CU M/MI	281.37	CU M
SP16		09.15.2004	4.55	0	CU M/MI	281.35	CU M
SP16		09.15.2004	5	0	CU M/MI	281.32	CU M
SP16		09.15.2004	5.05	0	CU M/MI	281.3	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.15.2004	5.1	0	CU M/MI	281.27	CU M
SP16		09.15.2004	5.15	0	CU M/MI	281.25	CU M
SP16		09.15.2004	5.2	0	CU M/MI	281.23	CU M
SP16		09.15.2004	5.25	0	CU M/MI	281.21	CU M
SP16		09.15.2004	5.3	0	CU M/MI	281.18	CU M
SP16		09.15.2004	5.35	0	CU M/MI	281.16	CU M
SP16		09.15.2004	5.4	0	CU M/MI	281.14	CU M
SP16		09.15.2004	5.45	0	CU M/MI	281.11	CU M
SP16		09.15.2004	5.5	0	CU M/MI	281.09	CU M
SP16		09.15.2004	5.55	0	CU M/MI	281.07	CU M
SP16		09.15.2004	6	0	CU M/MI	281.05	CU M
SP16		09.15.2004	6.05	0	CU M/MI	281.02	CU M
SP16		09.15.2004	6.1	0	CU M/MI	281	CU M
SP16		09.15.2004	6.15	0	CU M/MI	280.98	CU M
SP16		09.15.2004	6.2	0	CU M/MI	280.95	CU M
SP16		09.15.2004	6.25	0	CU M/MI	280.93	CU M
SP16		09.15.2004	6.3	0	CU M/MI	280.91	CU M
SP16		09.15.2004	6.35	0	CU M/MI	280.89	CU M
SP16		09.15.2004	6.4	0	CU M/MI	280.86	CU M
SP16		09.15.2004	6.45	0	CU M/MI	280.84	CU M
SP16		09.15.2004	6.5	0	CU M/MI	280.82	CU M
SP16		09.15.2004	6.55	0	CU M/MI	280.8	CU M
SP16		09.15.2004	7	0	CU M/MI	280.78	CU M
SP16		09.15.2004	7.05	0	CU M/MI	280.76	CU M
SP16		09.15.2004	7.1	0	CU M/MI	280.73	CU M
SP16		09.15.2004	7.15	0	CU M/MI	280.71	CU M
SP16		09.15.2004	7.2	0	CU M/MI	280.69	CU M
SP16		09.15.2004	7.25	0	CU M/MI	280.67	CU M
SP16		09.15.2004	7.3	0	CU M/MI	280.65	CU M
SP16		09.15.2004	7.35	0	CU M/MI	280.63	CU M
SP16		09.15.2004	7.4	0	CU M/MI	280.61	CU M
SP16		09.15.2004	7.45	0	CU M/MI	280.58	CU M
SP16		09.15.2004	7.5	0	CU M/MI	280.56	CU M
SP16		09.15.2004	7.55	0	CU M/MI	280.54	CU M
SP16		09.15.2004	8	0	CU M/MI	280.52	CU M
SP16		09.15.2004	8.05	0	CU M/MI	280.5	CU M
SP16		09.15.2004	8.1	0	CU M/MI	280.48	CU M
SP16		09.15.2004	8.15	0	CU M/MI	280.46	CU M
SP16		09.15.2004	8.2	0	CU M/MI	280.43	CU M
SP16		09.15.2004	8.25	0	CU M/MI	280.41	CU M
SP16		09.15.2004	8.3	0	CU M/MI	280.39	CU M
SP16		09.15.2004	8.35	0	CU M/MI	280.37	CU M
SP16		09.15.2004	8.4	0.4465	CU M/MI	281.35	CU M
SP16		09.15.2004	8.45	0.44849	CU M/MI	282.72	CU M
SP16		09.15.2004	8.5	0.49482	CU M/MI	284.11	CU M
SP16		09.15.2004	8.55	0.53216	CU M/MI	285.37	CU M
SP16		09.15.2004	9	0.35201	CU M/MI	286.46	CU M
SP16		09.15.2004	9.05	0	CU M/MI	288.16	CU M
SP16		09.15.2004	9.1	0	CU M/MI	288.93	CU M
SP16		09.15.2004	9.15	0	CU M/MI	289.64	CU M
SP16		09.15.2004	9.2	0	CU M/MI	290.63	CU M
SP16		09.15.2004	9.25	0	CU M/MI	291.32	CU M
SP16		09.15.2004	9.3	0	CU M/MI	292.12	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.15.2004	9.35	0	CU M/MI	292.82	CU M
SP16		09.15.2004	9.4	0	CU M/MI	293.54	CU M
SP16		09.15.2004	9.45	0	CU M/MI	294.26	CU M
SP16		09.15.2004	9.5	0	CU M/MI	294.98	CU M
SP16		09.15.2004	9.55	0	CU M/MI	295.7	CU M
SP16		09.15.2004	10	0	CU M/MI	296.4	CU M
SP16		09.15.2004	10.05	0.00622	CU M/MI	297.14	CU M
SP16		09.15.2004	10.1	0.35505	CU M/MI	297.84	CU M
SP16		09.15.2004	10.15	0	CU M/MI	297.84	CU M
SP16		09.15.2004	10.2	0	CU M/MI	297.82	CU M
SP16		09.15.2004	10.25	0	CU M/MI	298.55	CU M
SP16		09.15.2004	10.3	0	CU M/MI	299.26	CU M
SP16		09.15.2004	10.35	0.00146	CU M/MI	299.99	CU M
SP16		09.15.2004	10.4	0.00205	CU M/MI	300.7	CU M
SP16		09.15.2004	10.45	0.32282	CU M/MI	301.41	CU M
SP16		09.15.2004	10.5	0.35723	CU M/MI	302.06	CU M
SP16		09.15.2004	10.55	0.3552	CU M/MI	302.68	CU M
SP16		09.15.2004	11	0.35752	CU M/MI	303.31	CU M
SP16		09.15.2004	11.05	0.35441	CU M/MI	303.95	CU M
SP16		09.15.2004	11.1	0.35853	CU M/MI	304.59	CU M
SP16		09.15.2004	11.15	0.35255	CU M/MI	305.23	CU M
SP16		09.15.2004	11.2	0.34876	CU M/MI	305.88	CU M
SP16		09.15.2004	11.25	0.34162	CU M/MI	306.55	CU M
SP16		09.15.2004	11.3	0.322	CU M/MI	307.22	CU M
SP16		09.15.2004	11.35	0	CU M/MI	307.47	CU M
SP16		09.15.2004	11.4	0	CU M/MI	307.44	CU M
SP16		09.15.2004	11.45	0	CU M/MI	307.42	CU M
SP16		09.15.2004	11.5	0	CU M/MI	307.65	CU M
SP16		09.15.2004	11.55	0	CU M/MI	307.63	CU M
SP16		09.15.2004	12	0	CU M/MI	307.61	CU M
SP16		09.15.2004	12.05	0	CU M/MI	307.58	CU M
SP16		09.15.2004	12.1	0	CU M/MI	307.56	CU M
SP16		09.15.2004	12.15	0	CU M/MI	307.53	CU M
SP16		09.15.2004	12.2	0	CU M/MI	307.51	CU M
SP16		09.15.2004	12.25	0	CU M/MI	307.49	CU M
SP16		09.15.2004	12.3	0	CU M/MI	307.46	CU M
SP16		09.15.2004	12.35	0	CU M/MI	307.44	CU M
SP16		09.15.2004	12.4	0	CU M/MI	307.41	CU M
SP16		09.15.2004	12.45	0	CU M/MI	307.39	CU M
SP16		09.15.2004	12.5	0	CU M/MI	307.36	CU M
SP16		09.15.2004	12.55	0	CU M/MI	307.34	CU M
SP16		09.15.2004	13	0	CU M/MI	307.31	CU M
SP16		09.15.2004	13.05	0	CU M/MI	307.29	CU M
SP16		09.15.2004	13.1	0	CU M/MI	307.26	CU M
SP16		09.15.2004	13.15	0	CU M/MI	307.24	CU M
SP16		09.15.2004	13.2	0	CU M/MI	307.21	CU M
SP16		09.15.2004	13.25	0	CU M/MI	307.18	CU M
SP16		09.15.2004	13.3	0	CU M/MI	307.16	CU M
SP16		09.15.2004	13.35	0	CU M/MI	307.13	CU M
SP16		09.15.2004	13.4	0	CU M/MI	307.11	CU M
SP16		09.15.2004	13.45	0	CU M/MI	307.08	CU M
SP16		09.15.2004	13.5	0	CU M/MI	307.06	CU M
SP16		09.15.2004	13.55	0	CU M/MI	307.03	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.15.2004	14	0	CU M/MI	307.01	CU M
SP16		09.15.2004	14.05	0	CU M/MI	306.98	CU M
SP16		09.15.2004	14.1	0	CU M/MI	306.95	CU M
SP16		09.15.2004	14.15	0	CU M/MI	306.93	CU M
SP16		09.15.2004	14.2	0	CU M/MI	306.9	CU M
SP16		09.15.2004	14.25	0	CU M/MI	306.88	CU M
SP16		09.15.2004	14.3	0	CU M/MI	306.85	CU M
SP16		09.15.2004	14.35	0	CU M/MI	306.83	CU M
SP16		09.15.2004	14.4	0	CU M/MI	307.36	CU M
SP16		09.15.2004	14.45	0	CU M/MI	308.11	CU M
SP16		09.15.2004	14.5	0.43588	CU M/MI	309.07	CU M
SP16		09.15.2004	14.55	0.44217	CU M/MI	310.03	CU M
SP16		09.15.2004	15	0.44417	CU M/MI	310.93	CU M
SP16		09.15.2004	15.05	0.00018	CU M/MI	311.66	CU M
SP16		09.15.2004	15.1	0	CU M/MI	312.34	CU M
SP16		09.15.2004	15.15	0	CU M/MI	313	CU M
SP16		09.15.2004	15.2	0	CU M/MI	313.68	CU M
SP16		09.15.2004	15.25	0	CU M/MI	314.34	CU M
SP16		09.15.2004	15.3	0	CU M/MI	315	CU M
SP16		09.15.2004	15.35	0.43199	CU M/MI	315.82	CU M
SP16		09.15.2004	15.4	0.43962	CU M/MI	316.52	CU M
SP16		09.15.2004	15.45	0.44255	CU M/MI	317.39	CU M
SP16		09.15.2004	15.5	0.26605	CU M/MI	318.25	CU M
SP16		09.15.2004	15.55	0	CU M/MI	318.94	CU M
SP16		09.15.2004	16	0	CU M/MI	319.62	CU M
SP16		09.15.2004	16.05	0	CU M/MI	320.3	CU M
SP16		09.15.2004	16.1	0	CU M/MI	320.97	CU M
SP16		09.15.2004	16.15	0	CU M/MI	321.69	CU M
SP16		09.15.2004	16.2	0	CU M/MI	322.44	CU M
SP16		09.15.2004	16.25	0	CU M/MI	323.13	CU M
SP16		09.15.2004	16.3	0	CU M/MI	323.8	CU M
SP16		09.15.2004	16.35	0	CU M/MI	324.46	CU M
SP16		09.15.2004	16.4	0	CU M/MI	325.16	CU M
SP16		09.15.2004	16.45	0	CU M/MI	325.14	CU M
SP16		09.15.2004	16.5	0.44473	CU M/MI	325.77	CU M
SP16		09.15.2004	16.55	0.44607	CU M/MI	326.45	CU M
SP16		09.15.2004	17	0.44521	CU M/MI	327.12	CU M
SP16		09.15.2004	17.05	0.2246	CU M/MI	327.92	CU M
SP16		09.15.2004	17.1	0	CU M/MI	328.61	CU M
SP16		09.15.2004	17.15	0	CU M/MI	329.33	CU M
SP16		09.15.2004	17.2	0	CU M/MI	330.05	CU M
SP16		09.15.2004	17.25	0	CU M/MI	330.75	CU M
SP16		09.15.2004	17.3	0	CU M/MI	331.47	CU M
SP16		09.15.2004	17.35	0	CU M/MI	332.18	CU M
SP16		09.15.2004	17.4	0	CU M/MI	332.9	CU M
SP16		09.15.2004	17.45	0	CU M/MI	333.61	CU M
SP16		09.15.2004	17.5	0	CU M/MI	334.34	CU M
SP16		09.15.2004	17.55	0	CU M/MI	335.06	CU M
SP16		09.15.2004	18	0	CU M/MI	335.76	CU M
SP16		09.15.2004	18.05	0	CU M/MI	336.47	CU M
SP16		09.15.2004	18.1	0	CU M/MI	337.18	CU M
SP16		09.15.2004	18.15	0	CU M/MI	337.87	CU M
SP16		09.15.2004	18.2	0	CU M/MI	338.56	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.15.2004	18.25	0	CU M/MI	339.1	CU M
SP16		09.15.2004	18.3	0	CU M/MI	339.68	CU M
SP16		09.15.2004	18.35	0	CU M/MI	340.36	CU M
SP16		09.15.2004	18.4	0.41631	CU M/MI	341.14	CU M
SP16		09.15.2004	18.45	0.43876	CU M/MI	341.98	CU M
SP16		09.15.2004	18.5	0.43973	CU M/MI	342.83	CU M
SP16		09.15.2004	18.55	0.43823	CU M/MI	343.65	CU M
SP16		09.15.2004	19	0.15141	CU M/MI	344.5	CU M
SP16		09.15.2004	19.05	0	CU M/MI	345.2	CU M
SP16		09.15.2004	19.1	0	CU M/MI	345.17	CU M
SP16		09.15.2004	19.15	0	CU M/MI	345.15	CU M
SP16		09.15.2004	19.2	0	CU M/MI	345.12	CU M
SP16		09.15.2004	19.25	0	CU M/MI	345.1	CU M
SP16		09.15.2004	19.3	0	CU M/MI	345.07	CU M
SP16		09.15.2004	19.35	0.03514	CU M/MI	346.46	CU M
SP16		09.15.2004	19.4	0	CU M/MI	346.52	CU M
SP16		09.15.2004	19.45	0.00362	CU M/MI	347.2	CU M
SP16		09.15.2004	19.5	0.34847	CU M/MI	348	CU M
SP16		09.15.2004	19.55	0	CU M/MI	349.08	CU M
SP16		09.15.2004	20	0	CU M/MI	349.05	CU M
SP16		09.15.2004	20.05	0	CU M/MI	349.03	CU M
SP16		09.15.2004	20.1	0	CU M/MI	349.01	CU M
SP16		09.15.2004	20.15	0	CU M/MI	348.99	CU M
SP16		09.15.2004	20.2	0	CU M/MI	348.97	CU M
SP16		09.15.2004	20.25	0	CU M/MI	348.94	CU M
SP16		09.15.2004	20.3	0	CU M/MI	348.92	CU M
SP16		09.15.2004	20.35	0	CU M/MI	348.9	CU M
SP16		09.15.2004	20.4	0	CU M/MI	348.88	CU M
SP16		09.15.2004	20.45	0	CU M/MI	348.85	CU M
SP16		09.15.2004	20.5	0	CU M/MI	348.83	CU M
SP16		09.15.2004	20.55	0	CU M/MI	349.48	CU M
SP16		09.15.2004	21	0.01561	CU M/MI	350.2	CU M
SP16		09.15.2004	21.05	0	CU M/MI	350.92	CU M
SP16		09.15.2004	21.1	0.00811	CU M/MI	352.52	CU M
SP16		09.15.2004	21.15	0.01622	CU M/MI	354.12	CU M
SP16		09.15.2004	21.2	0	CU M/MI	355.63	CU M
SP16		09.15.2004	21.25	0.01603	CU M/MI	357.04	CU M
SP16		09.15.2004	21.3	0.00731	CU M/MI	357.83	CU M
SP16		09.15.2004	21.35	0.00582	CU M/MI	358.61	CU M
SP16		09.15.2004	21.4	0	CU M/MI	359.34	CU M
SP16		09.15.2004	21.45	0.5315	CU M/MI	360.64	CU M
SP16		09.15.2004	21.5	0.53333	CU M/MI	361.84	CU M
SP16		09.15.2004	21.55	0.3869	CU M/MI	363.17	CU M
SP16		09.15.2004	22	0	CU M/MI	364.88	CU M
SP16		09.15.2004	22.05	0	CU M/MI	366.4	CU M
SP16		09.15.2004	22.1	0.42062	CU M/MI	367.97	CU M
SP16		09.15.2004	22.15	0.43237	CU M/MI	369.53	CU M
SP16		09.15.2004	22.2	0.44347	CU M/MI	371.18	CU M
SP16		09.15.2004	22.25	0.50685	CU M/MI	372.77	CU M
SP16		09.15.2004	22.3	0.35756	CU M/MI	373.96	CU M
SP16		09.15.2004	22.35	0.3542	CU M/MI	374.72	CU M
SP16		09.15.2004	22.4	0.53614	CU M/MI	375.86	CU M
SP16		09.15.2004	22.45	0.513	CU M/MI	377.25	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.15.2004	22.5	0.44676	CU M/MI	378.77	CU M
SP16		09.15.2004	22.55	0.44504	CU M/MI	380.36	CU M
SP16		09.15.2004	23	0.0937	CU M/MI	381.93	CU M
SP16		09.15.2004	23.05	0.03209	CU M/MI	383.45	CU M
SP16		09.15.2004	23.1	0.00286	CU M/MI	384.95	CU M
SP16		09.15.2004	23.15	0.00433	CU M/MI	386.56	CU M
SP16		09.15.2004	23.2	0.53403	CU M/MI	388.18	CU M
SP16		09.15.2004	23.25	0.53766	CU M/MI	389.37	CU M
SP16		09.15.2004	23.3	0.42737	CU M/MI	390.54	CU M
SP16		09.15.2004	23.35	0	CU M/MI	392.23	CU M
SP16		09.15.2004	23.4	0	CU M/MI	392.89	CU M
SP16		09.15.2004	23.45	0.38598	CU M/MI	393.71	CU M
SP16		09.15.2004	23.5	0	CU M/MI	395.54	CU M
SP16		09.15.2004	23.55	0	CU M/MI	397.09	CU M
SP16		09.16.2004	0	0.00324	CU M/MI	398.59	CU M
SP16		09.16.2004	0.05	0.41981	CU M/MI	400.13	CU M
SP16		09.16.2004	0.1	0.53346	CU M/MI	401.67	CU M
SP16		09.16.2004	0.15	0.51571	CU M/MI	402.91	CU M
SP16		09.16.2004	0.2	0	CU M/MI	404.44	CU M
SP16		09.16.2004	0.25	0.01746	CU M/MI	406.39	CU M
SP16		09.16.2004	0.3	0.36447	CU M/MI	407.84	CU M
SP16		09.16.2004	0.35	0.36366	CU M/MI	409.27	CU M
SP16		09.16.2004	0.4	0.36616	CU M/MI	410.66	CU M
SP16		09.16.2004	0.45	0.36377	CU M/MI	411.98	CU M
SP16		09.16.2004	0.5	0	CU M/MI	413.68	CU M
SP16		09.16.2004	0.55	0.13386	CU M/MI	415.55	CU M
SP16		09.16.2004	1	0.36604	CU M/MI	416.97	CU M
SP16		09.16.2004	1.05	0.36375	CU M/MI	418.44	CU M
SP16		09.16.2004	1.1	0.36289	CU M/MI	419.85	CU M
SP16		09.16.2004	1.15	0	CU M/MI	420.33	CU M
SP16		09.16.2004	1.2	0.19236	CU M/MI	420.31	CU M
SP16		09.16.2004	1.25	0.43051	CU M/MI	421.55	CU M
SP16		09.16.2004	1.3	0.42802	CU M/MI	422.98	CU M
SP16		09.16.2004	1.35	0.43967	CU M/MI	424.58	CU M
SP16		09.16.2004	1.4	0.51152	CU M/MI	426.11	CU M
SP16		09.16.2004	1.45	0.53753	CU M/MI	427.49	CU M
SP16		09.16.2004	1.5	0.35223	CU M/MI	428.64	CU M
SP16		09.16.2004	1.55	0	CU M/MI	430.55	CU M
SP16		09.16.2004	2	0.36456	CU M/MI	432.28	CU M
SP16		09.16.2004	2.05	0.36619	CU M/MI	433.68	CU M
SP16		09.16.2004	2.1	0.36051	CU M/MI	435.12	CU M
SP16		09.16.2004	2.15	0.36032	CU M/MI	436.58	CU M
SP16		09.16.2004	2.2	0.36145	CU M/MI	438.04	CU M
SP16		09.16.2004	2.25	0.35916	CU M/MI	439.5	CU M
SP16		09.16.2004	2.3	0.34295	CU M/MI	440.87	CU M
SP16		09.16.2004	2.35	0	CU M/MI	442.58	CU M
SP16		09.16.2004	2.4	0.38825	CU M/MI	444.51	CU M
SP16		09.16.2004	2.45	0.36303	CU M/MI	445.39	CU M
SP16		09.16.2004	2.5	0.3634	CU M/MI	446.12	CU M
SP16		09.16.2004	2.55	0.3612	CU M/MI	447.22	CU M
SP16		09.16.2004	3	0.36405	CU M/MI	448.68	CU M
SP16		09.16.2004	3.05	0.36146	CU M/MI	450.12	CU M
SP16		09.16.2004	3.1	0.36173	CU M/MI	451.58	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.16.2004	3.15	0.36193	CU M/MI	453.04	CU M
SP16		09.16.2004	3.2	0.36336	CU M/MI	454.51	CU M
SP16		09.16.2004	3.25	0.36283	CU M/MI	455.89	CU M
SP16		09.16.2004	3.3	0	CU M/MI	457.48	CU M
SP16		09.16.2004	3.35	0.36333	CU M/MI	459.44	CU M
SP16		09.16.2004	3.4	0.37725	CU M/MI	460.78	CU M
SP16		09.16.2004	3.45	0.36573	CU M/MI	462.23	CU M
SP16		09.16.2004	3.5	0.01467	CU M/MI	462.89	CU M
SP16		09.16.2004	3.55	0	CU M/MI	462.87	CU M
SP16		09.16.2004	4	0	CU M/MI	464.01	CU M
SP16		09.16.2004	4.05	0.36145	CU M/MI	465.6	CU M
SP16		09.16.2004	4.1	0.36241	CU M/MI	466.98	CU M
SP16		09.16.2004	4.15	0.36293	CU M/MI	468.42	CU M
SP16		09.16.2004	4.2	0.36179	CU M/MI	469.85	CU M
SP16		09.16.2004	4.25	0.36293	CU M/MI	471.29	CU M
SP16		09.16.2004	4.3	0.36217	CU M/MI	472.74	CU M
SP16		09.16.2004	4.35	0.36265	CU M/MI	474.17	CU M
SP16		09.16.2004	4.4	0.30032	CU M/MI	475.54	CU M
SP16		09.16.2004	4.45	0	CU M/MI	477.5	CU M
SP16		09.16.2004	4.5	0.39801	CU M/MI	479.06	CU M
SP16		09.16.2004	4.55	0.41808	CU M/MI	480.45	CU M
SP16		09.16.2004	5	0.37391	CU M/MI	481.94	CU M
SP16		09.16.2004	5.05	0.40904	CU M/MI	483.44	CU M
SP16		09.16.2004	5.1	0.33955	CU M/MI	484.93	CU M
SP16		09.16.2004	5.15	0.32209	CU M/MI	486.4	CU M
SP16		09.16.2004	5.2	0.32596	CU M/MI	487.87	CU M
SP16		09.16.2004	5.25	0.31827	CU M/MI	489.32	CU M
SP16		09.16.2004	5.3	0	CU M/MI	490.82	CU M
SP16		09.16.2004	5.35	0	CU M/MI	492.47	CU M
SP16		09.16.2004	5.4	0.00175	CU M/MI	494.35	CU M
SP16		09.16.2004	5.45	0.53678	CU M/MI	495.65	CU M
SP16		09.16.2004	5.5	0.53418	CU M/MI	496.87	CU M
SP16		09.16.2004	5.55	0.44302	CU M/MI	498.38	CU M
SP16		09.16.2004	6	0.44518	CU M/MI	500.04	CU M
SP16		09.16.2004	6.05	0.44632	CU M/MI	501.72	CU M
SP16		09.16.2004	6.1	0.44681	CU M/MI	503.34	CU M
SP16		09.16.2004	6.15	0.44977	CU M/MI	504.91	CU M
SP16		09.16.2004	6.2	0.53913	CU M/MI	506.28	CU M
SP16		09.16.2004	6.25	0.5337	CU M/MI	507.35	CU M
SP16		09.16.2004	6.3	0	CU M/MI	508.99	CU M
SP16		09.16.2004	6.35	0	CU M/MI	510.62	CU M
SP16		09.16.2004	6.4	0	CU M/MI	512.17	CU M
SP16		09.16.2004	6.45	0.00632	CU M/MI	513.66	CU M
SP16		09.16.2004	6.5	0	CU M/MI	515.16	CU M
SP16		09.16.2004	6.55	0.43745	CU M/MI	516.84	CU M
SP16		09.16.2004	7	0.00079	CU M/MI	518.17	CU M
SP16		09.16.2004	7.05	0	CU M/MI	518.23	CU M
SP16		09.16.2004	7.1	0	CU M/MI	518.21	CU M
SP16		09.16.2004	7.15	0	CU M/MI	518.69	CU M
SP16		09.16.2004	7.2	0	CU M/MI	520.27	CU M
SP16		09.16.2004	7.25	0.3617	CU M/MI	521.9	CU M
SP16		09.16.2004	7.3	0.36106	CU M/MI	523.26	CU M
SP16		09.16.2004	7.35	0.36107	CU M/MI	524.67	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.16.2004	7.4	0.3618	CU M/MI	526.13	CU M
SP16		09.16.2004	7.45	0.35862	CU M/MI	527.53	CU M
SP16		09.16.2004	7.5	0.36017	CU M/MI	528.92	CU M
SP16		09.16.2004	7.55	0	CU M/MI	530.32	CU M
SP16		09.16.2004	8	0	CU M/MI	532.33	CU M
SP16		09.16.2004	8.05	0.53705	CU M/MI	533.75	CU M
SP16		09.16.2004	8.1	0.44598	CU M/MI	534.94	CU M
SP16		09.16.2004	8.15	0.36396	CU M/MI	535.61	CU M
SP16		09.16.2004	8.2	0.50922	CU M/MI	536.36	CU M
SP16		09.16.2004	8.25	0	CU M/MI	537.98	CU M
SP16		09.16.2004	8.3	0.50959	CU M/MI	539.92	CU M
SP16		09.16.2004	8.35	0.50981	CU M/MI	540.99	CU M
SP16		09.16.2004	8.4	0.34568	CU M/MI	542.27	CU M
SP16		09.16.2004	8.45	0	CU M/MI	544.16	CU M
SP16		09.16.2004	8.5	0.36484	CU M/MI	545.82	CU M
SP16		09.16.2004	8.55	0.3709	CU M/MI	547.26	CU M
SP16		09.16.2004	9	0.38611	CU M/MI	548.73	CU M
SP16		09.16.2004	9.05	0.33967	CU M/MI	550.14	CU M
SP16		09.16.2004	9.1	0.00392	CU M/MI	551.69	CU M
SP16		09.16.2004	9.15	0.0048	CU M/MI	553.26	CU M
SP16		09.16.2004	9.2	0.0269	CU M/MI	554.89	CU M
SP16		09.16.2004	9.25	0.36122	CU M/MI	556.48	CU M
SP16		09.16.2004	9.3	0.51264	CU M/MI	557.94	CU M
SP16		09.16.2004	9.35	0.50553	CU M/MI	559.13	CU M
SP16		09.16.2004	9.4	0	CU M/MI	560.69	CU M
SP16		09.16.2004	9.45	0.51037	CU M/MI	562.76	CU M
SP16		09.16.2004	9.5	0.51186	CU M/MI	563.81	CU M
SP16		09.16.2004	9.55	0.24204	CU M/MI	565.12	CU M
SP16		09.16.2004	10	0	CU M/MI	567.15	CU M
SP16		09.16.2004	10.05	0.42048	CU M/MI	568.75	CU M
SP16		09.16.2004	10.1	0.51074	CU M/MI	570.02	CU M
SP16		09.16.2004	10.15	0.36081	CU M/MI	571.44	CU M
SP16		09.16.2004	10.2	0.36178	CU M/MI	572.98	CU M
SP16		09.16.2004	10.25	0.35935	CU M/MI	574.51	CU M
SP16		09.16.2004	10.3	0.35924	CU M/MI	576.11	CU M
SP16		09.16.2004	10.35	0.35935	CU M/MI	577.7	CU M
SP16		09.16.2004	10.4	0.35961	CU M/MI	579.23	CU M
SP16		09.16.2004	10.45	0.45386	CU M/MI	580.8	CU M
SP16		09.16.2004	10.5	0.46637	CU M/MI	582.24	CU M
SP16		09.16.2004	10.55	0.36349	CU M/MI	583.66	CU M
SP16		09.16.2004	11	0.33038	CU M/MI	585.09	CU M
SP16		09.16.2004	11.05	0	CU M/MI	587	CU M
SP16		09.16.2004	11.1	0.51161	CU M/MI	588.62	CU M
SP16		09.16.2004	11.15	0.51094	CU M/MI	589.68	CU M
SP16		09.16.2004	11.2	0	CU M/MI	590.62	CU M
SP16		09.16.2004	12.4	0.51256	CU M/MI	612.91	CU M
SP16		09.16.2004	12.45	0.34013	CU M/MI	614.09	CU M
SP16		09.16.2004	12.5	0	CU M/MI	616.2	CU M
SP16		09.16.2004	12.55	0.51197	CU M/MI	617.66	CU M
SP16		09.16.2004	13	0.48977	CU M/MI	618.74	CU M
SP16		09.16.2004	13.05	0	CU M/MI	620.48	CU M
SP16		09.16.2004	13.1	0.3636	CU M/MI	622.34	CU M
SP16		09.16.2004	13.15	0.365	CU M/MI	623.8	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.16.2004	13.2	0.37116	CU M/MI	625.27	CU M
SP16		09.16.2004	13.25	0.36625	CU M/MI	626.71	CU M
SP16		09.16.2004	13.3	0.35203	CU M/MI	628.19	CU M
SP16		09.16.2004	13.35	0.31188	CU M/MI	629.66	CU M
SP16		09.16.2004	13.4	0	CU M/MI	631.19	CU M
SP16		09.16.2004	13.45	0	CU M/MI	632.72	CU M
SP16		09.16.2004	13.5	0	CU M/MI	634.31	CU M
SP16		09.16.2004	13.55	0.03539	CU M/MI	636.03	CU M
SP16		09.16.2004	14	0.36621	CU M/MI	637.63	CU M
SP16		09.16.2004	14.05	0.50951	CU M/MI	638.97	CU M
SP16		09.16.2004	14.1	0.45472	CU M/MI	640.11	CU M
SP16		09.16.2004	14.15	0	CU M/MI	642.04	CU M
SP16		09.16.2004	14.2	0.51266	CU M/MI	643.78	CU M
SP16		09.16.2004	14.25	0.51615	CU M/MI	644.83	CU M
SP16		09.17.2004	7.1	0	CU M/MI	645.36	CU M
SP16		09.17.2004	7.15	0.00816	CU M/MI	646.87	CU M
SP16		09.17.2004	7.2	0.36896	CU M/MI	648.35	CU M
SP16		09.17.2004	7.25	0.37379	CU M/MI	649.7	CU M
SP16		09.17.2004	7.3	0.38583	CU M/MI	651.14	CU M
SP16		09.17.2004	7.35	0.45636	CU M/MI	652.49	CU M
SP16		09.17.2004	7.4	0.36162	CU M/MI	653.94	CU M
SP16		09.17.2004	7.45	0.36064	CU M/MI	655.42	CU M
SP16		09.17.2004	7.5	0.35967	CU M/MI	656.83	CU M
SP16		09.17.2004	7.55	0.36165	CU M/MI	658.31	CU M
SP16		09.17.2004	8	0.35658	CU M/MI	659.75	CU M
SP16		09.17.2004	8.05	0.36045	CU M/MI	661.2	CU M
SP16		09.17.2004	8.1	0.35971	CU M/MI	662.65	CU M
SP16		09.17.2004	8.15	0.36381	CU M/MI	664.11	CU M
SP16		09.17.2004	8.2	0.36466	CU M/MI	665.51	CU M
SP16		09.17.2004	8.25	0.35665	CU M/MI	666.98	CU M
SP16		09.17.2004	8.3	0.36533	CU M/MI	668.42	CU M
SP16		09.17.2004	8.35	0.36266	CU M/MI	669.88	CU M
SP16		09.17.2004	8.4	0.35483	CU M/MI	671.34	CU M
SP16		09.17.2004	8.45	0.34758	CU M/MI	672.76	CU M
SP16		09.17.2004	8.5	0	CU M/MI	673.16	CU M
SP16		09.17.2004	8.55	0	CU M/MI	673.24	CU M
SP16		09.17.2004	9	0.36558	CU M/MI	674.52	CU M
SP16		09.17.2004	9.05	0.51024	CU M/MI	675.87	CU M
SP16		09.17.2004	9.1	0.49079	CU M/MI	677.11	CU M
SP16		09.17.2004	9.15	0.3465	CU M/MI	678.43	CU M
SP16		09.17.2004	9.2	0	CU M/MI	680.07	CU M
SP16		09.17.2004	9.25	0.09273	CU M/MI	681.91	CU M
SP16		09.17.2004	9.3	0.50838	CU M/MI	683.04	CU M
SP16		09.17.2004	9.35	0.47828	CU M/MI	683.98	CU M
SP16		09.17.2004	9.4	0	CU M/MI	685.94	CU M
SP16		09.17.2004	9.45	0.37349	CU M/MI	687.53	CU M
SP16		09.17.2004	9.5	0.36134	CU M/MI	688.29	CU M
SP16		09.17.2004	9.55	0.3668	CU M/MI	689.05	CU M
SP16		09.17.2004	10	0.51071	CU M/MI	690.18	CU M
SP16		09.17.2004	10.05	0.35621	CU M/MI	691.35	CU M
SP16		09.17.2004	10.1	0	CU M/MI	693.07	CU M
SP16		09.17.2004	10.15	0.04084	CU M/MI	694.83	CU M
SP16		09.17.2004	10.2	0.37558	CU M/MI	696.07	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.17.2004	10.25	0.50521	CU M/MI	697.41	CU M
SP16		09.17.2004	10.3	0.39846	CU M/MI	698.7	CU M
SP16		09.17.2004	10.35	0.36445	CU M/MI	700.13	CU M
SP16		09.17.2004	10.4	0.36373	CU M/MI	701.52	CU M
SP16		09.17.2004	12	0.01779	CU M/MI	723	CU M
SP16		09.17.2004	12.05	0.36755	CU M/MI	724.25	CU M
SP16		09.17.2004	12.1	0.36469	CU M/MI	725.6	CU M
SP16		09.17.2004	12.15	0.3627	CU M/MI	726.96	CU M
SP16		09.17.2004	12.2	0.3507	CU M/MI	728.31	CU M
SP16		09.17.2004	12.25	0.01466	CU M/MI	729.65	CU M
SP16		09.17.2004	12.3	0.34538	CU M/MI	731.11	CU M
SP16		09.17.2004	12.35	0.35843	CU M/MI	732.56	CU M
SP16		09.17.2004	12.4	0.3616	CU M/MI	733.92	CU M
SP16		09.17.2004	12.45	0.37078	CU M/MI	735.31	CU M
SP16		09.17.2004	12.5	0.36034	CU M/MI	736.66	CU M
SP16		09.17.2004	12.55	0.36867	CU M/MI	737.99	CU M
SP16		09.17.2004	13	0.35282	CU M/MI	739.36	CU M
SP16		09.17.2004	13.05	0.36929	CU M/MI	740.68	CU M
SP16		09.17.2004	13.1	0.48025	CU M/MI	742.02	CU M
SP16		09.17.2004	13.15	0.3623	CU M/MI	743.29	CU M
SP16		09.17.2004	13.2	0.35983	CU M/MI	744.51	CU M
SP16		09.17.2004	13.25	0.19436	CU M/MI	746.17	CU M
SP16		09.17.2004	13.3	0.53597	CU M/MI	748.84	CU M
SP16		09.17.2004	13.35	0.61546	CU M/MI	750.59	CU M
SP16		09.17.2004	13.4	0.20786	CU M/MI	752.66	CU M
SP16		09.17.2004	13.45	0.23307	CU M/MI	755.32	CU M
SP16		09.17.2004	13.5	0.61581	CU M/MI	757.36	CU M
SP16		09.17.2004	13.55	0.38874	CU M/MI	758.94	CU M
SP16		09.17.2004	14	0.20945	CU M/MI	760.53	CU M
SP16		09.17.2004	14.05	0.11081	CU M/MI	762.4	CU M
SP16		09.17.2004	14.1	0.61345	CU M/MI	764.49	CU M
SP16		09.17.2004	14.15	0.56229	CU M/MI	766.12	CU M
SP16		09.17.2004	14.2	0.20643	CU M/MI	768.37	CU M
SP16		09.17.2004	14.25	0.45682	CU M/MI	770.85	CU M
SP16		09.17.2004	14.3	0.61191	CU M/MI	772.53	CU M
SP16		09.17.2004	14.35	0.54103	CU M/MI	774.45	CU M
SP16		09.17.2004	14.4	0.4882	CU M/MI	776.59	CU M
SP16		09.17.2004	14.45	0.13783	CU M/MI	778.83	CU M
SP16		09.17.2004	14.5	0.21686	CU M/MI	780.99	CU M
SP16		09.17.2004	14.55	0.51278	CU M/MI	783.27	CU M
SP16		09.17.2004	15	0.51028	CU M/MI	785.37	CU M
SP16		09.17.2004	15.05	0.21924	CU M/MI	787.02	CU M
SP16		09.17.2004	15.1	0.40624	CU M/MI	788.44	CU M
SP16		09.17.2004	15.15	0.10867	CU M/MI	789.39	CU M
SP16		09.17.2004	15.2	0.11207	CU M/MI	790.17	CU M
SP16		09.17.2004	15.25	0.20799	CU M/MI	791.1	CU M
SP16		09.17.2004	15.3	0.10621	CU M/MI	791.99	CU M
SP16		09.17.2004	15.35	0.20654	CU M/MI	792.48	CU M
SP16		09.17.2004	15.4	0.12307	CU M/MI	793.5	CU M
SP16		09.17.2004	15.45	0.10848	CU M/MI	793.87	CU M
SP16		09.17.2004	15.5	0.20979	CU M/MI	794.83	CU M
SP16		09.17.2004	15.55	0.20035	CU M/MI	795.62	CU M
SP16		09.17.2004	16	0.20403	CU M/MI	796.66	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.17.2004	16.05	0	CU M/MI	797.14	CU M
SP16		09.17.2004	16.1	0.20646	CU M/MI	797.92	CU M
SP16		09.17.2004	16.15	0.20762	CU M/MI	798.97	CU M
SP16		09.17.2004	16.2	0.05439	CU M/MI	799.71	CU M
SP16		09.17.2004	16.25	0.20955	CU M/MI	800.37	CU M
SP16		09.17.2004	16.3	0.14961	CU M/MI	801.16	CU M
SP16		09.17.2004	16.35	0.20807	CU M/MI	802.19	CU M
SP16		09.17.2004	16.4	0.11405	CU M/MI	803.12	CU M
SP16		09.17.2004	16.45	0.10795	CU M/MI	803.65	CU M
SP16		09.17.2004	16.5	0.11041	CU M/MI	804.37	CU M
SP16		09.17.2004	16.55	0.20337	CU M/MI	805.22	CU M
SP16		09.17.2004	17	0.11247	CU M/MI	806.17	CU M
SP16		09.17.2004	17.05	0.51334	CU M/MI	807.55	CU M
SP16		09.17.2004	17.1	0.39166	CU M/MI	808.82	CU M
SP16		09.17.2004	17.15	0.51219	CU M/MI	810.02	CU M
SP16		09.17.2004	17.2	0.61375	CU M/MI	811.79	CU M
SP16		09.17.2004	17.25	0.51021	CU M/MI	813.96	CU M
SP16		09.17.2004	17.3	0.20832	CU M/MI	816.53	CU M
SP16		09.17.2004	17.35	0.61012	CU M/MI	819	CU M
SP16		09.17.2004	17.4	0.61321	CU M/MI	820.93	CU M
SP16		09.17.2004	17.45	0.21236	CU M/MI	823.57	CU M
SP16		09.17.2004	17.5	0.11653	CU M/MI	825.23	CU M
SP16		09.17.2004	17.55	0.20733	CU M/MI	826.72	CU M
SP16		09.17.2004	18	0.60764	CU M/MI	829.15	CU M
SP16		09.17.2004	18.05	0.59176	CU M/MI	831.12	CU M
SP16		09.17.2004	18.1	0.20426	CU M/MI	833.54	CU M
SP16		09.17.2004	18.15	0.50459	CU M/MI	836.09	CU M
SP16		09.17.2004	18.2	0.50517	CU M/MI	838.36	CU M
SP16		09.17.2004	18.25	0.50623	CU M/MI	840.68	CU M
SP16		09.17.2004	18.3	0.50269	CU M/MI	842.91	CU M
SP16		09.17.2004	18.35	0.43419	CU M/MI	845.23	CU M
SP16		09.17.2004	18.4	0.21563	CU M/MI	847.69	CU M
SP16		09.17.2004	18.45	0.50674	CU M/MI	849.98	CU M
SP16		09.17.2004	18.5	0.6095	CU M/MI	852.26	CU M
SP16		09.17.2004	18.55	0.60532	CU M/MI	854.39	CU M
SP16		09.17.2004	19	0.48049	CU M/MI	856.59	CU M
SP16		09.17.2004	19.05	0.212	CU M/MI	859.29	CU M
SP16		09.17.2004	19.1	0.61179	CU M/MI	861.58	CU M
SP16		09.17.2004	19.15	0.60609	CU M/MI	863.58	CU M
SP16		09.17.2004	19.2	0.20309	CU M/MI	866.1	CU M
SP16		09.17.2004	19.25	0.61117	CU M/MI	868.56	CU M
SP16		09.17.2004	19.3	0.60923	CU M/MI	870.41	CU M
SP16		09.17.2004	19.35	0.20911	CU M/MI	873.2	CU M
SP16		09.17.2004	19.4	0.61337	CU M/MI	875.42	CU M
SP16		09.17.2004	19.45	0.46411	CU M/MI	877.2	CU M
SP16		09.17.2004	19.5	0.20627	CU M/MI	878.9	CU M
SP16		09.17.2004	19.55	0.50867	CU M/MI	881.04	CU M
SP16		09.17.2004	20	0.45144	CU M/MI	883.29	CU M
SP16		09.17.2004	20.05	0.50503	CU M/MI	885.54	CU M
SP16		09.17.2004	20.1	0.49948	CU M/MI	887.88	CU M
SP16		09.17.2004	20.15	0.48747	CU M/MI	890.23	CU M
SP16		09.17.2004	20.2	0.57124	CU M/MI	892.55	CU M
SP16		09.17.2004	20.25	0.50416	CU M/MI	894.82	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.17.2004	20.3	0.50252	CU M/MI	897.09	CU M
SP16		09.17.2004	20.35	0.20566	CU M/MI	899.54	CU M
SP16		09.17.2004	20.4	0.51005	CU M/MI	902.11	CU M
SP16		09.17.2004	20.45	0.60752	CU M/MI	904.14	CU M
SP16		09.17.2004	20.5	0.57807	CU M/MI	906.17	CU M
SP16		09.17.2004	20.55	0.20588	CU M/MI	908.8	CU M
SP16		09.17.2004	21	0.61065	CU M/MI	911.15	CU M
SP16		09.17.2004	21.05	0.55589	CU M/MI	912.68	CU M
SP16		09.17.2004	21.1	0.20736	CU M/MI	915.37	CU M
SP16		09.17.2004	21.15	0.56733	CU M/MI	917.49	CU M
SP16		09.17.2004	21.2	0.57126	CU M/MI	919.3	CU M
SP16		09.17.2004	21.25	0.50186	CU M/MI	921.53	CU M
SP16		09.17.2004	21.3	0.20764	CU M/MI	924.02	CU M
SP16		09.17.2004	21.35	0.48539	CU M/MI	926.47	CU M
SP16		09.17.2004	21.4	0.44006	CU M/MI	928.32	CU M
SP16		09.17.2004	21.45	0.35871	CU M/MI	930.06	CU M
SP16		09.17.2004	21.5	0	CU M/MI	931.71	CU M
SP16		09.17.2004	21.55	0.03899	CU M/MI	933.6	CU M
SP16		09.17.2004	22	0.01736	CU M/MI	934.35	CU M
SP16		09.17.2004	22.05	0.0192	CU M/MI	935.1	CU M
SP16		09.17.2004	22.1	0.36376	CU M/MI	936.69	CU M
SP16		09.17.2004	22.15	0.50817	CU M/MI	937.95	CU M
SP16		09.17.2004	22.2	0.42903	CU M/MI	939.11	CU M
SP16		09.17.2004	22.25	0	CU M/MI	941	CU M
SP16		09.17.2004	22.3	0.50669	CU M/MI	942.64	CU M
SP16		09.17.2004	22.35	0.50398	CU M/MI	943.78	CU M
SP16		09.17.2004	22.4	0	CU M/MI	945.28	CU M
SP16		09.17.2004	22.45	0.00536	CU M/MI	947.17	CU M
SP16		09.17.2004	22.5	0.35949	CU M/MI	948.7	CU M
SP16		09.17.2004	22.55	0.3624	CU M/MI	950.13	CU M
SP16		09.17.2004	23	0.36081	CU M/MI	951.6	CU M
SP16		09.17.2004	23.05	0.35341	CU M/MI	953.06	CU M
SP16		09.17.2004	23.1	0.34456	CU M/MI	954.47	CU M
SP16		09.17.2004	23.15	0.17069	CU M/MI	955.95	CU M
SP16		09.17.2004	23.2	0	CU M/MI	957.57	CU M
SP16		09.17.2004	23.25	0.03373	CU M/MI	959.31	CU M
SP16		09.17.2004	23.3	0.37551	CU M/MI	960.87	CU M
SP16		09.17.2004	23.35	0.5079	CU M/MI	962.2	CU M
SP16		09.17.2004	23.4	0.40266	CU M/MI	963.42	CU M
SP16		09.17.2004	23.45	0	CU M/MI	965.18	CU M
SP16		09.17.2004	23.5	0.01779	CU M/MI	967.09	CU M
SP16		09.17.2004	23.55	0	CU M/MI	967.85	CU M
SP16		09.18.2004	0	0.00002	CU M/MI	968.62	CU M
SP16		09.18.2004	0.05	0.51329	CU M/MI	969.87	CU M
SP16		09.18.2004	0.1	0	CU M/MI	970.76	CU M
SP16		09.18.2004	0.15	0	CU M/MI	970.74	CU M
SP16		09.18.2004	0.2	0	CU M/MI	970.72	CU M
SP16		09.18.2004	0.25	0	CU M/MI	970.7	CU M
SP16		09.18.2004	0.3	0	CU M/MI	970.68	CU M
SP16		09.18.2004	0.35	0	CU M/MI	971.45	CU M
SP16		09.18.2004	0.4	0.37096	CU M/MI	972.96	CU M
SP16		09.18.2004	0.45	0.51122	CU M/MI	974.32	CU M
SP16		09.18.2004	0.5	0.49071	CU M/MI	975.57	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.18.2004	0.55	0	CU M/MI	977.12	CU M
SP16		09.18.2004	1	0.50964	CU M/MI	979.21	CU M
SP16		09.18.2004	1.05	0.50867	CU M/MI	980.33	CU M
SP16		09.18.2004	1.1	0.35134	CU M/MI	981.58	CU M
SP16		09.18.2004	1.15	0	CU M/MI	983.37	CU M
SP16		09.18.2004	1.2	0.35731	CU M/MI	985.1	CU M
SP16		09.18.2004	1.25	0.3545	CU M/MI	986.49	CU M
SP16		09.18.2004	1.3	0.35683	CU M/MI	987.99	CU M
SP16		09.18.2004	1.35	0.35545	CU M/MI	989.46	CU M
SP16		09.18.2004	1.4	0.35721	CU M/MI	990.95	CU M
SP16		09.18.2004	1.45	0.35991	CU M/MI	992.38	CU M
SP16		09.18.2004	1.5	0.00374	CU M/MI	993.71	CU M
SP16		09.18.2004	1.55	0	CU M/MI	993.69	CU M
SP16		09.18.2004	2	0	CU M/MI	993.67	CU M
SP16		09.18.2004	2.05	0	CU M/MI	993.65	CU M
SP16		09.18.2004	2.1	0	CU M/MI	993.63	CU M
SP16		09.18.2004	2.15	0	CU M/MI	994.26	CU M
SP16		09.18.2004	2.2	0.01076	CU M/MI	995.03	CU M
SP16		09.18.2004	2.25	0	CU M/MI	995.54	CU M
SP16		09.18.2004	2.3	0	CU M/MI	995.52	CU M
SP16		09.18.2004	2.35	0	CU M/MI	995.5	CU M
SP16		09.18.2004	2.4	0	CU M/MI	995.48	CU M
SP16		09.18.2004	2.45	0	CU M/MI	995.46	CU M
SP16		09.18.2004	2.5	0	CU M/MI	995.44	CU M
SP16		09.18.2004	2.55	0	CU M/MI	995.42	CU M
SP16		09.18.2004	3	0	CU M/MI	995.39	CU M
SP16		09.18.2004	3.05	0	CU M/MI	995.37	CU M
SP16		09.18.2004	3.1	0	CU M/MI	995.35	CU M
SP16		09.18.2004	3.15	0	CU M/MI	995.33	CU M
SP16		09.18.2004	3.2	0	CU M/MI	995.31	CU M
SP16		09.18.2004	3.25	0	CU M/MI	995.29	CU M
SP16		09.18.2004	3.3	0	CU M/MI	995.27	CU M
SP16		09.18.2004	3.35	0	CU M/MI	995.25	CU M
SP16		09.18.2004	3.4	0	CU M/MI	995.23	CU M
SP16		09.18.2004	3.45	0	CU M/MI	995.21	CU M
SP16		09.18.2004	3.5	0	CU M/MI	995.19	CU M
SP16		09.18.2004	3.55	0	CU M/MI	995.16	CU M
SP16		09.18.2004	4	0	CU M/MI	995.14	CU M
SP16		09.18.2004	4.05	0	CU M/MI	995.12	CU M
SP16		09.18.2004	4.1	0	CU M/MI	995.1	CU M
SP16		09.18.2004	4.15	0	CU M/MI	995.08	CU M
SP16		09.18.2004	4.2	0	CU M/MI	995.06	CU M
SP16		09.18.2004	4.25	0	CU M/MI	995.04	CU M
SP16		09.18.2004	4.3	0	CU M/MI	995.02	CU M
SP16		09.18.2004	4.35	0	CU M/MI	995	CU M
SP16		09.18.2004	4.4	0	CU M/MI	994.97	CU M
SP16		09.18.2004	4.45	0	CU M/MI	994.95	CU M
SP16		09.18.2004	4.5	0	CU M/MI	994.93	CU M
SP16		09.18.2004	4.55	0	CU M/MI	994.91	CU M
SP16		09.18.2004	5	0	CU M/MI	994.89	CU M
SP16		09.18.2004	5.05	0	CU M/MI	994.86	CU M
SP16		09.18.2004	5.1	0	CU M/MI	994.84	CU M
SP16		09.18.2004	5.15	0	CU M/MI	994.82	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16		09.18.2004	5.2	0	CU M/MI	994.79	CU M
SP16		09.18.2004	5.25	0	CU M/MI	994.77	CU M
SP16		09.18.2004	5.3	0	CU M/MI	994.75	CU M
SP16		09.18.2004	5.35	0	CU M/MI	994.72	CU M
SP16		09.18.2004	5.4	0	CU M/MI	994.7	CU M
SP16		09.18.2004	5.45	0	CU M/MI	994.68	CU M
SP16		09.18.2004	5.5	0	CU M/MI	994.66	CU M
SP16		09.18.2004	5.55	0	CU M/MI	994.64	CU M
SP16	Day 1	09.18.2004	6	0	CU M/MI	994.62	CU M
SP16	Day 1	09.18.2004	6.05	0	CU M/MI	994.6	CU M
SP16	Day 1	09.18.2004	6.1	0	CU M/MI	994.58	CU M
SP16	Day 1	09.18.2004	6.15	0	CU M/MI	994.56	CU M
SP16	Day 1	09.18.2004	6.2	0	CU M/MI	994.53	CU M
SP16	Day 1	09.18.2004	6.25	0	CU M/MI	994.51	CU M
SP16	Day 1	09.18.2004	6.3	0	CU M/MI	994.49	CU M
SP16	Day 1	09.18.2004	6.35	0	CU M/MI	994.47	CU M
SP16	Day 1	09.18.2004	6.4	0	CU M/MI	994.45	CU M
SP16	Day 1	09.18.2004	6.45	0	CU M/MI	994.43	CU M
SP16	Day 1	09.18.2004	6.5	0	CU M/MI	994.4	CU M
SP16	Day 1	09.18.2004	6.55	0	CU M/MI	994.38	CU M
SP16	Day 1	09.18.2004	7	0	CU M/MI	994.36	CU M
SP16	Day 1	09.18.2004	7.05	0	CU M/MI	994.34	CU M
SP16	Day 1	09.18.2004	7.1	0	CU M/MI	994.32	CU M
SP16	Day 1	09.18.2004	7.15	0	CU M/MI	994.31	CU M
SP16	Day 1	09.18.2004	7.2	0	CU M/MI	994.29	CU M
SP16	Day 1	09.18.2004	7.25	0	CU M/MI	994.27	CU M
SP16	Day 1	09.18.2004	7.3	0	CU M/MI	994.25	CU M
SP16	Day 1	09.18.2004	7.35	0	CU M/MI	994.23	CU M
SP16	Day 1	09.18.2004	7.4	0	CU M/MI	994.21	CU M
SP16	Day 1	09.18.2004	7.45	0	CU M/MI	994.18	CU M
SP16	Day 1	09.18.2004	7.5	0	CU M/MI	994.16	CU M
SP16	Day 1	09.18.2004	7.55	0	CU M/MI	994.14	CU M
SP16	Day 1	09.18.2004	8	0	CU M/MI	994.11	CU M
SP16	Day 1	09.18.2004	8.05	0	CU M/MI	994.09	CU M
SP16	Day 1	09.18.2004	8.1	0	CU M/MI	994.07	CU M
SP16	Day 1	09.18.2004	8.15	0	CU M/MI	994.05	CU M
SP16	Day 1	09.18.2004	8.2	0	CU M/MI	994.02	CU M
SP16	Day 1	09.18.2004	8.25	0	CU M/MI	994	CU M
SP16	Day 1	09.18.2004	8.3	0	CU M/MI	993.98	CU M
SP16	Day 1	09.18.2004	8.35	0	CU M/MI	993.96	CU M
SP16	Day 1	09.18.2004	8.4	0	CU M/MI	993.94	CU M
SP16	Day 1	09.18.2004	8.45	0	CU M/MI	993.92	CU M
SP16	Day 1	09.18.2004	8.5	0	CU M/MI	993.9	CU M
SP16	Day 1	09.18.2004	8.55	0	CU M/MI	993.88	CU M
SP16	Day 1	09.18.2004	9	0	CU M/MI	993.86	CU M
SP16	Day 1	09.18.2004	9.05	0	CU M/MI	993.85	CU M
SP16	Day 1	09.18.2004	9.1	0	CU M/MI	993.83	CU M
SP16	Day 1	09.18.2004	9.15	0	CU M/MI	993.8	CU M
SP16	Day 1	09.18.2004	9.2	0	CU M/MI	993.78	CU M
SP16	Day 1	09.18.2004	9.25	0	CU M/MI	993.76	CU M
SP16	Day 1	09.18.2004	9.3	0	CU M/MI	993.73	CU M
SP16	Day 1	09.18.2004	9.35	0	CU M/MI	993.71	CU M
SP16	Day 1	09.18.2004	9.4	0	CU M/MI	993.69	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 1	09.18.2004	9.45	0	CU M/MI	993.67	CU M
SP16	Day 1	09.18.2004	9.5	0	CU M/MI	993.64	CU M
SP16	Day 1	09.18.2004	9.55	0	CU M/MI	993.62	CU M
SP16	Day 1	09.18.2004	10	0	CU M/MI	993.59	CU M
SP16	Day 1	09.18.2004	10.05	0	CU M/MI	993.57	CU M
SP16	Day 1	09.18.2004	10.1	0	CU M/MI	993.55	CU M
SP16	Day 1	09.18.2004	10.15	0	CU M/MI	993.52	CU M
SP16	Day 1	09.18.2004	10.2	0	CU M/MI	993.5	CU M
SP16	Day 1	09.18.2004	10.25	0	CU M/MI	993.48	CU M
SP16	Day 1	09.18.2004	10.3	0	CU M/MI	993.45	CU M
SP16	Day 1	09.18.2004	10.35	0	CU M/MI	993.43	CU M
SP16	Day 1	09.18.2004	10.4	0	CU M/MI	993.41	CU M
SP16	Day 1	09.18.2004	10.45	0	CU M/MI	993.39	CU M
SP16	Day 1	09.18.2004	10.5	0	CU M/MI	993.37	CU M
SP16	Day 1	09.18.2004	10.55	0	CU M/MI	993.35	CU M
SP16	Day 1	09.18.2004	11	0	CU M/MI	993.33	CU M
SP16	Day 1	09.18.2004	11.05	0	CU M/MI	993.31	CU M
SP16	Day 1	09.18.2004	11.1	0	CU M/MI	993.29	CU M
SP16	Day 1	09.18.2004	11.15	0	CU M/MI	993.27	CU M
SP16	Day 1	09.18.2004	11.2	0	CU M/MI	993.24	CU M
SP16	Day 1	09.18.2004	11.25	0	CU M/MI	993.22	CU M
SP16	Day 1	09.18.2004	11.3	0	CU M/MI	993.2	CU M
SP16	Day 1	09.18.2004	11.35	0	CU M/MI	993.17	CU M
SP16	Day 1	09.18.2004	11.4	0	CU M/MI	993.15	CU M
SP16	Day 1	09.18.2004	11.45	0	CU M/MI	993.12	CU M
SP16	Day 1	09.18.2004	11.5	0	CU M/MI	993.1	CU M
SP16	Day 1	09.18.2004	11.55	0	CU M/MI	993.08	CU M
SP16	Day 1	09.18.2004	12	0	CU M/MI	993.05	CU M
SP16	Day 1	09.18.2004	12.05	0	CU M/MI	993.03	CU M
SP16	Day 1	09.18.2004	12.1	0	CU M/MI	993.01	CU M
SP16	Day 1	09.18.2004	12.15	0	CU M/MI	992.99	CU M
SP16	Day 1	09.18.2004	12.2	0	CU M/MI	992.96	CU M
SP16	Day 1	09.18.2004	12.25	0	CU M/MI	992.94	CU M
SP16	Day 1	09.18.2004	12.3	0	CU M/MI	992.92	CU M
SP16	Day 1	09.18.2004	12.35	0	CU M/MI	992.9	CU M
SP16	Day 1	09.18.2004	12.4	0	CU M/MI	992.87	CU M
SP16	Day 1	09.18.2004	12.45	0	CU M/MI	992.85	CU M
SP16	Day 1	09.18.2004	12.5	0	CU M/MI	992.83	CU M
SP16	Day 1	09.18.2004	12.55	0	CU M/MI	992.81	CU M
SP16	Day 1	09.18.2004	13	0	CU M/MI	992.79	CU M
SP16	Day 1	09.18.2004	13.05	0	CU M/MI	992.77	CU M
SP16	Day 1	09.18.2004	13.1	0	CU M/MI	992.75	CU M
SP16	Day 1	09.18.2004	13.15	0	CU M/MI	992.73	CU M
SP16	Day 1	09.18.2004	13.2	0	CU M/MI	992.71	CU M
SP16	Day 1	09.18.2004	13.25	0	CU M/MI	992.69	CU M
SP16	Day 1	09.18.2004	13.3	0	CU M/MI	992.67	CU M
SP16	Day 1	09.18.2004	13.35	0	CU M/MI	992.65	CU M
SP16	Day 1	09.18.2004	13.4	0	CU M/MI	992.63	CU M
SP16	Day 1	09.18.2004	13.45	0	CU M/MI	992.61	CU M
SP16	Day 1	09.18.2004	13.5	0	CU M/MI	992.59	CU M
SP16	Day 1	09.18.2004	13.55	0	CU M/MI	992.57	CU M
SP16	Day 1	09.18.2004	14	0	CU M/MI	992.55	CU M
SP16	Day 1	09.18.2004	14.05	0	CU M/MI	992.53	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 1	09.18.2004	14.1	0	CU M/MI	992.51	CU M
SP16	Day 1	09.18.2004	14.15	0	CU M/MI	992.49	CU M
SP16	Day 1	09.18.2004	14.2	0	CU M/MI	992.47	CU M
SP16	Day 1	09.18.2004	14.25	0	CU M/MI	992.45	CU M
SP16	Day 1	09.18.2004	14.3	0	CU M/MI	992.43	CU M
SP16	Day 1	09.18.2004	14.35	0	CU M/MI	992.41	CU M
SP16	Day 1	09.18.2004	14.4	0	CU M/MI	992.39	CU M
SP16	Day 1	09.18.2004	14.45	0	CU M/MI	992.37	CU M
SP16	Day 1	09.18.2004	14.5	0	CU M/MI	992.35	CU M
SP16	Day 1	09.18.2004	14.55	0	CU M/MI	992.33	CU M
SP16	Day 1	09.18.2004	15	0	CU M/MI	992.31	CU M
SP16	Day 1	09.18.2004	15.05	0	CU M/MI	992.29	CU M
SP16	Day 1	09.18.2004	15.1	0	CU M/MI	992.27	CU M
SP16	Day 1	09.18.2004	15.15	0	CU M/MI	992.25	CU M
SP16	Day 1	09.18.2004	15.2	0	CU M/MI	992.23	CU M
SP16	Day 1	09.18.2004	15.25	0	CU M/MI	992.21	CU M
SP16	Day 1	09.18.2004	15.3	0	CU M/MI	992.19	CU M
SP16	Day 1	09.18.2004	15.35	0	CU M/MI	992.17	CU M
SP16	Day 1	09.18.2004	15.4	0	CU M/MI	992.15	CU M
SP16	Day 1	09.18.2004	15.45	0	CU M/MI	992.13	CU M
SP16	Day 1	09.18.2004	15.5	0	CU M/MI	992.11	CU M
SP16	Day 1	09.18.2004	15.55	0	CU M/MI	992.09	CU M
SP16	Day 1	09.18.2004	16	0	CU M/MI	992.07	CU M
SP16	Day 1	09.18.2004	16.05	0	CU M/MI	992.05	CU M
SP16	Day 1	09.18.2004	16.1	0	CU M/MI	992.03	CU M
SP16	Day 1	09.18.2004	16.15	0	CU M/MI	992.01	CU M
SP16	Day 1	09.18.2004	16.2	0	CU M/MI	991.99	CU M
SP16	Day 1	09.18.2004	16.25	0	CU M/MI	991.97	CU M
SP16	Day 1	09.18.2004	16.3	0	CU M/MI	991.95	CU M
SP16	Day 1	09.18.2004	16.35	0	CU M/MI	991.93	CU M
SP16	Day 1	09.18.2004	16.4	0	CU M/MI	991.91	CU M
SP16	Day 1	09.18.2004	16.45	0	CU M/MI	991.89	CU M
SP16	Day 1	09.18.2004	16.5	0	CU M/MI	991.87	CU M
SP16	Day 1	09.18.2004	16.55	0	CU M/MI	991.85	CU M
SP16	Day 1	09.18.2004	17	0	CU M/MI	991.83	CU M
SP16	Day 1	09.18.2004	17.05	0	CU M/MI	991.81	CU M
SP16	Day 1	09.18.2004	17.1	0	CU M/MI	991.79	CU M
SP16	Day 1	09.18.2004	17.15	0	CU M/MI	991.77	CU M
SP16	Day 1	09.18.2004	17.2	0	CU M/MI	991.75	CU M
SP16	Day 1	09.18.2004	17.25	0	CU M/MI	991.74	CU M
SP16	Day 1	09.18.2004	17.3	0	CU M/MI	991.72	CU M
SP16	Day 1	09.18.2004	17.35	0	CU M/MI	991.7	CU M
SP16	Day 1	09.18.2004	17.4	0	CU M/MI	991.68	CU M
SP16	Day 1	09.18.2004	17.45	0	CU M/MI	991.66	CU M
SP16	Day 1	09.18.2004	18.05	0.2228	CU M/MI	994.17	CU M
SP16	Day 1	09.18.2004	18.1	0.21554	CU M/MI	996.17	CU M
SP16	Day 1	09.18.2004	18.15	0.20981	CU M/MI	998.13	CU M
SP16	Day 1	09.18.2004	18.2	0.25035	CU M/MI	1000.1	CU M
SP16	Day 1	09.18.2004	18.25	0.63169	CU M/MI	1002.08	CU M
SP16	Day 1	09.18.2004	18.3	0.63209	CU M/MI	1003.95	CU M
SP16	Day 1	09.18.2004	18.35	0.21313	CU M/MI	1006.14	CU M
SP16	Day 1	09.18.2004	18.4	0.21445	CU M/MI	1008.59	CU M
SP16	Day 1	09.18.2004	18.45	0.25129	CU M/MI	1010.87	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 1	09.18.2004	18.5	0.27008	CU M/MI	1012.35	CU M
SP16	Day 1	09.18.2004	18.55	0.51145	CU M/MI	1013.76	CU M
SP16	Day 1	09.18.2004	19	0.51579	CU M/MI	1015.73	CU M
SP16	Day 1	09.18.2004	19.05	0.53757	CU M/MI	1017.89	CU M
SP16	Day 1	09.18.2004	19.1	0.33462	CU M/MI	1019.94	CU M
SP16	Day 1	09.18.2004	19.15	0.2117	CU M/MI	1022.48	CU M
SP16	Day 1	09.18.2004	19.2	0.51745	CU M/MI	1024.7	CU M
SP16	Day 1	09.18.2004	19.25	0.20878	CU M/MI	1025.98	CU M
SP16	Day 1	09.18.2004	19.3	0.20895	CU M/MI	1027	CU M
SP16	Day 1	09.18.2004	19.35	0.22685	CU M/MI	1027.62	CU M
SP16	Day 1	09.18.2004	19.4	0.20508	CU M/MI	1028.28	CU M
SP16	Day 1	09.18.2004	19.45	0.2002	CU M/MI	1029.3	CU M
SP16	Day 1	09.18.2004	19.5	0.20421	CU M/MI	1029.87	CU M
SP16	Day 1	09.18.2004	19.55	0.53086	CU M/MI	1030.87	CU M
SP16	Day 1	09.18.2004	20	0.58252	CU M/MI	1032.31	CU M
SP16	Day 1	09.18.2004	20.05	0.6023	CU M/MI	1034.2	CU M
SP16	Day 1	09.18.2004	20.1	0.4805	CU M/MI	1035.94	CU M
SP16	Day 1	09.18.2004	20.15	0.20064	CU M/MI	1038.22	CU M
SP16	Day 1	09.18.2004	20.2	0.21936	CU M/MI	1040.61	CU M
SP16	Day 1	09.18.2004	20.25	0.21756	CU M/MI	1042.85	CU M
SP16	Day 1	09.18.2004	20.3	0.22624	CU M/MI	1045.07	CU M
SP16	Day 1	09.18.2004	20.35	0.12022	CU M/MI	1046.78	CU M
SP16	Day 1	09.18.2004	20.4	0.50844	CU M/MI	1048.52	CU M
SP16	Day 1	09.18.2004	20.45	0.3676	CU M/MI	1049.9	CU M
SP16	Day 1	09.18.2004	20.5	0.36094	CU M/MI	1051.14	CU M
SP16	Day 1	09.18.2004	20.55	0	CU M/MI	1051.81	CU M
SP16	Day 1	09.18.2004	21	0	CU M/MI	1051.79	CU M
SP16	Day 1	09.18.2004	21.05	0	CU M/MI	1051.77	CU M
SP16	Day 1	09.18.2004	21.1	0	CU M/MI	1051.75	CU M
SP16	Day 1	09.18.2004	21.15	0	CU M/MI	1051.73	CU M
SP16	Day 1	09.18.2004	21.2	0	CU M/MI	1051.71	CU M
SP16	Day 1	09.18.2004	21.25	0	CU M/MI	1051.69	CU M
SP16	Day 1	09.18.2004	21.3	0	CU M/MI	1051.67	CU M
SP16	Day 1	09.18.2004	21.35	0	CU M/MI	1051.65	CU M
SP16	Day 1	09.18.2004	21.4	0	CU M/MI	1051.63	CU M
SP16	Day 1	09.18.2004	21.45	0	CU M/MI	1051.6	CU M
SP16	Day 1	09.18.2004	21.5	0	CU M/MI	1051.58	CU M
SP16	Day 1	09.18.2004	21.55	0	CU M/MI	1051.56	CU M
SP16	Day 1	09.18.2004	22	0	CU M/MI	1051.54	CU M
SP16	Day 1	09.18.2004	22.05	0.00524	CU M/MI	1051.51	CU M
SP16	Day 1	09.18.2004	22.1	0.00476	CU M/MI	1051.49	CU M
SP16	Day 1	09.18.2004	22.15	0	CU M/MI	1051.47	CU M
SP16	Day 1	09.18.2004	22.2	0	CU M/MI	1051.45	CU M
SP16	Day 1	09.18.2004	22.25	0	CU M/MI	1051.42	CU M
SP16	Day 1	09.18.2004	22.3	0	CU M/MI	1051.4	CU M
SP16	Day 1	09.18.2004	22.35	0	CU M/MI	1051.37	CU M
SP16	Day 1	09.18.2004	22.4	0.00549	CU M/MI	1051.35	CU M
SP16	Day 1	09.18.2004	22.45	0.00257	CU M/MI	1051.33	CU M
SP16	Day 1	09.18.2004	22.5	0	CU M/MI	1051.3	CU M
SP16	Day 1	09.18.2004	22.55	0.0073	CU M/MI	1051.28	CU M
SP16	Day 1	09.18.2004	23	0.00293	CU M/MI	1051.26	CU M
SP16	Day 1	09.18.2004	23.05	0	CU M/MI	1051.23	CU M
SP16	Day 1	09.18.2004	23.1	0.00455	CU M/MI	1051.46	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 1	09.18.2004	23.15	0.00458	CU M/MI	1051.76	CU M
SP16	Day 1	09.18.2004	23.2	0	CU M/MI	1053.01	CU M
SP16	Day 1	09.18.2004	23.25	0	CU M/MI	1054.08	CU M
SP16	Day 1	09.18.2004	23.3	0	CU M/MI	1054.96	CU M
SP16	Day 1	09.18.2004	23.35	0	CU M/MI	1055.63	CU M
SP16	Day 1	09.18.2004	23.4	0	CU M/MI	1056.28	CU M
SP16	Day 1	09.18.2004	23.45	0	CU M/MI	1057.3	CU M
SP16	Day 1	09.18.2004	23.5	0	CU M/MI	1058.61	CU M
SP16	Day 1	09.18.2004	23.55	0	CU M/MI	1059.9	CU M
SP16	Day 1	09.19.2004	0	0	CU M/MI	1061.18	CU M
SP16	Day 1	09.19.2004	0.05	0	CU M/MI	1061.8	CU M
SP16	Day 1	09.19.2004	0.1	0	CU M/MI	1062.45	CU M
SP16	Day 1	09.19.2004	0.15	0.05651	CU M/MI	1063.09	CU M
SP16	Day 1	09.19.2004	0.2	0.34642	CU M/MI	1063.64	CU M
SP16	Day 1	09.19.2004	0.25	0.36498	CU M/MI	1064.15	CU M
SP16	Day 1	09.19.2004	0.3	0.37334	CU M/MI	1064.62	CU M
SP16	Day 1	09.19.2004	0.35	0.36943	CU M/MI	1065.15	CU M
SP16	Day 1	09.19.2004	0.4	0.35976	CU M/MI	1065.67	CU M
SP16	Day 1	09.19.2004	0.45	0	CU M/MI	1066.22	CU M
SP16	Day 1	09.19.2004	0.5	0	CU M/MI	1066.84	CU M
SP16	Day 1	09.19.2004	0.55	0	CU M/MI	1067.44	CU M
SP16	Day 1	09.19.2004	1	0	CU M/MI	1068.08	CU M
SP16	Day 1	09.19.2004	1.05	0	CU M/MI	1068.68	CU M
SP16	Day 1	09.19.2004	1.1	0	CU M/MI	1069.3	CU M
SP16	Day 1	09.19.2004	1.15	0	CU M/MI	1069.92	CU M
SP16	Day 1	09.19.2004	1.2	0.00484	CU M/MI	1070.54	CU M
SP16	Day 1	09.19.2004	1.25	0.00182	CU M/MI	1071.15	CU M
SP16	Day 1	09.19.2004	1.3	0.00082	CU M/MI	1071.38	CU M
SP16	Day 1	09.19.2004	1.35	0	CU M/MI	1071.36	CU M
SP16	Day 1	09.19.2004	1.4	0	CU M/MI	1071.33	CU M
SP16	Day 1	09.19.2004	1.45	0	CU M/MI	1071.31	CU M
SP16	Day 1	09.19.2004	1.5	0	CU M/MI	1071.29	CU M
SP16	Day 1	09.19.2004	1.55	0	CU M/MI	1071.26	CU M
SP16	Day 1	09.19.2004	2	0	CU M/MI	1071.24	CU M
SP16	Day 1	09.19.2004	2.05	0.00039	CU M/MI	1071.23	CU M
SP16	Day 1	09.19.2004	2.1	0.02266	CU M/MI	1071.2	CU M
SP16	Day 1	09.19.2004	2.15	0	CU M/MI	1071.86	CU M
SP16	Day 1	09.19.2004	2.2	0	CU M/MI	1072.53	CU M
SP16	Day 1	09.19.2004	2.25	0	CU M/MI	1073.19	CU M
SP16	Day 1	09.19.2004	2.3	0	CU M/MI	1073.73	CU M
SP16	Day 1	09.19.2004	2.35	0.29841	CU M/MI	1074.25	CU M
SP16	Day 1	09.19.2004	2.4	0.42745	CU M/MI	1074.87	CU M
SP16	Day 1	09.19.2004	2.45	0.44128	CU M/MI	1075.79	CU M
SP16	Day 1	09.19.2004	2.5	0.01865	CU M/MI	1076.59	CU M
SP16	Day 1	09.19.2004	2.55	0	CU M/MI	1077.24	CU M
SP16	Day 1	09.19.2004	3	0	CU M/MI	1077.89	CU M
SP16	Day 1	09.19.2004	3.05	0	CU M/MI	1078.54	CU M
SP16	Day 1	09.19.2004	3.1	0.26756	CU M/MI	1079.2	CU M
SP16	Day 1	09.19.2004	3.15	0.44607	CU M/MI	1080.12	CU M
SP16	Day 1	09.19.2004	3.2	0.45111	CU M/MI	1080.97	CU M
SP16	Day 1	09.19.2004	3.25	0.08499	CU M/MI	1081.86	CU M
SP16	Day 1	09.19.2004	3.3	0.11263	CU M/MI	1082.63	CU M
SP16	Day 1	09.19.2004	3.35	0.26005	CU M/MI	1084.17	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 1	09.19.2004	3.4	0	CU M/MI	1085.83	CU M
SP16	Day 1	09.19.2004	3.45	0.11632	CU M/MI	1086.77	CU M
SP16	Day 1	09.19.2004	3.5	0.19944	CU M/MI	1088.34	CU M
SP16	Day 1	09.19.2004	3.55	0.17095	CU M/MI	1090.03	CU M
SP16	Day 1	09.19.2004	4	0.18631	CU M/MI	1091.68	CU M
SP16	Day 1	09.19.2004	4.05	0.19387	CU M/MI	1094.33	CU M
SP16	Day 1	09.19.2004	4.1	0.63417	CU M/MI	1096.57	CU M
SP16	Day 1	09.19.2004	4.15	0.59473	CU M/MI	1098.4	CU M
SP16	Day 1	09.19.2004	4.3	0.21633	CU M/MI	1103.05	CU M
SP16	Day 1	09.19.2004	4.35	0	CU M/MI	1104.03	CU M
SP16	Day 1	09.19.2004	4.4	0.07144	CU M/MI	1104.56	CU M
SP16	Day 1	09.19.2004	4.45	0.18631	CU M/MI	1105.43	CU M
SP16	Day 1	09.19.2004	4.5	0.12498	CU M/MI	1106.44	CU M
SP16	Day 1	09.19.2004	4.55	0.19503	CU M/MI	1107.23	CU M
SP16	Day 1	09.19.2004	5	0.18902	CU M/MI	1107.84	CU M
SP16	Day 1	09.19.2004	5.05	0.26599	CU M/MI	1108.67	CU M
SP16	Day 1	09.19.2004	5.1	0.21692	CU M/MI	1109.7	CU M
SP16	Day 1	09.19.2004	5.15	0.0701	CU M/MI	1110.54	CU M
SP16	Day 1	09.19.2004	5.2	0.20964	CU M/MI	1111.6	CU M
SP16	Day 1	09.19.2004	5.25	0.20355	CU M/MI	1113.23	CU M
SP16	Day 1	09.19.2004	5.3	0.63525	CU M/MI	1115.57	CU M
SP16	Day 1	09.19.2004	5.35	0.63953	CU M/MI	1117.48	CU M
SP16	Day 1	09.19.2004	5.4	0.40326	CU M/MI	1119.69	CU M
SP16	Day 1	09.19.2004	5.45	0.20358	CU M/MI	1122.17	CU M
SP16	Day 1	09.19.2004	5.5	0.21949	CU M/MI	1124.51	CU M
SP16	Day 1	09.19.2004	5.55	0.20801	CU M/MI	1126.82	CU M
SP16	Day 2	09.19.2004	6	0.47387	CU M/MI	1129.1	CU M
SP16	Day 2	09.19.2004	6.05	0.53709	CU M/MI	1131.45	CU M
SP16	Day 2	09.19.2004	6.1	0.57147	CU M/MI	1133.83	CU M
SP16	Day 2	09.19.2004	6.15	0.62919	CU M/MI	1136.15	CU M
SP16	Day 2	09.19.2004	6.2	0.6339	CU M/MI	1138.26	CU M
SP16	Day 2	09.19.2004	6.25	0.20141	CU M/MI	1140.4	CU M
SP16	Day 2	09.19.2004	6.3	0.20836	CU M/MI	1143.02	CU M
SP16	Day 2	09.19.2004	6.35	0.51856	CU M/MI	1145.4	CU M
SP16	Day 2	09.19.2004	6.4	0.5047	CU M/MI	1147.64	CU M
SP16	Day 2	09.19.2004	6.45	0.31061	CU M/MI	1149.86	CU M
SP16	Day 2	09.19.2004	6.5	0.19798	CU M/MI	1151.52	CU M
SP16	Day 2	09.19.2004	6.55	0.20417	CU M/MI	1153.23	CU M
SP16	Day 2	09.19.2004	7	0.24031	CU M/MI	1155.52	CU M
SP16	Day 2	09.19.2004	7.05	0.51511	CU M/MI	1157.82	CU M
SP16	Day 2	09.19.2004	7.1	0.56359	CU M/MI	1160.22	CU M
SP16	Day 2	09.19.2004	7.15	0.62843	CU M/MI	1162.54	CU M
SP16	Day 2	09.19.2004	7.2	0.63217	CU M/MI	1164.69	CU M
SP16	Day 2	09.19.2004	7.25	0.21191	CU M/MI	1166.81	CU M
SP16	Day 2	09.19.2004	7.3	0.20649	CU M/MI	1169.45	CU M
SP16	Day 2	09.19.2004	7.35	0.44603	CU M/MI	1171.72	CU M
SP16	Day 2	09.19.2004	7.4	0.50793	CU M/MI	1173.92	CU M
SP16	Day 2	09.19.2004	7.45	0.50784	CU M/MI	1176.2	CU M
SP16	Day 2	09.19.2004	7.5	0.51208	CU M/MI	1178.43	CU M
SP16	Day 2	09.19.2004	7.55	0.51437	CU M/MI	1180.57	CU M
SP16	Day 2	09.19.2004	8	0.20138	CU M/MI	1183.13	CU M
SP16	Day 2	09.19.2004	8.05	0.51543	CU M/MI	1185.58	CU M
SP16	Day 2	09.19.2004	8.1	0.51561	CU M/MI	1187.79	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 2	09.19.2004	8.15	0.51077	CU M/MI	1190.04	CU M
SP16	Day 2	09.19.2004	8.2	0.51385	CU M/MI	1192.31	CU M
SP16	Day 2	09.19.2004	8.25	0.50854	CU M/MI	1194.61	CU M
SP16	Day 2	09.19.2004	8.3	0.51547	CU M/MI	1196.86	CU M
SP16	Day 2	09.19.2004	8.35	0.20522	CU M/MI	1199.04	CU M
SP16	Day 2	09.19.2004	8.4	0.21397	CU M/MI	1201.73	CU M
SP16	Day 2	09.19.2004	8.45	0.62723	CU M/MI	1204	CU M
SP16	Day 2	09.19.2004	8.5	0.65122	CU M/MI	1206.22	CU M
SP16	Day 2	09.19.2004	8.55	0.50364	CU M/MI	1208.14	CU M
SP16	Day 2	09.19.2004	9	0.33098	CU M/MI	1209.84	CU M
SP16	Day 2	09.19.2004	9.05	0.20568	CU M/MI	1211.84	CU M
SP16	Day 2	09.19.2004	9.1	0.22466	CU M/MI	1214.46	CU M
SP16	Day 2	09.19.2004	9.15	0.62955	CU M/MI	1216.54	CU M
SP16	Day 2	09.19.2004	9.2	0.62983	CU M/MI	1218.74	CU M
SP16	Day 2	09.19.2004	9.25	0.56601	CU M/MI	1221.1	CU M
SP16	Day 2	09.19.2004	9.3	0.2111	CU M/MI	1223.42	CU M
SP16	Day 2	09.19.2004	9.35	0.21066	CU M/MI	1225.7	CU M
SP16	Day 2	09.19.2004	9.4	0.20663	CU M/MI	1228.04	CU M
SP16	Day 2	09.19.2004	9.45	0.20734	CU M/MI	1230.47	CU M
SP16	Day 2	09.19.2004	9.5	0.6292	CU M/MI	1232.8	CU M
SP16	Day 2	09.19.2004	9.55	0.63338	CU M/MI	1234.65	CU M
SP16	Day 2	09.19.2004	10	0.20862	CU M/MI	1236.99	CU M
SP16	Day 2	09.19.2004	10.05	0.21032	CU M/MI	1239.53	CU M
SP16	Day 2	09.19.2004	10.1	0.22915	CU M/MI	1241.86	CU M
SP16	Day 2	09.19.2004	10.15	0.24316	CU M/MI	1244.12	CU M
SP16	Day 2	09.19.2004	10.2	0.50665	CU M/MI	1246.38	CU M
SP16	Day 2	09.19.2004	10.25	0.5216	CU M/MI	1248.64	CU M
SP16	Day 2	09.19.2004	10.3	0.47091	CU M/MI	1250.59	CU M
SP16	Day 2	09.19.2004	10.35	0.4897	CU M/MI	1252.74	CU M
SP16	Day 2	09.19.2004	10.4	0.16912	CU M/MI	1255.11	CU M
SP16	Day 2	09.19.2004	10.45	0.6074	CU M/MI	1257.19	CU M
SP16	Day 2	09.19.2004	10.5	0.63036	CU M/MI	1258.78	CU M
SP16	Day 2	09.19.2004	10.55	0.51671	CU M/MI	1261.03	CU M
SP16	Day 2	09.19.2004	11	0.21985	CU M/MI	1262.29	CU M
SP16	Day 2	09.19.2004	11.05	0.1094	CU M/MI	1263.8	CU M
SP16	Day 2	09.19.2004	11.1	0	CU M/MI	1265.6	CU M
SP16	Day 2	09.19.2004	11.15	0	CU M/MI	1265.57	CU M
SP16	Day 2	09.19.2004	11.2	0	CU M/MI	1265.56	CU M
SP16	Day 2	09.19.2004	11.25	0	CU M/MI	1265.54	CU M
SP16	Day 2	09.19.2004	11.3	0	CU M/MI	1265.51	CU M
SP16	Day 2	09.19.2004	11.35	0	CU M/MI	1265.49	CU M
SP16	Day 2	09.19.2004	11.4	0	CU M/MI	1265.47	CU M
SP16	Day 2	09.19.2004	11.45	0	CU M/MI	1265.45	CU M
SP16	Day 2	09.19.2004	11.5	0	CU M/MI	1265.43	CU M
SP16	Day 2	09.19.2004	11.55	0	CU M/MI	1265.41	CU M
SP16	Day 2	09.19.2004	12	0	CU M/MI	1265.39	CU M
SP16	Day 2	09.19.2004	12.05	0	CU M/MI	1265.36	CU M
SP16	Day 2	09.19.2004	12.1	0	CU M/MI	1265.34	CU M
SP16	Day 2	09.19.2004	12.15	0	CU M/MI	1265.32	CU M
SP16	Day 2	09.19.2004	12.2	0	CU M/MI	1265.3	CU M
SP16	Day 2	09.19.2004	12.25	0	CU M/MI	1265.28	CU M
SP16	Day 2	09.19.2004	12.3	0	CU M/MI	1265.25	CU M
SP16	Day 2	09.19.2004	12.35	0	CU M/MI	1265.23	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 2	09.19.2004	12.4	0	CU M/MI	1265.21	CU M
SP16	Day 2	09.19.2004	12.45	0	CU M/MI	1265.19	CU M
SP16	Day 2	09.19.2004	12.5	0	CU M/MI	1265.17	CU M
SP16	Day 2	09.19.2004	12.55	0	CU M/MI	1265.15	CU M
SP16	Day 2	09.19.2004	13	0.19224	CU M/MI	1265.13	CU M
SP16	Day 2	09.19.2004	13.05	0.10306	CU M/MI	1266.67	CU M
SP16	Day 2	09.19.2004	13.1	0.20613	CU M/MI	1267.77	CU M
SP16	Day 2	09.19.2004	13.15	0.2115	CU M/MI	1270.1	CU M
SP16	Day 2	09.19.2004	13.2	0.6333	CU M/MI	1272.45	CU M
SP16	Day 2	09.19.2004	13.25	0.63593	CU M/MI	1274.32	CU M
SP16	Day 2	09.19.2004	13.3	0.53792	CU M/MI	1276.29	CU M
SP16	Day 2	09.19.2004	13.35	0.2029	CU M/MI	1278.71	CU M
SP16	Day 2	09.19.2004	13.4	0.20821	CU M/MI	1281.03	CU M
SP16	Day 2	09.19.2004	13.45	0.20499	CU M/MI	1283.24	CU M
SP16	Day 2	09.19.2004	13.5	0.21598	CU M/MI	1285.44	CU M
SP16	Day 2	09.19.2004	13.55	0.24968	CU M/MI	1287.67	CU M
SP16	Day 2	09.19.2004	14	0.37097	CU M/MI	1289.86	CU M
SP16	Day 2	09.19.2004	14.05	0.51048	CU M/MI	1292.05	CU M
SP16	Day 2	09.19.2004	14.1	0.51084	CU M/MI	1294.21	CU M
SP16	Day 2	09.19.2004	14.15	0.5144	CU M/MI	1296.36	CU M
SP16	Day 2	09.19.2004	14.2	0.51303	CU M/MI	1298.5	CU M
SP16	Day 2	09.19.2004	14.25	0.51175	CU M/MI	1300.11	CU M
SP16	Day 2	09.19.2004	14.3	0.51527	CU M/MI	1301.69	CU M
SP16	Day 2	09.19.2004	14.35	0.51546	CU M/MI	1303.28	CU M
SP16	Day 2	09.19.2004	14.4	0.44756	CU M/MI	1304.48	CU M
SP16	Day 2	09.19.2004	14.45	0.50417	CU M/MI	1306.06	CU M
SP16	Day 2	09.19.2004	14.5	0.49118	CU M/MI	1307.39	CU M
SP16	Day 2	09.19.2004	14.55	0.45835	CU M/MI	1308.8	CU M
SP16	Day 2	09.19.2004	15	0.20523	CU M/MI	1310.46	CU M
SP16	Day 2	09.19.2004	15.05	0.12055	CU M/MI	1311.55	CU M
SP16	Day 2	09.19.2004	15.1	0.21166	CU M/MI	1312.34	CU M
SP16	Day 2	09.19.2004	15.15	0.20801	CU M/MI	1313.71	CU M
SP16	Day 2	09.19.2004	15.2	0.10396	CU M/MI	1314.26	CU M
SP16	Day 2	09.19.2004	15.25	0.20695	CU M/MI	1315.08	CU M
SP16	Day 2	09.19.2004	15.3	0.20188	CU M/MI	1316.77	CU M
SP16	Day 2	09.19.2004	15.35	0.20337	CU M/MI	1318.44	CU M
SP16	Day 2	09.19.2004	15.4	0.20448	CU M/MI	1319.9	CU M
SP16	Day 2	09.19.2004	15.45	0.10722	CU M/MI	1321.49	CU M
SP16	Day 2	09.19.2004	15.5	0.20497	CU M/MI	1322.87	CU M
SP16	Day 2	09.19.2004	15.55	0.11869	CU M/MI	1324.51	CU M
SP16	Day 2	09.19.2004	16	0.21061	CU M/MI	1325.96	CU M
SP16	Day 2	09.19.2004	16.05	0.20447	CU M/MI	1327.62	CU M
SP16	Day 2	09.19.2004	16.1	0.10776	CU M/MI	1328.97	CU M
SP16	Day 2	09.19.2004	16.15	0.20447	CU M/MI	1330.36	CU M
SP16	Day 2	09.19.2004	16.2	0.21005	CU M/MI	1331.72	CU M
SP16	Day 2	09.19.2004	16.25	0.20555	CU M/MI	1333.37	CU M
SP16	Day 2	09.19.2004	16.3	0.20894	CU M/MI	1335.01	CU M
SP16	Day 2	09.19.2004	16.45	0.50955	CU M/MI	1339.89	CU M
SP16	Day 2	09.19.2004	16.5	0.50993	CU M/MI	1342.12	CU M
SP16	Day 2	09.19.2004	16.55	0.50986	CU M/MI	1344.35	CU M
SP16	Day 2	09.19.2004	17	0.51512	CU M/MI	1346.51	CU M
SP16	Day 2	09.19.2004	17.05	0.50548	CU M/MI	1348.75	CU M
SP16	Day 2	09.19.2004	17.1	0.49512	CU M/MI	1350.96	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 2	09.19.2004	17.15	0.20547	CU M/MI	1353.2	CU M
SP16	Day 2	09.19.2004	17.2	0.20787	CU M/MI	1355.65	CU M
SP16	Day 2	09.19.2004	17.25	0.56319	CU M/MI	1358.11	CU M
SP16	Day 2	09.19.2004	17.3	0.51254	CU M/MI	1359.8	CU M
SP16	Day 2	09.19.2004	17.35	0.42876	CU M/MI	1361.57	CU M
SP16	Day 2	09.19.2004	17.4	0.41806	CU M/MI	1363.32	CU M
SP16	Day 2	09.19.2004	17.45	0.363	CU M/MI	1365.39	CU M
SP16	Day 2	09.19.2004	17.5	0.20038	CU M/MI	1367.83	CU M
SP16	Day 2	09.19.2004	17.55	0.51983	CU M/MI	1370.29	CU M
SP16	Day 2	09.19.2004	18	0.56053	CU M/MI	1372.35	CU M
SP16	Day 2	09.19.2004	18.05	0.49243	CU M/MI	1374.49	CU M
SP16	Day 2	09.19.2004	18.1	0.41207	CU M/MI	1376.65	CU M
SP16	Day 2	09.19.2004	18.15	0.20545	CU M/MI	1378.86	CU M
SP16	Day 2	09.19.2004	18.2	0.20931	CU M/MI	1381.21	CU M
SP16	Day 2	09.19.2004	18.25	0.63504	CU M/MI	1383.7	CU M
SP16	Day 2	09.19.2004	18.3	0.63297	CU M/MI	1385.53	CU M
SP16	Day 2	09.19.2004	18.35	0.56278	CU M/MI	1387.64	CU M
SP16	Day 2	09.19.2004	18.4	0.46996	CU M/MI	1389.87	CU M
SP16	Day 2	09.19.2004	18.45	0.50026	CU M/MI	1392.19	CU M
SP16	Day 2	09.19.2004	18.5	0.54073	CU M/MI	1394.5	CU M
SP16	Day 2	09.19.2004	18.55	0.5569	CU M/MI	1396.8	CU M
SP16	Day 2	09.19.2004	19	0.63232	CU M/MI	1399.03	CU M
SP16	Day 2	09.19.2004	19.05	0.60789	CU M/MI	1401.07	CU M
SP16	Day 2	09.19.2004	19.1	0	CU M/MI	1402.87	CU M
SP16	Day 2	09.19.2004	19.15	0.00742	CU M/MI	1405.16	CU M
SP16	Day 2	09.19.2004	19.2	0.45496	CU M/MI	1406.94	CU M
SP16	Day 2	09.19.2004	19.25	0.21009	CU M/MI	1408.63	CU M
SP16	Day 2	09.19.2004	19.3	0.2052	CU M/MI	1410.03	CU M
SP16	Day 2	09.19.2004	19.35	0.51147	CU M/MI	1411.57	CU M
SP16	Day 2	09.19.2004	19.4	0.50777	CU M/MI	1413.17	CU M
SP16	Day 2	09.19.2004	19.45	0.51454	CU M/MI	1415.29	CU M
SP16	Day 2	09.19.2004	19.5	0.50451	CU M/MI	1417.43	CU M
SP16	Day 2	09.19.2004	19.55	0.47024	CU M/MI	1419.58	CU M
SP16	Day 2	09.19.2004	20	0.20227	CU M/MI	1421.75	CU M
SP16	Day 2	09.19.2004	20.05	0.20246	CU M/MI	1424	CU M
SP16	Day 2	09.19.2004	20.1	0.21238	CU M/MI	1426.41	CU M
SP16	Day 2	09.19.2004	20.15	0.63114	CU M/MI	1428.76	CU M
SP16	Day 2	09.19.2004	20.2	0.63769	CU M/MI	1430.57	CU M
SP16	Day 2	09.19.2004	20.25	0.20533	CU M/MI	1432.68	CU M
SP16	Day 2	09.19.2004	20.3	0.20725	CU M/MI	1435.18	CU M
SP16	Day 2	09.19.2004	20.35	0.20879	CU M/MI	1437.46	CU M
SP16	Day 2	09.19.2004	20.4	0.2083	CU M/MI	1439.52	CU M
SP16	Day 2	09.19.2004	20.45	0.09544	CU M/MI	1441.76	CU M
SP16	Day 2	09.19.2004	20.5	0.57605	CU M/MI	1443.55	CU M
SP16	Day 2	09.19.2004	20.55	0.51685	CU M/MI	1445.64	CU M
SP16	Day 2	09.19.2004	21	0.20342	CU M/MI	1447.84	CU M
SP16	Day 2	09.19.2004	21.05	0	CU M/MI	1450.09	CU M
SP16	Day 2	09.19.2004	21.1	0.06225	CU M/MI	1451.57	CU M
SP16	Day 2	09.19.2004	21.15	0.32662	CU M/MI	1452.96	CU M
SP16	Day 2	09.19.2004	21.2	0.36634	CU M/MI	1454.36	CU M
SP16	Day 2	09.19.2004	21.25	0.3629	CU M/MI	1455.68	CU M
SP16	Day 2	09.19.2004	21.3	0.35941	CU M/MI	1457.05	CU M
SP16	Day 2	09.19.2004	21.35	0.36621	CU M/MI	1458.41	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 2	09.19.2004	21.4	0.45832	CU M/MI	1459.73	CU M
SP16	Day 2	09.19.2004	21.45	0.36742	CU M/MI	1460.97	CU M
SP16	Day 2	09.19.2004	21.5	0	CU M/MI	1462.56	CU M
SP16	Day 2	09.19.2004	21.55	0.02511	CU M/MI	1464.16	CU M
SP16	Day 2	09.19.2004	22	0.39659	CU M/MI	1465.16	CU M
SP16	Day 2	09.19.2004	22.05	0.38439	CU M/MI	1466.49	CU M
SP16	Day 2	09.19.2004	22.1	0.38216	CU M/MI	1467.85	CU M
SP16	Day 2	09.19.2004	22.15	0.36018	CU M/MI	1469.19	CU M
SP16	Day 2	09.19.2004	22.2	0.36255	CU M/MI	1470.52	CU M
SP16	Day 2	09.19.2004	22.25	0.35524	CU M/MI	1471.88	CU M
SP16	Day 2	09.19.2004	22.3	0.35804	CU M/MI	1473.23	CU M
SP16	Day 2	09.19.2004	22.35	0.3431	CU M/MI	1474.55	CU M
SP16	Day 2	09.19.2004	22.4	0	CU M/MI	1476.05	CU M
SP16	Day 2	09.19.2004	22.45	0	CU M/MI	1477.6	CU M
SP16	Day 2	09.19.2004	22.5	0.54355	CU M/MI	1479.04	CU M
SP16	Day 2	09.19.2004	22.55	0.54205	CU M/MI	1480.28	CU M
SP16	Day 2	09.19.2004	23	0.30931	CU M/MI	1481.66	CU M
SP16	Day 2	09.19.2004	23.05	0.00009	CU M/MI	1483.03	CU M
SP16	Day 2	09.19.2004	23.1	0	CU M/MI	1484.43	CU M
SP16	Day 2	09.19.2004	23.15	0	CU M/MI	1485.81	CU M
SP16	Day 2	09.19.2004	23.2	0	CU M/MI	1487.27	CU M
SP16	Day 2	09.19.2004	23.25	0.00178	CU M/MI	1488.98	CU M
SP16	Day 2	09.19.2004	23.3	0.53979	CU M/MI	1490.32	CU M
SP16	Day 2	09.19.2004	23.35	0.07524	CU M/MI	1491.16	CU M
SP16	Day 2	09.19.2004	23.4	0.43051	CU M/MI	1492.1	CU M
SP16	Day 2	09.19.2004	23.45	0.00974	CU M/MI	1492.83	CU M
SP16	Day 2	09.19.2004	23.5	0.02007	CU M/MI	1493.47	CU M
SP16	Day 2	09.19.2004	23.55	0.06761	CU M/MI	1494.12	CU M
SP16	Day 2	09.20.2004	0	0.36447	CU M/MI	1494.73	CU M
SP16	Day 2	09.20.2004	0.05	0.36798	CU M/MI	1495.24	CU M
SP16	Day 2	09.20.2004	0.1	0.36604	CU M/MI	1495.84	CU M
SP16	Day 2	09.20.2004	0.15	0.3628	CU M/MI	1496.42	CU M
SP16	Day 2	09.20.2004	0.2	0.36171	CU M/MI	1497	CU M
SP16	Day 2	09.20.2004	0.25	0.35969	CU M/MI	1497.61	CU M
SP16	Day 2	09.20.2004	0.3	0.36372	CU M/MI	1498.2	CU M
SP16	Day 2	09.20.2004	0.35	0.36123	CU M/MI	1498.73	CU M
SP16	Day 2	09.20.2004	0.4	0.32244	CU M/MI	1499.32	CU M
SP16	Day 2	09.20.2004	0.45	0.01177	CU M/MI	1499.95	CU M
SP16	Day 2	09.20.2004	0.5	0	CU M/MI	1500.61	CU M
SP16	Day 2	09.20.2004	0.55	0	CU M/MI	1501.27	CU M
SP16	Day 2	09.20.2004	1	0	CU M/MI	1501.93	CU M
SP16	Day 2	09.20.2004	1.05	0	CU M/MI	1502.58	CU M
SP16	Day 2	09.20.2004	1.1	0	CU M/MI	1503.23	CU M
SP16	Day 2	09.20.2004	1.15	0	CU M/MI	1503.88	CU M
SP16	Day 2	09.20.2004	1.2	0	CU M/MI	1504.53	CU M
SP16	Day 2	09.20.2004	1.25	0	CU M/MI	1505.18	CU M
SP16	Day 2	09.20.2004	1.3	0	CU M/MI	1505.81	CU M
SP16	Day 2	09.20.2004	1.35	0	CU M/MI	1506.46	CU M
SP16	Day 2	09.20.2004	1.4	0	CU M/MI	1507.11	CU M
SP16	Day 2	09.20.2004	1.45	0	CU M/MI	1507.75	CU M
SP16	Day 2	09.20.2004	1.5	0	CU M/MI	1508.39	CU M
SP16	Day 2	09.20.2004	1.55	0	CU M/MI	1509.04	CU M
SP16	Day 2	09.20.2004	2	0.0094	CU M/MI	1509.7	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 2	09.20.2004	2.05	0.05713	CU M/MI	1510.36	CU M
SP16	Day 2	09.20.2004	2.1	0	CU M/MI	1510.93	CU M
SP16	Day 2	09.20.2004	2.15	0	CU M/MI	1511.31	CU M
SP16	Day 2	09.20.2004	2.2	0.36891	CU M/MI	1511.69	CU M
SP16	Day 2	09.20.2004	2.25	0.36397	CU M/MI	1512.23	CU M
SP16	Day 2	09.20.2004	2.3	0.35993	CU M/MI	1512.79	CU M
SP16	Day 2	09.20.2004	2.35	0.36074	CU M/MI	1513.34	CU M
SP16	Day 2	09.20.2004	2.4	0.35681	CU M/MI	1513.93	CU M
SP16	Day 2	09.20.2004	2.45	0.34769	CU M/MI	1514.49	CU M
SP16	Day 2	09.20.2004	2.5	0	CU M/MI	1515.04	CU M
SP16	Day 2	09.20.2004	2.55	0	CU M/MI	1515.02	CU M
SP16	Day 2	09.20.2004	3	0	CU M/MI	1515	CU M
SP16	Day 2	09.20.2004	3.05	0	CU M/MI	1514.98	CU M
SP16	Day 2	09.20.2004	3.1	0	CU M/MI	1514.95	CU M
SP16	Day 2	09.20.2004	3.15	0	CU M/MI	1514.93	CU M
SP16	Day 2	09.20.2004	3.2	0	CU M/MI	1514.91	CU M
SP16	Day 2	09.20.2004	3.25	0	CU M/MI	1514.89	CU M
SP16	Day 2	09.20.2004	3.3	0	CU M/MI	1514.87	CU M
SP16	Day 2	09.20.2004	3.35	0	CU M/MI	1514.85	CU M
SP16	Day 2	09.20.2004	3.4	0	CU M/MI	1515.27	CU M
SP16	Day 2	09.20.2004	3.45	0	CU M/MI	1515.25	CU M
SP16	Day 2	09.20.2004	3.5	0	CU M/MI	1515.22	CU M
SP16	Day 2	09.20.2004	3.55	0	CU M/MI	1515.2	CU M
SP16	Day 2	09.20.2004	4	0	CU M/MI	1515.18	CU M
SP16	Day 2	09.20.2004	4.15	0	CU M/MI	1515.12	CU M
SP16	Day 2	09.20.2004	4.2	0	CU M/MI	1515.09	CU M
SP16	Day 2	09.20.2004	4.25	0	CU M/MI	1515.07	CU M
SP16	Day 2	09.20.2004	4.3	0	CU M/MI	1515.05	CU M
SP16	Day 2	09.20.2004	4.35	0	CU M/MI	1515.03	CU M
SP16	Day 2	09.20.2004	4.4	0.19524	CU M/MI	1515.14	CU M
SP16	Day 2	09.20.2004	4.45	0.10943	CU M/MI	1515.96	CU M
SP16	Day 2	09.20.2004	4.5	0.19423	CU M/MI	1516.91	CU M
SP16	Day 2	09.20.2004	4.55	0.14323	CU M/MI	1517.89	CU M
SP16	Day 2	09.20.2004	5	0.19855	CU M/MI	1518.18	CU M
SP16	Day 2	09.20.2004	5.05	0.19726	CU M/MI	1519.16	CU M
SP16	Day 2	09.20.2004	5.1	0.1977	CU M/MI	1519.95	CU M
SP16	Day 2	09.20.2004	5.15	0.10579	CU M/MI	1520.68	CU M
SP16	Day 2	09.20.2004	5.2	0.20184	CU M/MI	1521.33	CU M
SP16	Day 2	09.20.2004	5.25	0.19726	CU M/MI	1522.34	CU M
SP16	Day 2	09.20.2004	5.3	0	CU M/MI	1523.03	CU M
SP16	Day 2	09.20.2004	5.35	0.20254	CU M/MI	1523.69	CU M
SP16	Day 2	09.20.2004	5.4	0.0352	CU M/MI	1524.65	CU M
SP16	Day 2	09.20.2004	5.45	0.19135	CU M/MI	1524.92	CU M
SP16	Day 2	09.20.2004	5.5	0.51705	CU M/MI	1526.13	CU M
SP16	Day 2	09.20.2004	5.55	0.45879	CU M/MI	1527.67	CU M
SP16	Day 3	09.20.2004	6	0.51099	CU M/MI	1529.06	CU M
SP16	Day 3	09.20.2004	6.05	0.44017	CU M/MI	1530.4	CU M
SP16	Day 3	09.20.2004	6.1	0.41316	CU M/MI	1531.72	CU M
SP16	Day 3	09.20.2004	6.15	0.20588	CU M/MI	1533.04	CU M
SP16	Day 3	09.20.2004	6.2	0.20764	CU M/MI	1534.18	CU M
SP16	Day 3	09.20.2004	6.25	0	CU M/MI	1535.06	CU M
SP16	Day 3	09.20.2004	6.3	0.50623	CU M/MI	1536.42	CU M
SP16	Day 3	09.20.2004	6.35	0.50936	CU M/MI	1537.92	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 3	09.20.2004	6.4	0.50652	CU M/MI	1539.16	CU M
SP16	Day 3	09.20.2004	6.45	0.51118	CU M/MI	1540.62	CU M
SP16	Day 3	09.20.2004	6.5	0.43484	CU M/MI	1541.84	CU M
SP16	Day 3	09.20.2004	6.55	0.10169	CU M/MI	1543.08	CU M
SP16	Day 3	09.20.2004	7	0.19355	CU M/MI	1544.22	CU M
SP16	Day 3	09.20.2004	7.05	0.20764	CU M/MI	1545.83	CU M
SP16	Day 3	09.20.2004	7.1	0.20421	CU M/MI	1547.44	CU M
SP16	Day 3	09.20.2004	7.15	0	CU M/MI	1548.65	CU M
SP16	Day 3	09.20.2004	7.2	0.20682	CU M/MI	1549.94	CU M
SP16	Day 3	09.20.2004	7.25	0.20616	CU M/MI	1551.54	CU M
SP16	Day 3	09.20.2004	7.3	0.20878	CU M/MI	1553.16	CU M
SP16	Day 3	09.20.2004	7.35	0.23521	CU M/MI	1554.76	CU M
SP16	Day 3	09.20.2004	7.4	0.4725	CU M/MI	1556.09	CU M
SP16	Day 3	09.20.2004	7.45	0.5086	CU M/MI	1557.54	CU M
SP16	Day 3	09.20.2004	7.5	0.44469	CU M/MI	1558.81	CU M
SP16	Day 3	09.20.2004	7.55	0.38533	CU M/MI	1560.24	CU M
SP16	Day 3	09.20.2004	8	0.20363	CU M/MI	1561.44	CU M
SP16	Day 3	09.20.2004	8.05	0.1109	CU M/MI	1562.87	CU M
SP16	Day 3	09.20.2004	8.1	0.20545	CU M/MI	1564.42	CU M
SP16	Day 3	09.20.2004	8.15	0.20671	CU M/MI	1566.02	CU M
SP16	Day 3	09.20.2004	8.2	0.11092	CU M/MI	1567.61	CU M
SP16	Day 3	09.20.2004	8.25	0.21244	CU M/MI	1568.63	CU M
SP16	Day 3	09.20.2004	8.3	0.44611	CU M/MI	1570.23	CU M
SP16	Day 3	09.20.2004	8.35	0.50763	CU M/MI	1571.66	CU M
SP16	Day 3	09.20.2004	8.4	0.50642	CU M/MI	1573.13	CU M
SP16	Day 3	09.20.2004	8.45	0.39862	CU M/MI	1574.05	CU M
SP16	Day 3	09.20.2004	8.5	0.4147	CU M/MI	1575.19	CU M
SP16	Day 3	09.20.2004	8.55	0.20532	CU M/MI	1576.78	CU M
SP16	Day 3	09.20.2004	9	0.11119	CU M/MI	1578.19	CU M
SP16	Day 3	09.20.2004	9.05	0.24677	CU M/MI	1580.76	CU M
SP16	Day 3	09.20.2004	9.1	0.60757	CU M/MI	1582.52	CU M
SP16	Day 3	09.20.2004	9.15	0.50023	CU M/MI	1585.21	CU M
SP16	Day 3	09.20.2004	9.2	0.50106	CU M/MI	1586.69	CU M
SP16	Day 3	09.20.2004	9.25	0.20411	CU M/MI	1588.78	CU M
SP16	Day 3	09.20.2004	9.3	0.10195	CU M/MI	1589.57	CU M
SP16	Day 3	09.20.2004	9.35	0.20611	CU M/MI	1590.07	CU M
SP16	Day 3	09.20.2004	9.4	0.56307	CU M/MI	1591.85	CU M
SP16	Day 3	09.20.2004	9.45	0.13978	CU M/MI	1593.52	CU M
SP16	Day 3	09.20.2004	9.5	0.20358	CU M/MI	1594.19	CU M
SP16	Day 3	09.20.2004	9.55	0	CU M/MI	1594.86	CU M
SP16	Day 3	09.20.2004	10	0.20171	CU M/MI	1595.26	CU M
SP16	Day 3	09.20.2004	10.05	0.11208	CU M/MI	1595.92	CU M
SP16	Day 3	09.20.2004	10.1	0.20016	CU M/MI	1597.58	CU M
SP16	Day 3	09.20.2004	10.15	0.40105	CU M/MI	1598.25	CU M
SP16	Day 3	09.20.2004	10.2	0.00367	CU M/MI	1599.4	CU M
SP16	Day 3	09.20.2004	10.25	0.20369	CU M/MI	1600.87	CU M
SP16	Day 3	09.20.2004	10.3	0.11119	CU M/MI	1602.5	CU M
SP16	Day 3	09.20.2004	10.35	0.20111	CU M/MI	1604.02	CU M
SP16	Day 3	09.20.2004	10.4	0.20201	CU M/MI	1605.76	CU M
SP16	Day 3	09.20.2004	10.45	0.20279	CU M/MI	1607.48	CU M
SP16	Day 3	09.20.2004	10.5	0.14968	CU M/MI	1608.98	CU M
SP16	Day 3	09.20.2004	10.55	0.21974	CU M/MI	1610.68	CU M
SP16	Day 3	09.20.2004	11	0.50055	CU M/MI	1612.32	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 3	09.20.2004	11.05	0.44258	CU M/MI	1613.62	CU M
SP16	Day 3	09.20.2004	11.1	0.50615	CU M/MI	1614.89	CU M
SP16	Day 3	09.20.2004	11.15	0.49234	CU M/MI	1616.46	CU M
SP16	Day 3	09.20.2004	11.2	0.20201	CU M/MI	1618.09	CU M
SP16	Day 3	09.20.2004	11.25	0.12351	CU M/MI	1619.59	CU M
SP16	Day 3	09.20.2004	11.3	0.20099	CU M/MI	1621.01	CU M
SP16	Day 3	09.20.2004	11.35	0.20024	CU M/MI	1622.68	CU M
SP16	Day 3	09.20.2004	11.4	0.20335	CU M/MI	1624.41	CU M
SP16	Day 3	09.20.2004	11.45	0.21842	CU M/MI	1625.96	CU M
SP16	Day 3	09.20.2004	11.5	0.43885	CU M/MI	1627.17	CU M
SP16	Day 3	09.20.2004	11.55	0.50397	CU M/MI	1628.32	CU M
SP16	Day 3	09.20.2004	12	0.44741	CU M/MI	1629.8	CU M
SP16	Day 3	09.20.2004	12.05	0.4375	CU M/MI	1631.15	CU M
SP16	Day 3	09.20.2004	12.1	0.20355	CU M/MI	1632.9	CU M
SP16	Day 3	09.20.2004	12.15	0.2021	CU M/MI	1634.62	CU M
SP16	Day 3	09.20.2004	12.2	0.19736	CU M/MI	1635.74	CU M
SP16	Day 3	09.20.2004	12.25	0.20412	CU M/MI	1637.47	CU M
SP16	Day 3	09.20.2004	12.3	0.21219	CU M/MI	1639.18	CU M
SP16	Day 3	09.20.2004	12.35	0.49863	CU M/MI	1640.85	CU M
SP16	Day 3	09.20.2004	12.4	0.5007	CU M/MI	1642.15	CU M
SP16	Day 3	09.20.2004	12.45	0.44238	CU M/MI	1643.46	CU M
SP16	Day 3	09.20.2004	12.5	0.43549	CU M/MI	1644.89	CU M
SP16	Day 3	09.20.2004	12.55	0.20243	CU M/MI	1646.35	CU M
SP16	Day 3	09.20.2004	13	0.20223	CU M/MI	1648.1	CU M
SP16	Day 3	09.20.2004	13.05	0.20281	CU M/MI	1649.83	CU M
SP16	Day 3	09.20.2004	13.1	0.12037	CU M/MI	1651.54	CU M
SP16	Day 3	09.20.2004	13.15	0.20137	CU M/MI	1653.06	CU M
SP16	Day 3	09.20.2004	13.2	0.10385	CU M/MI	1654.37	CU M
SP16	Day 3	09.20.2004	13.25	0.11146	CU M/MI	1654.74	CU M
SP16	Day 3	09.20.2004	13.3	0.20387	CU M/MI	1655.86	CU M
SP16	Day 3	09.20.2004	13.35	0.20193	CU M/MI	1657.57	CU M
SP16	Day 3	09.20.2004	13.4	0.10289	CU M/MI	1658.89	CU M
SP16	Day 3	09.20.2004	13.45	0.20398	CU M/MI	1660.58	CU M
SP16	Day 3	09.20.2004	13.5	0.11621	CU M/MI	1662.04	CU M
SP16	Day 3	09.20.2004	13.55	0.50049	CU M/MI	1663.61	CU M
SP16	Day 3	09.20.2004	14	0.43863	CU M/MI	1664.58	CU M
SP16	Day 3	09.20.2004	14.05	0.50459	CU M/MI	1666.1	CU M
SP16	Day 3	09.20.2004	14.1	0.43732	CU M/MI	1667.46	CU M
SP16	Day 3	09.20.2004	14.15	0.20225	CU M/MI	1669.02	CU M
SP16	Day 3	09.20.2004	14.2	0.10475	CU M/MI	1670.71	CU M
SP16	Day 3	09.20.2004	14.25	0.20268	CU M/MI	1672.16	CU M
SP16	Day 3	09.20.2004	14.3	0.20419	CU M/MI	1673.7	CU M
SP16	Day 3	09.20.2004	14.35	0.20745	CU M/MI	1675.46	CU M
SP16	Day 3	09.20.2004	14.4	0.50181	CU M/MI	1677.14	CU M
SP16	Day 3	09.20.2004	14.45	0.44032	CU M/MI	1678.54	CU M
SP16	Day 3	09.20.2004	14.5	0.44637	CU M/MI	1679.67	CU M
SP16	Day 3	09.20.2004	14.55	0.43436	CU M/MI	1681.04	CU M
SP16	Day 3	09.20.2004	15	0.40255	CU M/MI	1682.46	CU M
SP16	Day 3	09.20.2004	15.05	0.10964	CU M/MI	1684.06	CU M
SP16	Day 3	09.20.2004	15.1	0.20305	CU M/MI	1685.69	CU M
SP16	Day 3	09.20.2004	15.15	0.2011	CU M/MI	1687.45	CU M
SP16	Day 3	09.20.2004	15.2	0.20332	CU M/MI	1689.17	CU M
SP16	Day 3	09.20.2004	15.25	0.23713	CU M/MI	1690.26	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 3	09.20.2004	15.3	0.50162	CU M/MI	1691.85	CU M
SP16	Day 3	09.20.2004	15.35	0.50454	CU M/MI	1693.37	CU M
SP16	Day 3	09.20.2004	15.4	0.43925	CU M/MI	1694.87	CU M
SP16	Day 3	09.20.2004	15.45	0.20224	CU M/MI	1696.05	CU M
SP16	Day 3	09.20.2004	15.5	0.20298	CU M/MI	1697.53	CU M
SP16	Day 3	09.20.2004	15.55	0.19788	CU M/MI	1698.94	CU M
SP16	Day 3	09.20.2004	16	0.2016	CU M/MI	1700.71	CU M
SP16	Day 3	09.20.2004	16.05	0.22338	CU M/MI	1702.51	CU M
SP16	Day 3	09.20.2004	16.1	0.50335	CU M/MI	1704.12	CU M
SP16	Day 3	09.20.2004	16.15	0.49413	CU M/MI	1705.47	CU M
SP16	Day 3	09.20.2004	16.2	0.50507	CU M/MI	1707.09	CU M
SP16	Day 3	09.20.2004	16.25	0.44055	CU M/MI	1708.35	CU M
SP16	Day 3	09.20.2004	16.3	0.46664	CU M/MI	1709.28	CU M
SP16	Day 3	09.20.2004	16.35	0.20189	CU M/MI	1710.98	CU M
SP16	Day 3	09.20.2004	16.4	0.46799	CU M/MI	1713.68	CU M
SP16	Day 3	09.20.2004	16.45	0.57243	CU M/MI	1715.67	CU M
SP16	Day 3	09.20.2004	16.5	0.60353	CU M/MI	1717.56	CU M
SP16	Day 3	09.20.2004	16.55	0	CU M/MI	1720.08	CU M
SP16	Day 3	09.20.2004	17	0.61086	CU M/MI	1721.91	CU M
SP16	Day 3	09.20.2004	17.05	0.5867	CU M/MI	1723.93	CU M
SP16	Day 3	09.20.2004	17.1	0.40305	CU M/MI	1726.13	CU M
SP16	Day 3	09.20.2004	17.15	0.20849	CU M/MI	1728.43	CU M
SP16	Day 3	09.20.2004	17.2	0.44786	CU M/MI	1730.7	CU M
SP16	Day 3	09.20.2004	17.3	0	CU M/MI	1734.59	CU M
SP16	Day 3	09.20.2004	17.35	0.20005	CU M/MI	1735.91	CU M
SP16	Day 3	09.20.2004	17.4	0.36233	CU M/MI	1737.81	CU M
SP16	Day 3	09.20.2004	17.45	0.50469	CU M/MI	1738.9	CU M
SP16	Day 3	09.20.2004	17.5	0.55646	CU M/MI	1740.43	CU M
SP16	Day 3	09.20.2004	17.55	0.20263	CU M/MI	1742.93	CU M
SP16	Day 3	09.20.2004	18	0.50791	CU M/MI	1744.9	CU M
SP16	Day 3	09.20.2004	18.05	0.60517	CU M/MI	1746.52	CU M
SP16	Day 3	09.20.2004	18.1	0.20503	CU M/MI	1749.08	CU M
SP16	Day 3	09.20.2004	18.15	0.55543	CU M/MI	1751.34	CU M
SP16	Day 3	09.20.2004	18.2	0.60943	CU M/MI	1753.37	CU M
SP16	Day 3	09.20.2004	18.25	0.44878	CU M/MI	1755.39	CU M
SP16	Day 3	09.20.2004	18.3	0.20419	CU M/MI	1757.66	CU M
SP16	Day 3	09.20.2004	18.35	0.13098	CU M/MI	1760.1	CU M
SP16	Day 3	09.20.2004	18.4	0.49915	CU M/MI	1762.13	CU M
SP16	Day 3	09.20.2004	18.45	0.4653	CU M/MI	1764.39	CU M
SP16	Day 3	09.20.2004	18.5	0.49864	CU M/MI	1766.32	CU M
SP16	Day 3	09.20.2004	18.55	0.20194	CU M/MI	1768.56	CU M
SP16	Day 3	09.20.2004	19	0.12057	CU M/MI	1771.1	CU M
SP16	Day 3	09.20.2004	19.05	0.60775	CU M/MI	1773.06	CU M
SP16	Day 3	09.20.2004	19.1	0.10982	CU M/MI	1775	CU M
SP16	Day 3	09.20.2004	19.15	0.50471	CU M/MI	1777.66	CU M
SP16	Day 3	09.20.2004	19.2	0.6084	CU M/MI	1779.71	CU M
SP16	Day 3	09.20.2004	19.25	0.45131	CU M/MI	1781.67	CU M
SP16	Day 3	09.20.2004	19.3	0.44715	CU M/MI	1783.79	CU M
SP16	Day 3	09.20.2004	19.35	0.45223	CU M/MI	1785.7	CU M
SP16	Day 3	09.20.2004	19.4	0.51536	CU M/MI	1788.04	CU M
SP16	Day 3	09.20.2004	19.45	0.57299	CU M/MI	1790.12	CU M
SP16	Day 3	09.20.2004	19.5	0.50421	CU M/MI	1792.17	CU M
SP16	Day 3	09.20.2004	19.55	0.12158	CU M/MI	1794.69	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 3	09.20.2004	20	0.60569	CU M/MI	1796.83	CU M
SP16	Day 3	09.20.2004	20.05	0.5998	CU M/MI	1798.67	CU M
SP16	Day 3	09.20.2004	20.1	0.11396	CU M/MI	1801.14	CU M
SP16	Day 3	09.20.2004	20.15	0.61105	CU M/MI	1803.45	CU M
SP16	Day 3	09.20.2004	20.2	0.57182	CU M/MI	1805.4	CU M
SP16	Day 3	09.20.2004	20.25	0.5069	CU M/MI	1807.51	CU M
SP16	Day 3	09.20.2004	20.3	0.4002	CU M/MI	1809.83	CU M
SP16	Day 3	09.20.2004	20.35	0.21137	CU M/MI	1812.02	CU M
SP16	Day 3	09.20.2004	20.4	0.50424	CU M/MI	1814.42	CU M
SP16	Day 3	09.20.2004	20.45	0.44765	CU M/MI	1816.37	CU M
SP16	Day 3	09.20.2004	20.5	0.50073	CU M/MI	1818.58	CU M
SP16	Day 3	09.20.2004	20.55	0.11525	CU M/MI	1820.97	CU M
SP16	Day 3	09.20.2004	21	0.45617	CU M/MI	1823.23	CU M
SP16	Day 3	09.20.2004	21.05	0.57206	CU M/MI	1824.86	CU M
SP16	Day 3	09.20.2004	21.1	0.54492	CU M/MI	1826.68	CU M
SP16	Day 3	09.20.2004	21.15	0.19426	CU M/MI	1829.56	CU M
SP16	Day 3	09.20.2004	21.2	0.61142	CU M/MI	1831.34	CU M
SP16	Day 3	09.20.2004	21.25	0.50808	CU M/MI	1833.4	CU M
SP16	Day 3	09.20.2004	21.3	0.11228	CU M/MI	1835.68	CU M
SP16	Day 3	09.20.2004	21.35	0.21106	CU M/MI	1837.91	CU M
SP16	Day 3	09.20.2004	21.4	0.1125	CU M/MI	1839.45	CU M
SP16	Day 3	09.20.2004	21.45	0.10812	CU M/MI	1840.99	CU M
SP16	Day 3	09.20.2004	21.5	0.11166	CU M/MI	1842.06	CU M
SP16	Day 3	09.20.2004	21.55	0.21038	CU M/MI	1843.52	CU M
SP16	Day 3	09.20.2004	22	0.22656	CU M/MI	1845.76	CU M
SP16	Day 3	09.20.2004	22.05	0.50152	CU M/MI	1847.99	CU M
SP16	Day 3	09.20.2004	22.1	0.50275	CU M/MI	1850.22	CU M
SP16	Day 3	09.20.2004	22.15	0.49952	CU M/MI	1852.44	CU M
SP16	Day 3	09.20.2004	22.2	0.2093	CU M/MI	1854.95	CU M
SP16	Day 3	09.20.2004	22.25	0.61229	CU M/MI	1857.44	CU M
SP16	Day 3	09.20.2004	22.3	0.60949	CU M/MI	1859.43	CU M
SP16	Day 3	09.20.2004	22.35	0.20496	CU M/MI	1861.64	CU M
SP16	Day 3	09.20.2004	22.4	0.60888	CU M/MI	1864.32	CU M
SP16	Day 3	09.20.2004	22.45	0.61117	CU M/MI	1866.25	CU M
SP16	Day 3	09.20.2004	22.5	0.20188	CU M/MI	1868.58	CU M
SP16	Day 3	09.20.2004	22.55	0.50613	CU M/MI	1871.23	CU M
SP16	Day 3	09.20.2004	23	0.51743	CU M/MI	1873.42	CU M
SP16	Day 3	09.20.2004	23.05	0.57576	CU M/MI	1875.7	CU M
SP16	Day 3	09.20.2004	23.1	0.50921	CU M/MI	1878.03	CU M
SP16	Day 3	09.20.2004	23.15	0.50763	CU M/MI	1880.39	CU M
SP16	Day 3	09.20.2004	23.2	0.50817	CU M/MI	1882.8	CU M
SP16	Day 3	09.20.2004	23.25	0.51497	CU M/MI	1884.94	CU M
SP16	Day 3	09.20.2004	23.3	0.60946	CU M/MI	1887.06	CU M
SP16	Day 3	09.20.2004	23.35	0.40896	CU M/MI	1889.17	CU M
SP16	Day 3	09.20.2004	23.4	0.22376	CU M/MI	1892	CU M
SP16	Day 3	09.20.2004	23.45	0.61098	CU M/MI	1894.07	CU M
SP16	Day 3	09.20.2004	23.5	0.33701	CU M/MI	1896	CU M
SP16	Day 3	09.20.2004	23.55	0.23087	CU M/MI	1898.92	CU M
SP16	Day 3	09.21.2004	0	0.61015	CU M/MI	1900.96	CU M
SP16	Day 3	09.21.2004	0.05	0.44551	CU M/MI	1902.89	CU M
SP16	Day 3	09.21.2004	0.1	0.20212	CU M/MI	1904.86	CU M
SP16	Day 3	09.21.2004	0.15	0.50322	CU M/MI	1907.48	CU M
SP16	Day 3	09.21.2004	0.2	0.51839	CU M/MI	1909.71	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 3	09.21.2004	0.25	0	CU M/MI	1910.14	CU M
SP16	Day 3	09.21.2004	0.3	0	CU M/MI	1910.11	CU M
SP16	Day 3	09.21.2004	0.35	0	CU M/MI	1910.09	CU M
SP16	Day 3	09.21.2004	0.4	0	CU M/MI	1910.07	CU M
SP16	Day 3	09.21.2004	0.45	0	CU M/MI	1910.05	CU M
SP16	Day 3	09.21.2004	0.5	0	CU M/MI	1910.03	CU M
SP16	Day 3	09.21.2004	0.55	0	CU M/MI	1910.01	CU M
SP16	Day 3	09.21.2004	1	0	CU M/MI	1910	CU M
SP16	Day 3	09.21.2004	1.05	0	CU M/MI	1909.98	CU M
SP16	Day 3	09.21.2004	1.1	0	CU M/MI	1909.96	CU M
SP16	Day 3	09.21.2004	1.15	0	CU M/MI	1909.94	CU M
SP16	Day 3	09.21.2004	1.2	0	CU M/MI	1909.92	CU M
SP16	Day 3	09.21.2004	1.25	0	CU M/MI	1909.9	CU M
SP16	Day 3	09.21.2004	1.3	0	CU M/MI	1909.88	CU M
SP16	Day 3	09.21.2004	1.35	0	CU M/MI	1909.86	CU M
SP16	Day 3	09.21.2004	1.4	0	CU M/MI	1909.85	CU M
SP16	Day 3	09.21.2004	1.45	0	CU M/MI	1909.83	CU M
SP16	Day 3	09.21.2004	1.5	0	CU M/MI	1909.81	CU M
SP16	Day 3	09.21.2004	1.55	0	CU M/MI	1909.79	CU M
SP16	Day 3	09.21.2004	2	0	CU M/MI	1909.77	CU M
SP16	Day 3	09.21.2004	2.05	0	CU M/MI	1909.75	CU M
SP16	Day 3	09.21.2004	2.1	0	CU M/MI	1909.73	CU M
SP16	Day 3	09.21.2004	2.15	0	CU M/MI	1909.72	CU M
SP16	Day 3	09.21.2004	2.2	0	CU M/MI	1909.7	CU M
SP16	Day 3	09.21.2004	2.25	0	CU M/MI	1909.68	CU M
SP16	Day 3	09.21.2004	2.3	0	CU M/MI	1909.66	CU M
SP16	Day 3	09.21.2004	2.35	0	CU M/MI	1909.64	CU M
SP16	Day 3	09.21.2004	2.4	0	CU M/MI	1909.62	CU M
SP16	Day 3	09.21.2004	2.45	0	CU M/MI	1909.6	CU M
SP16	Day 3	09.21.2004	2.5	0	CU M/MI	1909.59	CU M
SP16	Day 3	09.21.2004	2.55	0.01881	CU M/MI	1909.56	CU M
SP16	Day 3	09.21.2004	3	0.14388	CU M/MI	1911.12	CU M
SP16	Day 3	09.21.2004	3.05	0.2004	CU M/MI	1913.46	CU M
SP16	Day 3	09.21.2004	3.1	0.48406	CU M/MI	1915.74	CU M
SP16	Day 3	09.21.2004	3.15	0.45584	CU M/MI	1917.95	CU M
SP16	Day 3	09.21.2004	3.2	0.46348	CU M/MI	1919.67	CU M
SP16	Day 3	09.21.2004	3.25	0.21855	CU M/MI	1922.25	CU M
SP16	Day 3	09.21.2004	3.3	0.60664	CU M/MI	1924.54	CU M
SP16	Day 3	09.21.2004	3.35	0.60335	CU M/MI	1926.39	CU M
SP16	Day 3	09.21.2004	3.4	0	CU M/MI	1928.61	CU M
SP16	Day 3	09.21.2004	3.45	0.35674	CU M/MI	1930.21	CU M
SP16	Day 3	09.21.2004	3.5	0.00847	CU M/MI	1931.39	CU M
SP16	Day 3	09.21.2004	3.55	0	CU M/MI	1931.37	CU M
SP16	Day 3	09.21.2004	4	0.18745	CU M/MI	1931.68	CU M
SP16	Day 3	09.21.2004	4.05	0.20325	CU M/MI	1932.66	CU M
SP16	Day 3	09.21.2004	4.1	0.09383	CU M/MI	1933.27	CU M
SP16	Day 3	09.21.2004	4.15	0.20511	CU M/MI	1934.03	CU M
SP16	Day 3	09.21.2004	4.2	0.23419	CU M/MI	1934.78	CU M
SP16	Day 3	09.21.2004	4.25	0.18054	CU M/MI	1935.79	CU M
SP16	Day 3	09.21.2004	4.3	0.15527	CU M/MI	1936.1	CU M
SP16	Day 3	09.21.2004	4.35	0.21139	CU M/MI	1937.11	CU M
SP16	Day 3	09.21.2004	4.4	0	CU M/MI	1937.86	CU M
SP16	Day 3	09.21.2004	4.45	0.21098	CU M/MI	1938.27	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 3	09.21.2004	4.5	0.23345	CU M/MI	1939.02	CU M
SP16	Day 3	09.21.2004	4.55	0.20287	CU M/MI	1940.04	CU M
SP16	Day 3	09.21.2004	5	0.10631	CU M/MI	1940.85	CU M
SP16	Day 3	09.21.2004	5.05	0.20542	CU M/MI	1941.95	CU M
SP16	Day 3	09.21.2004	5.15	0.60234	CU M/MI	1945.61	CU M
SP16	Day 3	09.21.2004	5.2	0.56252	CU M/MI	1947.62	CU M
SP16	Day 3	09.21.2004	5.25	0.21016	CU M/MI	1950.16	CU M
SP16	Day 3	09.21.2004	5.3	0.51535	CU M/MI	1952.7	CU M
SP16	Day 3	09.21.2004	5.35	0.61562	CU M/MI	1954.85	CU M
SP16	Day 3	09.21.2004	5.4	0.13198	CU M/MI	1956.58	CU M
SP16	Day 3	09.21.2004	5.45	0.09488	CU M/MI	1957.08	CU M
SP16	Day 3	09.21.2004	5.5	0.11336	CU M/MI	1957.86	CU M
SP16	Day 3	09.21.2004	5.55	0.19797	CU M/MI	1958.72	CU M
SP16	Day 4	09.21.2004	6	0.00696	CU M/MI	1959.18	CU M
SP16	Day 4	09.21.2004	6.05	0.2116	CU M/MI	1960.65	CU M
SP16	Day 4	09.21.2004	6.1	0.19946	CU M/MI	1961.66	CU M
SP16	Day 4	09.21.2004	6.15	0.08733	CU M/MI	1961.91	CU M
SP16	Day 4	09.21.2004	6.2	0.11079	CU M/MI	1962.69	CU M
SP16	Day 4	09.21.2004	6.25	0.20737	CU M/MI	1963.29	CU M
SP16	Day 4	09.21.2004	6.3	0	CU M/MI	1964.06	CU M
SP16	Day 4	09.21.2004	6.35	0.20002	CU M/MI	1964.6	CU M
SP16	Day 4	09.21.2004	6.4	0.19291	CU M/MI	1965.62	CU M
SP16	Day 4	09.21.2004	6.45	0.11434	CU M/MI	1966.16	CU M
SP16	Day 4	09.21.2004	6.5	0.14104	CU M/MI	1966.82	CU M
SP16	Day 4	09.21.2004	6.55	0.19289	CU M/MI	1967.51	CU M
SP16	Day 4	09.21.2004	7	0.03241	CU M/MI	1968.01	CU M
SP16	Day 4	09.21.2004	7.05	0.19428	CU M/MI	1968.64	CU M
SP16	Day 4	09.21.2004	7.1	0.10286	CU M/MI	1969.28	CU M
SP16	Day 4	09.21.2004	7.15	0.0332	CU M/MI	1970.18	CU M
SP16	Day 4	09.21.2004	7.2	0.19999	CU M/MI	1970.45	CU M
SP16	Day 4	09.21.2004	7.25	0.45353	CU M/MI	1971.59	CU M
SP16	Day 4	09.21.2004	7.3	0.52272	CU M/MI	1973.03	CU M
SP16	Day 4	09.21.2004	7.35	0.43571	CU M/MI	1975.1	CU M
SP16	Day 4	09.21.2004	7.4	0.50448	CU M/MI	1977.25	CU M
SP16	Day 4	09.21.2004	7.45	0.0422	CU M/MI	1978.98	CU M
SP16	Day 4	09.21.2004	7.5	0.20665	CU M/MI	1979.34	CU M
SP16	Day 4	09.21.2004	7.55	0.10035	CU M/MI	1980.19	CU M
SP16	Day 4	09.21.2004	8	0.52326	CU M/MI	1981.29	CU M
SP16	Day 4	09.21.2004	8.05	0.48663	CU M/MI	1982.94	CU M
SP16	Day 4	09.21.2004	8.1	0.17412	CU M/MI	1985.44	CU M
SP16	Day 4	09.21.2004	8.15	0.51349	CU M/MI	1987.93	CU M
SP16	Day 4	09.21.2004	8.2	0.57399	CU M/MI	1989.95	CU M
SP16	Day 4	09.21.2004	8.25	0.61105	CU M/MI	1992.01	CU M
SP16	Day 4	09.21.2004	8.3	0.25726	CU M/MI	1994.26	CU M
SP16	Day 4	09.21.2004	8.35	0.24782	CU M/MI	1996.97	CU M
SP16	Day 4	09.21.2004	8.4	0.61051	CU M/MI	1999.11	CU M
SP16	Day 4	09.21.2004	8.45	0.55839	CU M/MI	2000.99	CU M
SP16	Day 4	09.21.2004	8.5	0.20704	CU M/MI	2003.49	CU M
SP16	Day 4	09.21.2004	8.55	0.51705	CU M/MI	2005.84	CU M
SP16	Day 4	09.21.2004	9	0.43255	CU M/MI	2007.18	CU M
SP16	Day 4	09.21.2004	9.05	0.51462	CU M/MI	2008.48	CU M
SP16	Day 4	09.21.2004	9.1	0.51239	CU M/MI	2010.32	CU M
SP16	Day 4	09.21.2004	9.15	0.35525	CU M/MI	2011.27	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 4	09.21.2004	9.2	0.56885	CU M/MI	2012.76	CU M
SP16	Day 4	09.21.2004	9.25	0.51114	CU M/MI	2014.94	CU M
SP16	Day 4	09.21.2004	9.3	0.21627	CU M/MI	2017.29	CU M
SP16	Day 4	09.21.2004	9.35	0.25552	CU M/MI	2019.81	CU M
SP16	Day 4	09.21.2004	9.4	0.3723	CU M/MI	2021.49	CU M
SP16	Day 4	09.21.2004	9.45	0.50533	CU M/MI	2023.63	CU M
SP16	Day 4	09.21.2004	9.5	0.49381	CU M/MI	2025.85	CU M
SP16	Day 4	09.21.2004	9.55	0.20653	CU M/MI	2028.38	CU M
SP16	Day 4	09.21.2004	10	0.3923	CU M/MI	2030.3	CU M
SP16	Day 4	09.21.2004	10.05	0.61221	CU M/MI	2031.97	CU M
SP16	Day 4	09.21.2004	10.1	0	CU M/MI	2033.62	CU M
SP16	Day 4	09.21.2004	10.15	0	CU M/MI	2033.6	CU M
SP16	Day 4	09.21.2004	10.2	0	CU M/MI	2033.58	CU M
SP16	Day 4	09.21.2004	10.25	0	CU M/MI	2033.55	CU M
SP16	Day 4	09.21.2004	10.3	0	CU M/MI	2033.53	CU M
SP16	Day 4	09.21.2004	10.35	0	CU M/MI	2033.51	CU M
SP16	Day 4	09.21.2004	10.4	0	CU M/MI	2033.49	CU M
SP16	Day 4	09.21.2004	10.45	0	CU M/MI	2033.47	CU M
SP16	Day 4	09.21.2004	10.5	0	CU M/MI	2033.45	CU M
SP16	Day 4	09.21.2004	10.55	0	CU M/MI	2033.43	CU M
SP16	Day 4	09.21.2004	11	0	CU M/MI	2033.41	CU M
SP16	Day 4	09.21.2004	11.05	0	CU M/MI	2033.39	CU M
SP16	Day 4	09.21.2004	11.1	0	CU M/MI	2033.37	CU M
SP16	Day 4	09.21.2004	11.15	0	CU M/MI	2033.35	CU M
SP16	Day 4	09.21.2004	11.2	0	CU M/MI	2033.33	CU M
SP16	Day 4	09.21.2004	11.25	0	CU M/MI	2033.31	CU M
SP16	Day 4	09.21.2004	11.3	0	CU M/MI	2033.29	CU M
SP16	Day 4	09.21.2004	11.35	0	CU M/MI	2033.27	CU M
SP16	Day 4	09.21.2004	11.4	0	CU M/MI	2033.25	CU M
SP16	Day 4	09.21.2004	11.45	0	CU M/MI	2033.23	CU M
SP16	Day 4	09.21.2004	11.5	0	CU M/MI	2033.21	CU M
SP16	Day 4	09.21.2004	11.55	0	CU M/MI	2033.19	CU M
SP16	Day 4	09.21.2004	12	0	CU M/MI	2033.17	CU M
SP16	Day 4	09.21.2004	12.05	0	CU M/MI	2033.15	CU M
SP16	Day 4	09.21.2004	12.1	0	CU M/MI	2033.12	CU M
SP16	Day 4	09.21.2004	12.15	0	CU M/MI	2033.1	CU M
SP16	Day 4	09.21.2004	12.2	0	CU M/MI	2033.08	CU M
SP16	Day 4	09.21.2004	12.25	0	CU M/MI	2033.06	CU M
SP16	Day 4	09.21.2004	12.3	0	CU M/MI	2033.04	CU M
SP16	Day 4	09.21.2004	12.35	0	CU M/MI	2033.02	CU M
SP16	Day 4	09.21.2004	12.4	0	CU M/MI	2033	CU M
SP16	Day 4	09.21.2004	12.45	0	CU M/MI	2032.98	CU M
SP16	Day 4	09.21.2004	12.5	0	CU M/MI	2032.96	CU M
SP16	Day 4	09.21.2004	12.55	0	CU M/MI	2032.94	CU M
SP16	Day 4	09.21.2004	13	0	CU M/MI	2032.92	CU M
SP16	Day 4	09.21.2004	13.05	0	CU M/MI	2032.9	CU M
SP16	Day 4	09.21.2004	13.1	0	CU M/MI	2032.88	CU M
SP16	Day 4	09.21.2004	13.15	0	CU M/MI	2032.85	CU M
SP16	Day 4	09.21.2004	13.2	0	CU M/MI	2032.83	CU M
SP16	Day 4	09.21.2004	13.25	0	CU M/MI	2032.81	CU M
SP16	Day 4	09.21.2004	13.3	0	CU M/MI	2032.79	CU M
SP16	Day 4	09.21.2004	13.35	0	CU M/MI	2032.77	CU M
SP16	Day 4	09.21.2004	13.4	0	CU M/MI	2032.75	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 4	09.21.2004	13.45	0	CU M/MI	2032.73	CU M
SP16	Day 4	09.21.2004	13.5	0	CU M/MI	2032.71	CU M
SP16	Day 4	09.21.2004	13.55	0	CU M/MI	2032.69	CU M
SP16	Day 4	09.21.2004	14	0	CU M/MI	2032.67	CU M
SP16	Day 4	09.21.2004	14.05	0	CU M/MI	2032.65	CU M
SP16	Day 4	09.21.2004	14.1	0	CU M/MI	2032.63	CU M
SP16	Day 4	09.21.2004	14.15	0	CU M/MI	2032.61	CU M
SP16	Day 4	09.21.2004	14.2	0	CU M/MI	2032.59	CU M
SP16	Day 4	09.21.2004	14.25	0	CU M/MI	2032.58	CU M
SP16	Day 4	09.21.2004	14.3	0	CU M/MI	2032.56	CU M
SP16	Day 4	09.21.2004	14.35	0.41659	CU M/MI	2033.54	CU M
SP16	Day 4	09.21.2004	14.4	0.35492	CU M/MI	2034.92	CU M
SP16	Day 4	09.21.2004	14.45	0.19124	CU M/MI	2036.23	CU M
SP16	Day 4	09.21.2004	14.5	0	CU M/MI	2037.75	CU M
SP16	Day 4	09.21.2004	14.55	0	CU M/MI	2039.33	CU M
SP16	Day 4	09.21.2004	15	0.35286	CU M/MI	2040.97	CU M
SP16	Day 4	09.21.2004	15.05	0.40474	CU M/MI	2042.48	CU M
SP16	Day 4	09.21.2004	15.1	0.50955	CU M/MI	2043.74	CU M
SP16	Day 4	09.21.2004	15.15	0.36957	CU M/MI	2044.93	CU M
SP16	Day 4	09.21.2004	15.2	0	CU M/MI	2046.94	CU M
SP16	Day 4	09.21.2004	15.25	0.50587	CU M/MI	2048.39	CU M
SP16	Day 4	09.21.2004	15.3	0.50674	CU M/MI	2049.5	CU M
SP16	Day 4	09.21.2004	15.35	0	CU M/MI	2050.98	CU M
SP16	Day 4	09.21.2004	15.4	0.13845	CU M/MI	2052.91	CU M
SP16	Day 4	09.21.2004	15.45	0.36903	CU M/MI	2053.6	CU M
SP16	Day 4	09.21.2004	15.5	0.35737	CU M/MI	2054.25	CU M
SP16	Day 4	09.21.2004	15.55	0.36437	CU M/MI	2055.72	CU M
SP16	Day 4	09.21.2004	16	0.35897	CU M/MI	2057.12	CU M
SP16	Day 4	09.21.2004	16.05	0.28574	CU M/MI	2058.51	CU M
SP16	Day 4	09.21.2004	16.1	0.00921	CU M/MI	2060.34	CU M
SP16	Day 4	09.21.2004	16.15	0.36332	CU M/MI	2062.06	CU M
SP16	Day 4	09.21.2004	16.2	0.4881	CU M/MI	2063.3	CU M
SP16	Day 4	09.21.2004	16.25	0.4879	CU M/MI	2064.49	CU M
SP16	Day 4	09.21.2004	16.3	0	CU M/MI	2066.18	CU M
SP16	Day 4	09.21.2004	16.35	0.50679	CU M/MI	2068.12	CU M
SP16	Day 4	09.21.2004	16.4	0.50967	CU M/MI	2069.28	CU M
SP16	Day 4	09.21.2004	16.45	0.37051	CU M/MI	2070.58	CU M
SP16	Day 4	09.21.2004	16.5	0	CU M/MI	2072.08	CU M
SP16	Day 4	09.21.2004	16.55	0	CU M/MI	2073.77	CU M
SP16	Day 4	09.21.2004	17.1	0.35536	CU M/MI	2078.33	CU M
SP16	Day 4	09.21.2004	17.15	0.35802	CU M/MI	2079.84	CU M
SP16	Day 4	09.21.2004	17.2	0.35628	CU M/MI	2081.32	CU M
SP16	Day 4	09.21.2004	17.25	0.0017	CU M/MI	2082.13	CU M
SP16	Day 4	09.21.2004	17.3	0	CU M/MI	2082.85	CU M
SP16	Day 4	09.21.2004	17.35	0.28475	CU M/MI	2084.34	CU M
SP16	Day 4	09.21.2004	17.4	0.35202	CU M/MI	2085.76	CU M
SP16	Day 4	09.21.2004	17.45	0.35053	CU M/MI	2087.15	CU M
SP16	Day 4	09.21.2004	17.5	0.50261	CU M/MI	2089.1	CU M
SP16	Day 4	09.21.2004	17.55	0.19862	CU M/MI	2091.29	CU M
SP16	Day 4	09.21.2004	18	0.22167	CU M/MI	2094.05	CU M
SP16	Day 4	09.21.2004	18.05	0.55705	CU M/MI	2095.65	CU M
SP16	Day 4	09.21.2004	18.1	0.59754	CU M/MI	2097.54	CU M
SP16	Day 4	09.21.2004	18.15	0.189	CU M/MI	2100.19	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 4	09.21.2004	18.2	0.57285	CU M/MI	2102.43	CU M
SP16	Day 4	09.21.2004	18.25	0.56706	CU M/MI	2103.87	CU M
SP16	Day 4	09.21.2004	18.3	0.19013	CU M/MI	2106.22	CU M
SP16	Day 4	09.21.2004	18.35	0.50611	CU M/MI	2108.84	CU M
SP16	Day 4	09.21.2004	18.4	0.50666	CU M/MI	2110.84	CU M
SP16	Day 4	09.21.2004	18.45	0.51139	CU M/MI	2113.15	CU M
SP16	Day 4	09.21.2004	18.5	0.4965	CU M/MI	2115.39	CU M
SP16	Day 4	09.21.2004	18.55	0.19989	CU M/MI	2117.71	CU M
SP16	Day 4	09.21.2004	19	0.22781	CU M/MI	2120.12	CU M
SP16	Day 4	09.21.2004	19.05	0.58689	CU M/MI	2122.43	CU M
SP16	Day 4	09.21.2004	19.1	0.55268	CU M/MI	2124.37	CU M
SP16	Day 4	09.21.2004	19.15	0.35341	CU M/MI	2126.35	CU M
SP16	Day 4	09.21.2004	19.2	0.13585	CU M/MI	2129.09	CU M
SP16	Day 4	09.21.2004	19.25	0.5105	CU M/MI	2130.36	CU M
SP16	Day 4	09.21.2004	19.3	0.36326	CU M/MI	2131.57	CU M
SP16	Day 4	09.21.2004	19.35	0	CU M/MI	2133.27	CU M
SP16	Day 4	09.21.2004	19.4	0	CU M/MI	2135.07	CU M
SP16	Day 4	09.21.2004	19.45	0.35539	CU M/MI	2136.52	CU M
SP16	Day 4	09.21.2004	19.5	0.35911	CU M/MI	2137.42	CU M
SP16	Day 4	09.21.2004	19.55	0.3663	CU M/MI	2138.02	CU M
SP16	Day 4	09.21.2004	20	0.00317	CU M/MI	2138.94	CU M
SP16	Day 4	09.21.2004	20.05	0.017	CU M/MI	2141.15	CU M
SP16	Day 4	09.21.2004	20.1	0.49944	CU M/MI	2142.39	CU M
SP16	Day 4	09.21.2004	20.15	0.49484	CU M/MI	2143.64	CU M
SP16	Day 4	09.21.2004	20.2	0.35858	CU M/MI	2145.09	CU M
SP16	Day 4	09.21.2004	20.25	0	CU M/MI	2145.68	CU M
SP16	Day 4	09.21.2004	20.3	0	CU M/MI	2145.65	CU M
SP16	Day 4	09.21.2004	20.35	0	CU M/MI	2146.1	CU M
SP16	Day 4	09.21.2004	20.4	0.35119	CU M/MI	2147.58	CU M
SP16	Day 4	09.21.2004	20.45	0.50765	CU M/MI	2148.84	CU M
SP16	Day 4	09.21.2004	20.5	0.49494	CU M/MI	2150.2	CU M
SP16	Day 4	09.21.2004	20.55	0.35475	CU M/MI	2151.67	CU M
SP16	Day 4	09.21.2004	21	0.36751	CU M/MI	2153.22	CU M
SP16	Day 4	09.21.2004	21.05	0.36078	CU M/MI	2154.77	CU M
SP16	Day 4	09.21.2004	21.1	0.34177	CU M/MI	2156.27	CU M
SP16	Day 4	09.21.2004	21.15	0.36758	CU M/MI	2157.83	CU M
SP16	Day 4	09.21.2004	21.2	0.50088	CU M/MI	2159.32	CU M
SP16	Day 4	09.21.2004	21.25	0.51298	CU M/MI	2160.44	CU M
SP16	Day 4	09.21.2004	21.3	0	CU M/MI	2161.97	CU M
SP16	Day 4	09.21.2004	21.35	0.41171	CU M/MI	2164.01	CU M
SP16	Day 4	09.21.2004	21.4	0.51524	CU M/MI	2165.22	CU M
SP16	Day 4	09.21.2004	21.45	0.36565	CU M/MI	2166.13	CU M
SP16	Day 4	09.21.2004	21.5	0.50008	CU M/MI	2166.96	CU M
SP16	Day 4	09.21.2004	21.55	0	CU M/MI	2167.91	CU M
SP16	Day 4	09.21.2004	22	0	CU M/MI	2169.11	CU M
SP16	Day 4	09.21.2004	22.05	0.01398	CU M/MI	2171.05	CU M
SP16	Day 4	09.21.2004	22.1	0.50827	CU M/MI	2172.3	CU M
SP16	Day 4	09.21.2004	22.15	0.36608	CU M/MI	2173.31	CU M
SP16	Day 4	09.21.2004	22.2	0	CU M/MI	2175.44	CU M
SP16	Day 4	09.21.2004	22.25	0.3883	CU M/MI	2176.97	CU M
SP16	Day 4	09.21.2004	22.3	0.5056	CU M/MI	2178.34	CU M
SP16	Day 4	09.21.2004	22.35	0.47128	CU M/MI	2179.75	CU M
SP16	Day 4	09.21.2004	22.4	0.35576	CU M/MI	2181.29	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 4	09.21.2004	22.45	0.38523	CU M/MI	2182.8	CU M
SP16	Day 4	09.21.2004	22.5	0.03879	CU M/MI	2184.31	CU M
SP16	Day 4	09.21.2004	22.55	0.01871	CU M/MI	2185.89	CU M
SP16	Day 4	09.21.2004	23	0.34876	CU M/MI	2187.55	CU M
SP16	Day 4	09.21.2004	23.05	0.35994	CU M/MI	2188.73	CU M
SP16	Day 4	09.21.2004	23.1	0.05035	CU M/MI	2189.49	CU M
SP16	Day 4	09.21.2004	23.15	0	CU M/MI	2190.25	CU M
SP16	Day 4	09.21.2004	23.2	0.00116	CU M/MI	2190.95	CU M
SP16	Day 4	09.21.2004	23.25	0	CU M/MI	2191.67	CU M
SP16	Day 4	09.21.2004	23.3	0.00214	CU M/MI	2192.39	CU M
SP16	Day 4	09.21.2004	23.35	0	CU M/MI	2193.09	CU M
SP16	Day 4	09.21.2004	23.4	0	CU M/MI	2193.81	CU M
SP16	Day 4	09.21.2004	23.45	0	CU M/MI	2194.52	CU M
SP16	Day 4	09.21.2004	23.5	0	CU M/MI	2195.25	CU M
SP16	Day 4	09.21.2004	23.55	0.02742	CU M/MI	2195.91	CU M
SP16	Day 4	09.22.2004	0	0	CU M/MI	2196.62	CU M
SP16	Day 4	09.22.2004	0.05	0	CU M/MI	2197.36	CU M
SP16	Day 4	09.22.2004	0.1	0	CU M/MI	2197.79	CU M
SP16	Day 4	09.22.2004	0.15	0	CU M/MI	2197.77	CU M
SP16	Day 4	09.22.2004	0.2	0.36842	CU M/MI	2198.15	CU M
SP16	Day 4	09.22.2004	0.25	0.36201	CU M/MI	2198.9	CU M
SP16	Day 4	09.22.2004	0.3	0.34956	CU M/MI	2199.65	CU M
SP16	Day 4	09.22.2004	0.35	0.35398	CU M/MI	2200.39	CU M
SP16	Day 4	09.22.2004	0.4	0.36744	CU M/MI	2201.09	CU M
SP16	Day 4	09.22.2004	0.45	0.36593	CU M/MI	2201.84	CU M
SP16	Day 4	09.22.2004	0.5	0.35618	CU M/MI	2202.61	CU M
SP16	Day 4	09.22.2004	0.55	0.3475	CU M/MI	2203.42	CU M
SP16	Day 4	09.22.2004	1	0.36124	CU M/MI	2204.27	CU M
SP16	Day 4	09.22.2004	1.05	0.15194	CU M/MI	2205.07	CU M
SP16	Day 4	09.22.2004	1.1	0	CU M/MI	2205.81	CU M
SP16	Day 4	09.22.2004	1.15	0.0059	CU M/MI	2206.54	CU M
SP16	Day 4	09.22.2004	1.2	0	CU M/MI	2207.26	CU M
SP16	Day 4	09.22.2004	1.25	0.00163	CU M/MI	2207.94	CU M
SP16	Day 4	09.22.2004	1.3	0	CU M/MI	2208.65	CU M
SP16	Day 4	09.22.2004	1.35	0.35487	CU M/MI	2209.98	CU M
SP16	Day 4	09.22.2004	1.4	0.57734	CU M/MI	2211.54	CU M
SP16	Day 4	09.22.2004	1.45	0.60026	CU M/MI	2213.47	CU M
SP16	Day 4	09.22.2004	1.5	0.47796	CU M/MI	2216.48	CU M
SP16	Day 4	09.22.2004	1.55	0.56751	CU M/MI	2218.41	CU M
SP16	Day 4	09.22.2004	2	0.51521	CU M/MI	2220.37	CU M
SP16	Day 4	09.22.2004	2.05	0.47445	CU M/MI	2222.73	CU M
SP16	Day 4	09.22.2004	2.1	0.1389	CU M/MI	2225.01	CU M
SP16	Day 4	09.22.2004	2.15	0.23484	CU M/MI	2227.33	CU M
SP16	Day 4	09.22.2004	2.2	0.40005	CU M/MI	2229.21	CU M
SP16	Day 4	09.22.2004	2.25	0.51163	CU M/MI	2230.46	CU M
SP16	Day 4	09.22.2004	2.3	0.6155	CU M/MI	2232.42	CU M
SP16	Day 4	09.22.2004	2.35	0.08038	CU M/MI	2234.59	CU M
SP16	Day 4	09.22.2004	2.4	0.2385	CU M/MI	2237.14	CU M
SP16	Day 4	09.22.2004	2.45	0.60729	CU M/MI	2239.24	CU M
SP16	Day 4	09.22.2004	2.5	0.57265	CU M/MI	2241.08	CU M
SP16	Day 4	09.22.2004	2.55	0	CU M/MI	2243.22	CU M
SP16	Day 4	09.22.2004	3	0.61385	CU M/MI	2245.34	CU M
SP16	Day 4	09.22.2004	3.05	0.58422	CU M/MI	2246.94	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 4	09.22.2004	3.1	0.20953	CU M/MI	2249.37	CU M
SP16	Day 4	09.22.2004	3.15	0.61788	CU M/MI	2251.9	CU M
SP16	Day 4	09.22.2004	3.2	0.45754	CU M/MI	2253.6	CU M
SP16	Day 4	09.22.2004	3.25	0.4509	CU M/MI	2255.12	CU M
SP16	Day 4	09.22.2004	3.3	0.40269	CU M/MI	2256.81	CU M
SP16	Day 4	09.22.2004	3.35	0.20109	CU M/MI	2259.16	CU M
SP16	Day 4	09.22.2004	3.4	0.02122	CU M/MI	2261.35	CU M
SP16	Day 4	09.22.2004	3.45	0.51277	CU M/MI	2263.17	CU M
SP16	Day 4	09.22.2004	3.5	0.50667	CU M/MI	2265.46	CU M
SP16	Day 4	09.22.2004	3.55	0.57508	CU M/MI	2267.48	CU M
SP16	Day 4	09.22.2004	4	0.58335	CU M/MI	2269.58	CU M
SP16	Day 4	09.22.2004	4.15	0.35506	CU M/MI	2273.78	CU M
SP16	Day 4	09.22.2004	4.2	0.1994	CU M/MI	2274.94	CU M
SP16	Day 4	09.22.2004	4.25	0.19515	CU M/MI	2275.69	CU M
SP16	Day 4	09.22.2004	4.3	0.37643	CU M/MI	2276.63	CU M
SP16	Day 4	09.22.2004	4.35	0.31264	CU M/MI	2278.18	CU M
SP16	Day 4	09.22.2004	4.4	0.1391	CU M/MI	2279.76	CU M
SP16	Day 4	09.22.2004	4.45	0.50849	CU M/MI	2281.34	CU M
SP16	Day 4	09.22.2004	4.5	0.21319	CU M/MI	2284.03	CU M
SP16	Day 4	09.22.2004	4.55	0.13495	CU M/MI	2284.89	CU M
SP16	Day 4	09.22.2004	5	0.21136	CU M/MI	2285.77	CU M
SP16	Day 4	09.22.2004	5.05	0.11913	CU M/MI	2287.69	CU M
SP16	Day 4	09.22.2004	5.1	0.56655	CU M/MI	2289.71	CU M
SP16	Day 4	09.22.2004	5.15	0	CU M/MI	2290.24	CU M
SP16	Day 4	09.22.2004	5.2	0.20678	CU M/MI	2291.33	CU M
SP16	Day 4	09.22.2004	5.25	0.57449	CU M/MI	2292.91	CU M
SP16	Day 4	09.22.2004	5.3	0.20861	CU M/MI	2294.59	CU M
SP16	Day 4	09.22.2004	5.35	0.11154	CU M/MI	2295.27	CU M
SP16	Day 4	09.22.2004	5.4	0.00005	CU M/MI	2295.99	CU M
SP16	Day 4	09.22.2004	5.45	0.19044	CU M/MI	2296.38	CU M
SP16	Day 4	09.22.2004	5.5	0.11089	CU M/MI	2297.34	CU M
SP16	Day 4	09.22.2004	5.55	0.18327	CU M/MI	2298.04	CU M
SP16	Day 5	09.22.2004	6	0.06269	CU M/MI	2298.22	CU M
SP16	Day 5	09.22.2004	6.05	0.20305	CU M/MI	2299.11	CU M
SP16	Day 5	09.22.2004	6.1	0.20154	CU M/MI	2299.97	CU M
SP16	Day 5	09.22.2004	6.15	0.20281	CU M/MI	2301.75	CU M
SP16	Day 5	09.22.2004	6.2	0.60427	CU M/MI	2303.65	CU M
SP16	Day 5	09.22.2004	6.25	0.61402	CU M/MI	2305.64	CU M
SP16	Day 5	09.22.2004	6.3	0.38777	CU M/MI	2307.64	CU M
SP16	Day 5	09.22.2004	6.35	0.22673	CU M/MI	2310.27	CU M
SP16	Day 5	09.22.2004	6.4	0.50903	CU M/MI	2312.58	CU M
SP16	Day 5	09.22.2004	6.45	0.45081	CU M/MI	2314.55	CU M
SP16	Day 5	09.22.2004	6.5	0.4774	CU M/MI	2316.81	CU M
SP16	Day 5	09.22.2004	6.55	0	CU M/MI	2318.31	CU M
SP16	Day 5	09.22.2004	7	0.10415	CU M/MI	2318.59	CU M
SP16	Day 5	09.22.2004	7.05	0.20543	CU M/MI	2319.84	CU M
SP16	Day 5	09.22.2004	7.1	0.60938	CU M/MI	2322.41	CU M
SP16	Day 5	09.22.2004	7.15	0.61252	CU M/MI	2324.26	CU M
SP16	Day 5	09.22.2004	7.2	0.20522	CU M/MI	2326.72	CU M
SP16	Day 5	09.22.2004	7.25	0.517	CU M/MI	2329.27	CU M
SP16	Day 5	09.22.2004	7.3	0.60906	CU M/MI	2331.34	CU M
SP16	Day 5	09.22.2004	7.35	0.51036	CU M/MI	2333.54	CU M
SP16	Day 5	09.22.2004	7.4	0.48337	CU M/MI	2335.9	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 5	09.22.2004	7.45	0.20619	CU M/MI	2337.72	CU M
SP16	Day 5	09.22.2004	7.5	0.61052	CU M/MI	2339.52	CU M
SP16	Day 5	09.22.2004	7.55	0.57016	CU M/MI	2341.32	CU M
SP16	Day 5	09.22.2004	8	0.20358	CU M/MI	2343.76	CU M
SP16	Day 5	09.22.2004	8.05	0.53369	CU M/MI	2346.21	CU M
SP16	Day 5	09.22.2004	8.1	0.57325	CU M/MI	2348.17	CU M
SP16	Day 5	09.22.2004	8.15	0.50704	CU M/MI	2350.23	CU M
SP16	Day 5	09.22.2004	8.2	0.20393	CU M/MI	2352.78	CU M
SP16	Day 5	09.22.2004	8.25	0.62857	CU M/MI	2355.17	CU M
SP16	Day 5	09.22.2004	8.3	0.59594	CU M/MI	2357.16	CU M
SP16	Day 5	09.22.2004	8.35	0.56329	CU M/MI	2359.38	CU M
SP16	Day 5	09.22.2004	8.4	0.56373	CU M/MI	2361.75	CU M
SP16	Day 5	09.22.2004	8.45	0.51755	CU M/MI	2363.85	CU M
SP16	Day 5	09.22.2004	8.5	0.51353	CU M/MI	2365.92	CU M
SP16	Day 5	09.22.2004	8.55	0.51738	CU M/MI	2367.96	CU M
SP16	Day 5	09.22.2004	9	0.56188	CU M/MI	2370.13	CU M
SP16	Day 5	09.22.2004	9.05	0.56223	CU M/MI	2372.47	CU M
SP16	Day 5	09.22.2004	9.1	0.47018	CU M/MI	2374.22	CU M
SP16	Day 5	09.22.2004	9.15	0.6297	CU M/MI	2376.26	CU M
SP16	Day 5	09.22.2004	9.2	0.49457	CU M/MI	2378.26	CU M
SP16	Day 5	09.22.2004	9.25	0.20404	CU M/MI	2380.75	CU M
SP16	Day 5	09.22.2004	9.3	0.38584	CU M/MI	2382.98	CU M
SP16	Day 5	09.22.2004	9.35	0.55211	CU M/MI	2384.66	CU M
SP16	Day 5	09.22.2004	9.4	0.55581	CU M/MI	2386.96	CU M
SP16	Day 5	09.22.2004	9.45	0.44433	CU M/MI	2389.26	CU M
SP16	Day 5	09.22.2004	9.5	0.16166	CU M/MI	2391.24	CU M
SP16	Day 5	09.22.2004	9.55	0.19718	CU M/MI	2392.43	CU M
SP16	Day 5	09.22.2004	10	0.11028	CU M/MI	2393.91	CU M
SP16	Day 5	09.22.2004	10.05	0.20634	CU M/MI	2396.43	CU M
SP16	Day 5	09.22.2004	10.1	0.20734	CU M/MI	2398.07	CU M
SP16	Day 5	09.22.2004	10.15	0	CU M/MI	2399.04	CU M
SP16	Day 5	09.22.2004	10.2	0.58092	CU M/MI	2401.42	CU M
SP16	Day 5	09.22.2004	10.25	0.6241	CU M/MI	2403.12	CU M
SP16	Day 5	09.22.2004	10.3	0.30441	CU M/MI	2405.07	CU M
SP16	Day 5	09.22.2004	10.35	0.21117	CU M/MI	2407.86	CU M
SP16	Day 5	09.22.2004	10.4	0.50879	CU M/MI	2410.01	CU M
SP16	Day 5	09.22.2004	10.45	0.51127	CU M/MI	2412.3	CU M
SP16	Day 5	09.22.2004	10.5	0.45565	CU M/MI	2414.49	CU M
SP16	Day 5	09.22.2004	10.55	0.50901	CU M/MI	2416.62	CU M
SP16	Day 5	09.22.2004	11	0.37924	CU M/MI	2418.8	CU M
SP16	Day 5	09.22.2004	11.05	0.49838	CU M/MI	2420.44	CU M
SP16	Day 5	09.22.2004	11.1	0.2089	CU M/MI	2423	CU M
SP16	Day 5	09.22.2004	11.15	0.63451	CU M/MI	2425.47	CU M
SP16	Day 5	09.22.2004	11.2	0.63046	CU M/MI	2427.3	CU M
SP16	Day 5	09.22.2004	11.25	0.57088	CU M/MI	2429.6	CU M
SP16	Day 5	09.22.2004	11.3	0.57089	CU M/MI	2432	CU M
SP16	Day 5	09.22.2004	11.35	0.568	CU M/MI	2434.16	CU M
SP16	Day 5	09.22.2004	11.4	0.5688	CU M/MI	2436.58	CU M
SP16	Day 5	09.22.2004	11.45	0.52429	CU M/MI	2438.92	CU M
SP16	Day 5	09.22.2004	11.5	0.5705	CU M/MI	2441.08	CU M
SP16	Day 5	09.22.2004	11.55	0.52238	CU M/MI	2443.37	CU M
SP16	Day 5	09.22.2004	12	0.59166	CU M/MI	2445.53	CU M
SP16	Day 5	09.22.2004	12.05	0.59775	CU M/MI	2447.5	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 5	09.22.2004	12.1	0.48541	CU M/MI	2449	CU M
SP16	Day 5	09.22.2004	12.15	0.20775	CU M/MI	2451.7	CU M
SP16	Day 5	09.22.2004	12.2	0.55422	CU M/MI	2454.11	CU M
SP16	Day 5	09.22.2004	12.25	0.49226	CU M/MI	2455.91	CU M
SP16	Day 5	09.22.2004	12.3	0.51167	CU M/MI	2458	CU M
SP16	Day 5	09.22.2004	12.35	0.49098	CU M/MI	2460.05	CU M
SP16	Day 5	09.22.2004	12.4	0.46783	CU M/MI	2462.38	CU M
SP16	Day 5	09.22.2004	12.45	0.38086	CU M/MI	2464.25	CU M
SP16	Day 5	09.22.2004	12.5	0.35824	CU M/MI	2466.35	CU M
SP16	Day 5	09.22.2004	12.55	0.11177	CU M/MI	2468.46	CU M
SP16	Day 5	09.22.2004	13	0.20638	CU M/MI	2470.99	CU M
SP16	Day 5	09.22.2004	13.05	0.52129	CU M/MI	2473.18	CU M
SP16	Day 5	09.22.2004	13.1	0.1963	CU M/MI	2473.72	CU M
SP16	Day 5	09.22.2004	13.15	0	CU M/MI	2474.49	CU M
SP16	Day 5	09.22.2004	13.2	0.10517	CU M/MI	2474.77	CU M
SP16	Day 5	09.22.2004	13.25	0.11176	CU M/MI	2475.4	CU M
SP16	Day 5	09.22.2004	13.3	0	CU M/MI	2476.1	CU M
SP16	Day 5	09.22.2004	13.35	0.20461	CU M/MI	2476.48	CU M
SP16	Day 5	09.22.2004	13.4	0.11166	CU M/MI	2477.28	CU M
SP16	Day 5	09.22.2004	13.45	0	CU M/MI	2477.62	CU M
SP16	Day 5	09.22.2004	13.5	0.5696	CU M/MI	2478.55	CU M
SP16	Day 5	09.22.2004	13.55	0.52646	CU M/MI	2480.22	CU M
SP16	Day 5	09.22.2004	14	0.51631	CU M/MI	2482.35	CU M
SP16	Day 5	09.22.2004	14.05	0.52154	CU M/MI	2484.23	CU M
SP16	Day 5	09.22.2004	14.1	0.56751	CU M/MI	2486.58	CU M
SP16	Day 5	09.22.2004	14.15	0.52233	CU M/MI	2488.81	CU M
SP16	Day 5	09.22.2004	14.2	0.56666	CU M/MI	2491.1	CU M
SP16	Day 5	09.22.2004	14.25	0.49113	CU M/MI	2493.3	CU M
SP16	Day 5	09.22.2004	14.3	0.55521	CU M/MI	2495.26	CU M
SP16	Day 5	09.22.2004	14.35	0.63593	CU M/MI	2497.44	CU M
SP16	Day 5	09.22.2004	14.4	0.45588	CU M/MI	2499.19	CU M
SP16	Day 5	09.22.2004	14.45	0.50524	CU M/MI	2500.76	CU M
SP16	Day 5	09.22.2004	14.5	0.62831	CU M/MI	2502.84	CU M
SP16	Day 5	09.22.2004	14.55	0.03837	CU M/MI	2504.46	CU M
SP16	Day 5	09.22.2004	15	0.20764	CU M/MI	2504.77	CU M
SP16	Day 5	09.22.2004	15.05	0.20639	CU M/MI	2505.81	CU M
SP16	Day 5	09.22.2004	15.1	0.2067	CU M/MI	2506.59	CU M
SP16	Day 5	09.22.2004	15.15	0.0082	CU M/MI	2507.19	CU M
SP16	Day 5	09.22.2004	15.2	0.20972	CU M/MI	2507.96	CU M
SP16	Day 5	09.22.2004	15.25	0.12282	CU M/MI	2508.95	CU M
SP16	Day 5	09.22.2004	15.3	0.52275	CU M/MI	2509.91	CU M
SP16	Day 5	09.22.2004	15.35	0.5715	CU M/MI	2511.52	CU M
SP16	Day 5	09.22.2004	15.4	0.12147	CU M/MI	2513.08	CU M
SP16	Day 5	09.22.2004	15.45	0.63874	CU M/MI	2514.98	CU M
SP16	Day 5	09.22.2004	17.1	0.22837	CU M/MI	2553.98	CU M
SP16	Day 5	09.22.2004	17.15	0.20884	CU M/MI	2556.7	CU M
SP16	Day 5	09.22.2004	17.2	0.63267	CU M/MI	2558.89	CU M
SP16	Day 5	09.22.2004	17.25	0.62837	CU M/MI	2560.86	CU M
SP16	Day 5	09.22.2004	17.3	0.20578	CU M/MI	2563.32	CU M
SP16	Day 5	09.22.2004	17.35	0.21185	CU M/MI	2565.8	CU M
SP16	Day 5	09.22.2004	17.4	0.21538	CU M/MI	2568.15	CU M
SP16	Day 5	09.22.2004	17.45	0.22474	CU M/MI	2570.49	CU M
SP16	Day 5	09.22.2004	17.5	0.2357	CU M/MI	2572.83	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 5	09.22.2004	17.55	0.50443	CU M/MI	2575.14	CU M
SP16	Day 5	09.22.2004	18	0.53538	CU M/MI	2577.28	CU M
SP16	Day 5	09.22.2004	18.05	0.52103	CU M/MI	2579.46	CU M
SP16	Day 5	09.22.2004	18.1	0.20535	CU M/MI	2581.67	CU M
SP16	Day 5	09.22.2004	18.15	0.24075	CU M/MI	2584.5	CU M
SP16	Day 5	09.22.2004	18.2	0.6342	CU M/MI	2586.59	CU M
SP16	Day 5	09.22.2004	18.25	0.62405	CU M/MI	2588.84	CU M
SP16	Day 5	09.22.2004	18.3	0.56616	CU M/MI	2591.19	CU M
SP16	Day 5	09.22.2004	18.35	0.25788	CU M/MI	2593.61	CU M
SP16	Day 5	09.22.2004	18.4	0.22371	CU M/MI	2595.96	CU M
SP16	Day 5	09.22.2004	18.45	0.20744	CU M/MI	2598.16	CU M
SP16	Day 5	09.22.2004	18.5	0.5634	CU M/MI	2600.59	CU M
SP16	Day 5	09.22.2004	18.55	0.62915	CU M/MI	2602.77	CU M
SP16	Day 5	09.22.2004	19	0.62949	CU M/MI	2604.76	CU M
SP16	Day 5	09.22.2004	19.05	0.20924	CU M/MI	2607.19	CU M
SP16	Day 5	09.22.2004	19.1	0.50288	CU M/MI	2609.79	CU M
SP16	Day 5	09.22.2004	19.15	0.501	CU M/MI	2612.04	CU M
SP16	Day 5	09.22.2004	19.2	0.50924	CU M/MI	2614.34	CU M
SP16	Day 5	09.22.2004	19.25	0.36666	CU M/MI	2615.83	CU M
SP16	Day 5	09.22.2004	19.3	0.49943	CU M/MI	2616.94	CU M
SP16	Day 5	09.22.2004	19.35	0.43472	CU M/MI	2619.12	CU M
SP16	Day 5	09.22.2004	19.4	0.20614	CU M/MI	2620.78	CU M
SP16	Day 5	09.22.2004	19.45	0.01147	CU M/MI	2622.18	CU M
SP16	Day 5	09.22.2004	19.5	0.14422	CU M/MI	2624.07	CU M
SP16	Day 5	09.22.2004	19.55	0.20029	CU M/MI	2626.36	CU M
SP16	Day 5	09.22.2004	20	0.21571	CU M/MI	2628.66	CU M
SP16	Day 5	09.22.2004	20.05	0.29287	CU M/MI	2631.02	CU M
SP16	Day 5	09.22.2004	20.1	0.60122	CU M/MI	2633.34	CU M
SP16	Day 5	09.22.2004	20.15	0.54521	CU M/MI	2635.5	CU M
SP16	Day 5	09.22.2004	20.2	0.55393	CU M/MI	2637.57	CU M
SP16	Day 5	09.22.2004	20.25	0.19513	CU M/MI	2638.81	CU M
SP16	Day 5	09.22.2004	20.3	0.20337	CU M/MI	2639.55	CU M
SP16	Day 5	09.22.2004	20.35	0.00895	CU M/MI	2639.98	CU M
SP16	Day 5	09.22.2004	20.4	0.21297	CU M/MI	2640.85	CU M
SP16	Day 5	09.22.2004	20.45	0.09978	CU M/MI	2641.75	CU M
SP16	Day 5	09.22.2004	20.5	0	CU M/MI	2642.21	CU M
SP16	Day 5	09.22.2004	20.55	0.16026	CU M/MI	2642.86	CU M
SP16	Day 5	09.22.2004	21	0.19487	CU M/MI	2643.88	CU M
SP16	Day 5	09.22.2004	21.05	0.44715	CU M/MI	2644.48	CU M
SP16	Day 5	09.22.2004	21.1	0.56429	CU M/MI	2646.07	CU M
SP16	Day 5	09.22.2004	21.15	0.63994	CU M/MI	2647.86	CU M
SP16	Day 5	09.22.2004	21.2	0.55275	CU M/MI	2650.08	CU M
SP16	Day 5	09.22.2004	21.25	0.19976	CU M/MI	2652.54	CU M
SP16	Day 5	09.22.2004	21.3	0.52852	CU M/MI	2654.92	CU M
SP16	Day 5	09.22.2004	21.35	0.50273	CU M/MI	2657.13	CU M
SP16	Day 5	09.22.2004	21.4	0.54706	CU M/MI	2659.4	CU M
SP16	Day 5	09.22.2004	21.45	0.21031	CU M/MI	2661.1	CU M
SP16	Day 5	09.22.2004	21.5	0.12532	CU M/MI	2661.88	CU M
SP16	Day 5	09.22.2004	21.55	0.21744	CU M/MI	2662.3	CU M
SP16	Day 5	09.22.2004	22	0.09811	CU M/MI	2663.19	CU M
SP16	Day 5	09.22.2004	22.05	0.20255	CU M/MI	2664.08	CU M
SP16	Day 5	09.22.2004	22.1	0.00788	CU M/MI	2664.98	CU M
SP16	Day 5	09.22.2004	22.15	0.20392	CU M/MI	2665.35	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 5	09.22.2004	22.2	0.1803	CU M/MI	2666.37	CU M
SP16	Day 5	09.22.2004	22.25	0.20258	CU M/MI	2667.72	CU M
SP16	Day 5	09.22.2004	22.3	0	CU M/MI	2670.17	CU M
SP16	Day 5	09.22.2004	22.35	0.45887	CU M/MI	2672.45	CU M
SP16	Day 5	09.22.2004	22.4	0.50775	CU M/MI	2674.47	CU M
SP16	Day 5	09.22.2004	22.45	0.50701	CU M/MI	2676.74	CU M
SP16	Day 5	09.22.2004	22.5	0.44981	CU M/MI	2678.9	CU M
SP16	Day 5	09.22.2004	22.55	0.44715	CU M/MI	2681.03	CU M
SP16	Day 5	09.22.2004	23	0.51106	CU M/MI	2683.1	CU M
SP16	Day 5	09.22.2004	23.05	0.50787	CU M/MI	2685.36	CU M
SP16	Day 5	09.22.2004	23.1	0.20812	CU M/MI	2687.75	CU M
SP16	Day 5	09.22.2004	23.15	0.57813	CU M/MI	2690.48	CU M
SP16	Day 5	09.22.2004	23.2	0.6312	CU M/MI	2692.43	CU M
SP16	Day 5	09.22.2004	23.25	0.56647	CU M/MI	2694.64	CU M
SP16	Day 5	09.22.2004	23.3	0.554	CU M/MI	2697.03	CU M
SP16	Day 5	09.22.2004	23.35	0.52362	CU M/MI	2699.36	CU M
SP16	Day 5	09.22.2004	23.4	0.56472	CU M/MI	2701.59	CU M
SP16	Day 5	09.22.2004	23.45	0.56324	CU M/MI	2703.97	CU M
SP16	Day 5	09.22.2004	23.5	0.56643	CU M/MI	2706.38	CU M
SP16	Day 5	09.22.2004	23.55	0.62837	CU M/MI	2708.7	CU M
SP16	Day 5	09.23.2004	0	0.62793	CU M/MI	2710.86	CU M
SP16	Day 5	09.23.2004	0.05	0.20892	CU M/MI	2713.01	CU M
SP16	Day 5	09.23.2004	0.1	0.49453	CU M/MI	2715.78	CU M
SP16	Day 5	09.23.2004	0.15	0.51097	CU M/MI	2718	CU M
SP16	Day 5	09.23.2004	0.2	0.52449	CU M/MI	2720.3	CU M
SP16	Day 5	09.23.2004	0.25	0.4945	CU M/MI	2722.57	CU M
SP16	Day 5	09.23.2004	0.3	0.45897	CU M/MI	2724.85	CU M
SP16	Day 5	09.23.2004	0.35	0.36028	CU M/MI	2727.1	CU M
SP16	Day 5	09.23.2004	0.4	0.1125	CU M/MI	2729.45	CU M
SP16	Day 5	09.23.2004	0.45	0.20743	CU M/MI	2730.8	CU M
SP16	Day 5	09.23.2004	0.5	0.18077	CU M/MI	2731.83	CU M
SP16	Day 5	09.23.2004	0.55	0.10952	CU M/MI	2733.23	CU M
SP16	Day 5	09.23.2004	1	0.2085	CU M/MI	2734.65	CU M
SP16	Day 5	09.23.2004	1.05	0.11322	CU M/MI	2735.49	CU M
SP16	Day 5	09.23.2004	1.1	0.51936	CU M/MI	2736.9	CU M
SP16	Day 5	09.23.2004	1.15	0.22493	CU M/MI	2738.58	CU M
SP16	Day 5	09.23.2004	1.2	0	CU M/MI	2739.7	CU M
SP16	Day 5	09.23.2004	1.25	0.20994	CU M/MI	2741.16	CU M
SP16	Day 5	09.23.2004	1.3	0.20994	CU M/MI	2742.79	CU M
SP16	Day 5	09.23.2004	1.35	0.2087	CU M/MI	2744.46	CU M
SP16	Day 5	09.23.2004	1.4	0.59545	CU M/MI	2746.67	CU M
SP16	Day 5	09.23.2004	1.45	0.56327	CU M/MI	2748.44	CU M
SP16	Day 5	09.23.2004	1.5	0.56311	CU M/MI	2750.2	CU M
SP16	Day 5	09.23.2004	1.55	0.534	CU M/MI	2751.77	CU M
SP16	Day 5	09.23.2004	2	0.60899	CU M/MI	2753.71	CU M
SP16	Day 5	09.23.2004	2.05	0.20588	CU M/MI	2755.29	CU M
SP16	Day 5	09.23.2004	2.1	0.4427	CU M/MI	2756.3	CU M
SP16	Day 5	09.23.2004	2.15	0.59209	CU M/MI	2757.51	CU M
SP16	Day 5	09.23.2004	2.2	0.34063	CU M/MI	2759.54	CU M
SP16	Day 5	09.23.2004	2.25	0.20702	CU M/MI	2761.76	CU M
SP16	Day 5	09.23.2004	2.3	0.20929	CU M/MI	2764.1	CU M
SP16	Day 5	09.23.2004	2.35	0.17518	CU M/MI	2765.88	CU M
SP16	Day 5	09.23.2004	2.4	0.5289	CU M/MI	2768.11	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 5	09.23.2004	2.45	0.62062	CU M/MI	2770.44	CU M
SP16	Day 5	09.23.2004	2.5	0.55259	CU M/MI	2772.57	CU M
SP16	Day 5	09.23.2004	2.55	0.11315	CU M/MI	2774.7	CU M
SP16	Day 5	09.23.2004	3	0.52822	CU M/MI	2777.22	CU M
SP16	Day 5	09.23.2004	3.05	0.62684	CU M/MI	2779.37	CU M
SP16	Day 5	09.23.2004	3.1	0.46263	CU M/MI	2781.66	CU M
SP16	Day 5	09.23.2004	3.15	0.22364	CU M/MI	2783.99	CU M
SP16	Day 5	09.23.2004	3.2	0.21129	CU M/MI	2786.3	CU M
SP16	Day 5	09.23.2004	3.25	0.21629	CU M/MI	2788.76	CU M
SP16	Day 5	09.23.2004	3.3	0.62654	CU M/MI	2791.25	CU M
SP16	Day 5	09.23.2004	3.35	0.62844	CU M/MI	2793.24	CU M
SP16	Day 5	09.23.2004	3.45	0.21585	CU M/MI	2796.2	CU M
SP16	Day 5	09.23.2004	3.5	0.55291	CU M/MI	2797.15	CU M
SP16	Day 5	09.23.2004	3.55	0.54845	CU M/MI	2799.26	CU M
SP16	Day 5	09.23.2004	4	0.20886	CU M/MI	2800.77	CU M
SP16	Day 5	09.23.2004	4.05	0.13174	CU M/MI	2801.8	CU M
SP16	Day 5	09.23.2004	4.1	0.20809	CU M/MI	2802.53	CU M
SP16	Day 5	09.23.2004	4.15	0.10377	CU M/MI	2803.25	CU M
SP16	Day 5	09.23.2004	4.2	0.1152	CU M/MI	2804.09	CU M
SP16	Day 5	09.23.2004	4.25	0.20844	CU M/MI	2805.61	CU M
SP16	Day 5	09.23.2004	4.3	0.10599	CU M/MI	2806.54	CU M
SP16	Day 5	09.23.2004	4.35	0.20892	CU M/MI	2806.98	CU M
SP16	Day 5	09.23.2004	4.4	0.20908	CU M/MI	2808.03	CU M
SP16	Day 5	09.23.2004	4.45	0.11332	CU M/MI	2808.81	CU M
SP16	Day 5	09.23.2004	4.5	0.18838	CU M/MI	2809.43	CU M
SP16	Day 5	09.23.2004	4.55	0.11481	CU M/MI	2810.2	CU M
SP16	Day 5	09.23.2004	5	0.20927	CU M/MI	2811.12	CU M
SP16	Day 5	09.23.2004	5.05	0	CU M/MI	2811.48	CU M
SP16	Day 5	09.23.2004	5.1	0.11619	CU M/MI	2812.17	CU M
SP16	Day 5	09.23.2004	5.15	0.21002	CU M/MI	2812.9	CU M
SP16	Day 5	09.23.2004	5.2	0.11364	CU M/MI	2813.72	CU M
SP16	Day 5	09.23.2004	5.25	0.10586	CU M/MI	2814.23	CU M
SP16	Day 5	09.23.2004	5.3	0.11477	CU M/MI	2814.82	CU M
SP16	Day 5	09.23.2004	5.35	0.1238	CU M/MI	2815.81	CU M
SP16	Day 5	09.23.2004	5.4	0.09962	CU M/MI	2816.11	CU M
SP16	Day 5	09.23.2004	5.45	0.11386	CU M/MI	2816.68	CU M
SP16	Day 5	09.23.2004	5.5	0.10611	CU M/MI	2817.26	CU M
SP16	Day 5	09.23.2004	5.55	0	CU M/MI	2817.37	CU M
SP16	Day 6	09.23.2004	6	0.10324	CU M/MI	2817.67	CU M
SP16	Day 6	09.23.2004	6.05	0	CU M/MI	2817.73	CU M
SP16	Day 6	09.23.2004	6.1	0	CU M/MI	2817.97	CU M
SP16	Day 6	09.23.2004	6.15	0	CU M/MI	2817.94	CU M
SP16	Day 6	09.23.2004	6.2	0.10327	CU M/MI	2818.12	CU M
SP16	Day 6	09.23.2004	6.25	0	CU M/MI	2818.13	CU M
SP16	Day 6	09.23.2004	6.3	0	CU M/MI	2818.11	CU M
SP16	Day 6	09.23.2004	6.35	0	CU M/MI	2818.09	CU M
SP16	Day 6	09.23.2004	6.4	0	CU M/MI	2818.07	CU M
SP16	Day 6	09.23.2004	6.45	0.00555	CU M/MI	2818.05	CU M
SP16	Day 6	09.23.2004	6.5	0.40634	CU M/MI	2818.88	CU M
SP16	Day 6	09.23.2004	6.55	0.52442	CU M/MI	2820.34	CU M
SP16	Day 6	09.23.2004	7	0.45624	CU M/MI	2821.68	CU M
SP16	Day 6	09.23.2004	7.05	0	CU M/MI	2823.07	CU M
SP16	Day 6	09.23.2004	7.1	0.10697	CU M/MI	2824.49	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 6	09.23.2004	7.15	0.20527	CU M/MI	2825.32	CU M
SP16	Day 6	09.23.2004	7.2	0.10575	CU M/MI	2826.27	CU M
SP16	Day 6	09.23.2004	7.25	0.20786	CU M/MI	2826.66	CU M
SP16	Day 6	09.23.2004	7.3	0.20687	CU M/MI	2827.69	CU M
SP16	Day 6	09.23.2004	7.35	0.51849	CU M/MI	2828.87	CU M
SP16	Day 6	09.23.2004	7.4	0.62723	CU M/MI	2830.82	CU M
SP16	Day 6	09.23.2004	7.45	0.58453	CU M/MI	2832.99	CU M
SP16	Day 6	09.23.2004	7.5	0.56287	CU M/MI	2835.33	CU M
SP16	Day 6	09.23.2004	7.55	0.5594	CU M/MI	2837.72	CU M
SP16	Day 6	09.23.2004	8	0.55958	CU M/MI	2840.04	CU M
SP16	Day 6	09.23.2004	8.05	0.55898	CU M/MI	2842.41	CU M
SP16	Day 6	09.23.2004	8.1	0.53518	CU M/MI	2844.65	CU M
SP16	Day 6	09.23.2004	8.15	0.62385	CU M/MI	2846.68	CU M
SP16	Day 6	09.23.2004	8.2	0.20187	CU M/MI	2848.7	CU M
SP16	Day 6	09.23.2004	8.25	0.49678	CU M/MI	2851.51	CU M
SP16	Day 6	09.23.2004	8.3	0.44646	CU M/MI	2853	CU M
SP16	Day 6	09.23.2004	8.35	0.50462	CU M/MI	2854.58	CU M
SP16	Day 6	09.23.2004	8.4	0.50337	CU M/MI	2856.77	CU M
SP16	Day 6	09.23.2004	8.45	0.49336	CU M/MI	2858.89	CU M
SP16	Day 6	09.23.2004	8.5	0.20456	CU M/MI	2861.46	CU M
SP16	Day 6	09.23.2004	8.55	0.62409	CU M/MI	2863.71	CU M
SP16	Day 6	09.23.2004	9	0.61694	CU M/MI	2865.79	CU M
SP16	Day 6	09.23.2004	9.05	0.50651	CU M/MI	2867.83	CU M
SP16	Day 6	09.23.2004	9.1	0.54654	CU M/MI	2870.19	CU M
SP16	Day 6	09.23.2004	9.15	0.5534	CU M/MI	2872.56	CU M
SP16	Day 6	09.23.2004	9.2	0.55917	CU M/MI	2873.97	CU M
SP16	Day 6	09.23.2004	9.25	0.55977	CU M/MI	2875.62	CU M
SP16	Day 6	09.23.2004	9.3	0.62111	CU M/MI	2877.91	CU M
SP16	Day 6	09.23.2004	9.35	0.61289	CU M/MI	2879.96	CU M
SP16	Day 6	09.23.2004	9.4	0.20353	CU M/MI	2882.23	CU M
SP16	Day 6	09.23.2004	9.45	0.51375	CU M/MI	2884.87	CU M
SP16	Day 6	09.23.2004	9.5	0.62059	CU M/MI	2886.99	CU M
SP16	Day 6	09.23.2004	9.55	0.59112	CU M/MI	2889.25	CU M
SP16	Day 6	09.23.2004	10	0.55762	CU M/MI	2891.61	CU M
SP16	Day 6	09.23.2004	10.05	0.55873	CU M/MI	2893.98	CU M
SP16	Day 6	09.23.2004	10.1	0.55947	CU M/MI	2896.27	CU M
SP16	Day 6	09.23.2004	10.15	0.55776	CU M/MI	2898.63	CU M
SP16	Day 6	09.23.2004	10.2	0.55942	CU M/MI	2901	CU M
SP16	Day 6	09.23.2004	10.25	0.55858	CU M/MI	2903.33	CU M
SP16	Day 6	09.23.2004	10.3	0.62368	CU M/MI	2905.59	CU M
SP16	Day 6	09.23.2004	10.35	0.21492	CU M/MI	2907.44	CU M
SP16	Day 6	09.23.2004	10.4	0.20509	CU M/MI	2908.47	CU M
SP16	Day 6	09.23.2004	10.45	0.20654	CU M/MI	2909.23	CU M
SP16	Day 6	09.23.2004	10.5	0.1288	CU M/MI	2910.24	CU M
SP16	Day 6	09.23.2004	10.55	0.20715	CU M/MI	2910.59	CU M
SP16	Day 6	09.23.2004	11	0.20769	CU M/MI	2911.62	CU M
SP16	Day 6	09.23.2004	11.05	0.18954	CU M/MI	2912.37	CU M
SP16	Day 6	09.23.2004	11.1	0.10285	CU M/MI	2913.18	CU M
SP16	Day 6	09.23.2004	11.15	0.18718	CU M/MI	2913.46	CU M
SP16	Day 6	09.23.2004	11.2	0.20549	CU M/MI	2914.48	CU M
SP16	Day 6	09.23.2004	11.25	0.11129	CU M/MI	2915.28	CU M
SP16	Day 6	09.23.2004	11.3	0.2056	CU M/MI	2916.25	CU M
SP16	Day 6	09.23.2004	11.35	0.20154	CU M/MI	2916.53	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 6	09.23.2004	11.4	0.20404	CU M/MI	2917.57	CU M
SP16	Day 6	09.23.2004	11.45	0.20153	CU M/MI	2918.32	CU M
SP16	Day 6	09.23.2004	11.5	0.20532	CU M/MI	2919.35	CU M
SP16	Day 6	09.23.2004	11.55	0.10445	CU M/MI	2919.85	CU M
SP16	Day 6	09.23.2004	12	0.20639	CU M/MI	2920.74	CU M
SP16	Day 6	09.23.2004	12.05	0.20379	CU M/MI	2921.5	CU M
SP16	Day 6	09.23.2004	12.1	0.11449	CU M/MI	2922.5	CU M
SP16	Day 6	09.23.2004	12.15	0.20717	CU M/MI	2922.84	CU M
SP16	Day 6	09.23.2004	12.2	0.2072	CU M/MI	2923.88	CU M
SP16	Day 6	09.23.2004	12.25	0.20365	CU M/MI	2924.57	CU M
SP16	Day 6	09.23.2004	12.3	0	CU M/MI	2925.18	CU M
SP16	Day 6	09.23.2004	12.35	0.20598	CU M/MI	2925.84	CU M
SP16	Day 6	09.23.2004	12.4	0.11287	CU M/MI	2926.59	CU M
SP16	Day 6	09.23.2004	12.45	0	CU M/MI	2927.2	CU M
SP16	Day 6	09.23.2004	12.5	0.20828	CU M/MI	2927.7	CU M
SP16	Day 6	09.23.2004	12.55	0.11294	CU M/MI	2928.52	CU M
SP16	Day 6	09.23.2004	13	0.13304	CU M/MI	2929.42	CU M
SP16	Day 6	09.23.2004	13.05	0.11474	CU M/MI	2930.08	CU M
SP16	Day 6	09.23.2004	13.15	0.20668	CU M/MI	2931.47	CU M
SP16	Day 6	09.23.2004	13.2	0.18294	CU M/MI	2932.11	CU M
SP16	Day 6	09.23.2004	13.25	0.11489	CU M/MI	2933.09	CU M
SP16	Day 6	09.23.2004	13.3	0.20551	CU M/MI	2934.34	CU M
SP16	Day 6	09.23.2004	13.35	0.11238	CU M/MI	2935.68	CU M
SP16	Day 6	09.23.2004	13.4	0.62805	CU M/MI	2938.1	CU M
SP16	Day 6	09.23.2004	13.45	0.62758	CU M/MI	2940.08	CU M
SP16	Day 6	09.23.2004	13.5	0.50469	CU M/MI	2942.13	CU M
SP16	Day 6	09.23.2004	13.55	0.49655	CU M/MI	2944.45	CU M
SP16	Day 6	09.23.2004	14	0.48482	CU M/MI	2946.83	CU M
SP16	Day 6	09.23.2004	14.05	0.55049	CU M/MI	2949	CU M
SP16	Day 6	09.23.2004	14.1	0.56896	CU M/MI	2951.37	CU M
SP16	Day 6	09.23.2004	14.15	0.58367	CU M/MI	2953.4	CU M
SP16	Day 6	09.23.2004	14.2	0.44424	CU M/MI	2955.19	CU M
SP16	Day 6	09.23.2004	14.25	0.11007	CU M/MI	2957.5	CU M
SP16	Day 6	09.23.2004	14.3	0.51986	CU M/MI	2959.83	CU M
SP16	Day 6	09.23.2004	14.35	0.49677	CU M/MI	2961.97	CU M
SP16	Day 6	09.23.2004	14.4	0.62238	CU M/MI	2964.15	CU M
SP16	Day 6	09.23.2004	14.45	0.20809	CU M/MI	2966.54	CU M
SP16	Day 6	09.23.2004	14.5	0.56366	CU M/MI	2968.61	CU M
SP16	Day 6	09.23.2004	14.55	0.28846	CU M/MI	2971.01	CU M
SP16	Day 6	09.23.2004	15	0.21281	CU M/MI	2973.11	CU M
SP16	Day 6	09.23.2004	15.05	0.1129	CU M/MI	2973.91	CU M
SP16	Day 6	09.23.2004	15.1	0.20904	CU M/MI	2974.92	CU M
SP16	Day 6	09.23.2004	15.15	0.20545	CU M/MI	2977.04	CU M
SP16	Day 6	09.23.2004	15.2	0.12068	CU M/MI	2977.77	CU M
SP16	Day 6	09.23.2004	15.25	0.20609	CU M/MI	2978.38	CU M
SP16	Day 6	09.23.2004	15.3	0.5697	CU M/MI	2979.45	CU M
SP16	Day 6	09.23.2004	15.35	0.2104	CU M/MI	2981.1	CU M
SP16	Day 6	09.23.2004	15.4	0.11357	CU M/MI	2982.02	CU M
SP16	Day 6	09.23.2004	15.45	0.10076	CU M/MI	2982.76	CU M
SP16	Day 6	09.23.2004	15.5	0.10918	CU M/MI	2983.17	CU M
SP16	Day 6	09.23.2004	15.55	0.48287	CU M/MI	2985.27	CU M
SP16	Day 6	09.23.2004	16	0.48489	CU M/MI	2987.59	CU M
SP16	Day 6	09.23.2004	16.05	0.47812	CU M/MI	2989.87	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 6	09.23.2004	16.1	0.20204	CU M/MI	2991.81	CU M
SP16	Day 6	09.23.2004	16.15	0.20281	CU M/MI	2993.51	CU M
SP16	Day 6	09.23.2004	16.2	0.19646	CU M/MI	2995.59	CU M
SP16	Day 6	09.23.2004	16.25	0.30997	CU M/MI	2998.01	CU M
SP16	Day 6	09.23.2004	16.3	0.51676	CU M/MI	3000.23	CU M
SP16	Day 6	09.23.2004	16.35	0.45866	CU M/MI	3002.44	CU M
SP16	Day 6	09.23.2004	16.4	0.5032	CU M/MI	3004.47	CU M
SP16	Day 6	09.23.2004	16.45	0.50707	CU M/MI	3006.77	CU M
SP16	Day 6	09.23.2004	16.5	0.44664	CU M/MI	3008.8	CU M
SP16	Day 6	09.23.2004	16.55	0.19999	CU M/MI	3011.01	CU M
SP16	Day 6	09.23.2004	17	0.20161	CU M/MI	3013.41	CU M
SP16	Day 6	09.23.2004	17.05	0.19672	CU M/MI	3014.74	CU M
SP16	Day 6	09.23.2004	17.1	0.13802	CU M/MI	3016.47	CU M
SP16	Day 6	09.23.2004	17.15	0.20445	CU M/MI	3018.88	CU M
SP16	Day 6	09.23.2004	17.2	0.53376	CU M/MI	3021.03	CU M
SP16	Day 6	09.23.2004	17.25	0.62582	CU M/MI	3022.55	CU M
SP16	Day 6	09.23.2004	17.3	0.56162	CU M/MI	3024.81	CU M
SP16	Day 6	09.23.2004	17.35	0.43823	CU M/MI	3027.05	CU M
SP16	Day 6	09.23.2004	17.4	0.49537	CU M/MI	3029.26	CU M
SP16	Day 6	09.23.2004	17.45	0.50617	CU M/MI	3031.61	CU M
SP16	Day 6	09.23.2004	17.5	0.49761	CU M/MI	3033.71	CU M
SP16	Day 6	09.23.2004	17.55	0.52807	CU M/MI	3036.11	CU M
SP16	Day 6	09.23.2004	18	0.52715	CU M/MI	3038.18	CU M
SP16	Day 6	09.23.2004	18.05	0.51989	CU M/MI	3040.56	CU M
SP16	Day 6	09.23.2004	18.1	0.57135	CU M/MI	3042.72	CU M
SP16	Day 6	09.23.2004	18.15	0.59772	CU M/MI	3044.91	CU M
SP16	Day 6	09.23.2004	18.2	0.45163	CU M/MI	3047.07	CU M
SP16	Day 6	09.23.2004	18.25	0.20691	CU M/MI	3049.42	CU M
SP16	Day 6	09.23.2004	18.3	0.57477	CU M/MI	3051.95	CU M
SP16	Day 6	09.23.2004	18.35	0.59148	CU M/MI	3053.81	CU M
SP16	Day 6	09.23.2004	18.4	0.5646	CU M/MI	3056	CU M
SP16	Day 6	09.23.2004	18.45	0.51096	CU M/MI	3058.32	CU M
SP16	Day 6	09.23.2004	18.5	0.55878	CU M/MI	3060.53	CU M
SP16	Day 6	09.23.2004	18.55	0.51773	CU M/MI	3062.88	CU M
SP16	Day 6	09.23.2004	19	0.56304	CU M/MI	3064.53	CU M
SP16	Day 6	09.23.2004	19.05	0.5201	CU M/MI	3066.18	CU M
SP16	Day 6	09.23.2004	19.1	0.50953	CU M/MI	3067.39	CU M
SP16	Day 6	09.23.2004	19.15	0.51671	CU M/MI	3068.88	CU M
SP16	Day 6	09.23.2004	19.2	0.42386	CU M/MI	3070.43	CU M
SP16	Day 6	09.23.2004	19.25	0.13927	CU M/MI	3072	CU M
SP16	Day 6	09.23.2004	19.3	0.22231	CU M/MI	3073.48	CU M
SP16	Day 6	09.23.2004	19.35	0.117	CU M/MI	3074.94	CU M
SP16	Day 6	09.23.2004	19.4	0.21087	CU M/MI	3076.51	CU M
SP16	Day 6	09.23.2004	19.45	0.19991	CU M/MI	3077.78	CU M
SP16	Day 6	09.23.2004	19.5	0.17379	CU M/MI	3079.23	CU M
SP16	Day 6	09.23.2004	19.55	0.20921	CU M/MI	3080.88	CU M
SP16	Day 6	09.23.2004	20	0.20329	CU M/MI	3082.54	CU M
SP16	Day 6	09.23.2004	20.05	0.20437	CU M/MI	3083.68	CU M
SP16	Day 6	09.23.2004	20.1	0.20692	CU M/MI	3085.34	CU M
SP16	Day 6	09.23.2004	20.15	0.1099	CU M/MI	3086.96	CU M
SP16	Day 6	09.23.2004	20.2	0.20945	CU M/MI	3087.79	CU M
SP16	Day 6	09.23.2004	20.25	0.44466	CU M/MI	3088.91	CU M
SP16	Day 6	09.23.2004	20.3	0.56239	CU M/MI	3090.15	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 6	09.23.2004	20.35	0.51693	CU M/MI	3091.66	CU M
SP16	Day 6	09.23.2004	20.4	0.55339	CU M/MI	3093.28	CU M
SP16	Day 6	09.23.2004	20.45	0.62478	CU M/MI	3095.37	CU M
SP16	Day 6	09.23.2004	20.5	0.55885	CU M/MI	3097.46	CU M
SP16	Day 6	09.23.2004	20.55	0.20478	CU M/MI	3100.04	CU M
SP16	Day 6	09.23.2004	21	0.2307	CU M/MI	3102.52	CU M
SP16	Day 6	09.23.2004	21.05	0.46322	CU M/MI	3104.67	CU M
SP16	Day 6	09.23.2004	21.1	0.50409	CU M/MI	3106.95	CU M
SP16	Day 6	09.23.2004	21.15	0.5068	CU M/MI	3109.27	CU M
SP16	Day 6	09.23.2004	21.2	0.50515	CU M/MI	3111.57	CU M
SP16	Day 6	09.23.2004	21.25	0.50202	CU M/MI	3113.87	CU M
SP16	Day 6	09.23.2004	21.3	0.45061	CU M/MI	3116	CU M
SP16	Day 6	09.23.2004	21.35	0.50419	CU M/MI	3118.23	CU M
SP16	Day 6	09.23.2004	21.4	0.20572	CU M/MI	3120.45	CU M
SP16	Day 6	09.23.2004	21.45	0.21606	CU M/MI	3123.25	CU M
SP16	Day 6	09.23.2004	21.5	0.62549	CU M/MI	3125.31	CU M
SP16	Day 6	09.23.2004	21.55	0.58899	CU M/MI	3127.5	CU M
SP16	Day 6	09.23.2004	22	0.5131	CU M/MI	3129.73	CU M
SP16	Day 6	09.23.2004	22.05	0.55828	CU M/MI	3132.09	CU M
SP16	Day 6	09.23.2004	22.1	0.5594	CU M/MI	3134.48	CU M
SP16	Day 6	09.23.2004	22.15	0.5586	CU M/MI	3136.87	CU M
SP16	Day 6	09.23.2004	22.2	0.56371	CU M/MI	3139.21	CU M
SP16	Day 6	09.23.2004	22.25	0.62351	CU M/MI	3141.42	CU M
SP16	Day 6	09.23.2004	22.3	0.48606	CU M/MI	3142.85	CU M
SP16	Day 6	09.23.2004	22.35	0.14816	CU M/MI	3145.46	CU M
SP16	Day 6	09.23.2004	22.4	0.44667	CU M/MI	3147.62	CU M
SP16	Day 6	09.23.2004	22.45	0.11404	CU M/MI	3148.92	CU M
SP16	Day 6	09.23.2004	22.5	0.20858	CU M/MI	3150.51	CU M
SP16	Day 6	09.23.2004	22.55	0.4927	CU M/MI	3152.32	CU M
SP16	Day 6	09.23.2004	23	0.50753	CU M/MI	3154.63	CU M
SP16	Day 6	09.23.2004	23.05	0.50539	CU M/MI	3156.91	CU M
SP16	Day 6	09.23.2004	23.1	0.50734	CU M/MI	3159.16	CU M
SP16	Day 6	09.23.2004	23.15	0.43926	CU M/MI	3161.2	CU M
SP16	Day 6	09.23.2004	23.2	0.43396	CU M/MI	3162.83	CU M
SP16	Day 6	09.23.2004	23.25	0	CU M/MI	3164.77	CU M
SP16	Day 6	09.23.2004	23.3	0.52879	CU M/MI	3166.56	CU M
SP16	Day 6	09.23.2004	23.35	0.52873	CU M/MI	3167.71	CU M
SP16	Day 6	09.23.2004	23.4	0.43847	CU M/MI	3169.14	CU M
SP16	Day 6	09.23.2004	23.45	0.4309	CU M/MI	3170.76	CU M
SP16	Day 6	09.23.2004	23.5	0.43472	CU M/MI	3172.32	CU M
SP16	Day 6	09.23.2004	23.55	0.43806	CU M/MI	3173.95	CU M
SP16	Day 6	09.24.2004	0	0.00804	CU M/MI	3175.48	CU M
SP16	Day 6	09.24.2004	0.05	0.00404	CU M/MI	3177.01	CU M
SP16	Day 6	09.24.2004	0.1	0	CU M/MI	3178.5	CU M
SP16	Day 6	09.24.2004	0.15	0.00859	CU M/MI	3180.1	CU M
SP16	Day 6	09.24.2004	0.2	0.44119	CU M/MI	3181.75	CU M
SP16	Day 6	09.24.2004	0.25	0.35612	CU M/MI	3182.93	CU M
SP16	Day 6	09.24.2004	0.3	0.32751	CU M/MI	3183.68	CU M
SP16	Day 6	09.24.2004	0.35	0.35733	CU M/MI	3184.62	CU M
SP16	Day 6	09.24.2004	0.4	0	CU M/MI	3184.97	CU M
SP16	Day 6	09.24.2004	0.45	0	CU M/MI	3184.95	CU M
SP16	Day 6	09.24.2004	0.5	0.35958	CU M/MI	3186.06	CU M
SP16	Day 6	09.24.2004	0.55	0.47046	CU M/MI	3187.55	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 6	09.24.2004	1	0.52602	CU M/MI	3188.99	CU M
SP16	Day 6	09.24.2004	1.05	0	CU M/MI	3190.08	CU M
SP16	Day 6	09.24.2004	1.1	0	CU M/MI	3190.05	CU M
SP16	Day 6	09.24.2004	1.15	0.00383	CU M/MI	3190.87	CU M
SP16	Day 6	09.24.2004	1.2	0.52755	CU M/MI	3192.29	CU M
SP16	Day 6	09.24.2004	1.25	0.52925	CU M/MI	3193.32	CU M
SP16	Day 6	09.24.2004	1.3	0.4307	CU M/MI	3194.71	CU M
SP16	Day 6	09.24.2004	1.35	0.42649	CU M/MI	3196.26	CU M
SP16	Day 6	09.24.2004	1.4	0.42836	CU M/MI	3197.82	CU M
SP16	Day 6	09.24.2004	1.45	0.43812	CU M/MI	3199.45	CU M
SP16	Day 6	09.24.2004	1.5	0.4282	CU M/MI	3201.04	CU M
SP16	Day 6	09.24.2004	1.55	0.43531	CU M/MI	3202.6	CU M
SP16	Day 6	09.24.2004	2	0.43715	CU M/MI	3204.26	CU M
SP16	Day 6	09.24.2004	2.05	0.43239	CU M/MI	3205.81	CU M
SP16	Day 6	09.24.2004	2.1	0.44726	CU M/MI	3207.27	CU M
SP16	Day 6	09.24.2004	2.15	0.52645	CU M/MI	3208.62	CU M
SP16	Day 6	09.24.2004	2.2	0.00404	CU M/MI	3209.53	CU M
SP16	Day 6	09.24.2004	2.25	0	CU M/MI	3209.51	CU M
SP16	Day 6	09.24.2004	2.3	0.43722	CU M/MI	3210.25	CU M
SP16	Day 6	09.24.2004	2.35	0.52891	CU M/MI	3211.63	CU M
SP16	Day 6	09.24.2004	2.4	0	CU M/MI	3212.4	CU M
SP16	Day 6	09.24.2004	2.45	0	CU M/MI	3212.37	CU M
SP16	Day 6	09.24.2004	2.5	0	CU M/MI	3212.81	CU M
SP16	Day 6	09.24.2004	2.55	0.0028	CU M/MI	3214.22	CU M
SP16	Day 6	09.24.2004	3	0.41487	CU M/MI	3215.7	CU M
SP16	Day 6	09.24.2004	3.05	0.51918	CU M/MI	3217.19	CU M
SP16	Day 6	09.24.2004	3.1	0.51875	CU M/MI	3218.54	CU M
SP16	Day 6	09.24.2004	3.15	0.31885	CU M/MI	3219.74	CU M
SP16	Day 6	09.24.2004	3.2	0.00022	CU M/MI	3221.73	CU M
SP16	Day 6	09.24.2004	3.25	0.35656	CU M/MI	3223.34	CU M
SP16	Day 6	09.24.2004	3.3	0	CU M/MI	3224.23	CU M
SP16	Day 6	09.24.2004	3.35	0	CU M/MI	3224.91	CU M
SP16	Day 6	09.24.2004	3.4	0.36215	CU M/MI	3226.27	CU M
SP16	Day 6	09.24.2004	3.45	0.35919	CU M/MI	3227.69	CU M
SP16	Day 6	09.24.2004	3.5	0.36011	CU M/MI	3229.09	CU M
SP16	Day 6	09.24.2004	3.55	0.35539	CU M/MI	3230.49	CU M
SP16	Day 6	09.24.2004	4	0.35772	CU M/MI	3231.93	CU M
SP16	Day 6	09.24.2004	4.05	0.35596	CU M/MI	3233.4	CU M
SP16	Day 6	09.24.2004	4.1	0.33082	CU M/MI	3234.77	CU M
SP16	Day 6	09.24.2004	4.15	0	CU M/MI	3236.66	CU M
SP16	Day 6	09.24.2004	4.2	0.3757	CU M/MI	3238.31	CU M
SP16	Day 6	09.24.2004	4.25	0.36056	CU M/MI	3239.7	CU M
SP16	Day 6	09.24.2004	4.3	0.35649	CU M/MI	3241.17	CU M
SP16	Day 6	09.24.2004	4.35	0.36254	CU M/MI	3242.65	CU M
SP16	Day 6	09.24.2004	4.4	0	CU M/MI	3243.71	CU M
SP16	Day 6	09.24.2004	4.45	0	CU M/MI	3243.68	CU M
SP16	Day 6	09.24.2004	4.5	0	CU M/MI	3244.34	CU M
SP16	Day 6	09.24.2004	4.55	0	CU M/MI	3244.32	CU M
SP16	Day 6	09.24.2004	5	0	CU M/MI	3244.3	CU M
SP16	Day 6	09.24.2004	5.05	0	CU M/MI	3244.28	CU M
SP16	Day 6	09.24.2004	5.1	0.00572	CU M/MI	3244.26	CU M
SP16	Day 6	09.24.2004	5.15	0	CU M/MI	3244.23	CU M
SP16	Day 6	09.24.2004	5.2	0	CU M/MI	3244.21	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 6	09.24.2004	5.25	0	CU M/MI	3244.19	CU M
SP16	Day 6	09.24.2004	5.3	0.40604	CU M/MI	3244.29	CU M
SP16	Day 6	09.24.2004	5.35	0.43868	CU M/MI	3245.71	CU M
SP16	Day 6	09.24.2004	5.4	0.43594	CU M/MI	3247.2	CU M
SP16	Day 6	09.24.2004	5.45	0.51524	CU M/MI	3248.94	CU M
SP16	Day 6	09.24.2004	5.5	0.55742	CU M/MI	3251.15	CU M
SP16	Day 6	09.24.2004	5.55	0.51674	CU M/MI	3253.35	CU M
SP16	Day 7	09.24.2004	6	0.20314	CU M/MI	3255.14	CU M
SP16	Day 7	09.24.2004	6.05	0.10628	CU M/MI	3256.54	CU M
SP16	Day 7	09.24.2004	6.1	0.62169	CU M/MI	3258.97	CU M
SP16	Day 7	09.24.2004	6.15	0.58903	CU M/MI	3260.6	CU M
SP16	Day 7	09.24.2004	6.2	0.46071	CU M/MI	3262.73	CU M
SP16	Day 7	09.24.2004	6.25	0	CU M/MI	3264.81	CU M
SP16	Day 7	09.24.2004	6.3	0.22645	CU M/MI	3267.11	CU M
SP16	Day 7	09.24.2004	6.35	0.10072	CU M/MI	3268.63	CU M
SP16	Day 7	09.24.2004	6.4	0.20834	CU M/MI	3269.37	CU M
SP16	Day 7	09.24.2004	6.45	0.1158	CU M/MI	3270.15	CU M
SP16	Day 7	09.24.2004	6.5	0.15728	CU M/MI	3271.11	CU M
SP16	Day 7	09.24.2004	6.55	0.20452	CU M/MI	3271.81	CU M
SP16	Day 7	09.24.2004	7	0	CU M/MI	3272.42	CU M
SP16	Day 7	09.24.2004	7.05	0.21051	CU M/MI	3273.13	CU M
SP16	Day 7	09.24.2004	7.1	0.11068	CU M/MI	3273.77	CU M
SP16	Day 7	09.24.2004	7.15	0.0227	CU M/MI	3274.69	CU M
SP16	Day 7	09.24.2004	7.2	0.21299	CU M/MI	3275	CU M
SP16	Day 7	09.24.2004	7.25	0.1157	CU M/MI	3275.83	CU M
SP16	Day 7	09.24.2004	7.3	0.21357	CU M/MI	3276.68	CU M
SP16	Day 7	09.24.2004	7.35	0	CU M/MI	3276.97	CU M
SP16	Day 7	09.24.2004	7.4	0.22038	CU M/MI	3277.98	CU M
SP16	Day 7	09.24.2004	7.45	0.1114	CU M/MI	3279.31	CU M
SP16	Day 7	09.24.2004	7.5	0.62434	CU M/MI	3281.49	CU M
SP16	Day 7	09.24.2004	7.55	0.52281	CU M/MI	3283.07	CU M
SP16	Day 7	09.24.2004	8	0.20737	CU M/MI	3285.27	CU M
SP16	Day 7	09.24.2004	8.05	0.5134	CU M/MI	3287.84	CU M
SP16	Day 7	09.24.2004	8.1	0.4539	CU M/MI	3289.95	CU M
SP16	Day 7	09.24.2004	8.15	0.53676	CU M/MI	3292.23	CU M
SP16	Day 7	09.24.2004	8.2	0.59583	CU M/MI	3294.43	CU M
SP16	Day 7	09.24.2004	8.25	0.20148	CU M/MI	3296.08	CU M
SP16	Day 7	09.24.2004	8.3	0.18326	CU M/MI	3297.81	CU M
SP16	Day 7	09.24.2004	8.35	0.20814	CU M/MI	3299.19	CU M
SP16	Day 7	09.24.2004	8.4	0	CU M/MI	3300.79	CU M
SP16	Day 7	09.24.2004	8.45	0.19546	CU M/MI	3301.79	CU M
SP16	Day 7	09.24.2004	8.5	0.20724	CU M/MI	3303.51	CU M
SP16	Day 7	09.24.2004	8.55	0.10992	CU M/MI	3304.87	CU M
SP16	Day 7	09.24.2004	9	0.20644	CU M/MI	3306.55	CU M
SP16	Day 7	09.24.2004	9.05	0.11738	CU M/MI	3307.94	CU M
SP16	Day 7	09.24.2004	9.1	0.21743	CU M/MI	3309.63	CU M
SP16	Day 7	09.24.2004	9.15	0.12588	CU M/MI	3311.01	CU M
SP16	Day 7	09.24.2004	9.2	0.24229	CU M/MI	3312.64	CU M
SP16	Day 7	09.24.2004	9.25	0	CU M/MI	3313.73	CU M
SP16	Day 7	09.24.2004	9.3	0.11614	CU M/MI	3314.3	CU M
SP16	Day 7	09.24.2004	9.35	0.20374	CU M/MI	3315	CU M
SP16	Day 7	09.24.2004	9.4	0.11612	CU M/MI	3316.67	CU M
SP16	Day 7	09.24.2004	9.45	0.21376	CU M/MI	3318.09	CU M

Appendix B
Raw Flow Data from Final Combined Treated Effluent (SP-16)
14 September through 24 September 2004

Sampling Point	Day	Date	Time	Flow	Flow Units	Total Flow	Flow Units
SP16	Day 7	09.24.2004	9.5	0.12691	CU M/MI	3319.77	CU M
SP16	Day 7	09.24.2004	9.55	0.22616	CU M/MI	3321.16	CU M
SP16	Day 7	09.24.2004	10	0.29354	CU M/MI	3322.87	CU M
SP16	Day 7	09.24.2004	10.05	0.60109	CU M/MI	3324.21	CU M
SP16	Day 7	09.24.2004	10.1	0.50516	CU M/MI	3326.55	CU M
SP16	Day 7	09.24.2004	10.15	0.56137	CU M/MI	3328.45	CU M
SP16	Day 7	09.24.2004	10.2	0.50912	CU M/MI	3330.69	CU M
SP16	Day 7	09.24.2004	10.25	0.21928	CU M/MI	3333.43	CU M
SP16	Day 7	09.24.2004	10.3	0.56591	CU M/MI	3335.52	CU M
SP16	Day 7	09.24.2004	10.35	0.60396	CU M/MI	3337.58	CU M
SP16	Day 7	09.24.2004	10.4	0.38518	CU M/MI	3339.7	CU M
SP16	Day 7	09.24.2004	10.45	0.21257	CU M/MI	3342.25	CU M
SP16	Day 7	09.24.2004	10.5	0.45309	CU M/MI	3344.25	CU M
SP16	Day 7	09.24.2004	10.55	0	CU M/MI	3344.92	CU M
SP16	Day 7	09.24.2004	11	0	CU M/MI	3344.92	CU M
SP16	Day 7	09.24.2004	11.05	0	CU M/MI	3344.92	CU M
SP16	Day 7	09.24.2004	11.1	0	CU M/MI	3344.92	CU M
SP16	Day 7	09.24.2004	11.15	0	CU M/MI	3344.92	CU M
SP16	Day 7	09.24.2004	11.2	0	CU M/MI	3344.92	CU M
SP16	Day 7	09.24.2004	11.25	0	CU M/MI	3344.92	CU M