

US EPA ARCHIVE DOCUMENT

Nitrogen Newsletter is a summary of recent publications, news and reports related to the cycling, effects and management of nitrogen. Prepared by Mary O'Brien, contractor with ASRC Federal Primus, and Jana Compton. Contact Jana Compton with any questions (Compton.jana@epa.gov)

Please note: Most of these links are available to EPA staff through library access – not all links will be available to folks outside EPA, depending on your access to specific journals and websites.

Table of Contents

Special Issues	1
Articles	2
News	19
Reports	21
Web Pages	22

Special Issues

Special section: Organic matter stabilization and ecosystem functions. Biogeochemistry, 112(1-3), 2013 Mar. Available from: <http://link.springer.com/journal/10533/112/1/page/1>

Burkhard B, Crossman ND, Nedkov S, Petz K, Alkemade R, editors. **Special issue on mapping and modelling ecosystem services.** Ecosyst Serv 4, 2013 Jun. Available from: <http://www.sciencedirect.com/science/journal/22120416>

Holyoak M, Hochberg M, editors. **Special issue: ecological effects of environmental change.** Ecol Lett 16(S1), 2013 May. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/ele.2013.16.issue-s1/issuetoc>

Manninen S, Bäck J, Rautio P, editors. **Boreal vegetation under air pollution stress.** Environ Exp Bot 90, 2013 Jun. Available from: <http://www.sciencedirect.com/science/journal/00988472/90>

Sources, sinks and fate of nutrients from agricultural catchments. Mar Freshwater Res 64(5). 2013 May. Available from: <http://www.publish.csiro.au/nid/127/issue/6520.htm>

Articles

Abdelnour A, McKane RB, Stieglitz M, Pan FF, Cheng YW. 2013. **Effects of harvest on carbon and nitrogen dynamics in a Pacific Northwest forest catchment.** Water Resour Res 49(3): 1292-1313. Available from: <http://dx.doi.org/10.1029/2012WR012994>

Addy K, Gold A, Stolt M, Donohue S. 2013. **Groundwater denitrification capacity and nitrous oxide flux of former fringing salt marshes filled with human-transported materials.** Urban Ecosyst 16(2): 295-311. Available from: <http://dx.doi.org/10.1007/s11252-012-0266-z>

Aherne J, Posch M. 2013. **Impacts of nitrogen and sulphur deposition on forest ecosystem services in Canada.** Curr Opin Env Sust 5(1): 108-115. Available from: <http://dx.doi.org/10.1016/j.cosust.2013.02.005>

Akselsson C, Hultberg H, Karlsson PE, Karlsson GP, Hellsten S. 2013. **Acidification trends in south Swedish forest soils 1986-2008-Slow recovery and high sensitivity to sea-salt episodes.** Sci Total Environ 444: 271-287. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2012.11.106>

Allison SD, Lu Y, Weihe C, Goulden ML, Martiny AC, Treseder KK, Martiny JBH. 2013. **Microbial abundance and composition influence litter decomposition response to environmental change.** Ecology 94(3): 714-725. Available from: <http://dx.doi.org/10.1890/12-1243.1>

Alvarez-Romero JG, Devlin M, da Silva ET, Petus C, Ban NC, Pressey RL, Kool J, Roberts JJ, Cerdeira-Estrada S, Wenger AS, Brodie J. 2013. **A novel approach to model exposure of coastal-marine ecosystems to riverine flood plumes based on remote sensing techniques.** J Environ Manage 119: 194-207. Available from: <http://dx.doi.org/10.1016/j.jenvman.2013.01.036>

Angst TE, Patterson CJ, Reay DS, Anderson P, Peshkur TA, Sohi SP. 2013. **Biochar diminishes nitrous oxide and nitrate leaching from diverse nutrient sources.** J Environ Qual 42(3): 672-682. Available from: <http://dx.doi.org/10.2134/jeq2012.0341>

Ardón M, Morse JL, Colman BP, Bernhardt ES. 2013. **Drought-induced saltwater incursion leads to increased wetland nitrogen export.** Global Change Biol [Accepted manuscript online: 2013 Jun 9]. Available from: <http://dx.doi.org/10.1111/gcb.12287>

Argerich A, Johnson SL, Sebestyen SD, Rhoades CC, Greathouse E, Knoepp JD, Adams MB, Likens GE, Campbell JL, McDowell WH, et al. 2013. **Trends in stream nitrogen concentrations for forested reference catchments across the USA.** Environ Res Lett 8(1): 014039. Available from: <http://dx.doi.org/10.1088/1748-9326/8/1/014039>

Aschonitis VG, Salemi E, Colombani N, Castaldelli G, Mastrocicco M. 2013. **Formulation of indices to describe intrinsic nitrogen transformation rates for the implementation of best management practices in agricultural lands.** Water Air Soil Pollut 224(3): 1489. Available from: <http://dx.doi.org/10.1007/s11270-013-1489-1>

Austin AT, Bustamante MMC, Nardoto GB, Mitre SK, Pérez T, Ometto JPHB, Ascarrunz NL, Forti MC, Longo, K Gavito ME, Enrich-Prast A, Martinelli LA. 2013. **Latin America's nitrogen challenge**. Science 340(6129): 149. Available from: <http://dx.doi.org/10.1126/science.1231679>

Babbin AR, Ward BB. 2013. **Controls on nitrogen loss processes in Chesapeake Bay sediments**. Environ Sci Technol 47(9): 4189–4196. Available from: <http://dx.doi.org/10.1021/es304842r>

Bahr A, Ellstrom M, Akselsson C, Ekblad A, Mikusinska A, Wallander H. 2013. **Growth of ectomycorrhizal fungal mycelium along a Norway spruce forest nitrogen deposition gradient and its effect on nitrogen leakage**. Soil Biol Biochem 59: 38-48. Available from: <http://dx.doi.org/10.1016/j.soilbio.2013.01.004>

Baker DM, Andras JP, Jordan-Garza AG, Fogel ML. 2013. **Nitrate competition in a coral symbiosis varies with temperature among Symbiodinium clades**. ISME J 7(6): 1248-1251. Available from: <http://dx.doi.org/10.1038/ismej.2013.12>

Baldwin AH. 2013. **Nitrogen and phosphorus differentially affect annual and perennial plants in tidal freshwater and oligohaline wetlands**. Estuar Coast 36(3): 547-558. Available from: <http://dx.doi.org/10.1007/s12237-011-9445-z>

Balestrini R, Arese C, Freppaz M, Buffagni A. 2013. **Catchment features controlling nitrogen dynamics in running waters above the tree line (central Italian Alps)**. Hydrol Earth Syst Sc 17(3): 989-1001. Available from: <http://dx.doi.org/10.5194/hess-17-989-2013>

Barco J, Gunawan S, Hogue TS. 2013. **Seasonal controls on stream chemical export across diverse coastal watersheds in the USA**. Hydrol Process 27(10): 1440-1453. Available from: <http://dx.doi.org/10.1002/hyp.9294>

Bash JO, Cooter EJ, Dennis RL, Walker JT, Pleim JE. 2013. **Evaluation of a regional air-quality model with bidirectional NH₃ exchange coupled to an agroecosystem model**. Biogeosciences 10(3): 1635-1645. Available from: <http://dx.doi.org/10.5194/bg-10-1635-2013>

Baxter AM, Johnson L, Royer T, Leff LG. 2013. **Spatial differences in denitrification and bacterial community structure of streams: relationships with environmental conditions**. Aquat Sci 75(2): 275-284. Available from: <http://dx.doi.org/10.1007/s00027-012-0272-5>

Beelen R, Hoek G, Vienneau D, Eeftens M, Dimakopoulou K, Pedeli X, Tsai MY, Kunzl N, Schikowski T, Marcon A, et al. 2013. **Development of NO₂ and NO_x land use regression models for estimating air pollution exposure in 36 study areas in Europe - The ESCAPE project**. Atmos Environ 72:10-23. Available from: <http://dx.doi.org/10.1016/j.atmosenv.2013.02.037>

Benhamou C, Salmon-Monviola J, Durand P, Grimaldi C, Merot P. 2013. **Modeling the interaction between fields and a surrounding hedgerow network and its impact on water and nitrogen flows of a small watershed.** *Agr Water Manage* 121: 62-72. Available from: <http://dx.doi.org/10.1016/j.agwat.2013.01.004>

Berger S, Jung E, Kopp J, Kang H, Gebauer G. 2013. **Monsoon rains, drought periods and soil texture as drivers of soil N₂O fluxes - Soil drought turns East Asian temperate deciduous forest soils into temporary and unexpectedly persistent N₂O sinks.** *Soil Biol Biochem* 57: 273-281. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.09.026>

Berges L, Pellissier V, Avon C, Verheyen K, Dupouey JL. 2013. **Unexpected long-range edge-to-forest interior environmental gradients.** *Landscape Ecol* 28(3): 439-453. Available from: <http://dx.doi.org/10.1007/s10980-012-9841-1>

Blanes MC, Vinegla B, Salido MT, Carreira JA. 2013. **Coupled soil-availability and tree-limitation nutritional shifts induced by N deposition: insights from N to P relationships in *Abies pinsapo* forests.** *Plant Soil* 366(1-2): 67-81. Available from: <http://dx.doi.org/10.1007/s11104-012-1397-y>

Blanes MC, Vinegla B, Merino J, Carreira JA. 2013. **Nutritional status of *Abies pinsapo* forests along a nitrogen deposition gradient: do C/N/P stoichiometric shifts modify photosynthetic nutrient use efficiency?** *Oecologia* 171(4): 797-808. Available from: <http://dx.doi.org/10.1007/s00442-012-2454-1>

Bonnett SAF, Blackwell MSA, Leah R, Cook V, O'Connor M, Maltby E. 2013. **Temperature response of denitrification rate and greenhouse gas production in agricultural river marginal wetland soils.** *Geobiology* 11(3): 252-267. Available from: <http://dx.doi.org/10.1111/gbi.12032>

Boy-Roura M, Mencia A, Mas-Pla J. 2013. **Temporal analysis of spring water data to assess nitrate inputs to groundwater in an agricultural area (Osona, NE Spain).** *Sci Total Environ* 452-453: 433-445. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2013.02.065>

Braun M, Bai YG, McConkey B, Farrell R, Romo JT, Pennock D. 2013. **Greenhouse gas flux in a temperate grassland as affected by landform and disturbance.** *Landscape Ecol* 28(4): 709-723. Available from: <http://dx.doi.org/10.1007/s10980-013-9878-9>

Brioude J, Angevine WM, Ahmadov R, Kim SW, Evan S, McKeen SA, Hsie EY, Frost GJ, Neuman JA, Pollack IB, et al. 2013. **Top-down estimate of surface flux in the Los Angeles Basin using a mesoscale inverse modeling technique: assessing anthropogenic emissions of CO, NO_x and CO₂ and their impacts.** *Atmos Chem Phys* 13(7): 3661-3677. Available from: <http://dx.doi.org/10.5194/acp-13-3661-2013>

Bryan NS, van Grinsven H. **The role of nitrate in human health.** In Sparks DL, ed. 2013. *Adv Agron* 119: 153-182. Available from: <http://dx.doi.org/10.1016/B978-0-12-407247-3.00003-2>

BryantMason A, Xu YJ. 2013. **Record 2011 spring flood of the Mississippi River: how much nitrate was exported from its largest tributary, the Atchafalaya River, into the Gulf of Mexico?** J Hydrol Eng 18(5): 590-594. Available from: [http://dx.doi.org/10.1061/\(ASCE\)HE.1943-5584.0000660](http://dx.doi.org/10.1061/(ASCE)HE.1943-5584.0000660)

BryantMason A, Xu YJ, Altabet MA. 2013. **Limited capacity of river corridor wetlands to remove nitrate: a case study on the Atchafalaya River Basin during the 2011 Mississippi River flooding.** Water Resour Res 49(1): 283-290. Available from: <http://dx.doi.org/10.1029/2012WR012185>

Burke IC, Bontti EE, Barrett JE, Lowe PN, Lauenroth WK, Riggle R. 2013. **Impact of labile and recalcitrant carbon treatments on available nitrogen and plant communities in a semiarid ecosystem.** Ecol Appl 23(3): 537-545. Available from: <http://dx.doi.org/10.1890/12-0015.1>

Burkepile DE, Allgeier JE, Shantz AA, Pritchard CE, Lemoine NP, Bhatti LH, Layman CA. 2013. **Nutrient supply from fishes facilitates macroalgae and suppresses corals in a Caribbean coral reef ecosystem.** Sci Rep-UK 3: 1493. Available from: <http://dx.doi.org/10.1038/srep01493>

Cabaraban MTI, Kroll CN, Hirabayashi S, Nowak DJ. 2013. **Modeling of air pollutant removal by dry deposition to urban trees using a WRF/CMAQ/i-Tree Eco coupled system.** Environ Pollut 176: 123-133. Available from: <http://dx.doi.org/10.1016/j.envpol.2013.01.006>

Cabezas A, Gelbrecht J, Zak, D. 2013. **The effect of rewetting drained fens with nitrate-polluted water on dissolved organic carbon and phosphorus release.** Ecol Eng 53: 79-88. Available from: <http://dx.doi.org/10.1016/j.ecoleng.2012.12.016>

Calvo P, Watts DB, Ames RN, Kloepper JW, Torbert HA. 2013. **Microbial-based inoculants impact nitrous oxide emissions from an incubated soil medium containing urea fertilizers.** J Environ Qual 42(3): 704-712. Available from: <http://dx.doi.org/10.2134/jeq2012.0300>

Cameron DR, Van Oijen M, Werner C, Butterbach-Bahl K, Grote R, Haas E, Heuvelink GBM, Kiese R, Kros J, Kuhnert M, et al. 2013. **Environmental change impacts on the C- and N-cycle of European forests: a model comparison study.** Biogeosciences 10(3): 1751-1773. Available from: <http://dx.doi.org/10.5194/bg-10-1751-2013>

Carey JC, Fulweiler RW. 2013. **Watershed land use alters riverine silica cycling.** Biogeochemistry 113(1-3): 525-544. Available from: <http://dx.doi.org/10.1007/s10533-012-9784-2>

Carey JC, Fulweiler RW. 2013. **Nitrogen enrichment increases net silica accumulation in a temperate salt marsh.** Limnol Oceanogr 58(1): 99-111. Available from: <http://dx.doi.org/10.4319/lo.2013.58.1.0099>

Carling GT, Richards DC, Hoven H, Miller T, Fernandez DP, Rudd A, Pazmino E, Johnson WP. 2013. **Relationships of surface water, pore water, and sediment chemistry in wetlands adjacent to Great Salt Lake, Utah, and potential impacts on plant community health.** Sci Total Environ 443: 798-811. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2012.11.063>

Carrino-Kyker SR, Smemo KA, Burke DJ. 2013. **Shotgun metagenomic analysis of metabolic diversity and microbial community structure in experimental vernal pools subjected to nitrate pulse.** BMC Microbiol 13: 78. Available from: <http://dx.doi.org/10.1186/1471-2180-13-78>

Castellanos MT, Tarquis AM, Ribas F, Cabello MJ, Arce A, Cartagena MC. 2013. **Nitrogen fertigation: An integrated agronomic and environmental study.** Agr Water Manage 120(SI): 46-55. Available from: <http://dx.doi.org/10.1016/j.agwat.2012.06.016>

Catalan J, Pla-Rabes S, Wolfe AP, Smol JP, Ruhland KM, Anderson NJ, Kopacek J, Stuchlik E, Schmidt R, Koinig KA, et al. 2013. **Global change revealed by palaeolimnological records from remote lakes: a review.** J Paleolimnol 49(3, SI): 513-535. Available from: <http://dx.doi.org/10.1007/s10933-013-9681-2>

Cheng Y, Cai ZC, Chang SX, Wang J, Zhang JB. 2013. **Effects of soil pH and salt on N₂O production in adjacent forest and grassland soils in central Alberta, Canada.** J Soil Sediment 13(5): 863-868. Available from: <http://dx.doi.org/10.1007/s11368-013-0663-9>

Cheng Y, Wang J, Mary B, Zhang JB, Cai ZC, Chang SX. 2013. **Soil pH has contrasting effects on gross and net nitrogen mineralizations in adjacent forest and grassland soils in central Alberta, Canada.** Soil Biol Biochem 57: 848-857. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.08.021>

Cichota R, Snow VO, Vogeler I. 2013. **Modelling nitrogen leaching from overlapping urine patches.** Environ Modell Softw 41: 15-26. Available from: <http://dx.doi.org/10.1016/j.envsoft.2012.10.011>

Cleland EE, Larios L, Suding KN. 2013. **Strengthening invasion filters to reassemble native plant communities: soil resources and phenological overlap.** Restor Ecol 21(3): 390-398. Available from: <http://dx.doi.org/10.1111/j.1526-100X.2012.00896.x>

Cooter EJ, Rea A, Bruins R, Schwede D, Dennis R. 2013. **The role of the atmosphere in the provision of ecosystem services.** Sci Total Environ 448(SI): 197-208. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2012.07.077>

Cormier N, Krauss KW, Conner WH. 2013. **Periodicity in stem growth and litterfall in tidal freshwater forested wetlands: influence of salinity and drought on nitrogen recycling.** Estuar Coast 36(3): 533-546. Available from: <http://dx.doi.org/10.1007/s12237-012-9505-z>

Cott GM, Chapman DV, Jansen MAK. 2013. **Salt marshes on substrate enriched in organic matter: the case of ombrogenic Atlantic salt marshes.** Estuar Coast 36(3): 595-609. Available from: <http://dx.doi.org/10.1007/s12237-012-9579-7>

Creamer CA, Filley TR, Olk DC, Stott DE, Dooling V, Boutton, TW. 2013. **Changes to soil organic N dynamics with leguminous woody plant encroachment into grasslands.** Biogeochemistry 113(1-3): 307-321. Available from: <http://dx.doi.org/10.1007/s10533-012-9757-5>

Dann R, Thomas S, Waterland H, Flintoft M, Close M. 2013. **Nitrate and nitrous oxide dynamics under urine application in an alluvial gravel vadose zone.** Vadose Zone J 12(1). Available from: <http://dx.doi.org/10.2136/vzj2012.0038>

Davidson TA, Jeppesen E. 2013. **The role of palaeolimnology in assessing eutrophication and its impact on lakes.** J Paleolimnol 49(3, SI): 391-410. Available from: <http://dx.doi.org/10.1007/s10933-012-9651-0>

DeVries T, Deutsch C, Rafter PA, Primeau F. 2013. **Marine denitrification rates determined from a global 3-D inverse model.** Biogeosciences 10(4): 2481-2496. Available from: <http://dx.doi.org/10.5194/bg-10-2481-2013>

Di Lorenzo T, Galassi DMP. 2013. **Agricultural impact on Mediterranean alluvial aquifers: do groundwater communities respond?** Fund Appl Limnol 182(4): 271-282. Available from: <http://dx.doi.org/10.1127/1863-9135/2013/0398>

Dias T, Oakley S, Alarcon-Gutierrez E, Ziarelli F, Trindade H, Martins-Loucao MA, Sheppard L, Ostle N, Cruz C. 2013. **N-driven changes in a plant community affect leaf-litter traits and may delay organic matter decomposition in a Mediterranean maquis.** Soil Biol Biochem 58: 163-171. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.10.027>

Dijkstra FA, Morgan JA, Follett RF, Lecain DR. 2013. **Climate change reduces the net sink of CH₄ and N₂O in a semiarid grassland.** Global Change Biol 19(6): 1816-1826. Available from: <http://dx.doi.org/10.1111/gcb.12182>

Doiron M, Legagneux P, Gauthier G, Levesque E. 2013. **Broad-scale satellite Normalized Difference Vegetation Index data predict plant biomass and peak date of nitrogen concentration in Arctic tundra vegetation.** Appl Veg Sci 16(2): 343-351. Available from: <http://dx.doi.org/10.1111/j.1654-109X.2012.01219.x>

Doody DG, Bailey JS, Watson CJ. 2013. **Evaluating the evidence-base for the Nitrate Directive regulations controlling the storage of manure in field heaps.** Environ Sci Policy 29: 137-146. Available from: <http://dx.doi.org/10.1016/j.envsci.2013.01.009>

Dragon K. 2013. **Groundwater nitrate pollution in the recharge zone of a regional Quaternary flow system (Wielkopolska region, Poland).** Environ Earth Sci 68(7): 2099-2109. Available from: <http://dx.doi.org/10.1007/s12665-012-1895-5>

Dreiss LM, Volin JC. 2013. **Influence of leaf phenology and site nitrogen on invasive species establishment in temperate deciduous forest understories.** Forest Ecol Manag 296: 1-8. Available from: <http://dx.doi.org/10.1016/j.foreco.2013.01.031>

Duan SW, Kaushal SS. 2013. **Warming increases carbon and nutrient fluxes from sediments in streams across land use.** Biogeosciences 10(2): 1193-1207. Available from: <http://dx.doi.org/10.5194/bg-10-1193-2013>

Duarte N, Pardo LH, Robin-Abbott MJ. 2013. **Susceptibility of forests in the Northeastern USA to nitrogen and sulfur deposition: critical load exceedance and forest health.** Water Air Soil Poll 224(2): 1355. Available from: <http://dx.doi.org/10.1007/s11270-012-1355-6>

Dymond JR, Ausseil AGE, Parfitt RL, Herzig A, McDowell RW. 2013. **Nitrate and phosphorus leaching in New Zealand: a national perspective.** New Zeal J Agr Res 56(1): 49-59. Available from: <http://dx.doi.org/10.1080/00288233.2012.747185>

Edmondson J, Terribile E, Carroll JA, Price EAC, Caporn, SJM. 2013. **The legacy of nitrogen pollution in heather moorlands: Ecosystem response to simulated decline in nitrogen deposition over seven years.** Sci Total Environ 444: 138-144. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2012.11.074>

Eisenhauer N, Dobies T, Cesarz S, Hobbie SE, Meyer RJ, Worm K, Reich PB. 2013. **Plant diversity effects on soil food webs are stronger than those of elevated CO₂ and N deposition in a long-term grassland experiment.** P Natl Acad Sci USA 110(17): 6889-6894. Available from: <http://dx.doi.org/10.1073/pnas.1217382110>

Elsley-Quirk T, Smyth A, Piehler M, Mead JV, Velinsky DJ. 2013. **Exchange of nitrogen through an urban tidal freshwater wetland in Philadelphia, Pennsylvania.** J Environ Qual 42(2): 584-595. Available from: <http://dx.doi.org/10.2134/jeq2012.0287>

Ensign S, Siporin K, Piehler M, Doyle M, Leonard L. 2013. **Hydrologic versus biogeochemical controls of denitrification in tidal freshwater wetlands.** Estuar Coast 36(3): 519-532. Available from: <http://dx.doi.org/10.1007/s12237-012-9491-1>

Epstein DM, Neilson BT, Goodman KJ, Stevens DK, Wurtsbaugh WA. 2013. **A modeling approach for assessing the effect of multiple alpine lakes in sequence on nutrient transport.** Aquat Sci 75(2): 199-212. Available from: <http://dx.doi.org/10.1007/s00027-012-0267-2>

Eriksson O. 2013. **Species pools in cultural landscapes - niche construction, ecological opportunity and niche shifts.** Ecography 36(4): 403-413. Available from: <http://dx.doi.org/10.1111/j.1600-0587.2012.07913.x>

Esch EH, Hernandez DL, Pasari JR, Kantor RSG, Selman PC. 2013. **Response of soil microbial activity to grazing, nitrogen deposition, and exotic cover in a serpentine**

grassland. Plant Soil 366(1-2): 671-682. Available from: <http://dx.doi.org/10.1007/s11104-012-1463-5>

Evans MA, Scavia D. 2013. **Exploring estuarine eutrophication sensitivity to nutrient loading.** Limnol Oceanogr 58(2): 569-578. Available from: <http://dx.doi.org/10.4319/lo.2013.58.2.0569>

Farooqui ZM, John K, Biswas J, Sule N. 2013. **Modeling analysis of the impact of anthropogenic emission sources on ozone concentration over selected urban areas in Texas.** Atmos Pollut Res 4(1): 33-42. Available from: <http://dx.doi.org/10.5094/APR.2013.004>

Fender AC, Gansert D, Jungkunst HF, Fiedler S, Beyer F, Schutzenmeister K, Thiele B, Valtanen K, Polle A, Leuschner C. 2013. **Root-induced tree species effects on the source/sink strength for greenhouse gases (CH₄, N₂O and CO₂) of a temperate deciduous forest soil.** Soil Biol Biochem 57: 587-597. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.08.004>

Feng ZJ, Schilling KE, Chan KS. 2013. **Dynamic regression modeling of daily nitrate-nitrogen concentrations in a large agricultural watershed.** Environ Monit Assess 185(6): 4605-4617. Available from: <http://dx.doi.org/10.1007/s10661-012-2891-7>

Fernandez-Somoano A, Hoek G, Tardon A. 2013. **Relationship between area-level socioeconomic characteristics and outdoor NO₂ concentrations in rural and urban areas of northern Spain.** BMC Public Health 13: 71. Available from: <http://dx.doi.org/10.1186/1471-2458-13-71>

Findlay S, Fischer D. 2013. **Ecosystem attributes related to tidal wetland effects on water quality.** Ecology 94(1): 117-125. Available from: <http://dx.doi.org/10.1890/12-0464.1>

Fleischer K, Rebel KT, van der Molen MK, Erisman JW, Wassen MJ, van Loon EE, Montagnani L, Gough CM, Herbst M, Janssens IA, et al. 2013. **The contribution of nitrogen deposition to the photosynthetic capacity of forests.** Global Biogeochem Cy 27(1): 187-199. Available from: <http://dx.doi.org/10.1002/gbc.20026>

Fulweiler RW, Brown SM, Nixon SW, Jenkins BD. 2013. **Evidence and a conceptual model for the co-occurrence of nitrogen fixation and denitrification in heterotrophic marine sediments.** Mar Ecol Prog Ser 482: 57-68. Available from: <http://dx.doi.org/10.3354/meps10240>

Garcia-Palacios P, Milla R, Delgado-Baquerizo M, Martin-Robles N, Alvaro-Sanchez M, Wall DH. 2013. **Side-effects of plant domestication: ecosystem impacts of changes in litter quality.** New Phytol 198(2): 504-513. Available from: <http://dx.doi.org/10.1111/nph.12127>

Gasiorowski M, Sienkiewicz E. 2013. **The sources of carbon and nitrogen in mountain lakes and the role of human activity in their modification determined by tracking stable isotope composition.** Water Air Soil Pollut 224(4): 1498. Available from: <http://dx.doi.org/10.1007/s11270-013-1498-0>

Gathany MA, Burke IC. 2012. **DAYCENT simulations to test the influence of fire regime and fire suppression on trace gas fluxes and nitrogen biogeochemistry of Colorado forests.** Forests 3(3): 506-527. Available from: <http://dx.doi.org/10.3390/f3030506>

Gottschaldt K, Voigt C, Jockel P, Righi M, Deckert R, Dietmuller S. 2013. **Global sensitivity of aviation NO_x effects to the HNO₃-forming channel of the HO₂ + NO reaction.** Atmos Chem Phys 13(6): 3003-3025. Available from: <http://dx.doi.org/10.5194/acp-13-3003-2013>

Grainger TN, Turkington R. 2013. **Mechanisms for success after long-term nutrient enrichment in a boreal forest understory.** PLoS One 8(4): e61229. Available from: <http://dx.doi.org/10.1371/journal.pone.0061229>

Green ER, Ellis RJ, Gadsdon SRM, Milcu A, Power SA. 2013. **How does N deposition affect belowground heathland recovery following wildfire?** Soil Biol Biochem 57: 775-783. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.08.025>

Guenet B, Cadule P, Zaehle S, Piao SL, Peylin P, Maignan F, Ciais P, Friedlingstein P. 2013. **Does the integration of the dynamic nitrogen cycle in a terrestrial biosphere model improve the long-term trend of the leaf area index?** Clim Dynam 40(9-10, SI): 2535-2548. Available from: <http://dx.doi.org/10.1007/s00382-012-1388-y>

Halvorson AD, Del Grosso SJ. 2013. **Nitrogen placement and source effects on nitrous oxide emissions and yields of irrigated corn.** J Environ Qual 42(2): 312-322. Available from: <http://dx.doi.org/10.2134/jeq2012.0315>

Helske J, Nyblom J, Ekholm P, Meissner K. 2013. **Estimating aggregated nutrient fluxes in four Finnish rivers via Gaussian state space models.** Environmetrics 24(4): 237-247. Available from: <http://dx.doi.org/10.1002/env.2204>

Hilton RG, Galy A, West AJ, Hovius N, Roberts GG. 2013. **Geomorphic control on the delta N-15 of mountain forests.** Biogeosciences 10(3): 1693-1705. Available from: <http://dx.doi.org/10.5194/bg-10-1693-2013>

Inselsbacher E, Wanek W, Strauss J, Zechmeister-Boltenstern S, Muller C. 2013. **A novel N-15 tracer model reveals: Plant nitrate uptake governs nitrogen transformation rates in agricultural soils.** Soil Biol Biochem 57: 301-310. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.10.010>

Iriarte JL, Pantoja S, Gonzalez HE, Silva G, Paves H, Labbe P, Rebolledo L, Van Ardelan M, Haussermann V. 2013. **Assessing the micro-phytoplankton response to nitrate in Comau Fjord (42 degrees S) in Patagonia (Chile), using a microcosms approach.** Environ Monit Assess 185(6): 5055-5070. Available from: <http://dx.doi.org/10.1007/s10661-012-2925-1>

Isbell F, Reich PB, Tilman D, Hobbie SE, Polasky S, Binder S. 2013. **Nutrient enrichment, biodiversity loss, and consequent declines in ecosystem productivity.** PNAS 110(29): 11911-11916. Available from: <http://dx.doi.org/10.1073/pnas.1310880110>

Islam MJ, Jang C, Eum J, Jung SM, Shin MS, Lee Y, Choi Y, Shin C, Kim B. 2013. **The decomposition rates of organic phosphorus and organic nitrogen in river waters.** J Freshwater Ecol 28(2): 239-250. Available from: <http://dx.doi.org/10.1080/02705060.2012.733969>

Itakura M, Uchida Y, Akiyama H, Hoshino YT, Shimomura Y, Morimoto S, Tago K, Wang Y, Hayakawa C, Uetake Y, et al. 2013. **Mitigation of nitrous oxide emissions from soils by Bradyrhizobium japonicum inoculation.** Nat Clim Change 3(3): 208-212. Available from: <http://dx.doi.org/10.1038/NCLIMATE1734>

Jarchow ME, Liebman M. 2013. **Nitrogen fertilization increases diversity and productivity of prairie communities used for bioenergy.** GCB Bioenergy 5(3): 281-289. Available from: <http://dx.doi.org/10.1111/j.1757-1707.2012.01186.x>

Johnson SR, Burchell MR, Evans RO, Osmond DL, Gilliam JW. 2013. **Riparian buffer located in an upland landscape position does not enhance nitrate-nitrogen removal.** Ecol Eng 52: 252-261. Available from: <http://dx.doi.org/10.1016/j.ecoleng.2012.11.006>

Jun M, Altor AE, Craft CB. 2013. **Effects of increased salinity and inundation on inorganic nitrogen exchange and phosphorus sorption by tidal freshwater floodplain forest soils, Georgia (USA).** Estuar Coast 36(3): 508-518. Available from: <http://dx.doi.org/10.1007/s12237-012-9499-6>

Kamble PN, Rousk J, Frey SD, Baath E. 2013. **Bacterial growth and growth-limiting nutrients following chronic nitrogen additions to a hardwood forest soil.** Soil Biol Biochem 59: 32-37. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.12.017>

Karlsson PE, Ferm M, Tommervik H, Hole LR, Karlsson GP, Ruoho-Airola T, Aas W, Hellsten S, Akselsson C, Mikkelsen TN, et al. 2013. **Biomass burning in eastern Europe during spring 2006 caused high deposition of ammonium in northern Fennoscandia.** Environ Pollut 176: 71-79. Available from: <http://dx.doi.org/10.1016/j.envpol.2012.12.006>

Kelagher BP, Bishop MJ, Potts J, Scanes P, Skilbeck G. 2013. **Detrital diversity influences estuarine ecosystem performance.** Global Change Biol 19(6): 1909-1918. Available from: <http://dx.doi.org/10.1111/gcb.12162>

Kelley CJ, Keller CK, Evans RD, Orr CH, Smith JL, Harlow BA. 2013. **Nitrate-nitrogen and oxygen isotope ratios for identification of nitrate sources and dominant nitrogen cycle processes in a tile-drained dryland agricultural field.** Soil Biol Biochem 57: 731-738. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.10.017>

Kellogg ML, Cornwell JC, Owens MS, Paynter KT. 2013. **Denitrification and nutrient assimilation on a restored oyster reef.** Mar Ecol Prog Ser 480: 1-19. Available from: <http://dx.doi.org/10.3354/meps10331>

Kent R, Landon MK. 2013. **Trends in concentrations of nitrate and total dissolved solids in public supply wells of the Bunker Hill, Lytle, Rialto, and Colton groundwater subbasins, San Bernardino County, California: Influence of legacy land use.** Sci Total Environ 452: 125-136. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2013.02.042>

Kim DG, Hernandez-Ramirez G, Giltrap D. 2013. **Linear and nonlinear dependency of direct nitrous oxide emissions on fertilizer nitrogen input: A meta-analysis.** Agr Ecosyst Environ 168: 53-65. Available from: <http://dx.doi.org/10.1016/j.agee.2012.02.021>

Klammler G, Kupfersberger H, Rock G, Fank J. 2013. **Modeling coupled unsaturated and saturated nitrate distribution of the aquifer Westliches Leibnitzer Feld, Austria.** Environ Earth Sci 69(2): 663-678. Available from: <http://dx.doi.org/10.1007/s12665-013-2302-6>

Krause S, Tecklenburg C, Munz M, Naden E. 2013. **Streambed nitrogen cycling beyond the hyporheic zone: Flow controls on horizontal patterns and depth distribution of nitrate and dissolved oxygen in the upwelling groundwater of a lowland river.** J Geophys Res-Biogeosci 118(1): 54-67. Available from: <http://dx.doi.org/10.1029/2012JG002122>

Kreiling RM, Schubauer-Berigan JP, Richardson WB, Bartsch LA, Hughes PE, Cavanaugh JC, Strauss EA. 2013. **Wetland management reduces sediment and nutrient loading to the Upper Mississippi River.** J Environ Qual 42(2): 573-583. Available from: <http://dx.doi.org/10.2134/jeq2012.0248>

Kuhnel R, Bjorkman MP, Vega CP, Hodson A, Isaksson E, Strom J. 2013. **Reactive nitrogen and sulphate wet deposition at Zeppelin Station, Ny-Alesund, Svalbard.** Polar Res 32: 19136. Available from: <http://dx.doi.org/10.3402/polar.v32i0.19136>

Kurian LM, Lautz LK, Mitchell MJ. 2013. **Winter hydrology and NO₃- concentrations in a forested watershed: a detailed field study in the Adirondack Mountains of New York.** J Am Water Resour As 49(2): 264-283. Available from: <http://dx.doi.org/10.1111/jawr.12012>

Langley JA, Mozdzer TJ, Shepard KA, Hagerty SB, Megonigal JP. 2013. **Tidal marsh plant responses to elevated CO₂, nitrogen fertilization, and sea level rise.** Global Change Biol 19(5): 1495-1503. Available from: <http://dx.doi.org/10.1111/gcb.12147>

Lee D, Wexler AS. 2013. **Atmospheric amines - Part III: Photochemistry and toxicity.** Atmos Environ 71: 95-103. Available from: <http://dx.doi.org/10.1016/j.atmosenv.2013.01.058>

Lee MA, Power SA. 2013. **Direct and indirect effects of roads and road vehicles on the plant community composition of calcareous grasslands.** Environ Pollut 176: 106-113. Available from: <http://dx.doi.org/10.1016/j.envpol.2013.01.018>

Li A, Fahey TJ. 2013. **Nitrogen translocation to fresh litter in northern hardwood forest.** Ecosystems 16(3): 521-528. Available from: <http://dx.doi.org/10.1007/s10021-012-9627-y>

Li FL, Liu, M, Li ZP, Jiang CY, Han FX, Che YP. 2013. **Changes in soil microbial biomass and functional diversity with a nitrogen gradient in soil columns.** Appl Soil Ecol 64: 1-6. Available from: <http://dx.doi.org/10.1016/j.apsoil.2012.10.006>

Li Q, Bai HH, Liang WJ, Xia JY, Wan SQ, van der Putten WH. 2013. **Nitrogen addition and warming independently influence the belowground micro-food web in a temperate steppe.** PLoS One 8(3): e60441. Available from: <http://dx.doi.org/10.1371/journal.pone.0060441>

Li RP, Merchant JW. 2013. **Modeling vulnerability of groundwater to pollution under future scenarios of climate change and biofuels-related land use change: A case study in North Dakota, USA.** Sci Total Environ 447: 32-45. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2013.01.011>

Li W, Gao F, Liao XQ. 2013. **Estimating chemical exchange between atmospheric deposition and forest canopy in Guizhou, China.** J Environ Qual 42(2): 332-340. Available from: <http://dx.doi.org/10.2134/jeq2012.0308>

Li XB, Xia YQ, Li YF, Kana TM, Kimura SD, Saito M, Yan XY. 2013. **Sediment denitrification in waterways in a rice-paddy-dominated watershed in eastern China.** J Soil Sediment 13(4): 783-792. Available from: <http://dx.doi.org/10.1007/s11368-013-0651-0>

Lind LPD, Audet J, Tonderski K, Hoffmann CC. 2013. **Nitrate removal capacity and nitrous oxide production in soil profiles of nitrogen loaded riparian wetlands inferred by laboratory microcosms.** Soil Biol Biochem 60: 156-164. Available from: <http://dx.doi.org/10.1016/j.soilbio.2013.01.021>

Lindsey LE, Steinke K, Warncke DD, Everman WJ. 2013. **Nitrogen release from weed residue.** Weed Sci 61(2): 334-340. Available from: <http://dx.doi.org/10.1614/WS-D-12-00090.1>

Liu K, Elliott JA, Lobb DA, Flaten DN, Yarotski J. 2013. **Critical factors affecting field-scale losses of nitrogen and phosphorus in spring snowmelt runoff in the Canadian prairies.** J Environ Qual 42(2): 484-496. Available from: <http://dx.doi.org/10.2134/jeq2012.0385>

Lu YN, Wang CY, Jia YY, Du JJ, Ma X, Wang WW, Pu GZ, Tian XJ. 2013. **Responses of soil microbial biomass and enzymatic activities to different forms of organic nitrogen deposition in the subtropical forests in East China.** Ecol Res 28(3): 447-457. Available from: <http://dx.doi.org/10.1007/s11284-013-1033-1>

Lunau M, Voss M, Erickson M, Dziallas C, Casciotti K, Ducklow H. 2013. **Excess nitrate loads to coastal waters reduces nitrate removal efficiency: mechanism and implications for coastal eutrophication.** Environ Microbiol 15(5, SI): 1492-1504. Available from: <http://dx.doi.org/10.1111/j.1462-2920.2012.02773.x>

Lyons KG, Maldonado-Leal BG, Owen, G. 2013. **Community and ecosystem effects of buffelgrass (*Pennisetum ciliare*) and nitrogen deposition in the Sonoran Desert.** Invas Plant Sci Mana 6(1): 65-78. Available from: <http://dx.doi.org/10.1614/IPSM-D-11-00071.1>

- Maes J, Hauck J, Paracchini ML, Rataamaki O, Hutchins M, Termansen M, Furman E, Perez-Soba M, Braat L, Bidoglio G. 2013. **Mainstreaming ecosystem services into EU policy.** *Curr Opin Env Sust* 5(1): 128-134. Available from: <http://dx.doi.org/10.1016/j.cosust.2013.01.002>
- Mander U, Li XZ, Wassen MJ. 2013. **Biogeochemical fluxes in landscapes.** *Landscape Ecol* 28(4): 577-581. Available from: <http://dx.doi.org/10.1007/s10980-013-9875-z>
- McMurray JA, Roberts DW, Fenn ME, Geiser LH, Jovan S. 2013. **Using epiphytic lichens to monitor nitrogen deposition near natural gas drilling operations in the Wind River Range.** *Water Air Soil Poll* 224(3): 1487. Available from: <http://dx.doi.org/10.1007/s11270-013-1487-3>
- Moir JL, Edwards GR, Berry LN. 2013. **Nitrogen uptake and leaching loss of thirteen temperate grass species under high N loading.** *Grass Forage Sci* 68(2): 313-325. Available from: <http://dx.doi.org/10.1111/j.1365-2494.2012.00905.x>
- Morrissey EM, Jenkins AS, Brown BL, Franklin RB. 2013. **Resource availability effects on nitrate-reducing microbial communities in a freshwater wetland.** *Wetlands* 33(2): 301-310. Available from: <http://dx.doi.org/10.1007/s13157-013-0384-2>
- Morse JL, Bernhardt ES. 2013. **Using N-15 tracers to estimate N₂O and N₂ emissions from nitrification and denitrification in coastal plain wetlands under contrasting land-uses.** *Soil Biol Biochem* 57: 635-643. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.07.025>
- Moss B, Jeppesen E, Sondergaard M, Lauridsen TL, Liu ZW. 2013. **Nitrogen, macrophytes, shallow lakes and nutrient limitation: resolution of a current controversy?** *Hydrobiologia* 710(1): 3-21. Available from: <http://dx.doi.org/10.1007/s10750-012-1033-0>
- Mueller KE, Hobbie SE, Tilman D, Reich PB. 2013. **Effects of plant diversity, N fertilization, and elevated carbon dioxide on grassland soil N cycling in a long-term experiment.** *Global Change Biol* 19(4): 1249-1261. Available from: <http://dx.doi.org/10.1111/gcb.12096>
- Munshaw RG, Palen WJ, Courcelles DM, Finlay JC. 2013. **Predator-driven nutrient recycling in California stream ecosystems.** *PLoS One* 8(3): e58542. Available from: <http://dx.doi.org/10.1371/journal.pone.0058542>
- Munzi S, Branquinho C, Cruz C, Loppi S. 2013. **Nitrogen tolerance in the lichen *Xanthoria parietina*: the sensitive side of a resistant species.** *Funct Plant Biol* 40(3): 237-243. Available from: <http://dx.doi.org/10.1071/FP12127>
- Natho S, Venohr M, Henle K, Schulz-Zunkel C. 2013. **Modelling nitrogen retention in floodplains with different degrees of degradation for three large rivers in Germany.** *J Environ Manage* 122: 47-55. Available from: <http://dx.doi.org/10.1016/j.jenvman.2013.02.049>
- Northington RM, Webster JR, Benfield EF, Cheever BM, Niederlehner BR. 2013. **Ecosystem function in Appalachian headwater streams during an active invasion by the Hemlock**

Woolly Adelgid. PLoS One 8(4): e61171. Available from:
<http://dx.doi.org/10.1371/journal.pone.0061171>

Ochoa-Hueso R, Manrique E. 2013. **Effects of nitrogen deposition on growth and physiology of *Pleurochaete squarrosa* (Brid.) Lindb., a terricolous moss from Mediterranean ecosystems.** Water Air Soil Poll 224(4): 1492. Available from: <http://dx.doi.org/10.1007/s11270-013-1492-6>

Ochoa-Hueso R, Stevens CJ, Ortiz-Llorente MJ, Manrique E. 2013. **Soil chemistry and fertility alterations in response to N application in a semiarid Mediterranean shrubland.** Sci Total Environ 452: 78-86. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2013.02.049>

Olivares J, Bedmar EJ, Sanjuan J. 2013. **Biological nitrogen fixation in the context of global change.** Mol Plant Microbe In 26(5): 486-494. Available from: <http://dx.doi.org/10.1094/MPMI-12-12-0293-CR>

Pato J, Obeso JR. 2013. **Effects of clipping and N fertilization on insect herbivory and infestation by pathogenic fungi on bilberry.** Basic Appl Ecol 14(4): 347-356. Available from: <http://dx.doi.org/10.1016/j.baae.2013.02.005>

Paulot F, Jacob DJ, Henze DK. 2013. **Sources and processes contributing to nitrogen deposition: an adjoint model analysis applied to biodiversity hotspots worldwide.** Environ Sci Technol 47(7): 3226-3233. Available from: <http://dx.doi.org/10.1021/es3027727>

Payne RJ, Jassey VEJ, Leith ID, Sheppard LJ, Dise NB, Gilbert D. 2013. **Ammonia exposure promotes algal biomass in an ombrotrophic peatland.** Soil Biol Biochem 57: 936-938. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.09.012>

Philibert A, Loyce C, Makowski D. 2013. **Prediction of N₂O emission from local information with Random Forest.** Environ Pollut 177: 156-163. Available from: <http://dx.doi.org/10.1016/j.envpol.2013.02.019>

Poor ND, Cross LM, Dennis RL. 2013. **Lessons learned from the Bay Region Atmospheric Chemistry Experiment (BRACE) and implications for nitrogen management of Tampa Bay.** Atmos Environ 70: 75-83. Available from: <http://dx.doi.org/10.1016/j.atmosenv.2012.12.030>

Preston TM, Sojda RS, Gleason RA. 2013. **Sediment accretion rates and sediment composition in Prairie Pothole wetlands under varying land use practices, Montana, United States.** J Soil Water Conserv 68(3): 199-211. Available from: <http://dx.doi.org/10.2489/jswc.68.3.199>

Seeyave S, Probyn T, Alvarez-Salgado XA, Figueiras FG, Purdie DA, Barton ED, Lucas M. 2013. **Nitrogen uptake of phytoplankton assemblages under contrasting upwelling and downwelling conditions: the Ria de Vigo, NW Iberia.** Estuar Coast Shelf S 124: 1-12. Available from: <http://dx.doi.org/10.1016/j.ecss.2013.03.004>

Raimonet M, Guillou G, Mornet F, Richard P. 2013. **Macroalgae delta N-15 values in well-mixed estuaries: Indicator of anthropogenic nitrogen input or macroalgae metabolism?** Estuar Coast Shelf S 119: 126-138. Available from: <http://dx.doi.org/10.1016/j.ecss.2013.01.011>

Rappe-George MO, Gardenas AI, Kleja DB. 2013. **The impact of four decades of annual nitrogen addition on dissolved organic matter in a boreal forest soil.** Biogeosciences 10(3): 1365-1377. Available from: <http://dx.doi.org/10.5194/bg-10-1365-2013>

Rees RM, Baddeley JA, Bhogal A, Ball BC, Chadwick DR, Macleod M, Lilly A, Pappa VA, Thorman RE, Watson CA, et al. 2013. **Nitrous oxide mitigation in UK agriculture.** Soil Sci Plant Nutr 59(1, SI): 3-15. Available from: <http://dx.doi.org/10.1080/00380768.2012.733869>

Rissanen AJ, Tirola M, Hietanen S, Ojala A. 2013. **Interlake variation and environmental controls of denitrification across different geographical scales.** Aquat Microb Ecol 69(1)1-16. Available from: <http://dx.doi.org/10.3354/ame01619>

Romero E, Garnier J, Lassaletta L, Billen G, Le Gendre R, Riou P, Cugier P. 2013. **Large-scale patterns of river inputs in southwestern Europe: seasonal and interannual variations and potential eutrophication effects at the coastal zone.** Biogeochemistry 113(1-3): 481-505. Available from: <http://dx.doi.org/10.1007/s10533-012-9778-0>

Saari P, Saarnio S, Heinonen J, Alm J. 2013. **Emissions and dynamics of N₂O in a buffer wetland receiving water flows from a forested peatland.** Boreal Environ Res 18(2): 164-180. Available from: <http://www.borenv.net/BER/pdfs/ber18/ber18-164.pdf>

Secoges JM, Aust WM, Seiler JR, Dolloff CA, Lakel WA. 2013. **Streamside management zones affect movement of silvicultural nitrogen and phosphorus fertilizers to Piedmont streams.** South J Appl For 37(1): 26-35. Available from: <http://dx.doi.org/10.5849/sjaf.11-032>

Small GE, Bullerjahn GS, Sterner RW, Beall BFN, Brovold S, Finlay JC, McKay RML, Mukherjee M. 2013. **Rates and controls of nitrification in a large oligotrophic lake.** Limnol Oceanogr 58(1): 276-286. Available from: <http://dx.doi.org/10.4319/lo.2013.58.1.0276>

Smith AJ, Thomas RL, Nolan JK, Velinsky DJ, Klein S, Duffy BT. 2013. **Regional nutrient thresholds in wadeable streams of New York State protective of aquatic life.** Ecol Indic 29: 455-467. Available from: <http://dx.doi.org/10.1016/j.ecolind.2013.01.021>

Stein O, Flemming J, Inness A, Kaiser JW, Schultz MG. 2012. **Global reactive gases forecasts and reanalysis in the MACC project.** J Integr Environ Sci 9(1, SI): 57-70. Available from: <http://dx.doi.org/10.1080/1943815X.2012.696545>

Sudduth EB, Perakis SS, Bernhardt ES. 2013. **Nitrate in watersheds: Straight from soils to streams?** J Geophys Res-Bioge 118(1): 291-302. Available from: <http://dx.doi.org/10.1002/jgrg.20030>

Sutton-Grier AE, Wright JP, Richardson CJ. 2013. **Different plant traits affect two pathways of riparian nitrogen removal in a restored freshwater wetland.** Plant Soil 365(1-2): 41-57. Available from: <http://dx.doi.org/10.1007/s11104-011-1113-3>

Tahovska K, Kana J, Barta J, Oulehle F, Richter A, Santruckova H. 2013. **Microbial N immobilization is of great importance in acidified mountain spruce forest soils.** Soil Biol Biochem 59: 58-71. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.12.015>

Talhelm AF, Burton AJ, Pregitzer KS, Campione MA. 2013. **Chronic nitrogen deposition reduces the abundance of dominant forest understory and groundcover species.** Forest Ecol Manag 293: 39-48. Available from: <http://dx.doi.org/10.1016/j.foreco.2012.12.020>

Tappin AD, Mankasingh U, McKelvie ID, Worsfold PJ. 2013. **Temporal variability in nutrient concentrations and loads in the River Tamar and its catchment (SW England) between 1974 and 2004.** Environ Monit Assess 185(6): 4791-4818. Available from: <http://dx.doi.org/10.1007/s10661-012-2905-5>

Tesoriero AJ, Duff JH, Saad DA, Spahr NE, Wolock DM. 2013. **Vulnerability of streams to legacy nitrate sources.** Environ Sci Technol 47(8): 3623-3629. Available from: <http://dx.doi.org/10.1021/es305026x>

Valiela I, Giblin A, Barth-Jensen C, Harris C, Stone T, Fox S, Crusius J. 2013. **Nutrient gradients in Panamanian estuaries: effects of watershed deforestation, rainfall, upwelling, and within-estuary transformations.** Mar Ecol Prog Ser 482: 1-15. Available from: <http://dx.doi.org/10.3354/meps10358>

Vallano DM, Sparks JP. 2013. **Foliar delta N-15 is affected by foliar nitrogen uptake, soil nitrogen, and mycorrhizae along a nitrogen deposition gradient.** Oecologia 172(1): 47-58. Available from: <http://dx.doi.org/10.1007/s00442-012-2489-3>

Van Engeland T, Bouma TJ, Morris EP, Brun FG, Peralta G, Lara M, Hendriks IE, van Rijswijk P, Veuger B, Soetaert K, et al. 2013. **Dissolved organic matter uptake in a temperate seagrass ecosystem.** Mar Ecol Prog Ser 478: 87-100. Available from: <http://dx.doi.org/10.3354/meps10183>

Van Grinsven HJM, Holland M, Jacobsen BH, Klimont Z, Sutton MA, Willems WJ. 2013. **Costs and benefits of nitrogen for Europe and implications for mitigation.** Environ Sci Technol 47(8): 3571-3579. Available from: <http://dx.doi.org/10.1021/es303804g>

Vankoughnett MR, Henry HAL. 2013. **Combined effects of soil freezing and N Addition on losses and interception of N over winter and summer.** Ecosystems 16(4): 694-703. Available from: <http://dx.doi.org/10.1007/s10021-013-9642-7>

VanZomerem CM, White JR, DeLaune RD. 2013. **Ammonification and denitrification rates in coastal Louisiana bayou sediment and marsh soil: Implications for Mississippi river**

diversion management. Ecol Eng 54: 77-81. Available from:
<http://dx.doi.org/10.1016/j.ecoleng.2013.01.029>

Varela Z, Carballeira A, Fernandez JA, Aboal JR. 2013. **On the use of epigeic mosses to biomonitor atmospheric deposition of nitrogen.** Arch Environ Con Tox 64(4): 562-572. Available from: <http://dx.doi.org/10.1007/s00244-012-9866-0>

Viana IG, Bode A. 2013. **Stable nitrogen isotopes in coastal macroalgae: Geographic and anthropogenic variability.** Sci Total Environ 443: 887-895. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2012.11.065>

Wachnicka A, Gaiser E, Wingard L, Briceno H, Harlem P. 2013. **Impact of Late Holocene climate variability and anthropogenic activities on Biscayne Bay (Florida, USA): Evidence from diatoms.** Palaeogeogr Palaeoclimatol 371: 80-92. Available from: <http://dx.doi.org/10.1016/j.palaeo.2012.12.020>

Weissteiner CJ, Bouraoui F, Aloe A. 2013. **Reduction of nitrogen and phosphorus loads to European rivers by riparian buffer zones.** Knowl Manag Aquat Ec 408: 08. Available from: <http://dx.doi.org/10.1051/kmae/2013044>

Wessel WW, Tietema A, Boxman AW. 2013. **The fate of (NH₄⁺)-N-15 labeled deposition in a Scots pine forest in the Netherlands under high and lowered NH₄⁺ deposition, 8 years after application.** Biogeochemistry 113(1-3): 467-479. Available from: <http://dx.doi.org/10.1007/s10533-012-9775-3>

Wezel A, Arthaud F, Dufloux C, Renoud F, Vallod D, Robin J, Sarrazin B. 2013. **Varied impact of land use on water and sediment parameters in fish ponds of the Dombes agro-ecosystem, France.** Hydrolog Sci J 58(4): 854-871. Available from: <http://dx.doi.org/10.1080/02626667.2013.780656>

Wezel A, Robin J, Guerin M, Arthaud F, Vallod D. 2013. **Management effects on water quality, sediments and fish production in extensive fish ponds in the Dombes region, France.** Limnologica 43(3): 210-218. Available from: <http://dx.doi.org/10.1016/j.limno.2012.11.003>

Widory D, Petelet-Giraud E, Brenot A, Bronders J, Tirez K, Boeckx P. 2013. **Improving the management of nitrate pollution in water by the use of isotope monitoring: the delta N-15, delta O-18 and delta B-11 triptych.** Isot Environ Healt S 49(1): 29-47. Available from: <http://dx.doi.org/10.1080/10256016.2012.666540>

Wiedenmann J, D'Angelo C, Smith EG, Hunt AN, Legiret FE, Postle AD, Achterberg EP. 2013. **Nutrient enrichment can increase the susceptibility of reef corals to bleaching.** Nat Clim Change 3(2): 160-164. Available from: <http://dx.doi.org/10.1038/NCLIMATE1661>

Williams SL, Bracken MES, Jones E. 2013. **Additive effects of physical stress and herbivores on intertidal seaweed biodiversity.** Ecology 94(5): 1089-1101. Available from: <http://dx.doi.org/10.1890/12-0401.1>

Wilson HF, Saiers JE, Raymond PA, Sobczak WV. 2013. **Hydrologic drivers and seasonality of dissolved organic carbon concentration, nitrogen content, bioavailability, and export in a forested New England stream.** Ecosystems 16(4): 604-616. Available from: <http://dx.doi.org/10.1007/s10021-013-9635-6>

Xu YB, Xu ZH, Cai ZC, Reverchon F. 2013. **Review of denitrification in tropical and subtropical soils of terrestrial ecosystems.** J Soil Sediment 13(4): 699-710. Available from: <http://dx.doi.org/10.1007/s11368-013-0650-1>

Zamora LM, Prospero JM, Hansell DA, Trapp JM. 2013. **Atmospheric P deposition to the subtropical North Atlantic: sources, properties, and relationship to N deposition.** J Geophys Res-Atmos 118(3): 1546-1562. Available from: <http://dx.doi.org/10.1002/jgrd.50187>

Zbieranowski AL, Aherne J. 2013. **Ambient concentrations of atmospheric ammonia, nitrogen dioxide and nitric acid in an intensive agricultural region.** Atmos Environ 70: 289-299. Available from: <http://dx.doi.org/10.1016/j.atmosenv.2013.01.023>

Zhang K, Batterman S. 2013. **Air pollution and health risks due to vehicle traffic.** Sci Total Environ 450: 307-316. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2013.01.074>

Zhang Q, Brady DC, Ball WP. 2013. **Long-term seasonal trends of nitrogen, phosphorus, and suspended sediment load from the non-tidal Susquehanna River Basin to Chesapeake Bay.** Sci Total Environ 452: 208-221. Available from: <http://dx.doi.org/10.1016/j.scitotenv.2013.02.012>

Zhao LM, Delatolla R, Mohammadian A. 2013. **Nitrification kinetics and modified model for the Rideau River, Canada.** Water Qual Res J Can 48(2): 192-201. Available from: <http://dx.doi.org/10.2166/wqrjc.2013.023>

Zhou W, Cohan DS, Napelenok SL. 2013. **Reconciling NOx emissions reductions and ozone trends in the US, 2002-2006.** Atmos Environ 70: 236-244. Available from: <http://dx.doi.org/10.1016/j.atmosenv.2012.12.038>

Zhu J, Mulder J, Solheimslid SO, Dorsch P. 2013. **Functional traits of denitrification in a subtropical forest catchment in China with high atmogenic N deposition.** Soil Biol Biochem 57: 577-586. Available from: <http://dx.doi.org/10.1016/j.soilbio.2012.09.017>

News

Karnowski S. **Minnesota report blames agriculture for rising nitrate levels in surface waters.** TwinCities.com Pioneer Press 2013 June 26. Available from:

http://www.twincities.com/minnesota/ci_23543951/minnesota-agency-blames-agriculture-rising-nitrate-levels-surface

Illinois Ag Connection. **N-WATCH soil testing program helps improve nitrogen management.** CropLife 2013 May 28. Available from: <http://www.croplife.com/article/34428/n-watch-soil-testing-program-helps-improve-nitrogen-management>

Program tracks soil nitrate levels in cornfields. AgriNews 2013 May 14. Available from: <http://agrinews-pubs.com/Content/News/Latest-News/Article/Program-tracks-soil-nitrate-levels-in-Illinois-cornfields/8/6/7061>

Smith J. **San Joaquin Valley farmers lag as nitrogen program signup deadline looms.** Merced Sun-Star 2013 Apr 30. Available from: <http://www.mercedsunstar.com/2013/04/30/2980461/san-joaquin-valley-farmers-lag.html?storylink=addthis#.UYEknhGiKHM.twitter#storylink=cpy>

Chesapeake Bay's underwater grasses decline in 2012. Chesapeake Bay News 2013 April 18. Available from: http://www.chesapeakebay.net/blog/post/chesapeake_bays_underwater_grasses_decline_in_2012

Cherry D. **EPA: Half of rivers in U.S. are dirty.** MPB NEWS (Mississippi Public Broadcasting) 2013 Apr 1. Available from: http://mpbonline.org/News/article/985epa_half_of_rivers_in_u.s._are_dirty

For Bloomberg BNA subscribers (including EPA staff):

Wolski, M. **Water pollution: high nitrate levels, largely from farming, said to contaminate some Minnesota waters.** Daily Environ Rep 2013 June 27. Available from: http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=32492998&vname=dennotallissues&wsn=502860000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=0

Wolski, M. **Water pollution: Iowa releases strategy for curbing nutrient flow into waterways, Gulf of Mexico.** Daily Environ Rep 2013 May 31. Available from: http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=31778046&vname=dennotallissues&wsn=505602000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=1

Day J. **Chesapeake Bay: CBP estimates significant reductions to Bay pollution from 2009 to 2012.** Daily Environ Rep 2013 May 1. Available from: http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=30834249&vname=dennotallissues&wsn=508546000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=2

Saiyid AH. **Water pollution: EPA on schedule to report on conditions of wetlands, coastal waters by early 2014.** Daily Environ Rep 2013 April 29. Available from:

http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=30660558&vname=dennotallissues&wsn=508874000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=2

Saiyid AH. **Water pollution: EPA working group to examine if research on ocean acidification warrants criteria.** Daily Environ Rep 2013 April 25. Available from: http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=30411029&vname=dennotallissues&wsn=509178000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=2

Saiyid AH. **Water pollution: EPA to issue report on barriers facing state adoption of numeric nutrient criteria.** Daily Environ Rep 2013 April 25. Available from: http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=30411060&vname=dennotallissues&wsn=509180000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=2

Saiyid AH. **Chesapeake Bay: underwater grasses in bay decline for third straight year, scientists report.** Daily Environ Rep 2013 April 19. Available from: http://esweb.bna.com/eslw/1245/split_display.adp?fedfid=30385796&vname=dennotallissues&wsn=509716000&searchid=20692363&doctypeid=2&type=date&mode=doc&split=0&scm=1245&pg=2

For Greenwire subscribers (including EPA staff):

Water Pollution: Scientists predict dead zones in Gulf of Mexico, Chesapeake Bay. Greenwire 2013 Jun 19. Available from: <http://www.eenews.net/greenwire/stories/1059983109/>

Water Pollution: Lake Tahoe's clarity threatened by climate change. ClimateWire 2013 Jun 17. Available from: <http://www.eenews.net/climatewire/stories/1059982911/>

Stecker T. **Food Security: FAO warns that jellyfish could devastate fish stocks.** ClimateWire 2013 May 31. Available from: <http://www.eenews.net/climatewire/stories/1059982035/>

Stecker T. **Emissions: Nitrogen footprint calculator points consumers to better choices.** ClimateWire 2013 May 15. Available from: <http://www.eenews.net/climatewire/stories/1059981173/>

Reports

Iowa State University. 2013 May. **Iowa nutrient reduction strategy: a science and technology-based framework to assess and reduce nutrients to Iowa waters and the Gulf of Mexico.** [Prepared by: Iowa Department of Agriculture and Land Stewardship, Iowa Department of Natural Resources, Iowa State University College of Agriculture and Life Sciences]. Ames: Iowa State University. 204 p. Available from: <http://www.nutrientstrategy.iastate.edu/sites/default/files/documents/NRSfull-130529.pdf>

Minnesota Pollution Control Agency. 2013 June. **Nitrogen in Minnesota surface waters: conditions, trends, sources, and reductions** [wq-s6-26a]. [Prepared by the Minnesota Pollution Control Agency, in collaboration with the University of Minnesota and U.S. Geological Survey]. Saint Paul: Minnesota Pollution Control Agency. 509 p. Available from: <http://www.pca.state.mn.us/6fwc9hw>

Virginia Institute of Marine Science. 2013 April. **Preliminary 2012 distribution of submerged aquatic vegetation in the Chesapeake Bay and tributaries and the coastal bays**. Gloucester Point: The College of William and Mary, Virginia Institute of Marine Science. Available from: <http://web.vims.edu/bio/sav/sav12/index.html>

Web Pages

Iowa State University. **Iowa nutrient reduction strategy** [Internet]. Available from: <http://www.nutrientstrategy.iastate.edu/>

Minnesota Pollution Control Agency. **Nitrogen study looks at sources, pathways** [Internet]. Available from: <http://www.pca.state.mn.us/index.php/water/water-types-and-programs/surface-water/nutrient-reduction/report-on-nitrogen-in-surface-water.html>

Montana State University. **Judith Basin Nitrogen Project (JBNP)** [Internet]. Available from: <http://waterquality.montana.edu/docs/judith.shtml>

N-Print (Nitrogen Footprint Calculator) [Internet]. Available from: http://www.n-print.org/sites/n-print.org/files/footprint_java/index.html#/home

Virginia Institute of Marine Science. **Submerged Aquatic Vegetation (SAV) in Chesapeake Bay and Delmarva Peninsula Coastal Bays** [Internet]. Available from: <http://web.vims.edu/bio/sav/index.html>