US EPA ARCHIVE DOCUMENT

10-4-94

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

October 4, 1994

MEMORANDUM

SUBJECT: Metolachlor (108801) Addendum to RED
Replacement of Craven Data on rotational alfalfa and clover
[MRID Nos. 43367101; CB No. 14431; DPBarcode D207867]

FROM: Susan V. Hummel, Chemist
Special Review Section II
Chemistry Branch II-Reregistration Support
Health Effects Division (7509C)

THRU: Francis B. Suhre, Section Head
Special Review Section II
Chemistry Branch II-Reregistration Support
Health Effects Division (7509C)

TO: Jane Mitchell/W. Waldrop, PM#71
Reregistration Branch
Special Review and Reregistration Division (7508W)

Ciba Geigy has submitted field trial data on rotational clover and alfalfa (non-grass animal feeds) to replace data submitted earlier from Craven Laboratories. The data have been screened for information which would affect the risk assessment for metolachlor. The registrant provided a summary of the data which indicates that the study was conducted at an appropriate rate, the 3 lb ai/A rate, and that all residues were reported to be within tolerance. The study will be reviewed in full as time permits.

The Metolachlor Residue Chemistry RED Chapter has been revised to acknowledge receipt and initial screening of these data. Changes to the RED Chapter since its completion 6/28/93 are shown in redline and strikeout text. Rotational crop requirements (GLN 165-1) were included in the EFED Chapter. Followup reviews will be done by HED.

cc: R.F., circu, S.F., S. Hummel, Metolachlor Reg. Std. F., L. Kutney

1

RDI:MM:9/29/94:EZ:09/29/94
7509C:CBII:SVH:svh:RM:804:CM#2:10/04/94

METOLACHLOR
(Shaughnessy No. 108801)
(Case No. 0001)

TASK 2B

Reregistration Eligibility Document: Residue Chemistry Considerations

June 28, 1993
Revised October 4, 1994

Contract No. 68-DO-0142

Submitted to:

U.S. Environmental Protection Agency
Arlington, VA 22202

Submitted by:

Acurex Environmental Corporation
Eastern Region Operations
4915 Prospectus Drive
P.O. Box 13109
Research Triangle Park, NC 27709

3

BLANK

BLANK

TABLE OF CONTENTS

INTRODUCTION 1
Labeled food/feed use directions for metolachlor end-use products registered to Ciba-Geigy 2
Molecular structures of metolachlor and its derivatives 18

SUMMARY OF SCIENCE FINDINGS 19
§165-1 and 165-2: Confined Rotational Crop and Field Rotational Crop 19
§171-4 (a): Plant Metabolism 19
§171-4 (b): Animal Metabolism 19
§171-4 (c) and (d): Residue Analytical Methods- Plants and Animals 19
§171-4 (e): Storage Stability 19
§171-4 (f-l): Magnitude of the Residue in Plants and Animals 19
TABLE A. RESIDUE CHEMISTRY SCIENCE ASSESSMENTS FOR REREGISTRATION OF METOLACHLOR 20

TOLERANCE REASSESSMENT SUMMARY 33
Tolerances Listed Under 40 CFR §180.368(a) 33
Tolerances Listed Under 40 CFR §180.368(b) 34
Tolerances Listed Under 40 CFR §180.368(c) 35
New Tolerances Needed 35

TABLE B. TOLERANCE REASSESSMENT SUMMARY 36
Tolerances listed under 180.368(a) 36
Tolerances listed under 180.368(b) 38
Tolerances listed under 180.368(c) 39
Food and Feed Additive Tolerances Needed 40

CODEX HARMONIZATION 40

DIETARY EXPOSURE 40

MASTER RECORD IDENTIFICATION (MRID) NUMBERS CITED IN THIS DOCUMENT 41

AGENCY MEMORANDA CITED IN THIS DOCUMENT 64

METOLACHLOR

REREGISTRATION ELIGIBILITY DOCUMENT

RESIDUE CHEMISTRY CONSIDERATIONS

(Shaughnessy No. 108801; Case 0001)

TASK 2B

INTRODUCTION

Metolachlor [2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide; Chemical Code 108801] is a selective herbicide registered for preplanting incorporated or preemergence use on alfalfa; almonds; apples; apricots; succulent and dried-type beans; beech nuts; black walnuts; big and little bluestems; Brazil nuts; butternuts; cabbages; carrots; cashews; cherries; chestnuts; citron; citrus fruits; field, pop, and sweet corn; cotton; figs; filberts; fruit trees; grapefruit; grapes; hickory nuts; indiangrass; Japanese artichokes; kumquats; lemons; lentils; limes; lupines; Macadamia nuts; mung beans; nectarines; nut crops; olives; oranges; peaches; peanuts; pears; peas; pecans; peppers; pistachio nuts; plums; potatoes; prunes; radishes; safflower; seed and pod vegetables; side-oats grama; sorghum; soybeans; stone fruits; strawberries; switchgrass; tabasco peppers; tangeloes; walnuts; and western wheatgrass. It is also registered for use on numerous ornamental plants and trees; greenhouse environs and equipment (empty); highway rights-of-way; and recreational areas. Single or split applications are permitted using ground or aerial (including ULV) equipment. Chemical irrigation is prohibited for certain formulations, however, formulations containing metolachlor as the sole active ingredient may be applied using center pivot irrigation equipment [*Source: REFS search dated 2/23/93*]. A summary of the registered use patterns is presented in Table 1 [*Source: Ciba-Geigy product labels, EPA Reg Nos. 100-590, -597, -638, -645, -673, -677, -688, -691, -710, -711, -712, -716, -731, -748*]. We note numerous discrepancies between the use sites listed by chemical and by product in REFS and the use sites for which directions are provided on the current product labels. According to REFS (6/24/93), two new products containing a new type of formulation for metolachlor (DF) have been registered (EPA Reg. No. 100-748, 3/26/93, and 100-747, 5/6/93). EPA Reg. No. 100-747 was registered after Table 1 was prepared. Additional residue data will not be required to support these new products, provided the use patterns on the DF labels allow **only** applications early in the growth season or applications directed to the soil, as opposed to the crop itself, after the crop has emerged (R. Loranger, 5/20/91). Metolachlor DF labels should also include appropriate restrictions. Numerous 24(c) registrations also exist. Most have not been reviewed by the Chemistry Branches.

Metolachlor was the subject of a Registration Standard dated 9/80, a Final Registration Standard and Tolerance Reassessment (FRSTR) dated 8/86, and a Reregistration Standard Guidance Document dated 1/87. A Residue Chemistry Reregistration Standard Update was not prepared for metolachlor. The information contained in this document outlines the Residue Chemistry Science Assessments with respect to the reregistration of metolachlor.

Table 1. Labeled food/feed use directions for metolachlor end-use products registered to Ciba-Geigy.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Cabbage	8 lb/gal EC	NY90000100[4]	Pre- and Post-transplant Do not incorporate. Do not apply to direct seeded cabbage.	2	2
		WI89000200[5]		3	3
Potatoes[6]	8 lb/gal EC 25% G	100-597 100-673 100-688 100-711 100-638 100-712	Pre- and Postplant Incorporated Broadcast application incorporated prior to crop emergence	3	5.5
			Preemergence Broadcast application following drag-off or hilling, but prior to weed emergence	3 (<6% OM) 4 (6-20% OM)	
	8 lb/gal EC 25% G	100-597 100-673 100-688 100-638	After hilling/lay-by Broadcast application after hilling/at lay-by	2.5	
Seed radish (excluding daikon)[7]	8 lb/gal EC	WA91000400[8]	Preplant incorporated Broadcast application incorporated prior to planting	2	n/s

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Pod crops (excluding soybeans)[9,10]	8 lb/gal EC	100-597 100-673 100-688 100-711	Preplant incorporated Broadcast application incorporated within 14 days of planting	2.5 (<3% OM) 3 (3-20% OM)	n/s
			Preemergence Broadcast application during or after planting	2.5 (<3% OM) 3 (3-20% OM)	
Peas	8 lb/gal EC	ID90000200	Preplant incorporated or Preemergence	1.5	n/s
Soybeans	8 lb/gal EC	100-597 100-673 100-688 100-711	Preplant surface (minimum- and no-till) Single or split (2/3 + 1/3 of the single rate) broadcast applications before or at planting	Single: 3 (<6% OM) 4 (6-20% OM)	4
	25% G	100-638 100-712	Preplant incorporated Broadcast application incorporated within 14 days of planting	2.5 (<3% OM) 3 (3-6% OM) 4 (6-20% OM)	
			Preemergence Broadcast application during or after planting	2.5 (<3% OM) 3 (3-6% OM) 4 (6-20% OM)	
	4 lb/gal EC	100-677	Preemergence Broadcast application during or after planting	1.5 (0.5-3% OM) 2 (3-6% OM)	

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Chili peppers[11]	8 lb/gal EC	NM85000400[12]	Preplant incorporated Broadcast application incorporated before, during, or after planting	2	2[13]
			Postemergence directed spray Once pepper plants shade soil surface	2	
			Over-the-top Broadcast spray once 2 true leaves have developed	2	
Tabasco peppers[14]	8 lb/gal EC	LA88000500[15]	Postemergence Directed spray at lay-by following the last cultivation (midseason)	4	4[16]
Citrus (nonbearing)[17]	8 lb/gal EC	100-597 100-673 100-688 100-711	Broadcast application to weed-free soil	4	n/s
Stone fruits[18]	8 lb/gal EC	100-597 100-673 100-688 100-711	Broadcast application to weed-free soil	4	n/s
Grapes (nonbearing)[19]	8 lb/gal EC	100-597 100-673 100-688 100-711	Broadcast application to weed-free soil	4	n/s

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Tree nuts[20]	8 lb/gal EC	100-597 100-673 100-688 100-711	Broadcast application to weed-free soil	4	n/s
Corn (field, pop, sweet)[21]	2.5 lb/gal EC 3.3 lb/gal EC 8 lb/gal EC 25% G	100-590 100-731 100-597[22] 100-673 100-688 100-711 100-638 100-712	<u>Minimum- and no-till: Preplant surface</u> Single or split (2/3 + 1/3 of the single rate) broadcast applications before or at planting	Single: 3	6
	3.3 lb/gal EC 3.3 lb/gal SC/L 31% DF	100-645 100-710 100-748		Single: 2.5	

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Corn (field, pop, sweet) continued	2 lb/gal EC 31% DF	100-716 100-748	Single application 30-45 days preplanting	1.5 (<1% OM) 2 (1-2.5% OM) 2.25 (2.5-4% OM) 2.5 (4-20% OM)	6
	3.3 lb/gal EC	100-731	<u>Minimum- and no-till: Preemergence</u> Broadcast application before, during, or after planting but prior to emergence	3	
	2.5 lb/gal EC 3.3 lb/gal EC 3.3 lb/gal SC/L 31% DF	100-590 100-645 100-710 100-748		2.5	
	3.3 lb/gal EC	100-731	<u>Preplant surface or incorporated</u> Broadcast application within 14 days of planting	2 (<3% OM) 3 (3-20% OM)	
	3.3 lb/gal EC 3.3 lb/gal SC/L 31% DF	100-645 100-710 100-748		2 (<3% OM) 2.5 (2-20% OM)	

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Corn (field, pop, sweet) continued	8 lb/gal EC 25% G	100-688 100-711 100-597 100-638 100-712	Preplant incorporated Broadcast application incorporated within 14 days of planting	2.5 (<3% OM) 3 (3-6% OM) 4 (6-20% OM)	6
	3.3 lb/gal EC	100-645		2.5 (<3% OM) 3 (3-20% OM)	
	2.5 lb/gal EC 31% DF	100-590 100-748		2 (<3% OM) 2.5 (3-20% OM)	
	2 lb/gal EC	100-716		1.7 (<1% OM) 2.3 (1-2.5% OM) 2.5 (2.5-4% OM) 3 (4-20% OM)	
	8 lb/gal EC 25% G	100-688 100-597 100-711 100-638 100-712	Preemergence Broadcast application during or after planting but prior to weed emergence	2.5 (<3% OM) 3 (3-6% OM) 4 (6-20% OM)	

Continued

12

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Corn (field, pop, sweet) continued	3.3 lb/gal EC	100-731	Preemergence Broadcast application during or after planting but prior to weed emergence	2 (<3% OM) 3 (3-20% OM)	6
	3.3 lb/gal EC	100-645		2.5 (<3% OM) 3 (3-20% OM)	
	2.5 lb/gal EC 3.3 lb/gal EC 3.3 lb/gal SC/L	100-590 100-645 100-710		2 (<3% OM) 2.5 (3-20% OM)	
	2 lb/gal EC 31% DF	100-716 100-748		1.5 (<1% OM) 2 (1-2.5% OM) 2.3 (2.5-4% OM) 2.5 (4-20% OM)	
	2.5 lb/gal EC 3.3 lb/gal EC 31% DF	100-590 100-645 100-731 100-748[23]	Postemergence broadcast Broadcast application before weeds exceed 2-leaf stage, before corn exceeds 5 inches in height	2.5	

Continued

13

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Corn (field, pop, sweet) continued	2.5 lb/gal EC 3.3 lb/gal EC 31% DF	100-590 100-645 100-731 100-748[23]	Postemergence directed Directed application before weeds exceed 2-leaf stage, while corn is 5-12 inches in height	2.5	6
	8 lb/gal EC 25% G	100-597 100-673 100-688 100-638	Lay-by Directed application to corn between 5-40 inches tall	3 2.5 (<3% OM) 3 (3-6% OM) 4 (3-20% OM)	
	8 lb/gal EC	FL93000100	Preplant incorporated or Preemergence Use on Muck Soils	4	
Sorghum (grain or forage)	2 lb/gal EC	100-716	Minimum- and no-till: Preplant surface Single or split (2/3 + 1/3 of the single rate) broadcast applications before or at planting	Single: 1.7 (<1% OM) 2.2 (1-2.5% OM) 2.3 (2.5-4% OM) 2.6 (4-20% OM)	2.6[24]

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Sorghum (grain or forage), continued	2.5 lb/gal EC 3.3 lb/gal EC 8 lb/gal EC 3.3 lb/gal SC/L 31% DF	100-590 100-645 100-731 100-597 100-673 100-688 100-711 100-710 100-748	Minimum- and no-till: Preplant surface, continued Single or split (2/3 + 1/3 of the single rate) broadcast applications before or at planting	Single: 2.5	
	2.5 lb/gal EC 3.3 lb/gal EC 3.3 lb/gal SC/L	100-590 100-645 100-731 100-710	Minimum- and no-till: Preemergence Broadcast application before, during, or after planting but prior to emergence	1.5 (1-1.5% OM) 2 (1.5-20% OM)	
	2 lb/gal EC	100-716	Preplant surface or incorporated Broadcast application within 14 days of planting	1.5 (<1% OM) 1.9 (1-2.5% OM) 2 (2.5-4% OM) 2.3 (4-20% OM)	2.6

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Sorghum (grain or forage), continued	31% DF	100-748	Preplant surface or incorporated Broadcast application within 14 days of planting	2.5 lb/A	2.6
	3.3 lb/gal EC 3.3 lb/gal SC/L	100-645 100-731 100-710		2 (1-20% OM)	
	8 lb/gal EC 31% DF	100-597 100-673 100-688 100-711 100-748	Preplant incorporated Broadcast application incorporated within 14 days of planting	2.5	
	2.5 lb/gal EC	100-590		1.5 (1-1.5% OM) 2 (1.5-20% OM)	
	8 lb/gal EC 31% DF	100-597 100-673 100-688 100-711 100-748	Preemergence Broadcast application during or after planting but prior to emergence	2.5	

Continued

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Sorghum (grain or forage), continued	2 lb/gal EC	100-716	Preemergence Broadcast application during or after planting but prior to emergence	1.5 (<1% OM) 1.9 (1-2.5% OM) 2 (2.5-4% OM) 2.3 (4-20% OM)	2.6
	3.3 lb/gal EC 3.3 lb/gal SC/L	100-645 100-731 100-710		2 (1-20% OM)	
	2.5 lb/gal EC	100-590		1.5 (1-1.5% OM) 2 (1.5-20% OM)	
Alfalfa Grown for Seed	8 lb/gal EC	OR91000700[25]	Broadcast Incorporated[26] Apply surface broadcast application to established alfalfa prior to weed emergence. Incorporate uniformly into top 3" of soil.	5	n/s

Continued

17

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Peanuts[27]	8 lb/gal EC 25% G	100-597 100-673 100-688 100-711 100-638 100-712	Preplant and Postplant incorporated Broadcast application incorporated within 14 days of planting	2	6
			Preemergence Broadcast application during or after planting	2 (3)[28]	
			Lay-by Broadcast application made immediately after last cultivation	2	
Safflower	8 lb/gal EC	100-597 100-673 100-688 100-711	Preplant incorporated Broadcast application incorporated within 14 days of planting	2.5 (<3% OM) 3 (3-20% OM)	n/s
			Preemergence Broadcast application during or after planting	2.5 (<3% OM) 3 (3-20% OM)	

Continued

18

Table 1. Continued.

Crop	Formulation	EPA Reg. No.[1] or SLN No.	Timing and Method of Application	Maximum application rate (lb ai/A)[2]	Maximum seasonal rate (lb ai/A)[3]
Cotton	8 lb/gal EC	100-597[29] 100-673[30] 100-688 100-711 VA92000400 VA92000500 NC92000400 NC92000500	Preemergence Broadcast application during or after planting Preplant incorporated Broadcast application incorporated immediately before, during, or after planting	2	n/s
		AZ83000500 NM86000400 OK86000300 TX83001100	Postemergence Apply over the top or directed to the soil surface in the first true leaf stage before cotton is 6" tall. Cultivate if weeds develop	2	2

1 The date of EPA acceptance for labels in the above table are as follows: 100-590, 7/7/91; 100-597, 7/15/92; 100-638, 7/9/92; 100-645, 12/1/92; 100-673, 7/15/92; 100-688, 7/15/92; 100-710, 11/30/92; 100-711, 7/30/92; 100-712, 6/17/92; 100-716, 11/5/92; and 110-731, 11/30/92.

2 Application rates listed are for the maximum use rate on any soil type; OM - soil organic matter.

3 Maximum seasonal rate listed on any label for a given commodity; n/s - not specified.

4 Parent product is EPA Reg. No. 100-597.

19

Table 1. Continued.

5 Parent product is EPA Reg. No. 100-597.

6 PHIs of 60 days (following preemergence applications) and 40 days (following lay-by applications) have been established for potatoes.

7 A restriction has been established to prohibit the use of any plant parts grown from treated seed for human or animal consumption (including hay, forage, seed, seed screenings, and stubble). However, this restriction is not considered practical. Use is a food use requiring establishment of a tolerance. No tolerance has been established.

8 Parent product is EPA Reg. No. 100-673.

9 A restriction has been established prohibiting the cutting of hay within 120 days of treatment.

10 SLN No. ID90000200 (parent product EPA Reg. No. 3125-266) is registered for a preemergence (after planting) use on peas at 1.2 lb ai/A.

11 A 65-day PHI has been established for chili peppers.

12 Parent product is EPA Reg. No. 100-597.

13 Maximum of 1 application per crop cycle.

14 A 7-day PHI has been established for tabasco peppers.

15 Parent product is EPA Reg. No. 100-597.

16 Maximum of 1 application every 45 days.

17 A 12-month PHI has been established for citrus, and a feeding/grazing restriction has been established for treated areas.

18 A grazing/feeding restriction has been established for treated areas.

19 A 12-month PHI has been established for grapes.

Continued

Table 1. Continued.

[20] A grazing/feeding restriction has been established for treated areas.

[21] A 30-day grazing/feeding restriction has been established for corn.

[22] EPA Reg. No. 100-597 lists use directions for corn, and is also the parent label for EPA SLN No. FL93000100 for sweet corn.

[23] No data have been submitted to support post emergence uses of Bicep DF on corn.

[24] Maximum of 1 application/year, except for split applications.

[25] Parent product is EPA Reg. No. 100-597.

[26] Application timing is not stated on label. Do not feed or graze alfalfa forage or fodder. Do not cut alfalfa for hay or forage. Seeds from treated fields may not be used for sprouts. No portion of the treated field, including seed, seed screenings, hay, forage or stubble may be used for human or animal consumption.

Producers of alfalfa seed who use this product are required to inform, in writing, conditioners receiving seed produced on fields treated with this product. A copy of this labeling is required to be provided to the conditioner by the producer. Processed seed must be labeled "Not for human or animal consumption" at the processing plant. The processor must dispose of all seed screenings in such a way that they cannot be distributed or used for food or feed.

This use can be considered a non-food use. Oregon has recently provided sufficient regulatory control over pesticide use in alfalfa grown for seed. (CB No. 10900, 12/4/92, B. Schneider, OR-900020, Naled on alfalfa grown for seed.)

[27] A 30-day grazing/feeding restriction and a 90-day PHI have been established for peanuts. There is a limit of 1 application per season except in the Southeast US (AL, FL, GA, NC, SC, VA).

[28] Maximum preemergence rate is 2 lb ai/A except in the Southeast, where the maximum rate is 3 lb ai/A.

Continued

Table 1. Continued.

29 EPA Reg. No. 100-597 lists use directions for cotton, and is also the parent label for SLN Nos. AZ83000500, NC92000500, NM86000400, OK86000300, TX83001100, and VA92000400 for cotton.

30 EPA Reg. No. 100-673 lists use directions for cotton, and is also the parent label for SLN Nos. NC92000400 and VA92000500 for cotton.

Continued

Tolerances for residues of metolachlor in or on food/feed commodities are currently expressed in terms of the combined residues (free and bound) of the herbicide metolachlor [2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide] and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound [*Source: 40 CFR §180.368 (a), (b), and (c)*]. Adequate enforcement methods are available for the determination of these residues.

The molecular structures of metolachlor and its derivatives CGA-37913 and CGA-49751 are given below:

Names: **Common**, Chemical, (others)	Chemical Structure
Metolachlor 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide	
2-[(2-ethyl-6-methylphenyl)amino]-1-propanol (CGA-37913)	
4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone (CGA-49751)	

23

SUMMARY OF SCIENCE FINDINGS

§165-1 and 165-2: Confined Rotational Crop and Field Rotational Crop: Rotational crop data requirements were addressed in the EFED RED Chapter.

§171-4 (a): Plant Metabolism: The qualitative nature of the residue in plants is adequately understood. The Metolachlor Registration Standard dated 3/80 concluded that the qualitative nature of the residue is adequately understood in corn and soybeans. Metabolism of metolachlor involves conjugation with glutathione, breakage of this bond to form the mercaptan, conjugation of the mercaptan with glucuronic acid, hydrolysis of the methyl ether, and conjugation of the resultant alcohol with a neutral sugar. A minor pathway may involve sugar conjugation of metolachlor directly to the corresponding oxo-compounds. Residues of concern in corn and soybeans are metolachlor and its metabolites, determined as the derivatives CGA-37913 and CGA-49751.

§171-4 (b): Animal Metabolism: The Metolachlor Registration Standard dated 3/80 concluded that the qualitative nature of the residue in animals is adequately understood. Metolachlor is rapidly metabolized and almost totally eliminated in the urine and feces of ruminants (goats), non-ruminants (rats), and poultry. Metolachlor per se was not detected in any of the excreta or tissues.

§171-4 (c) and (d): Residue Analytical Methods- Plants and Animals: Adequate methods for purposes of data collection and enforcement of tolerances for metolachlor residues are available. Methods for determining the combined residues of metolachlor and its metabolites, as the derivatives CGA-37913 and CGA-49751, are described in PAM, Vol. II, as Method I (plants; GC-NPD) and Method II (animals; GC-MS).

§171-4 (e): Storage Stability: Storage stability studies have been conducted using fortified samples of beef muscle, beef liver, milk, eggs, peanut nutmeats, potatoes, corn forage, corn grain, and corn oil. Residues of CGA-37913 are stable in frozen storage (≤ -10 °C) in beef muscle for up to 52 days, in corn oil for up to 102 days, and in or on the remaining animal and plant commodities for up to 1 year. Residues of CGA-49751 are stable in frozen storage (≤ -10 °C) in the animal commodities for up to 1 year, and in or on the plant commodities for up to 2 years. The registrant has reported the storage intervals for a sufficient number of the treated samples from existing studies used to support proposed and established tolerances. The outstanding plant and animal magnitude of residue studies must report the storage conditions and intervals for all samples; samples should be stored under the conditions and analyzed within the intervals of demonstrated residue stability.

§171-4 (f-l): Magnitude of the Residue in Plants and Animals: Data generated at Craven laboratories and used to support proposed or established tolerances were identified (see Table A, footnote 2; CB No. 8398, 10/10/91, S. Koepke, and 5/4/93 and 5/20/93, S. Hummel); replacement magnitude of the residue data ~~are~~ were required for non-grass animal

feeds (alfalfa and clover), field corn (grain, forage and fodder), fresh corn (sweet corn K+CWHR), cotton seeds, soybeans (seed, forage and hay), seed and pod vegetables (except soybeans), peanuts (nuts, hulls, forage, and hay), and replacement processing data are required for safflower. CB concluded that enough non-Craven magnitude of residue data are available to support extensions of the existing tolerances on an interim basis until the Craven data are replaced. Ciba-Geigy has committed to replacing these data. Sufficient replacement data have been submitted to support registered uses on field corn, cottonseed, and legumes. Partial replacement data have been submitted for cottonseed and peanuts. Additional data on alfalfa and clover have been received and screened and will be reviewed as time permits. Available processing studies, supported by non-Craven data, indicate that food/feed additive tolerances are needed for peanuts, meal; potatoes, dry peel; potatoes, wet peel; potatoes, granules; potatoes, waste from processing; and soybean hulls (see Tolerance Reassessment Summary below). A new product, Bicep DF (EPA Reg. No. 100-748), the first metolachlor dry flowable formulation, was registered without review by Chemistry Branches and without supporting residue data. The dry flowable formulation is substantially different than the previously registered EC and G formulations, which are supported by residue data. However, no additional residue data will be required for the uses of Bicep DF prior to crop emergence (on corn and sorghum). Residue data are required to support the post emergence uses of Bicep DF on corn. Bicep DF is registered for preplant incorporated and preemergence uses on corn and sorghum. Feeding studies are available for ruminants and poultry. Residues determined as CGA-37913 will be corrected for the loss in frozen storage.

TABLE A. RESIDUE CHEMISTRY SCIENCE ASSESSMENTS FOR REREGISTRATION OF METOLACHLOR

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
§171-4 (a): Plant Metabolism	N/A	No	00015423, 00015424, 00015652, 00015653, 00022872, 00022873, 00022874, 00022879, 00022880, 00074898, 00074900, 40766601[33] 42644301[34], 42652101[34]

25

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
§171-4 (b): Animal Metabolism	N/A	No	00015413, 00015425, 00015695, 00015696, 00015697, 00022885, 00022886, 00022887, 00039181, 00039192, 00039193
§171-4 (c) and (d): Residue Analytical Methods	N/A	No	00015432, 00015466, 00015543, 00015698, 00016306, 00039176, 00111693, 00125227
§171-4 (e): Storage Stability	N/A	Yes	00015469, 40980702[35], 40980703[35], 41425502[36], 41506401[37], 42384401[38], 42502901[39], 42810601[40]
§171-4 (k) (l): Magnitude of the Residue in Plants			
Root and Tuber Vegetables Group			
- Potatoes	0.2 [§180.368(a)]	No	00105957, 00106191, 00109613
- Radishes grown for seed	none[41]	Yes	none
Bulb Vegetables (*Allium* spp.) Group			
- Onions	pending[42]	No	43000101
Leafy Vegetables (except *Brassica* vegetables) Group			
- Celery	--	No	41551201[43,44]
Brassica (cole) Leafy Vegetables Group			
- Cabbage	1.0 [§180.368(a)]	No	40644901[45,46]
Legume Vegetables (succulent or dried) Group			
- Beans (succulent and dried)	0.3 [Seed and pod vegetables (except soybeans)] [§180.368(a)]	No[47]	00064182, 00128731, 432957014[48]

26

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Peas (succulent and dried)	0.3 [Seed and pod vegetables (except soybeans)] [§180.368(a)]	No[47]	00064182, 00128731, 43295701[48]
- Soybeans	0.2 [§180.368(a)]	No	00015399, 00015400, 00015401, 00015402, 00015403, 00015404, 00015405, 00015406, 00015407, 00015408, 00015409, 00015410, 00015411, 00015540, 00015541, 00015542, 00015706, 00015719, 00015721, 00015722, 00015723, 00015725, 00015726, 00015727, 00015728, 00015729, 00015735, 00015736, 00015737, 00015760, 00015761, 00015762, 00015763, 00015764, 00015765, 00015766, 00015767, 00015768, 00015769, 00015770, 00015771, 00015772, 00015773, 00015774, 00015777, 00015778, 00015779, 00015780, 00016248, 00016427, 00016604, 00039174, 43178401[49]
- Lupine	0.3 [Seed and pod vegetables (except soybeans)] [§180.368(a)]	No[50]	
<u>Foliage of Legume Vegetables</u>			
- Bean vines and hay	15.0 [Legume vegetables group foliage (except soybean forage and soybean hay)] [§180.368(a)]	No[47]	00128731, 43295701[48]

27

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Pea vines and straw	15.0 [Legume vegetables group foliage (except soybean forage and soybean hay)] [§180.368(a)]	No[47]	00128731, 43295701[48]
- Soybean forage and hay	8.0 [§180.368(a)]	No	00015399, 00015400, 00015401, 00015402, 00015403, 00015408, 00015540, 00015541, 00015542, 00015706, 00015719, 00015721, 00015722, 00015725, 00015726, 00015727, 00015728, 00015729, 00015731, 00015732, 00015733, 00015734, 00015736, 00015737, 00015760, 00015761, 00015762, 00015763, 00015764, 00015765, 00015766, 00015767, 00015768, 00015769, 00015770, 00015771, 00015772, 00015773, 00015774, 00015775, 00015777, 00039174, 43178403[49]
Fruiting Vegetables (except cucurbits) Group			
- Peppers	0.1 (bell) [§180.368(a)] 0.5 (chili) [§180.368(c)] 0.1 (Cubanelle) [§180.368(c)] 0.5 (tabasco) [§180.368(c)]	No	00150180, 00156573[51], 40557301[52,53,54], 40899301[55,56]
Stone Fruits Group	0.1 [§180.368(a)]	No	00131376[57]
Tree Nuts Group	0.1 [§180.368(a)]	No[58]	
- Almonds, hulls	0.3 [§180.368(a)]	No	
Cereal Grains Group			
- Barley	0.1 [§180.368(b)]	No	00078297

28

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Buckwheat	0.1 [§180.368(b)]	No	00078297

29

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Corn, field and fresh	0.1 (grain) [§180.368(a)] 0.1 [fresh (inc. sweet K + CWHR)] [§180.368(a)]	Yes[59,60,61,62]	00015428, 00015429, 00015430, 00015570, 00015571, 00015572, 00015586, 00015587, 00015588, 00015589, 00015590, 00015591, 00015592, 00015593, 00015594, 00015595, 00015597, 00015598, 00015599, 00015600, 00015601, 00015602, 00015676, 00015677, 00015678, 00015679, 00015680, 00015681, 00015682, 00015683, 00015684, 00015685, 00015686, 00015687, 00015688, 00015689, 00015690, 00015691, 00015692, 00015693, 00015694, 00015704, 00015705, 00015707, 00015708, 00015709, 00015710, 00015711, 00015712, 00015713, 00015714, 00015715, 00015716, 00015717, 00015718, 00015739, 00015740, 00015741, 00015742, 00015743, 00015744, 00015745, 00015746, 00015747, 00015748, 00015749, 00015750, 00015751, 00015752, 00015753, 00015754, 00015755, 00015756, 00015757, 00015786, 00015787, 00015950, 00015954, 00015955, 00016392, 00016393, 00016394, 00016395, 00016396, 00016397, 00016398, 00016399, 00016435,

30

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Corn, field and fresh, continued			43178401[62]
- Millet	0.1 [§180.368(b)]	No	00078297
- Milo	0.1 [§180.368(b)]	No	00078297
- Oats	0.1 [§180.368(b)]	No	00078297
- Rice	0.1 [§180.368(b)]	No	00078297
- Rye	0.1 [§180.368(b)]	No	00078297
- Sorghum	0.3 [§180.368(a)]	Yes[61]	00015548, 00015549, 00015550, 00015551, 00015552, 00016607, 00016608, 00016609, 00016610, 00016990, 00016991, 00016992, 00111693
- Wheat	0.1 [§180.368(b)]	No	00078297
Forage, Fodder, and Straw of Cereal Grains Group			
- Barley, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
- Buckwheat, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
- Corn, forage and fodder	8.0 (forage and fodder) [§180.368(a)]	Yes[59,60,61,62]	identical to corn grain
- Millet, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
- Milo, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
- Oats, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297

31

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Rice, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
- Rye, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
- Sorghum, forage and fodder	2.0 [§180.368(a)]	Yes[61]	identical to sorghum grain
- Wheat, forage and straw	0.5 (fodder) [§180.368(b)] 0.5 (forage) [§180.368(b)]	No	00078297
Grass forage, fodder, and hay Group	--[63]		
Non-grass Animal Feeds (forage, fodder, straw, and hay) Group	3.0 [§180.368(b)]	Yes[64,65]	43367101[65]
Miscellaneous Commodities			
- Cotton, seed	0.1 [§180.368(a)]	Yes[66]	00065048, 00129058, 40980707[67], 43178402[68]
- Peanuts	0.5 [§180.368(a)]	Yes[69]	00015553, 00015554, 00015555, 00015556, 00015557, 43263101[70]
- Peanuts, forage and hay	30.0 [§180.368(a)]	Yes[69]	
- Peanuts, hulls	6.0 [§180.368(a)]	Yes[69]	
- Safflower, seed	0.1 [§180.368(a)]	No	
§171-4 (l): Magnitude of the Residue in Processed Food/Feed			
- Beans (succulent and dried)	--	--	
- Corn, field	--	No	40980705[71,72,73]
- Corn, fresh	--	No	40980705[71]
- Cotton	--	No	40980707[74]
- Peanuts	--	No	40980708[75]
- Potato	--	No	40980704[76]
- Safflower	--	Yes[77]	
- Sorghum, grain	--	--	
- Sorghum, sweet	--	--	
- Soybeans	--	Yes	40980706[78], 41506501[79]

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
§171-4 (j): Magnitude of the Residue in Meat, Milk, Poultry, and Eggs		No[80]	00015413, 00022885, 00022887, 00106041
- Cattle	0.02 (fat) 0.2 (kidney) 0.05 (liver) 0.02 (meat) 0.02 [mbyp (except kidney and liver)] [§180.368(a)]		
- Eggs	0.02 [§180.368(a)]		
- Goats	0.02 (fat) 0.2 (kidney) 0.05 (liver) 0.02 (meat) 0.02 [mbyp (except kidney and liver)] [§180.368(a)]		
- Hogs	0.02 (fat) 0.2 (kidney) 0.05 (liver) 0.02 (meat) 0.02 [mbyp (except kidney and liver)] [§180.368(a)]		
- Horses	0.02 (fat) 0.2 (kidney) 0.05 (liver) 0.02 (meat) 0.02 [mbyp (except kidney and liver)] [§180.368(a)]		
- Milk	0.02 [§180.368(a)]		
- Poultry	0.02 (fat) 0.05 (liver) 0.02 (meat) 0.02 [mbyp (except liver)] [§180.368(a)]		

TABLE A. *(Continued)*

Data Requirements	Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References[31,32]
- Sheep	0.02 (fat) 0.2 (kidney) 0.05 (liver) 0.02 (meat) 0.02 [mbyp (except kidney and liver)] [§180.368(a)]		
§171-4 (f): Nature and Magnitude of the Residue in Drinking and Irrigation Water	N/A		
§171-4 (g): Magnitude of the Residue in Fish	N/A		
§171-4 (h): Magnitude of the Residue in Plants Resulting from the Use of Irrigation Water	N/A		
§171-4 (i): Magnitude of the Residue in Food Handling Establishments	N/A		
§171-5: Reduction of Residues	N/A		

31. Unless otherwise noted, references were cited in the Metolachlor Guidance Document dated January, 1987. References containing data generated by Craven Laboratories do not appear in Table A, but are listed separately under footnote 31 below.

32. The Agency (CB No. 8398, 10/10/91, S. Koepke) evaluated the impact on metolachlor reregistration of analytical data generated at Craven laboratories to support proposed or established tolerances. MRID numbers for those studies identified as containing Craven data are not listed in the table above, but are listed as a group here and individually under the relevant crop footnote below. Three of the identified studies were submitted to support proposed amended uses [MRIDs 00131860 (sorghum), 00148514 (tree nuts), and 41425501 (cotton)]. In each case, Ciba-Geigy withdrew the amended use proposal, and CB concluded that no further EPA action was required for those data. Seven of the identified studies were used to support proposed or established tolerances [MRIDs 00064181 (legume seed and pod vegetables), 00065047 (cotton), 00084006 (safflower), 00106039 (corn grain, forage and fodder), 00106049 (peanut nut, hulls, forage and hay), 00109662 (soybean seed, forage and hay), and 40516501 (alfalfa and clover)]. Additional magnitude of the

residue data were required to replace the Craven data as individually noted below.

33. CB No. 4931 (Metolachlor FRSTR follow-up), 6/14/89, R. Quick.

34. CB No. 11378, 5/10/93, S. Hummel

35. CB No. 4931, 6/14/89, R. Quick.

36. CB No. 8317, 4/16/92, B. Cropp-Kohlligian.

37. CB No. 9261, 8/6/92, S. Funk.

38. CB No. 10305, 4/15/93, F. Suhre. Adequate storage interval data were submitted for corn oil (treated samples were stored frozen ≤ the demonstrated 3-month storage stability interval).

39. CB No. 10787, 4/15/93, F. Suhre. Storage intervals are adequate to support the existing residue data. Additional storage stability data are required for peanut or soybean processed commodities, and potato processed commodities.

40. CB No. 12111, 11/17/93, F. Suhre. Storage stability studies are still needed for processed commodities of soybeans, peanuts and potatoes.

41. This use is registered under SLN WA910004. This application was reviewed by the Chemistry Branches. This use is a food use which requires the establishment of a tolerance. The current label restriction is not considered practical or enforceable.

42. A tolerance for combined residues of metolachlor in onions (dry bulb) is pending (PP#4E4286, CB 12970, 7/28/94, M. Bradley.

43. CB Nos. 6887 and 6888, 9/40/90, F. Griffith. Label amendments were required.

44. CB No. 7080, 10/23/90, F. Griffith. Petitioner revised their Direction for Use as indicated in CB Nos. 6887 and 6888. No deficiencies remain to be resolved for the proposed tolerance of 0.1 ppm in or on celery.

45. CB No. 3966, 8/11/88, S. Willett. PP#8E3637; MRID No. 40644901.

46. CB No. 6181, 2/5/90, F. Toghrol, FL890042.

47. CB No. 4931, 6/14/89, R. Quick. CB recommended that data requirements for field trials for the granular formulation of metolachlor on beans and peas (dried and succulent) be waived, dependent upon the registrant removing these uses from the Dual 25G label (25% G formulation, EPA Reg. No. 100-638). A revised Dual 25G label, EPA-accepted 3/13/92, does not list uses for beans or peas.

48. CB No. 8398, 10/10/91, S. Koepke. Impact of Craven analytical data; additional magnitude of residue data required to replace Craven data submitted in MRID 00064181. Ciba-Geigy has committed to conduct six field trials on snap beans (1), green peas (1), dry beans (2), and dry peas (2), in WI, WA, and CO. Field trials are currently in progress (CB No. 11474, 5/20/93, S.

Hummel).
CB No. 14160, 9/16/94, D. Miller. Residue data (MRID 43295701) are adequate to support tolerances in or on peas and beans. Appropriate tolerances must be proposed.

49. CB No. 8398, 10/10/91, S. Koepke. Impact of Craven analytical data; additional magnitude of residue data required to replace Craven data submitted in MRID 00109662. Ciba-Geigy has committed to replace the data. Additional studies are currently in progress (CB No. 11474, 5/20/93, S. Hummel).
CB No. 13482, 6/23/84, S. Hummel. Adequate Craven-replacement data have been submitted to support uses on soybeans.

50. No CB No., 5/6/87, F. Suhre. The seed and pod vegetables tolerance is applicable to lupine. The additional magnitude of residue data required for beans to replace the Craven data will translate to lupine.

51. CB No. 701, 4/14/86, M. Firestone.

52. CB No. 3588, 5/19/88, M. Kovacs. Additional data were required.

53. CB No. 4561, 3/24/89, M. Kovacs. Response to CB No. 3588; additional data were again required.

54. CB No. 5184, 7/13/89, M. Kovacs. Adequate response received to CB No. 4561.

55. CB No. 4727, 3/13/89, M. Nelson. Amended use directions were required.

56. CB No. 5185, 5/15/89, M. Nelson. The petitioner responded to deficiencies cited in CB No. 4727.

57. No CB No., 12/15/83, K. Arne. A label change was required.
No CB No., 1/26/84, A. Smith. Recommend for the proposed tolerance.

58. CB No. 8398, 10/10/91 , S. Koepke. Impact of Craven analytical data. Non-Craven data support only one application per year.

59. CB No. 8398, 10/10/91, S. Koepke, Impact of Craven analytical data. Additional magnitude of residue data needed to replace Craven data submitted in connection with PP#2F2720. Ciba Geigy has committed to replace the data.

60. No. CB No., 5/4/93, 5/27/93, S. Hummel. Additional data are needed to support preemergence plus layby uses on both field corn and sweet corn using both the EC and G formulations

61. Full supporting residue data are needed to support the post emergence uses of the dry flowable formulation of metolachlor (Bicep DF, EPA Reg. No. 100-748). The application for registration was not reviewed by the Chemistry Branches.

62. CB 13482, 6/23/94, S. Hummel. Adequate Craven replacement data have been received for field corn commodities. Craven replacement data are still needed for sweet corn commodities.

63. A petition for tolerances for metolachlor on the grass forage,fodder, and hay group is in reject status. (PP#3F04251, CB 12494, 9/1/94, G. Kramer)

64. CB No. 8398, 10/10/91, S. Koepke. Impact of Craven analytical data; additional magnitude of residue data required for alfalfa or clover to replace Craven data submitted in MRID 40516501. Ciba-Geigy has committed to replace these data. Additional studies are currently in progress (CB No. 11474, 5/20/93, S. Hummel).

A 24(c) registration for use on alfalfa grown for seed (OR910007) can be considered a non-food use due to recently enacted regulatory controls on alfalfa grown for seed in Oregon (CB No. 10900, 12/4/92, B. Schneider, OR900020, Naled on alfalfa grown for seed).

65. CB No. 14431, 10/04/94, S. Hummel. Craven replacement data on rotational alfalfa and clover have been received and screened. No over-tolerance residues were reported. The data will be reviewed in full as time permits.

66. CB No. 8398, 10/10/91, S. Koepke. Impact of Craven analytical data; additional magnitude of residue data are required to replace Craven data submitted in MRID 0065047. Ciba-Geigy has committed to replace these data. Additional studies are currently in progress (No CB No., 5/20/93, S. Hummel).

Ciba Geigy has not committed to replace the Craven data supporting post emergence uses on cotton and no replacement field trials are currently in progress. All 24(c)'s for post emergence use on cotton should be canceled (CB No. 11474, 5/20/93, S. Hummel).

67. CB No. 4931, 6/14/89, R. Quick.

68. CB No. 13482, 6/23/94, S. Hummel. The submitted data reflect a single preemergence application to cotton, with analyses of cottonseed only. Residue data are still needed for cotton gin byproducts, which are not under the control of the grower.

69. CB No. 8398, 10/10/91, S. Koepke. Impact of Craven analytical data; additional magnitude of residue data are required to replace Craven data submitted in MRID 00106049. Ciba-Geigy has committed to replace these data. Additional studies are currently in progress (CB No. 11474, 5/20/93, S. Hummel).
CB 13875, 9/29/94, S. Hummel. Data have now been submitted to replace Craven data for the G formulation. Data are still needed for the EC formulation.

70. CB No. 13875, 9/29/94, S. Hummel. The data support use of the G formulation. Additional data are needed for the EC formulation.

71. CB No. 4931, 6/14/89, R. Quick.

72. CB No. 8317, 4/16/92, B. Cropp-Kohlligian. Because residues of metolachlor are unstable in corn oil after 3 months when stored frozen, additional information was required concerning the storage conditions and intervals of treated samples.

73. CB No. 10305, 4/15/93, F. Suhre. (MRID 42384401). Treated corn oil samples were stored frozen for intervals ≤ 3 months.

74. CB No. 4931, 6/14/89, R. Quick.

75. CB No. 4931, 6/14/89, R. Quick. A feed additive tolerance of 2 ppm should be established for peanut meal.

76. CB No. 4931, 6/14/89, R. Quick. Food/feed additive tolerances are needed for dry potato peel (4 ppm), wet potato peel (0.5 ppm), granules (0.5 ppm), and processed potato waste (4.0 ppm). However, Delaney issues may prevent establishment of 409 tolerances.

77. CB No. 8398, 10/10/91, S. Koepke. Impact of Craven analytical data; additional processing data are required to replace Craven data submitted in MRID 00084006. Ciba Geigy did not commit to replace this study and has not reported that a replacement study is in progress (CB No. 11484, 5/20/93, S. Hummel).

78. CB No. 4931, R. Quick. Additional data were required for soybean hulls (see footnote for CB No. 8317 below). Data are still required depicting the potential for concentration of metolachlor residues in soybean grain dust.

79. CB No. 8317, 4/16/92, B. Cropp-Kohlligian. In response to CB No. 4931, adequate chromatograms were submitted for soybean hulls. A food additive tolerance for metolachlor residues in soybean hulls should be set at 2x the tolerance limit for soybeans (seeds).

80. CB No. 10787, 4/15/93, F. Suhre. The available storage stability data (S. Funk, CB No. 9261, 8/6/92) on metolachlor residues in animal commodities support the sample storage intervals reported for residue samples from animal feeding studies. Samples of meat from dairy cattle and poultry were stored longer than the 2 months for which CGA-37913 is stable in muscle. Residues determined as CGA-37913 in meat will be corrected for the 80% loss in frozen storage.

TOLERANCE REASSESSMENT SUMMARY

Tolerances Listed Under 40 CFR §180.368(a):

The tolerances listed in 40 CFR §180.368(a) are for the combined residues (free and bound) of the herbicide metolachlor [2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide] and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound.

Sufficient data are available to ascertain the adequacy of the established tolerances listed in 40 CFR §180.368(a) for: almonds, hulls; cabbage; corn, field, forage; corn, field, fodder; corn, field, grain; lupine, seed; peppers, bell; potatoes; sorghum, fodder (milo); sorghum, forage (milo); sorghum, grain (milo); stone fruits group; peas and associated vine and hay commodities; beans and associated forage and hay commodities; soybeans; soybeans, forage; and soybeans, hay; and tree nuts group.

Certain analytical data submitted to support the established tolerances listed in 40 CFR §180.368(a) were generated by Craven laboratories. The Agency has evaluated the impact of these data and has determined that sufficient non-Craven data are available to support extensions of the existing tolerances on an interim basis until the Craven data are replaced. Craven replacement data are still needed for: corn, sweet (K + CWHR); ~~corn, field, forage; corn, field, fodder; corn, field, grain;~~ cotton, seed (~~pre~~postemergence uses only); ~~legume vegetables group, foliage of (exc. soybeans, forage and soybeans, hay)~~; peanuts; peanuts, hay; peanuts, vines; peanuts, hulls (EC formulation at layby); safflower, seed (processing data); ~~beans, dry; beans, succulent;~~ lupine, seed; ~~peas, dry; peas, succulent;~~ soybeans; soybeans, forage; and soybeans, hay; provided the post-emergence uses of metolachlor on cotton are canceled.

Sufficient data are available to ascertain the adequacy of the established tolerances listed in 40 CFR §180.368(a) for: eggs; milk; the fat, kidney, liver, meat, and meat byproducts of cattle, goats, hogs, horses, sheep; and the fat, liver, meat, and meat byproducts of poultry. The dietary burden has been recalculated and the residues reported in the livestock feeding studies adjusted for losses in frozen storage.

So that the commodity definitions listed in 40 CFR §180.368(a) will be in accordance with the definitions listed in the Commodity Index Report dated 10/28/92, the tolerances should be revoked for: "corn, forage and fodder" (8.0 ppm); "peanut, forage and hay" (30.0 ppm); "sorghum, forage and fodder" (2.0 ppm), and "soybeans, forage and hay" (8.0 ppm). Separate tolerances should be established in 40 CFR §180.368(a) for: "corn, field, forage" (8.0 ppm); "corn, field, fodder" (8.0 ppm); "peanuts, hay" (30.0 ppm); "peanuts, vines" (30.0 ppm); "sorghum, fodder (milo)" (2.0 ppm); and "sorghum, forage (milo)" (2.0 ppm).

The tolerance for "seed and pod vegetables (except soybeans)" (0.3 ppm) should be revoked, and separate tolerances should be established for "beans, dry" ~~(0.3 ppm)~~ (0.1 ppm), "beans, succulent" ~~(0.3 ppm)~~ (0.5 ppm), "peas, dry" ~~(0.3 ppm)~~ (0.1 ppm), and "peas, succulent" ~~(0.3 ppm)~~ (0.5 ppm)~~, as recommended in the 1/87 Guidance Document~~. In addition, tolerances for bean vines and hay should be replaced with tolerances of 3 ppm for beans, forage, and beans, hay; tolerances for pea vines and hay should be replaced with a tolerance of 15 ppm for peas, vines, and 2 ppm for peas, hay.

Certain other commodity definitions listed in 40 CFR §180.368(a) are not in accordance with the definitions listed in the Commodity Index Report dated 10/28/92; see Table B for additional modifications in commodity definitions.

Tolerances Listed Under 40 CFR §180.368(b):

The tolerances listed in 40 CFR §180.368(b) are for the combined residues (free and bound) of the herbicide metolachlor [2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide] and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound, when present in the raw agricultural commodities listed in 40 CFR §180.368(b) as a result of the application of metolachlor to growing crops listed in 40 CFR §180.368(a).

Sufficient data are available to ascertain the adequacy of the established tolerances listed in 40 CFR §180.368(b) for: the straw, forage, and grain of barley, buckwheat, oats, rice, rye, and wheat.

Certain analytical data submitted to support the established tolerances listed in 40 CFR §180.368(b) were generated by Craven laboratories. The Agency has evaluated the impact of these data and has determined that sufficient non-Craven data are available to support extensions of the existing tolerances on an interim basis until the Craven data are replaced, for: non-grass animal feeds group. The non-Craven replacement data for alfalfa and clover (non-grass animal feeds group) have been received and screened. The screen indicates that current tolerances will not be exceeded. The data will be reviewed in full as time permits.

So that the commodity definitions listed in 40 CFR §180.368(b) will be in accordance with the definitions listed in the Commodity Index Report dated 10/28/92, the tolerances should be revoked for: "millet, fodder" (0.5 ppm); "millet, forage" (0.5 ppm); "milo, fodder" (0.5 ppm); "milo, forage" (0.5 ppm); and "milo grain" (0.1 ppm). The definitions for millet forage and fodder have been deleted from the Commodity Index Report, and do not appear in Table II of Subdivision O. The definitions for milo will be covered under 40 CFR §180.368(a) as: "sorghum, fodder (milo)" (2.0 ppm); "sorghum, forage (milo)" (2.0 ppm); and "sorghum, grain" (0.3 ppm).

Tolerances Listed Under 40 CFR §180.368(c):

The tolerances [with regional registration as defined in §180.1(n)] listed in 40 CFR §180.368(c) are for the combined residues (free and bound) of the herbicide metolachlor [2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)acetamide] and its metabolites, determined as the derivatives, 2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound.

Sufficient data are available to ascertain the adequacy of the established tolerances listed in 40 CFR §180.368(c) for: peppers, chili; peppers, Cubanelle; and peppers, tabasco.

The established tolerance listed in 40 CFR §180.368(c) for "peppers, tabasco" (.5 ppm), should include a leading zero (0.5 ppm).

New Tolerances Needed:

Food/feed additive tolerances are needed for the following processed commodities: "potatoes, dry peel" (4.0 ppm); "potatoes, wet peel" (0.5 ppm); "potatoes, granules" (0.5 ppm); and "potatoes, waste from processing" (4.0 ppm), and soybean hulls (0.4 ppm). However, Delaney issues may prevent the establishment of these tolerances.

TABLE B. TOLERANCE REASSESSMENT SUMMARY

Commodity	Current Tolerance (ppm)	Tolerance Reassessment (ppm)	Comment/*Correct Commodity Definition*
Tolerances listed under 180.368(a)			
Almond hulls	0.3		*Almonds, hulls*
Cabbage	1.0		
Cattle, fat	0.02		
Cattle, kidney	0.2		
Cattle, liver	0.05		
Cattle, meat	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Cattle, mbyp (except kidney and liver)	0.02	0.05	*Cattle, mbyp (exc. liver and kidney)* Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Corn, fresh (inc. sweet K + CWHR)	0.1	TBD	*Corn, sweet (K + CWHR)*
Corn, forage and fodder	8.0	Revoke and establish separate tolerances at 8.0 ppm	*Corn, field, forage* and *Corn, field, fodder*
Corn, grain	0.1		*Corn, field, grain*
Cottonseed	0.1	TBD	*Cotton, seed*
Eggs	0.02		
Goats, fat	0.02		
Goats, kidney	0.2		
Goats, liver	0.05		
Goats, meat	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Goats, mbyp (except kidney and liver)	0.02	0.05	*Goats, mbyp (exc. liver and kidney)* Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Hogs, fat	0.02		
Hogs, kidney	0.2		
Hogs, liver	0.05		

TABLE B. *(Continued).*

Commodity	Current Tolerance (ppm)	Tolerance Reassessment (ppm)	Comment/*Correct Commodity Definition*
Hogs, meat	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Hogs, mbyp (except kidney and liver)	0.02	0.05	*Hogs, mbyp (exc. liver and kidney)* Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Horses, fat	0.02		
Horses, kidney	0.2		
Horses, liver	0.05		
Horses, meat	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Horses, mbyp (except kidney and liver)	0.02	0.05	*Horses, mbyp (exc. liver and kidney)* Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Legume vegetables group foliage (except soybean forage and soybean hay)	15.0	Revoke and establish separate tolerances at 3 ppm for beans, forage; and beans, hay; 15 ppm for peas, vines; and 2 ppm for peas, hay	~~*Legume vegetables group, foliage of (exc. soybeans, forage and soybeans, hay)*~~ beans, forage beans, hay peas, vines peas, hay
Milk	0.02		
Peanuts	0.5	TBD	
Peanut, forage and hay	30.0	Revoke and establish separate tolerances for peanuts, hay at level TBD ~~30.0 ppm~~	*Peanuts, hay* *Peanuts, vines* are no longer a regulated commodity
Peanut, hulls	6.0	TBD	*Peanuts, hulls*
Peppers, bell	0.1		
Potatoes	0.2		
Poultry, fat	0.02		
Poultry, liver	0.05		
Poultry, meat	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.

43

TABLE B. *(Continued).*

Commodity	Current Tolerance (ppm)	Tolerance Reassessment (ppm)	Comment/*Correct Commodity Definition*
Poultry, mbyp (except liver)	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Safflower seed	0.1		*Safflower, seed*
Seed and pod vegetables (except soybeans)	0.3	Revoke and establish separate tolerances ~~at 0.3 ppm~~ at 0.1 ppm for beans, dry; 0.5 ppm for beans, succulent; 0.1 ppm for peas, dry; and 0.5 ppm for peas, succulent	*Beans, dry*; *Beans, succulent*; *Peas, dry*; and *Peas, succulent*
Sheep, fat	0.02		
Sheep, kidney	0.2		
Sheep, liver	0.05		
Sheep, meat	0.02	0.05	Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Sheep, mbyp (except kidney and liver)	0.02	0.05	*Sheep, mbyp (exc. liver and kidney)* Changes necessary to correct for losses in frozen storage and 50% radiovalidation in plants.
Sorghum, forage and fodder	2.0	Revoke and establish separate tolerances at 2.0 ppm	*Sorghum, fodder (milo)* and *Sorghum, forage (milo)*
Sorghum, grain	0.3		*Sorghum, grain (milo)*
Soybeans	0.2		
Soybeans, forage and hay	8.0	Revoke and establish separate tolerances at 8.0 ppm	*Soybeans, forage* and *Soybeans, hay*
Stone fruits group	0.1		
Tree nuts group	0.1		
Tolerances listed under 180.368(b)			
Barley, fodder	0.5		*Barley, straw*
Barley, forage	0.5		

44

TABLE B. *(Continued)*.

Commodity	Current Tolerance (ppm)	Tolerance Reassessment (ppm)	Comment/*Correct Commodity Definition*
Barley, grain	0.1		
Buckwheat, fodder	0.5		*Buckwheat, straw*
Buckwheat, forage	0.5		
Buckwheat, grain	0.1		
Millet, fodder	0.5	Revoke	Commodity not listed in Subdivision O, Table II, and deleted from Commodity Index Report
Millet, forage	0.5	Revoke	Commodity not listed in Subdivision O, Table II, and deleted from Commodity Index Report
Millet, grain	0.1		
Milo, fodder	0.5	Revoke	Covered under "Sorghum, fodder (milo)"
Milo, forage	0.5	Revoke	Covered under "Sorghum, forage (milo)"
Milo, grain	0.1	Revoke	Covered under "Sorghum, grain (milo)"
Non-grass animal feeds (forage, fodder, straw, and hay) group	3.0	TBD	*Non-grass animal feeds group*
Oats, fodder	0.5		*Oats, straw*
Oats, forage	0.5		
Oats, grain	0.1		
Rice, fodder	0.5		*Rice, straw*
Rice, forage	0.5		
Rice, grain	0.1		
Rye, fodder	0.5		*Rye, straw*
Rye, forage	0.5		
Rye, grain	0.1		
Wheat, fodder	0.5		*Wheat, straw*
Wheat, forage	0.5		
Wheat, grain	0.1		

Tolerances listed under 180.368(c)

45

TABLE B. *(Continued)*.

Commodity	Current Tolerance (ppm)	Tolerance Reassessment (ppm)	Comment/*Correct Commodity Definition*
Peppers, chili	0.5		
Peppers, Cubanelle	0.1		
Peppers, tabasco	.5	0.5	

46

TABLE B. *(Continued).*

Commodity	Current Tolerance (ppm)	Tolerance Reassessment (ppm)	Comment/*Correct Commodity Definition*
Food and Feed Additive Tolerances Needed[1]			
potatoes, dry peel		4.0	
potatoes, granules		0.5	
potatoes, waste from processing		4.0	
potatoes, wet peel		0.5	
soybeans, hulls		0.4	

1. Delaney issues may prevent establishment of these tolerances.

CODEX HARMONIZATION

No maximum residue limits (MRLs) for metolachlor have been established by Codex for any agricultural commodity. Therefore, no questions of compatibility exist with respect to U.S. tolerances.

DIETARY EXPOSURE

Anticipated residues were provided in S. Knizner memo of 11/18/93 (CB 12521) and updated in S. Hummel memo of 6/23/94 (CB 13482). The anticipated residues provided are likely to overestimate dietary exposure because tolerance level residues are assumed when non-Craven data were not available.

MASTER RECORD IDENTIFICATION (MRID) NUMBERS CITED IN THIS DOCUMENT

References (used to support established tolerances)

00015399 Seim, V. (1975) Residue Report: Soybeans: AG-A No. 3268 I,II,III. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-A)

00015400 Peek, J.; Stahlberg, L. (1975) Residue Report: Soybeans: AG-A No. 3466 I,II. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 095747-B)

00015401 Roper, J. (1975) Residue Report: Soybeans: AG-A No. 3523 I,II,III. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-C)

00015402 Juby, M. (1975) Residue Report: Soybeans: AG-A No. 3570 I,II,III. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-D)

00015403 Pruss, S.; Ross, R.H. (1976) Residue Report: Soybeans: AG-A No. 3650 III. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 095747-E)

00015404 Peek, J.; Stahlberg, L. (1976) Residue Report: Soybeans: AG-A No. 3702 III. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 095747-F)

00015405 Shriver, J.; Wendling, C. (1976) Residue Report: Soybeans: AG-A No. 3724 III. (Unpublished study including AG-A nos. 3742 II, 3743 II and 3747 II, received Jan 19, 1977 under 100-583; prepared in cooperation with Chemagro and E.I. du Pont de Nemours and Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 095747-G)

00015406 Gaspard, J. (1976) Residue Report: Soybeans: AG-A No. 3758 II. (Unpublished study received Jan 19, 1977 under 100-583; prepared in cooperation with Chemagro, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-K)

00015407 Westmoreland, W.G. (1976) Residue Report: Soybeans: AG-A No. 3764 II. (Unpublished study received Jan 19, 1977 under 100-583; prepared in cooperation with Chemagro, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-L)

00015408 Pruss, S.W.; Schnappinger, M.G. (1976) Residue Report: Soybeans: AG-A No. 3775 II. (Unpublished study including AG-A no. 3776 II, received Jan 19, 1977 under 100-583; prepared in cooperation with E.I. du Pont de Nemours and Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-M)

00015409 Peek, J.; Stahlberg, L. (1976) Residue Report: Soybeans: AG-A No. 3778 II. (Unpublished study including AG-A nos. 3780 II and 3782 II, received Jan 19, 1977 under 100-583; prepared in cooperation with Chemagro and E.I. du Pont de Nemours and Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-O)

00015410 Thomas, J.; Herman, D. (1976) Residue Report: Soybeans: AG-A No. 3803 II. (Unpublished study including AG-A no. 3812 II, received Jan 19, 1977 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-R)

00015411 Pruss, S.W.; Luke, J.E. (1976) Residue Report: Soybeans: AG-A No. 3885. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 095747-T)

00015413 Mattson, A.M. (1975) CGA-24705 Residues in Milk, Meat, Eggs and Chickens (Three Level Feeding Studies): Report No. GAAC-75059. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-X)

00015423 Sumner, D.D.; Thomas, R.D.; Cassidy, J.E. (1975) Structure Elucidation of the Metabolites of CGA-24705 in Corn: M4-68-2Y: Report No. GAAC-75012. (Unpublished study received Mar 26, 1975 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094378-F)

00015424 Gross, D. (1974) Uptake, Translocation and Degradation of CGA 24 705 in Corn Grown Under Controlled Conditions: Project Report No. 13/74: Addendum to Project Report No. 8/74. (Unpublished study received Mar 26, 1975 under 5F1606; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094378-H)

00015425 Hambock, H. (1974) Metabolism of CGA 24 705 in the Rat: Project Report 12/74: Addendum to Project Report 7/74. (Unpublished study received Mar 26, 1975 under 5F1606; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094378-O)

00015428 Kincaid, L. (1975) Residue Report: Field Corn: AG-A No. 3383. (Unpublished study received Mar 26, 1975 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094379-O)

00015429 Thomas, J.; Herman, D. (1975) Residue Report: Field Corn: AG-A No. 3501 I,II. (Unpublished study received Mar 26, 1975 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094379-P)

00015430 Kincaid, L. (1975) Residue Report: Sweet Corn: AG-A No. 3446. (Unpublished study received Mar 26, 1975 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094379-T)

00015432 Ramsteiner, K.; Karlhuber, B. (1975) CGA 24705: Determination of Total Residue in Material of Animal Origin. Method no. REM 2/75 dated Feb 6, 1975. (Unpublished study received Mar 26, 1975 under 5F1606; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094379-AJ)

00015466 Aziz, S.A.; Ross, J.A. (1975) Analytical Method for the Determination of Residues of CGA-24705 Soybean Metabolites as CGA-37913 and CGA-49751 by Acid Hydrolysis. Method no. AG-286 dated Jun 10, 1975. (Unpublished study received Nov 25, 1975 under 6G1708; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094877-S)

00015469 Gold, B.; Kahrs, R.A. (1975) Freezer Storage Stability of CGA-24705 Residues in Corn Fodder and Grain: Report No. GAAC-75062. (Unpublished study received Nov 25, 1975 under 6G1708; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094877-X)

00015540 Ross, R.H. (1979) Metolachlor (Dual(R) 8E); Chloramben (Amiben 2E): AG-A No. 5173 I,II. (Unpublished study including letter dated May 8, 1979 from S.L. Harrison to Warren A. Davis, received Jun 20, 1979 under 100-583; prepared in cooperation with AM-CHEM Products, Inc. and Union Carbide Agricultural Products Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:238677-B)

00015541 Kern, C.L. (1979) Metolachlor (Dual(R) 8E); Chloramben (Amiben 2SL): AG-A No. 5218 I,II. (Unpublished study including letter dated May 8, 1979 from S.L. Harrison to Warren A. Davis, received Jun 20, 1979 under 100-583; prepared in cooperation with AM-CHEM Products, Inc. and Union Carbide Agricultural Products Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 238677-C)

00015542 Rose, W.; Clapp, T.; Clapp, G. (1979) Metolachlor (Dual(R) 8E); Chloramben (Amiben 2E): AG-A No. 5341. (Unpublished study including letter dated May 8, 1979 from S.L. Harrison to Warren A. Davis, received Jun 20, 1979 under 100-583; prepared in cooperation with AM-CHEM Products, Inc. and Union Carbide Agricultural Products Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:238677-D)

00015543 Cargile, N.L.; Ross, J.A. (1979) Analytical Method for Residues of Metolachlor Plant Metabolites Determined as CGA-37913 and CGA-49751 after Acid Hydrolysis. Method no. AG-338 dated Apr 23, 1979. (Unpublished study received Jun 20, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:238677-F)

00015548 Houseworth, L.D.; Rolla, H. (1977) Residues of Metolachlor in or on Sorghum Resulting from Preplant Incorporated and Preemergence Applications: Report No. ABR-77086. (Unpublished study received Nov 14, 1977 under 8G2019; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:096625-A)

00015549 Ragsdale, D.; Peek, J. (1977) Residue Report: Sorghum: AG-A No. 4413 Third Report. (Unpublished study received Nov 14, 1977 under 8G2019; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:096626-A)

00015550 Thomas, J.; Herman, D. (1977) Residue Report: Sorghum: AG-A No. 4418 Third Report. (Unpublished study received Nov 14, 1977 under 8G2019; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:096626-B)

00015551 Turner, W.E. (1977) Residue Report: Sorghum: AG-A No. 4503 Third Report. (Unpublished study received Nov 14, 1977 under 8G2019; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:096626-C)

00015552 Holt, B.E. (1977) Residue Report: AG-A No. 4753. (Unpublished study received Nov 14, 1977 under 8G2019; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:096626-D)

00015553 Kahrs, R.A. (1979) Residues of Metolachlor in Peanuts Resulting from Preplant Incorporated or Preemergence Applications: Report No. ABR-79059. Summary of studies 098298-B, 098298-C, 098298-F, 098298-I and 098298-J. (Unpublished study received May 18, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:098298-A)

00015554 Rose, W.; Coble, H. (1979) Metolachlor (Dual 8E), Naptalam + DNBP (Dyanap 3E): AG-A No. 4715 I,II. (Unpublished study received May 18, 1979 under 100-583; prepared in cooperation with IRDC, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:098298-B)

00015555 Dill, R. (1979) Residue Report: Peanuts: AG-A No. 4742 II. (Unpublished study received May 18, 1979 under 100-583; prepared in cooperation with IRDC, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:098298-C)

00015556 McMahon, A. (1979) Residue Report: Peanuts: AG-A No. 4840 II. (Unpublished study received May 18, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:098298-F)

00015557 McMahon, A. (1979) Metolachlor (Dual(R) 8E): AG-A No. 4841 I,II. (Unpublished study received May 18, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:098298-I)

00015570 Taylor, D.; Shriver, J.; Guthrie, C. (1976) Residue Report: Field Corn: AG-A No. 3372 II. (Unpublished study received Jun 20, 1977 under 100-590; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:230685-E)

00015571 Seim, V. (1976) Residue Report: Field Corn: AG-A No. 3674 II,III. (Unpublished study received Jun 20, 1977 under 100-590; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:230685-G)

00015572 Chamberlain, E.; Shriver, J.; Wendling, C. (1976) Residue Report: Field Corn: AG-A N0. 3745 I,II,III. (Unpublished study received Jun 20, 1977 under 100-590; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:230685-H)

00015586 Houseworth, L.D. (1978) Residues of Metolachlor and Atrazine in or on Corn Resulting from the Application of Metolachlor, Metolachlor/Atrazine Tank Mixes or a Metolachlor/Atrazine Pre-pack through Center Pivot Irrigation Systems: Report No. ABR-78074. Summary of studies 235358-B through 235358-J. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-A)

00015587 Stahlberg, L. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4870 I, II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-B)

00015588 Turner, W.E.; Wiese, A.F. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4908 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 235358-C)

00015589 Threewitt, T. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4929 I, II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-D)

00015590 Stahlberg, L. (1978) Metolachlor + Atrazine; Dual(R) 8E + Aatrex(R) 4L: AG-A No. 4871 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-E)

00015591 Stahlberg, L. (1978) Metolachlor + Atrazine (Bicep 4.5L): AG-A No. 4872 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 235358-F)

00015592 Turner, W.E.; Wiese, A.F. (1978) Metolachlor + Atrazine, Dual(R) 8E + Aatrex(R) 4L: AG-A No. 4909 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-G)

00015593 Turner, W.E.; Wiese, A.F. (1978) Metolachlor + Atrazine (Bicep 4.5L): AG-A No. 4910 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-H)

00015594 Threewitt, T. (1978) Metolachlor + Atrazine (Dual(R) 8E + Aatrex(R) 80W): AG-A No. 4930 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235358-I)

00015595 Threewitt, T. (1978) Metolachlor + Atrazine (Bicep(R) 4.5L): AG-A No. 4931 I,II. (Unpublished study received Oct 20, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 235358-J)

00015597 Buchholz, C. (1978) Metolachlor (Dual(R) 8E); Cyanazine (Bladex(R) 80W): AG-A No. 4752 I,II. (Unpublished study received Oct 20, 1978 under 100-583; prepared in cooperation with Shell Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235359-B)

00015598 Rose, W.; Monaco, T. (1978) Metolachlor (Dual(R) 8E); Cyanazine (Bladex(R) 4WDS): AG-A No. 4810. (Unpublished study received Oct 20, 1978 under 100-583; prepared in cooperation with Shell Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235359-C)

00015599 Turner, W. (1978) Metolachlor (Dual(R) 8E); Cyanazine (Bladex 80W); Cyanazine (Bladex 4WDS): AG-A No. 4864 I,II. (Unpublished study received Oct 20, 1978 under 100-583; prepared in cooperation with Shell Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235359-D)

00015600 Stahlberg, L. (1978) Metolachlor (Dual 8E); Cyanazine (Bladex 80W): AG-A No. 4875 I,II. (Unpublished study received Oct 20, 1978 under 100-583; prepared in cooperation with Shell Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235359-E)

00015601 Clarkson, V. (1978) Metolachlor (Dual 8E); Cyanazine (Bladex 80W): AG-A No. 4972 I,II. (Unpublished study received Oct 20, 1978 under 100-583; prepared in cooperation with Shell Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235359-F)

00015602 Wustner, D.A. (1978) Metolachlor (Dual(R) 8E); Cyanazine (Bladex(R) 4L): AG-A No. 6013. (Unpublished study received Oct 20, 1978 under 100-583; prepared in cooperation with Shell Oil Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 235359-G)

00015652 Sumner, D.D.; Cassidy, J.E. (1974) The Metabolism of CGA-24705 in Corn: Report No. GAAC-74050. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094217-D)

00015653 Gross, D. (1974) Uptake, Translocation and Degradation of CGA 24 705 in Corn Grown under Controlled Conditions: Project Report No. 8/74. (Unpublished study received Sep 26, 1974 under 5G1553; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094217-F)

00015676 Tharrington, W.H. (1974) Residue Report: Field Corn: AG-A No. 2967. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-B)

00015677 Thetford, L.; Snow, J.G. (1974) Residue Report: Field Corn: AG-A No. 2972. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094216-C)

00015678 Roper, J. (1974) Residue Report: Field Corn: AG-A No. 2982. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-D)

00015679 Schnappinger, M.G. (1974) Residue Report: Sweet Corn: AG-A No. 3005. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094216-E)

00015680 Anliker, W. (1974) Residue Report: Sweet Corn: AG-A No. 3083. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-G)

00015681 Davidson, W.E. (1974) Residue Report: Field Corn: AG-A No. 3103. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-H)

00015682 Shriver, J.; Conterio, W.A. (1974) Residue Report: Field Corn: AG-A No. 3132. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094216-I)

00015683 Shriver, J.; Guthrie, C.A. (1974) Residue Report: Field Corn: AG-A No. 3137. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094216-J)

00015684 Fickle, J. (1974) Residue Report: Field Corn: AG-A No. 3141. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-K)

00015685 Kincaid, L. (1974) Residue Report: Sweet Corn: AG-A No. 3153. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-L)

00015686 Ross, R.H. (1974) Residue Report: Field Corn: AG-A No. 3255. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-M)

00015687 Snow, J.G. (1974) Residue Report: Sweet Corn: AG-A No. 2974. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-N)

00015688 Westmoreland, W.G. (1974) Residue Report: Field Corn: AG-A No. 3070. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094216-P)

00015689 Snow, J.G. (1974) Residue Report: Field Corn: AG-A No. 3288. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-Q)

00015690 Stahlberg, L.; Peek, J. (1974) Residue Report: Field Corn: AG-A No. 3289. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094216-R)

00015691 Roper, J.; Thomas, J.; Herman, D. (1974) Residue Report: Field Corn: AG-A No. 3298. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-S)

00015692 Roper, J.; Thomas, J.; Herman, D. (1974) Residue Report: Field Corn: AG-A No. 3299. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-T)

00015693 Kern, C.L. (1974) Residue Report: Field Corn: AG-A No. 3325. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-U)

00015694 Juby, M. (1974) Residue Report: Field Corn: AG-A No. 3327. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-V)

00015695 Mattson, A.M. (1974) CGA-24705 Residues in Milk, Meat, Eggs and Chickens (Three Level Feeding Studies): Report No. GAAC-74064. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-W)

00015696 Schenker, M.; Holzhauer, ?; Merlini, ?; et al. (1974) CGA 24705: Total Residues in Milk and Tissues of Swiss Cows: No. RVA 81/74. (Unpublished study received Sep 26, 1974 under 5G1553; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-X)

00015697 Guth, J.; Arnet, M.; Imhof, P.; et al. (1974) CGA 24705: Total Residues in Chicken Tissues and Eggs, 1974: No. RVA 88/74. (Unpublished study including no. RVA 02/75, received Sep 26, 1974 under 5G1553; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-Y)

00015698 Hormann, W.D.; Guth, J.A.; Formica, G.; et al. (1974) CGA 24705: Gas Chromatographic Determination of Total Residues in Material of Animal Origin (Provisional). Method no. REM 5/74 dated Jun 26, 1974. (Unpublished study received Sep 26, 1974 under 5G1553; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-Z)

00015704 Juby, M. (1974) Residue Report: Field Corn: AG-A No. 3328. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-AK)

00015705 Kern, C.L. (1974) Residue Report: Field Corn: AG-A No. 3326. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-AL)

00015706 Kahrs, R.A. (1978) Summary: Residue Chemistry Data to Establish Tolerances for Residues of Metolachlor in Corn Forage and Fodder, Soybean Forage and Fodder, and Fresh Corn, including Sweet Corn (Kernels plus Cobs, Husks Removed): Report No. ABR-78028. Summary of studies 094216-B, 094216-C, 094216-E through 094216-K, 094216-M, 094216-N, 094216-P through 094216-V, 094216-AK, 094216-AL, 094379-D, 094379-O, 094379-P, 094379-T, 094379-AB, 097134-Q, 097134-S, 097134-X, 097134-AE through 097134-AI, 097134-AO through 097134-AT, 228126-E through 228126-H, 228126-J, 230685-G, and 230685-H. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., greensboro, N.C.; CDL:097133-A)

00015707 Snow, J.G.; Tinklepaugh, ? (1976) Residue Report: Field Corn: AG-A No. 3799 II,III. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097134-S)

00015708 Ross, R.H. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4855 I,II, Second Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097134-AE)

00015709 Turner, W.E. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4860 I,II Second Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097134-AF)

00015710 Stahlberg, L. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4873 I, II, 2nd Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097134-AG)

00015711 Turner, W.E. (1978) Metolachlor + Atrazine (Dual(R) 8E + AAtrex(R) 4L): AG-A No. 4861 I,II Second Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AH)

00015712 Stahlberg, L. (1978) Metolachlor + Atrazine (Dual(R) 8E + AAtrex(R) 4L): AG-A No. 4874 I,II Second Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AI)

00015713 Buchholz, C. (1978) Metolachlor (Dual 8E): AG-A No. 4749 I, II. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AO)

00015714 Rose, W.E.; Monaco, T. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4806. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097134-AP)

00015715 Clarkson, V. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4974. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AQ)

00015716 Buchholz, C. (1978) Metolachlor + Atrazine (Dual(R) 8E) + (AAtrex(R) 80W): AG-A No. 4748 I, II. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AR)

00015717 Rose, W.; Monaco, T. (1978) Metolachlor + Atrazine (Dual(R) 8E) + (AAtrex(R) 4L): AG-A No. 4807. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AS)

00015718 Clarkson, V. (1978) Metolachlor, Atrazine (Dual(R) 8E, AAtrey(R) 80W): AG-A No. 4975. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097134-AT)

00015719 Ross, R.H.; Pruss, S. (1976) Residue Report: Soybeans: AG-A No. 3650 I,II. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097135-A)

00015721 Shriver, J.; Wendling, C. (1976) Residue Report: Soybeans: AG-A No. 3747 II. 2nd Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-D)

00015722 Pruss, S.; Schnappinger, M.G. (1976) Residue Report: Soybeans: AG-A No. 3775 II. 2nd report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-E)

00015723 Peek, J.; Stahlberg, L. (1976) Residue Report: Soybeans: AG-A No. 3782. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-F)

00015725 Pruss, S.W.; Luke, J.E. (1976) Residue Report: Soybeans: AG-A No. 3885. 2nd Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-H)

00015726 Richards, R.F. (1976) Residue Report: Soybeans: AG-A No. 3948. 2nd Report. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-I)

00015727 Shriver, J.; Wendling, C. (1976) Residue Report: Soybeans: AG-A No. 3743. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-J)

00015728 Schnappinger, M.G.; Pruss, S.W. (1976) Residue Report: Soybeans: AG-A No. 3776. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-K)

00015729 Peek, J.; Stahlberg, L. (1976) Residue Report: Soybeans: AG-A No. 3780. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097135-L)

00015731 Shriver, J.; Wendling, C. (1977) Residue Report: Soybeans: AG-A No. 3742. (Unpublished study received May 11, 1978 under 100-583; prepared in cooperation with Mobay Chemical Corp. and Analytical Biochemistry Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-O)

00015732 Gaspard, J.T. (1977) Residue Report: Soybeans: AG-A No. 3758. (Unpublished study received May 11, 1978 under 100-583; prepared in cooperation with Mobay Chemical Corp. and Analytical Biochemistry Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-P)

00015733 Westmoreland, W.G. (1977) Residue Report: Soybeans: AG-A No. 3764. (Unpublished study received May 11, 1978 under 100-583; prepared in cooperation with Mobay Chemical Corp. and Analytical Biochemistry Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-Q)

00015734 Peek, J.; Stahlberg, L. (1977) Residue Report: Soybeans: AG-A No. 3778. (Unpublished study received May 11, 1978 under 100-583; prepared in cooperation with Mobay Chemical Corp. and Analytical Biochemistry Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-R)

00015735 Luke, J. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4737 I,II. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-T)

00015736 Kern, C. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4781 I,II. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-U)

00015737 Herman, D. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4986 I,II. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:097135-V)

00015739 Chamberlain, E.; Stahlberg, L. (1978) Metolachlor (Dual 8E); Atrazine (AAtrex 80W & 4L): AG-A No. 4790 I,II,III. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-B)

00015740 Luke, J.E. (1978) Metolachlor (Dual 8E); Atrazine (AAtrex 80W + 4L): AG-A No. 4811 I,II,III. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-C)

00015741 Turner, W.E. (1978) Metolachlor (Dual(R)8E); Atrazine (AAtrex(R) 4L): AG-A No. 4862 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Texas Agricultural Experiment Station and EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237817-D)

00015742 Dorr, J.; Buchholz, C. (1978) Metolachlor (Dual 6E); Atrazine (AAtrex 4L): AG-A No. 4750 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-E)

00015743 Chamberlain, E.; Stahlberg, L. (1978) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R)80W): AG-A No. 4791. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-F)

00015744 Rose, W.; Monaco, T. (1978) Metolachlor (Dual 8E); Atrazine (AAtrex 4L): AG-A No. 4808. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-G)

00015745 Chamberlain, E.; Stahlberg, L. (1978) Metolachlor + Atrazine (Bicep 4.5L): AG-A No. 4792 I,II,III. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-H)

00015746 Luke, J.E. (1978) Metolachlor + Atrazine (Bicep(R) 4.5L): AG-A No. 4812 I,II,III. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-I)

00015747 Turner, W.E. (1978) Metolachlor + Atrazine (Bicep 4.5L): AG-A No. 4863 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Texas Agricultural Experiment Station and EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-J)

00015748 Dorr, J.; Buchholz, C. (1978) Metolachlor + Atrazine (Bicep(R) 4.5L): AG-A No. 4751 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-K)

00015749 Chamberlain, E.; Stahlberg, L. (1979) Metolachlor + Atrazine (Bicep(R) 4.5L): AG-A No. 4793 A. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237817-L)

00015750 Rose, W.; Monaco, T. (1978) Metolachlor + Atrazine (Bicep 4.5L): AG-A No. 4809. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Analytical Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237817-M)

00015751 Rose, W.; Worsham, D.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R) 80W); Paraquat (Paraquat CL): AG-A No. 4959 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237819-F)

00015752 Kern, C.L.; Staniforth, D.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R) 80W or 4L); Paraquat (Paraquat CL): AG-A No. 5000 I,II. (Unpublished study received Mar 16,

1979 under 100-583; prepared in cooperation with Iowa State Univ., EN-CAS Laboratories and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237819-H)

00015753 Schnappinger, M.G. (1979) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R) 80W); Glyphosate (Roundup(R) 4E): AG-A No. 4888 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237819-I)

00015754 Rose, W.; Worsham, D. (1979) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R) 80W); Glyphosate (Roundup 4E): AG-A No. 4960 I, II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237819-J)

00015755 Searcy, S.; Herman, D. (1979) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R) 4L); Glyphosate (Roundup(R) 4E): AG-A No. 4983 I, II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237819-K)

00015756 Kern, C.L.; Staniforth, D. (1979) Metolachlor (Dual 8E); Atrazine (AAtrex 80W or 4L); Glyphosate (Roundup 4E): AG-A No. 4999 I, II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Iowa State Univ., EN-CAS Laboratories and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237819-L)

00015757 Dorr, J.; Buchholz, C. (1979) Metolachlor (Dual 8E); Atrazine (AAtrex 4L); Glyphosate (Roundup 4E): AG-A No. 5004. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237819-M)

00015760 Kincaid, L. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4763 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-B)

00015761 Schnappinger, M.G. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4886 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.: CDL:237821-C)

00015762 Searcy, V.; Herman, D. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4893 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and ADC Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-D)

00015763 Rose, W.; Worsham, D. (1979) Metolachlor + Glyphosate + Linuron; Dual 8E + Roundup 4E + Lorox 50W: AG-A No. 4956 I,II A. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with Rocky Mount Experiment Station, ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-E)

00015764 Kincaid, L. (1979) Metolachlor (Dual(R) 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4765 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-F)

00015765 Schnappinger, M.G. (1978) Metolachlor (Dual 8E); Glyphosate (Round-up 4E); Metribuzin (Sencor 50W): AG-A No. 4887 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-G)

00015766 Searcy, S.; Herman, D. (1979) Metolachlor (Dual(R) 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4895 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-H)

00015767 Rose, W.; Worsham, D. (1979) Metolachlor (Dual(R) 8E); Glyphosate (Roundup 4E); Metribuzin (Sencor 50W): AG-A No. 4958 I,II A. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with ADC Laboratories and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-I)

00015768 Kincaid, L.; Slagowski, J.L. (1978) Metolachlor + Linuron + Paraquat; Dual 8E + Lorox 50W + Paraquat 2CL: AG-A No. 4762 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with Chevron Chemical Co. and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-J)

00015769 Searcy, V.; Herman, D.; Slagowski, J.L. (1978) Metolachlor + Linuron + Paraquat: Dual 8E + Lorox 50W + Paraquat 2CL: AG-A No. 4892 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with Chevron Chemical Co. and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-L)

00015770 Schnappinger, M.G.; Slagowski, J.L. (1978) Metolachlor + Linuron + Paraquat (Dual 8E + Lorox 50W + Paraquat 2CL): AG-A No. 4915 I, II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with Chevron Chemical Co. and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-L)

00015771 Rose, W.; Worsham, D.; Slagowski, J.L. (1978) Metolachlor + Linuron + Paraquat: Dual(R) 8E + Lorox 50W + Paraquat 2CL: AG-A No. 4955 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with Rocky Mount Experiment Station, Chevron Chemical Co. and E.I. du Pont de Nemours & Co., Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-M)

00015772 Kincaid, L.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Metribuzin (Sencor 50W); Paraquat (2Cl): AG-A No. 4764 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with

60

E.I. du Pont de Nemours & Co., Inc. and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-M)

00015773 Searcy, S.; Herman, D.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Metribuzin (Sencor 50W); Paraquat (2Cl): AG-A No. 4894 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-O)

00015774 Schnappinger, M.G.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Metribuzin (Sencor 50W); Paraquat (2 Cl): AG-A No. 4916 I, II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-P)

00015775 Rose, W.; Worsham, D.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Metribuzin (Sencor 50W); Paraquat (Cl): AG-A No. 4957 I,II. (Unpublished study including letter dated May 23, 1978 from J.D. Riggleman to Robert A. Kahrs, received Mar 16, 1979 under 100-583; prepared in cooperation with E.I. du Pont de Nemours & Co., Inc. and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237821-Q)

00015777 Stahlberg, L. (1978) Metolachlor (Dual 8E); Naptalam + DNBP (Dyanap 3E): AG-A No. 4728 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Biospherics, Inc. for Uniroyal Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237822-B)

00015778 Herman, D. (1978) Metolachlor (Dual(R) 8E); Naptalam + DNBP (Dyanap(R) 3E): AG-A No. 4896 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Biospherics, Inc. for Uniroyal Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237822-C)

00015779 Schnappinger, M.G. (1978) Metolachlor (Dual(R) 8E); Naptalam + DNBP (Dyanap 3E): AG-A No. 4934 I,II. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Biospherics, Inc. for Uniroyal Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237822-D)

00015780 Dill, R. (1978) Metolachlor (Dual 8E); Naptalam + DNBP (Dyanap 3E): AG-A No. 5053. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with Biospherics, Inc. for Uniroyal Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237822-E)

00015786 Chamberlain, E.; Taylor, T.D. (1978) Metolachlor, Dual(R) 8E; Dicamba, Banvel: AG-A No. 4865 I, II. (Unpublished study received Mar 16, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237818-E)

00015787 Chamberlain, E.; Kern, C.L. (1978) Metolachlor, Dual(R) 8E; Dicamba, Banvel: AG-A No. 4948 I,II. (Unpublished study received Mar 16, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237818-F)

00015950 Shriver, J.; Guthrie, C. (1975) Residue Report: Field Corn: AG-A No. 3406 II. (Unpublished study received Mar 26, 1975 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094379-AB)

00015954 Turner, W.E. (1974) Residue Report: Field Corn: AG-A No. 3057. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094216-F)

00015955 Luke, J.E.; Slagowski, J.L. (1978) Metolachlor (Dual(R) 8E); Atrazine (AAtrex(R) 80W); Paraquat (Paraquat CL): AG-A No. 4964. (Unpublished study received Mar 16, 1979 under 100-583; prepared in cooperation with EN-CAS Laboratories and Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237819-G)

00016248 Richards, R.F. (1976) Residue Report: Soybeans: AG-A No. 3948. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095747-U)

00016306 Hermes, P. (1972) Biphasic Extraction of Radioactive Metabolites from Treated Biological Material. Method no. AG-214 dated Aug 15, 1972. (Unpublished study received Sep 26, 1974 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094385-Q)

00016392 Houseworth, L.D.; Rolla, H. (1977) Residues of Metolachlor and Atrazine in or on Corn Grain Resulting from Tank Mix Applications with and without Liquid Fertilizer--Preplant Incorporated and Preemergence Applications: Report No. ABR-77017. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-A)

00016393 Seim, V. (1976) Residue Report: Field Corn: AG-A No. 3672 II-III. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-D)

00016394 Seim, V. (1976) Residue Report: Field Corn: AG-A No. 3673 I,II,III. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-E)

00016395 Ragsdale, D.; Stahlberg, L. (1976) Residue Report: Field Corn: AG-A No. 3704 I,II. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-F)

00016396 Taylor, T.D.; Shriver, J.; Wendling, C. (1976) Residue Report: Field Corn: AG-A No. 3734 I,II,III. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-G)

00016397 Shriver, J.; Wendling, C. (1976) Residue Report: Field Corn: AG-A No. 3735 I,II,III. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-H)

00016398 Snow, J.G.; Tinklepaugh, ? (1976) Residue Report: Field Corn: AG-A No. 3799 II,III. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 228126-I)

00016399 Thetford, L.; Snow, J.G.; Tinklepaugh, ? (1976) Residue Report: Sweet Corn: AG-A No. 3858. (Unpublished study received Feb 18, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:228126-J)

00016427 Kahrs, R.A. (1979) Residues of Metolachlor and Chloramben in Soybeans Resulting from Preemergence or Preplant Incorporated Applications: Report No. ABR-79068. Summary of studies 238677-B through 238677-D. (Unpublished study received Jun 20, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:238677-A)

00016435 Houseworth, L.D. (1977) Residues of Metolachlor and Dicamba in or on Corn Grain Resulting from Preemergence Tank Mix Applications: Report No. ABR-77071. Summary of studies 232192-B through 232192-D. (Unpublished study received Nov 10, 1977 under 100-EX-59; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 232192-A)

00016436 Chamberlain, E.; Coan, R.M. (1977) Residue Report: Field Corn: AG-A No. 4253 II. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Velsicol Chemical Corp., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232192-B)

00016437 Chamberlain, E.; Kern, C.L. (1977) Residue Report: Field Corn: AG-A No. 4264 II. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Velsicol Chemical Corp. and Craven Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232192-C)

00016438 Chamberlain, E.; Taylor, T.D. (1977) Residue Report: Field Corn: AG-A No. 4270 III. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Velsicol Chemical Corp. and Craven Laboratories, submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232192-D)

00016440 Kahrs, R.A. (1977) Tank Mixes of Metolachlor plus Atrazine plus Paraquat--Corn: No and Minimum Tillage Applications: Report No. ABR-77074. Summary of studies 232192-I through 232192-M. (Unpublished study received Nov 10, 1977 under 100-EX-59; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232192-H)

00016441 Thomas, J.; Herman, D.; Slagowski, J.L. (1977) Residue Report: Field Corn: AG-A No. 4167 II. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232192-I)

00016442 Coan, R.M.; Karusta, G.; Slagowski, J.L. (1977) Residue Report: Field Corn: AG-A No. 4187 II,III. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232192-J)

00016443 Schnappinger, M.G.; Slagowski, J.L. (1977) Residue Report: Field Corn: AG-A No. 4198 II,III. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 232192-K)

00016444 Westmoreland, W.G.; Slagowski, J.L. (1977) Residue Report: Field Corn: AG-A No. 4247 II,III. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 232192-L)

00016445 Davidson, W.E.; Slagowski, J.L. (1977) Residue Report: Field Corn: AG-A No. 4288 I,II. (Unpublished study received Nov 10, 1977 under 100-EX-59; prepared in cooperation with Chevron Chemical Co., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 232192-M)

00016596 Kahrs, R.A. (1978) Residues in Field Corn Grain Resulting from the Application of Dual(R) 8E Alone and in Tank Mixture with Atrazine: Report No. ABR-78022. Summary of studies 232949-B through 232949-F. (Unpublished study received Mar 1, 1978 under 100-597; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 232949-A)

00016598 Turner, W.E. (1978) Metolachlor (Dual(R) 8E): AG-A No. 4860 II. (Unpublished study received Mar 1, 1978 under 100-597; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:232949-C)

00016604 Shriver, J.; Wendling, C. (1976) Residue Report: Soybeans: AG-A No. 3724. (Unpublished study received May 11, 1978 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 097135-C)

00016607 Cheung, M.W.; Kahrs, R.A. (1979) Residues in Sorghum Resulting from Applications of Milocep 5L--Preplant Incorporated and Preemergence Applications: Report No. ABR-79015. Summary of studies 237815-B through 237815-F. (Unpublished study received Mar 16, 1979 under 100-604; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:237815-A)

00016608 Davidson, W.E. (1979) Metolachlor-Propazine (Milocep 5L): AG-A No. 5159 I-II A. (Unpublished study received Mar 16, 1979 under 100-604; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237815-B)

00016609 Dill, R. (1978) Metolachlor + Propazine (Milocep 5L): AG-A No. 5176 A. (Unpublished study received Mar 16, 1979 under 100-604; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237815-C)

00016610 Dill, R. (1978) Metolachlor-Propazine (Milocep 5L): AG-A No. 5176 II. (Unpublished study received Mar 16, 1979 under 100-604; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 237815-D)

00016990 Davidson, W.E. (1978) Metolachlor + Propazine; Dual(R) 8E + Milo-gard(R) 4L: Grain Sorghum: AG-A No. 4883 II A. (Unpublished study received Nov 24, 1978 under 100-EX-62; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235981-B)

00016991 Chamberlain, E.; Threewitt, T. (1978) Metolachlor + Propazine; Dual(R) 8E + Milogard(R) 80W: Grain Sorghum: AG-A No. 4926 II B. (Unpublished study received Nov 24, 1978 under 100-EX-62; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235981-C)

00016992 Turner, W.E. (1978) Metolachlor + Propazine; Dual(R) 8E + Milo-gard(R) 80W: Grain Sorghum: AG-A No. 4995 A. (Unpublished study received Nov 24, 1978 under 100-EX-62; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:235981-D)

00017699 Schnappinger, H.G. (1979) Simazine (Princep(R) 4L); Metolachlor (Dual (R) 8E); Paraquat (Paraquart 2CL); Glyphosate (Roundup 4E): AG-A No. 5242 I-IIA -(Unpublished study received Jan 4, 1980 under 100-583; prepared in cooperation with En-Cas Laboratories, Chevron Chemical Co. and Analytical Development Corp.; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:241543-B)

00017700 Rose, W.; Worsham, D. (1979) Simazine (Princep(R) 4L); Metolachlor (Dual(R) 8E); Paraquat (Paraquat 2CL); Glyphosate Roundup 4E): AG-A No. 5354. (Unpublished study received Jan 4, 1980 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:241543-D)

00022872 Sumner, D.D.; Cassidy, J.E. (1975) The Uptake and Distribution of Phenyl-14C-CGA-24705 from Soil in Greenhouse Grown Soybeans: Report No. GAAC 75039. (Unpublished study received Jan 19, 1977 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:095750-F)

00022873 Sumner, D.; Cassidy, J. (1974) The Uptake and Distribution of Phenyl-14C-CGA-24705 from Soil in Greenhouse Grown Corn: Report No. GAAC-74015. (Unpublished study received Sep 26, 1974 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094385-B)

00022874 Sumner, D.; Cassidy, J. (1974) The Uptake and Distribution of Phenyl-14C-CGA-24705 in Field Grown Corn: Report No. GAAC-74022. (Unpublished study received Sep 26, 1974 under 5F1606; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:093485-C)

00022879 Szolics, I.M.; Cassidy, J.E. (1978) The Uptake and Balance of Phenyl-14C-Metolachlor in Field Rotation Lettuce Planted in the Fall: Report No. ABR-78085. (Unpublished study received Aug 1, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:238899-C)

00022880 Szolics, I.M.; Cassidy, J.E. (1978) The Uptake and Balance of Phenyl 14C-Metolachlor in Field Rotation Lettuce Planted in the Spring: Report No. ABR-78086. (Unpublished study received Aug 1, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:238899-D)

00022885 Roger, J.C.; Cassidy, J.E. (1974) Metabolism and Balance Study of Phenyl-14C-CGA-24705 in a Lactating Goat: Report No. GAAC-74020. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094217-G)

00022886 Goldhamer, R.E. (1973) Final Report: Metabolism of delta 14C-CGA--24705 Corn Biosynthesized Metabolites in a Lactating Goat. (Unpublished study received Sep 26, 1974 under 5G1553; prepared by Biometric Testing, Inc., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094217-I)

00022887 Roger, J.C.; Cassidy, J.E. (1974) Metabolism and Balance Study of Phenyl-14C-CGA-24705 Corn Biosynthesized Metabolites in a Goat: Report No. GAAC-74046. (Unpublished study received Sep 26, 1974 under 5G1553; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094217-L)

00039174 Seim, V.; Peek, J.; Stahlberg, L.; et al. (1975) Residue Report: Soybeans: AG-A No. 3268 I,II,III. (Unpublished study including AG-A nos. 3466 I,II, 3523 I,II,III, 3570 I,II,III..., received Nov 25, 1975 under 6G1708; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094878-A)

00039176 Ciba-Geigy, Limited (19??) CGA 24 705 Feeding Study in Milk Cows: Methods. (Unpublished study received Nov 25, 1975 under 6G1708; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094878-D)

00039181 Schenker, M.; Wartenweiler, B. (1975) CGA 24705: Determination of the Degradation Product CGA 49751 in Chicken Liver: Switzerland 1973: No. RVA 02/75. (Unpublished study received Nov 25, 1975 under 6G1708; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094878-J)

00039192 Hambock, H. (1974) Distribution, Degradation and Excretion of CGA 24 705 in the Rat: Project Report No. 1/74. (Unpublished study received Nov 25, 1975 under 6G1708; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL: 094984-N)

00039193 Hambock, H. (1974) Metabolism of CGA 24 705 in the Rat: Project Report No. 7/74. (Unpublished study received Nov 25, 1975 under 6G1708; prepared by Ciba-Geigy, Ltd., submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:094984-O)

00064182 Ciba-Geigy Corporation (1980) Residue of Dual(R) 8E and Eptam 6E on Kidney Beans and Various Other Beans. (Compilation; unpublished study received Mar 31, 1981 under 100-597; CDL:099988-B)

00065048 Ciba-Geigy Corporation (1981) Residue Tests with Cotton. (Compilation; unpublished study received Apr 28, 1981 under 100-597; CDL:070049-B)

00074898 Szolics, I.M.; Simoneaux, B.J.; Cassidy, J.E. (1981) The Uptake and Distribution of Phenyl-14C-metolachlor from Soil in Greenhouse Grown Potatoes: ABR-81023. (Unpublished study received Jul 15, 1981 under 100-597; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:070182-B)

00074900 Szolics, I.M.; Simoneaux, B.J.; Cassidy, J.E. (1981) The Uptake and Distribution of Phenyl-14C-metolachlor from Soil in Greenhouse Grown Lettuce: ABR-81021. (Unpublished study received Jul 15, 1981 under 100-597; submitted by Ciba-Geigy Corp., Greensboro, N.C.; CDL:070182-D)

00078297 Ciba-Geigy Corporation (1981) Tests for Residues in Various Crops and Soil. (Compilation; unpublished study received Jul 23, 1981 under 100-587; CDL:245628-A)

00078942 Mobay Chemical Corporation (1981) Addition to Synopsis of Sencor Residue Chemistry on Various Crops: Addition No. 6. (Compilation; unpublished study received Jul 13, 1981 under 3125-314 ; CDL:245572-A)

00105956 Ciba-Geigy Corp. (1981) Metolachlor Residues in Corn Resulting from Preemergence and Preplant Incorporated Applications of Dual 8E at a Maximum Use Rate of 4.0 Lbs. AI/A. (Compilation; unpublished study received Jun 25, 1982 under 100-597; CDL: 247755-A)

00105957 Ciba-Geigy Corp. (1982) Residues in or on Potato Tubers Resulting from 4.0 Lbs. AI/A Preemergence Applications of Dual 8E or Sequential Applications of Dual 8E + Sencor/Lexone Tank Mix Preemergence Followed by Dual 8E at Layby. (Compilation; unpublished study received Jun 25, 1982 under 100-597; CDL:247756-A)

00106041 Ciba-Geigy Corp. (1982) Metolachlor--Peanuts: Layby Applications: Split Applications (Including at Cracking Mixtures with Naptalam/Dinoseb) at Cracking Applications with Dinoseb. (Compilation; unpublished study received Jul 7, 1982 under 100-597; CDL:070977-A)

00106191 Houseworth, L. (1979) Residues of Metolachlor and Metribuzin in Potato Tubers Resulting from the Use of Metolachlor and Metolachlor/Metribuzin Tank Mixes for Weed Control in Potato Culture: Report No.: ABR-79040. (Unpublished study received Apr 25, 1979 under 100-583; submitted by Ciba-Geigy Corp., Greensboro, NC; CDL:098227-A)

00109612 Ciba-Geigy Corp. (1982) Metolachlor Residues in Corn Resulting from Preemengence sic and Preplant Incorporated Applications of Dual 15G at a Maximum Use Rate of 4.0 lbs. AI/A: Report # ABR-82041. (Compilation; unpublished study received Aug 12, 1982 under 100-638; CDL:248086-A)

00109613 Ciba-Geigy Corp. (1982) Metolachlor Residues Resulting from the Application of Dual 15G to Potatoes: Report # ABR-82036. (Compilation; unpublished study received Aug 12, 1982 under 100-638; CDL:248087-A)

00111693 Ciba-Geigy Corp. (1979) Summary of Metolachlor Residues in Sorghum Milling Fractions: Report No. ABR-79036. (Compilation; unpublished study received Mar 16, 1979 under 8F2098; CDL:098010-A)

00115206 Stauffer Chemical Co. (1981) Summary of Residue Data Supporting Use of Dyfonate (4.0 Lbs. A.I./Gal.) and Lasso 4-EC or Dual 6-E or 8-E Tank Mix on Corn. (Compilation; unpublished study received Apr 7, 1981 under 476-2056; CDL:244948-A)

00125227 Ciba-Geigy Corp. (1975) Procyazine--Corn: Tank Mixes with CGA-24705 with and without Fertilizers: Preemergence and Preplant Incorporated Applications: Procyazine Plus CGA-24705--15%

Granule: Summary of Residue Data. (Compilation; unpublished study received Nov 6, 1975 under 4G1469; CDL:095190-A)

00128731 Ciba-Geigy Corp. (1983) Residues in Forage and Fodder of Vegetable Pod Crops Resulting from Preplant Incorporated or Preemergence Applications of Dual 8E, Dual 8E + Premerge 3 or Dual 8E + Eptam 7E. (Compilation; unpublished study received Jun 16, 1983 under 100-597; CDL:071705-A)

00129058 Cargile, N. (1983) Letter sent to C. Brinkley dated Mar 7, 1983: Dual/cotton 24 (C) supportive data. (Unpublished study received Jun 24, 1983 under AZ 83/5; prepared by Ciba-Geigy Corp., submitted by State of Arizona, Phoenix, AZ; CDL:250597-A)

00131376 Ciba-Geigy Corp. (1983) Residues in or on Stone Fruit Resulting from Applications of Dual 8E Alone, or in Tank Mixture with Princep 80W or Princep Caliber 90. (Compilation; unpublished study received Sep 7, 1983 under 100-597; CDL:071927-A)

00150180 Interregional Research Project No. 4 (1984) The Results of Tests on the Amount of Metolachlor Residues Remaining in or on Chili Peppers. Unpublished compilation. 36 p.

00156573 Interregional Research Project No. 4 (1986) Petition Proposing a Tolerance for Metolachlor for Use in Tabasco Pepper Production in Louisiana. Unpublished study. 122 p. study. 122 p.

40557301 Baron, J. (1988) Metolachlor--Magnitude of Residue on Bell Pepper: Project ID: PR 1524. Unpublished study prepared by USDA Analytical Laboratories. 201 p.

40644901 Baron, J. (1989) Metolachlor - Magnitude of Residue on Cabbage: Projectg ID: IR-4 PR 1527. Unpublished study prepared by USDA Analytical Laboratories, Beltsville, MD. 277p.

40766601 Simoneaux, B. (1988) Uptake and Characterization of Metolachlor and its Metabolites in Field and Greenhouse Grown Potatoes: Laboratory Study No. ABR-88110. Unpublished study prepared by Ciba-Geigy Corp. 104 p.

40899301 Baron, J. (1988?) Metolachlor--Magnitude of Residue on Cubanelle Peppers: Project ID: IR-4 Project 3829. Unpublished study prepared by USDA Environmental Chemistry Laboratory. 77 p.

40980702 Cheung, M. (1989) Residue Stability Study of CGA-37913 and CGA-49751 (Metolachlor Residue Hydrolysates) in Crops and Crop Fractions Under Freezer Storage Conditions (One-Year Interim Report): Project ID: ABR-88165. Unpublished study prepared by Ciba-Geigy Corp. 69 p.

40980703 Cheung, M. (1989) Residue Stability Study of CGA-37913 and CGA-49751 (Metolachlor Metabolites) in Beef Muscle, Beef Liver, Dairy Milk, and Poultry Eggs Under Freezer Storage Conditions (One-Year Interim Report): Project ID: ABR-88166. Unpublished study prepared by Ciba-Geigy Corp. 65 p.

40980704 Cheung, M. (1989) Residue Summary--Metolachlor Potato Processed Fractions: Project ID: ABR-88167. Unpublished study prepared by Ciba-Geigy Corp. 74 p.

40980705 Cheung, M. (1989) Residue Summary--Metolachlor Corn Processed Fractions (Dry and Wet Milling): Project ID: ABR-88168. Unpublished study prepared by Ciba-Geigy Corp. 87 p.

40980706 Cheung, M. (1989) Residue Summary--Metolachlor Soybean Processed Fractions: Project ID: ABR-88169. Unpublished study prepared by Ciba-Geigy Corp. 71 p.

40980707 Cheung, M. (1989) Residue Summary--Metolachlor Cotton Processed Fractions: Project ID: ABR-88170. Unpublished study prepared by Ciba-Geigy Corp. 73 p.

40980708 Cheung, M. (1989) Residue Summary--Metolachlor Peanut Processed Fractions: Project ID: ABR-88171. Unpublished study prepared by Ciba-Geigy Corp. 72 p.

41425502 Cheung, M. (1990) Metolachlor: Residue Stability Study of CGA-37913 and CGA-49751 (Metolachlor Residue Hydrolysates) in Crops and Crop Fractions Under Freezer Storage Conditions: Final Report: Lab Project Number: ABR-89090. Unpublished study prepared by Ciba-Geigy Corp. 75 p.

41506401 Cheung, M. (1990) Metolachlor: Residue Stability Study of CGA-37913 and CGA-49751 (Metolachlor Residue Hydrolysates) in Beef Muscle, Beef Liver, Dairy Milk, and Poultry Eggs Under Freezer Storage Conditions: Final Report: Lab Project Number: ABR-89089. Unpublished study prepared by Ciba-Geigy Corp. 86 p.

41506501 Cheung, M. (1990) Metolachlor: Response to EPA Deb Review of Residue Chemistry Data Submitted Under the Metolachlor Frstr: Lab Project Number: ABR-90045. Unpublished study prepared by Ciba-Geigy Corp. 20 p.

41551201 Baron, J. (1990) Metalochlor: Magnitude of Residue on Celery: Lab Project Number: IR-4 1337. Unpublished study prepared by USDA-ARS/Beltsville Agriculture Research Center. 162 p.

42384401 Cheung, M. (1992) Metolachlor: Supplement to Residue Summary--Metolachlor--Corn Processed Fractions (Dry and Wet Milling): Lab Project Number: ABR 88168. Unpublished study prepared by Ciba-Geigy Corp. 13 p.

42502901 Senzel, A. (1992) Meolachlor: Sample Storage Interval Summary: Lab Project Number: ABR-92042. Unpublished study prepared by CIBA-GEIGY Corp. 470 p.

42644300 CIBA-GEIGY Corp. (1993) Submission of residue chemistry data to support Metolachlor registration standard. Transmittal of 1 study.

42644301 Wurz, R. (1993) Metolachlor: Validation of Analytical Method AG-338, Analytical Method for the Residues of Metolachlor Plant Metabolites Determined as CGA-37913 and CGA-49751 after Acid Hydrolysis with Modifications for the Determination of Residues of Metolachlor in (carbon 14)-treated Corn and Potatoes from Metabolism Studies: Lab Project Number: ABR-92088. Unpublished study prepared by CIBA-GEIGY Corp. 72 p.

42652100 Ciba Geigy Corp. (1993) Submission of residue data in support of the registration standard for Metolachlor. Transmittal of 11 studies.

42810600 Ciba-Geigy Corp. (1993) Submission of supplemental storage stability data in support of registration standard for metolachlor. Transmittal of 1 study.

42810601 Cheung, M. (1993) Metolachlor: Response to EPA Review of Metolachlor Storage Stability Data Reported in ABR-88168 (Supplement) (MRID No. 42384401) and ABR-92042 (MRID No. 42502901): Lab Project Number: ABR-88168: ABR-92042. Unpublished study prepared by Ciba-Geigy Corp., Residue Chemistry Department. 97 p.

42885700 Ciba-Geigy Corp. (1993) Submission of residue data in support of petition for tolerances for metolachlor. Transmittal of 1 study.

42885701 Grunenwald, M. (1993) Metolachlor--Magnitude of Residues in or on Grasses Grown for Seed Following Application of Dual 8E: Lab Project Number: ABR-93007. Unpublished study prepared by Ciba Plant Protection. 330 p.

43000100 Interregional Research Project No. 4 (1993) Submission of Residue Data of Metolachlor on Onion in Support of Proposed Tolerances. Transmittal of 1 Study.

43000101 Kunkel, D. (1993) Metolachlor: Magnitude of Residue on Onion (Dry Bulb): Lab Project Number: 1520. Unpublished study prepared by USDA. 288 p.

43178400 Ciba-Geigy Corp. (1994) Submission of residue data in support of data call-in for metolachlor (Craven). Transmittal of 3 studies.

43178401 Grunenwald, M. (1994) Metolachlor: Magnitude of the Residues of Metolachlor as CGA-37913 and CGA-49751 in or on Field Corn Following Preplant Incorporated (PPI) and Layby Application of Dual 8E and Dual 25G: Lab Project Number: ABR/93065: 130377:42-91. Unpublished study prepared by Ciba-Geigy Corp. 483 p.

43178402 Grunenwald, M. (1994) Metolachlor: Magnitude of the Residues of Metolachlor as CGA-37913 and CGA-49751 in Soybeans Following PPI Application of Dual 25G: Lab Project Number: ABR/93063: 130375: 38-91. Unpublished study prepared by Ciba-Geigy Corp. 212 p.

43178403 Grunenwald, M. (1994) Metolachlor: Magnitude of the Residues in Cottonseed Following PRE or PPI Application of Dual 8E to Cotton: Lab Project Number: ABR/93061: 130373: 36-91. Unpublished study prepared by Ciba-Geigy Corp. 258 p.

43210101 Stumpf, K. (1994) Letter sent to Jane Mitchell Dated 4/22/94 concerning overtolerance residues for metolachlor in legume vegetables. Prepared by Ciba-Geigy Corp. 2 p.

43210100 Ciba-Geigy Corp. (1994) Submission of residue data in support of FIFRA 6(a)(2) requirement for Technical Metolachlor. Transmittal of 1 study.

43263100 Ciba-Geigy Co. (1994) Submittal of Residue Data in Support of Craven DCI for Metolachlor Technical. Transmittal of 1 study.

43263101 Grunenwald, M. (1994) Metolachlor--Magnitude of Residues in Peanuts Following Application of Dual 25G or 8E: (Data submitted as alternate to Craven Laboratories generated data): Lab Project Number: ABR-92076. Unpublished study prepared byCiba-Geigy Co. 480 p.

43295700 Ciba-Geigy Corp. (1994) Submission of Residue Data in Response to EPA's Letter of June 20, 1991 Requesting Alternate Data from Non-Craven Laboratory Sources and in Support of FIFRA 6(a)(2) Requirements for Metolachlor. Transmittal of 1 Study.

43295701 Grunenwald, M. (1994) Metolachlor--Magnitude of the Residues of Metolachlor as CGA-37913 and CGA-49751 in Succulent and Dried Legumes Following Preplant Incorporated (PPI) Application of Dual 8E: (Data Submitted as Alternate to Craven LaboratoriesGenerated Data): Lab Project Number: ABR-93084: 39-91: 130376.Unpublished study prepared by Ciba-Geigy Corp.

AGENCY MEMORANDA CITED IN THIS DOCUMENT

CB No. none
Subject: PP#3F2957 - Metolachlor on Stone Fruits
From: K. Arne
To: R. Mountfort, PM#23
Dated: 12/15/83
MRID(s): 00131376

CB No. None
Subject: PP#3F2957 - Metolachlor on Stone Fruits
From: A. Smith
To: R. Mountfort, PM#23
Dated: 1/26/84
MRID(s): none

CB No. None Update to CB No. 2008
Subject: Amendment to review dated 3-13-87; Section 24(c) SLN:CA860072 To:Registration for Metolachlor on Lupine.
From: F. Suhre
To: R. Mountfort, PM#23
Dated: 5/6/87
MRID(s): None

CB No. 701
Subject: PP#6E3378, Metolachlor on Tabasco Peppers-Evaluation of Analytical Methods and Residue Data
From: M. Firestone
To: H. Jamerson
Dated: 4/14/86
MRID(s): 00156573

CB No. 3588
Subject: PP#8E3616 Metolachlor on Bell Peppers
From: M. Kovacs
To: H. Jamerson
Dated: 5/19/88
MRID(s): 40557300 and 40557301

CB No. 3966
Subject: PP#8E3637 Metolachlor on Cabbage
From: S. Willett
To: H. Jamerson
Dated: 8/11/88
MRID(s): 40644901

CB No. 4561
Subject: PP#8E3616 Metolachlor on Bell peppers
From: M. Kovacs
To: H. Jamerson
Dated: 3/24/89
MRID(s):

CBRS No. 4727
Subject: PP#9E3708 Metolachlor on Cubanelle Peppers
From: M. Nelson
To: H. Jamerson
Dated: 3/13/89
MRID(s): 4089300 and -01

CB No. 4931
Subject: Metolachlor registration standard follow-up.
From: R. Quick
To: L. Schnaubelt
Dated: 6/14/89
MRID(s): 40980702 to 40980708 and 40766601 and 40766602

CB No. 5184
Subject: Metolachlor on Bell Peppers Evaluation of Amendment Dated February 23, 1989 (Information Regarding Bell Pepper Production in Texas)
From: M. Kovacs
To: H. Jamerson
Dated: 7/13/89
MRID(s): None

CBRS No. 5185
Subject: PP#9E3708 Metolachlor on Cubanelle Peppers
From: M. Nelson
To: H. Jamerson
Dated: 5/15/89
MRID(s): none

CB No. 6181
Subject: SLN FL890042 - Metolachlor for use on Cabbage.
From: F. Toghrol
To: J. Miller
Dated: 2/5/90
MRID(s): None

CB Nos. 6887 and 6888
Subject: PP#0E3882 - Metolachlor on Celery
From: F. Griffith
To: H. Jamerson
Dated: 9/4/90
MRID(s): 41551200 and -01

CB No. 7080
Subject: PP#0E3882 - Metolachlor on Celery
From: F. Griffith
To: H. Jamerson
Dated: 10/23/90
MRID(s): 41551201

CB No. 8317
Subject: Soybean Hull Chromatograms and Storage Stability Data Submissions in Response to the Metolachlor Final Registration Standard and Tolerance Reassessment (FRSTR) follow up (6/14/89).
From: B. Cropp-Kohlligian
To: W. Waldrop
Dated: 4/16/92
MRID(s): 41506501 and 41425502

CB No. 8398
Subject: Impact of Craven Analytical Data on Registrations.
From: S. Koepke
To: J. Miller
Dated: 10/10/91
MRID(s): 00064181, 00065047, 00084006, 00106039, 0106049, 00109662, 00131860, 00148514, 405166501, 41425501

CB No. 9261
Subject: Reregistration of Metolachlor. Storage Stability of Metolachlor Metabolites in Animal Commodities.
From: S. Funk
To: C. Childress
Dated: 8/6/92
MRID(s): 41506401

CB No. 10900
Subject: OR900020 - Naled on Alfalfa Grown for Seed
From: B. Schneider
To: J. Miller
Dated: 12/4/92
MRID(s): none

CB No. 10305, 10787
Subject: Metolachlor - Storage Stability and Sample Storage Intervals (D181006, D183896)
From: F. Suhre
To: J. Mitchell
Dated: 4/15/93
MRID(s): 42502901, 42384401

CB No. 11378
Subject: Metolachlor - Plant Metabolism - Potatoes and Corn - Radiovalidation (D188194)
From: S. Hummel
To: J. Mitchell
Dated: 5/10/93
MRID(s): 42644301, 42652101 to -11

CB No. none
Subject: Metolachlor - Reevaluation of Craven Data Base
From: S. Hummel
To: J. Mitchell
Dated: 5/4/93, 5/27/93
MRID(s): none

CB No. 11484
Subject: Metolachlor - Replacement of Craven Data (D188841)
From: S. Hummel
To: J. Mitchell
Dated: 5/20/93
MRID(s): none

CB No. none
Subject: Memorandum of Phone Call: Residue Data Requirements for New Formulations
From: R. Loranger
To: Files
Dated: 5/20/91
MRID(s): none

CB No. 12111
Subject: Metolachlor (108801) Storage Stability Data
From: F. Suhre
To: J. Mitchell
Dated: 11/17/93
MRID(s): 42710601
DPBarcode: D192548

CB No. 12521
Subject: Metolachlor Anticipated Residues
From: S. Knizner
To: J. Mitchell
Dated: 11/18/93
MRID(s): None
DPBarcode: D194942

CB No. 13482
Subject: Metolachlor (108801) Addendum to RED, Replacement of Craven Data on field corn, cottonseed (single application only), and soybeans. Updated Anticipated Residues
From: S. Hummel
To: J. Mitchell
Dated: 6/23/94
MRID(s): 43178401, 43178402, 43178403
DPBarcode: D201438

CB No. 12970
Subject: PP#4E4286. Metolachlor on Dry Bulb Onions
From: M. Bradley
To: J. Miller
Dated: 7/28/94
MRID(s): 43006101
DPBarcode: D197404

73

CB No. 12494
Subject: PP#3F04251. Metolachlor in or on grasses grown for seed.
From: G. Kramer
To: J. Miller
Dated: 9/1/94
MRID(s): 42885701, 42995702, 42885703, 42885704, 42885705, 42885706, 42885707
DPBarcode: D194844

CB No. 14160
Subject: Addendum to RED: Magnitude of Residue in Legumes (Succulent and Dried)
From: D. Miller
To: Jane Mitchell
Dated: 9/16/94
MRID(s): 43295701
DPBarcode: D206103

CB No. 13875
Subject: Metolachlor (108801). Addendum to RED. Partial Replacement of Craven data on Peanuts
From: S. Hummel
To: J. Mitchell
Dated: 9/29/94
MRID(s): 43263101
DPBarcode: D204467